



---

**Started on** Sunday, 16 November 2025, 8:44 PM

---

**State** Finished

---

**Completed on** Sunday, 16 November 2025, 8:45 PM

---

**Time taken** 55 secs

---

**Marks** 1.00/1.00

---

**Grade** **30.00** out of 30.00 (**100%**)

---

**Question 1** | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

For example:

Input	Result
1	10 57
3 10 17 57	
6	
2 7 10 15 57 246	

**Answer:** (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main() {
4      int T;
5      scanf("%d", &T);
6
7      while (T--) {
8          int n1, n2;
9          scanf("%d", &n1);
10         int a[n1];
11         for (int i = 0; i < n1; i++) scanf("%d", &a[i]);
12
13         scanf("%d", &n2);
14         int b[n2];
15         for (int i = 0; i < n2; i++) scanf("%d", &b[i]);
16
17         int i = 0, j = 0;
18         while (i < n1 && j < n2) {
19             if (a[i] == b[j]) {
20                 printf("%d ", a[i]);
21                 i++;
22                 j++;
23             } else if (a[i] < b[j]) {
24                 i++;

```

```

25     } else {
26         j++;
27     }
28     }
29     printf("\n");
30 }
31 return 0;
32 }
33

```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.



[Back to Course](#)

