

System Verification and Validation Plan for TTE RecSys

Yinying Huo

March 28, 2025

Revision History

Date	Version	Notes
Feb 24, 2025	1.0	First draft - Unit tests will be added after the MIS has been completed..
Feb 25, 2025	1.1	Minor update after VnV presentation

Contents

1	Symbols, Abbreviations, and Acronyms	iv
2	General Information	1
2.1	Summary	1
2.2	Objectives	1
2.3	Challenge Level and Extras	2
2.4	Relevant Documentation	2
3	Plan	2
3.1	Verification and Validation Team	2
3.2	SRS Verification Plan	3
3.3	Design Verification Plan	3
3.4	Verification and Validation Plan Verification Plan	3
3.5	Implementation Verification Plan	3
3.6	Automated Testing and Verification Tools	3
3.7	Software Validation Plan	4
4	System Tests	4
4.1	Tests for Functional Requirements	4
4.1.1	Area of Testing 1: Dataset	4
4.1.2	Test for Model Training Convergence	4
4.1.3	Area of Testing 3: Model Storage	5
4.2	Tests for Nonfunctional Requirements	5
4.2.1	Reliability	5
4.2.2	Portability	5
4.2.3	Scalability	6
4.3	Traceability Between Test Cases and Requirements	6
5	Unit Test Description	6
5.1	Unit Testing Scope	6
5.2	Tests for Functional Requirements	7
5.2.1	System Interface Module (M1)	7
5.2.2	Data Processing Module (M2)	7
5.2.3	Model Training Module (M3)	8
5.2.4	Embedding Generation Module (M4)	8
5.2.5	Recommendation Module (M5)	9

5.2.6	Neural Network Architecture Module (M6)	9
5.2.7	ANN Search Module (M7)	9
5.2.8	Vector Operations Module (M8)	10
5.3	Tests for Nonfunctional Requirements	10
5.3.1	Scalability Test	10
5.3.2	Portability Test	11
5.4	Traceability Between Test Cases and Modules	11

List of Tables

1	Verification and Validation Team	2
2	Traceability Matrix Showing the Connections Between Test Cases and Requirements	7
3	Traceability Matrix Between Test Cases and Modules	11

1 Symbols, Abbreviations, and Acronyms

symbol	description
T	Test
R	Requirement
NFR	Nonfunctional Requirement
TTE	Two Tower Embedding
RecSys	Recommendation System
ANN	Approximate Nearest Neighbor
SRS	Software Requirements Specification
FAISS	Facebook AI Similarity Search
DNN	Deep Neural Network

This document outlines the verification and validation plan for the Two-Tower Embeddings Recommendation System (TTE RecSys) to ensure compliance with the requirements and objectives specified in the [Software Requirements Specification \(SRS\)](#). It is structured to first present general information and verification strategies, followed by detailed descriptions of system and unit testing for both functional and non-functional requirements.

2 General Information

2.1 Summary

The software under test is the Two-Tower Embedding Recommendation System, which generates personalized recommendations using user and item embeddings. The system consists of two main components:

- Training Phase: Learns user and item embedding functions using a deep neural network architecture, optimized via Stochastic Gradient Descent (SGD).
- Inference Phase: Retrieves candidate items using Approximate Nearest Neighbor (ANN) search and ranks them by dot product similarity.

The system is implemented in Python, leveraging libraries such as PyTorch for model training and FAISS for ANN search.

2.2 Objectives

The primary objectives of this VnV plan are:

- Correctness: Verify that the system correctly implements the mathematical models for training (e.g., MSE loss) and inference (e.g., ANN search, dot product ranking).
- Accuracy: Validate that the system achieves acceptable prediction accuracy on a held-out test set.
- Scalability: Demonstrate that the system can support incremental update when new data available.

Out-of-Scope Objectives

- External Library Verification: Libraries such as PyTorch and FAISS are assumed to be correct and are not verified as part of this plan.

2.3 Challenge Level and Extras

This is a non-research project. The extra component of this project will be a user manual.

2.4 Relevant Documentation

The following documents are available for this project: [Software Requirements Specification](#), [Module Guide](#), and [Module Interface Specification](#)

3 Plan

The VnV plan starts with an introduction to the verification and validation team, followed by verification plans for the SRS and design. Next, it covers verification plans for the VnV Plan and implementation. Finally, it includes sections on automated testing and verification tools as well as the software validation plan .

3.1 Verification and Validation Team

Name	Document	Role	Description
Yinying Huo	All	Author	Prepare all documentation, develop the software, and validate the implementation according to the VnV plan.
Dr. Spencer Smith	All	Instructor/ Reviewer	Review all the documents.
Yuanqi Xue	All	Domain Expert	Review all the documents.

Table 1: Verification and Validation Team

3.2 SRS Verification Plan

The Software Requirements Specification (SRS) will be reviewed by domain expert Yuanqi Xue and Dr. Smith. Feedback from reviewers will be provided on GitHub, and the author will need to address it.

There is a [SRS checklist](#) designed by Dr. Spencer Smith available to use.

3.3 Design Verification Plan

The design verification, including the Module Guide (MG) and Module Interface Specification (MIS), will be reviewed by domain expert Yuanqi Xue and Dr. Smith. Feedback from reviewers will be provided on GitHub, and the author will need to address it.

Dr. Spencer Smith has created a [MG checklist](#) and [MIS checklist](#), both of which are available for use.

3.4 Verification and Validation Plan Verification Plan

The Verification and Validation (VnV) Plan will be reviewed by domain expert Yuanqi Xue and Dr. Smith. Feedback from reviewers will be provided on GitHub, and the author will need to address it.

There is a [VnV checklist](#) designed by Dr. Spencer Smith available to use.

3.5 Implementation Verification Plan

The implementation will be verified by testing both the functional and non-functional requirements outlined in section 4. Unit tests, as described in section 5, will also be performed. Additionally, a code walkthrough will be conducted with the class during the final presentation.

3.6 Automated Testing and Verification Tools

All system tests and unit tests will be performed using Python scripts. GitHub Actions is used for continuous integration, and the workflow will run all unit tests.

3.7 Software Validation Plan

The software validation plan is beyond the scope of TTE RecSys, as it requires additional time and data that are not available within the scope of the project.

4 System Tests

This section covers the system tests that will be applied to both the functional and non-functional requirements.

4.1 Tests for Functional Requirements

The functional requirements are tested in the following areas: input validation, ranking consistency, and output correctness. These tests ensure the system behaves as expected under various conditions.

4.1.1 Area of Testing 1: Dataset

1. test-id1

Control: Automatic

Initial State: Before training the DNN.

Input: Dataset

Output: A verified training dataset where each user-item pair has an associated reward.

Test Case Derivation: Ensures that the system receives a valid dataset for training, as specified in the [SRS](#).

How test will be performed: This test will be performed automatically using GitHub Actions every time before training the DNN.

4.1.2 Test for Model Training Convergence

1. test-id2

Control: Automatic

Initial State: After training of the DNN

Input: The loss record during training

Output: A boolean value, “True” if the loss of the DNN decreases over

iterations, and “False” otherwise.

Test Case Derivation: Ensures the correctness of the output as specified in [SRS](#).

How the test will be performed: This test will be performed automatically using GitHub Actions once training is complete.

4.1.3 Area of Testing 3: Model Storage

1. test-id4:

Control: Automatic

Initial State: After model training is complete

Input: Path to the model and pre-computed item embeddings

Output: bA boolean variable – “True” iff the model and pre-computed item embeddings are stored in the specified location, and “False” otherwise

Test Case Derivation: Ensures R3 (model storage) is properly implemented

How test will be performed: The test will be performed automatically using GitHub Actions once model training convergence is complete.

4.2 Tests for Nonfunctional Requirements

4.2.1 Reliability

The reliability of the software is tested through the tests for functional requirements in section 4.1 and 5.2 .

4.2.2 Portability

1. test-id5

Type: Manual

Initial State: None

Input/Condition: None

Output/Result: The project should pass all the tests for functional requirements and run without any errors.

How test will be performed: Potential users will install the project on their computers (Windows, macOS, or Linux) and execute a sample workflow.

4.2.3 Scalability

1. test-id6

Type: Manual

Initial State: System initialized with a model trained on 70% of the dataset.

Input/Condition: Remaining 30% of the dataset added as new data.

Output/Result: Model updates complete within 1 minute.

How test will be performed: Because there is no external data for updates, the system will first train the model on 70% of the training set. After training is done and all the functional requirements have passed, the remaining 30% will be added as new data to simulate incremental updates.

4.3 Traceability Between Test Cases and Requirements

The table [4.3](#) shows the traceability between test cases and requirements

5 Unit Test Description

The unit tests for this system will follow a hierarchical approach based on the module decomposition in the Module Guide. The testing philosophy focuses on:

1. Black-box testing of module interfaces according to their specifications
2. White-box testing for complex algorithms and edge cases
3. Mock objects for isolating modules from their dependencies

5.1 Unit Testing Scope

All modules developed for this project will be tested. External libraries (PyTorch, FAISS) are considered outside the scope of unit testing.

	test-id1	test-id2	test-id3	test-id4	test-id5	test-id6
R1	X					
R2		X				
R3				X		
R4			X			
R5		X	X			
R6		X	X			
NFR1						X
NFR2	X	X	X	X		
NFR3					X	

Table 2: Traceability Matrix Showing the Connections Between Test Cases and Requirements

5.2 Tests for Functional Requirements

5.2.1 System Interface Module (M1)

1. test-M1-1

Type: Automatic, Functional

Initial State: File system with sufficient storage space

Input: Trained model object

Output: Boolean value 'True' indicating successful save and load operation

Test Case Derivation: R3 requires the system to store and retrieve trained embedding functions.

How test will be performed: Use the fully trained production model, save it to disk, load it back, and verify the model parameters are preserved.

5.2.2 Data Processing Module (M2)

1. test-M2-1

Type: Automatic, Functional

Initial State: None

Input: Path to the production dataset file

Output: Boolean value 'True' indicating the dataset has no missing values and meets all validation criteria

Test Case Derivation: R1 requires the system to accept valid input data.

How test will be performed: Load the production dataset using the module and run validation to verify it meets all requirements.

5.2.3 Model Training Module (M3)

1. test-M3-1

Type: Automatic, Functional

Initial State: Uninitialized ModelTrainer

Input: Valid training configuration

Output: ModelTrainer with initialized state (IsInitialized=True)

Test Case Derivation: R2 requires the system to train embedding functions.

How test will be performed: Initialize the ModelTrainer with the configuration and verify the state variables are set correctly.

5.2.4 Embedding Generation Module (M4)

1. test-M4-1

Type: Automatic, Functional

Initial State: Initialized EmbeddingGenerator

Input: A random user data from the dataset

Output: User embedding vector of the expected dimension.

Test Case Derivation: R4 requires the system to generate embeddings based on user features.

How test will be performed: Generate an embedding for an user from the dataset and verify its dimension matches the expected value.

5.2.5 Recommendation Module (M5)

1. test-M5-1

Type: Automatic, Functional

Initial State: Initialized Recommender

Input: Processed user data and number of results (10)

Output: Array of recommendation objects with length 10, each containing an item ID and similarity score

Test Case Derivation: R6 requires the system to return ranked recommendations with similarity scores.

How test will be performed: Generate recommendations for an user from the dataset and verify the output has the correct format and length.

5.2.6 Neural Network Architecture Module (M6)

1. test-M6-1

Type: Automatic, Functional

Initial State: None

Input: Configuration parameters for input dimension, hidden layers, and embedding dimension

Output: Neural network model with the specified architecture

Test Case Derivation: R2 requires the system to create models for embedding generation.

How test will be performed: Create a model with the architecture and verify the layer structure matches the specification.

5.2.7 ANN Search Module (M7)

1. test-M7-1

Type: Automatic, Functional

Initial State: None

Input: Array of item embeddings from the production model and a query embedding

Output: Array of (item_id, similarity_score) tuples with the expected length

Test Case Derivation: R6 requires efficient retrieval of nearest items.

How test will be performed: Build an index with item embeddings, search with an user embedding, and verify the results structure. The correctness will not be verified, as the external library (FAISS) is assumed to be correct.

5.2.8 Vector Operations Module (M8)

1. test-M8-1

Type: Automatic, Functional

Initial State: None

Input: Two embedding vectors

Output: Scalar dot product value

Test Case Derivation: The system relies on dot product for similarity calculation.

How test will be performed: Calculate the dot product of two actual embedding vectors from the model and verify the result is a scalar value.

5.3 Tests for Nonfunctional Requirements

5.3.1 Scalability Test

1. test-NFR1-1

Type: Automatic, Performance

Initial State: Trained model

Input: New data

Output: An updated model

Test Case Derivation: NFR1 requires incremental updates when new data becomes available.

How test will be performed: Add new data to the existing model and verify the model parameters have been updated correctly.

5.3.2 Portability Test

1. test-NFR3-1

Type: Manual, Compatibility

Initial State: Complete system package

Input: Installation commands on different platforms

Output: System runs successfully on Windows, Linux, and macOS

Test Case Derivation: NFR3 requires operation on multiple platforms.

How test will be performed: Install and run the system on each platform, performing a standard recommendation operation.

5.4 Traceability Between Test Cases and Modules

The table 5.4 shows the traceability between test cases and modules.

Test ID	M1	M2	M3	M4	M5	M6	M7	M8
test-M1-1	X							
test-M2-1		X						
test-M3-1			X					
test-M4-1				X				
test-M5-1					X			
test-M6-1						X		
test-M7-1							X	
test-M8-1								X
test-NFR1-1			X					
test-NFR3-1	X	X	X	X	X	X	X	X

Table 3: Traceability Matrix Between Test Cases and Modules

References

Author Author. System requirements specification. <https://github.com/...>, 2019.

- Matthijs Douze, Alexandr Guzhva, Chengqi Deng, Jeff Johnson, Gergely Szilvasy, Pierre-Emmanuel Mazaré, Maria Lomeli, Lucas Hosseini, and Hervé Jégou. The faiss library, 2024. URL <https://arxiv.org/abs/2401.08281>.
- Carlo Ghezzi, Mehdi Jazayeri, and Dino Mandrioli. *Fundamentals of Software Engineering*. Prentice Hall, Upper Saddle River, NJ, USA, 2nd edition, 2003.
- Daniel M. Hoffman and Paul A. Strooper. *Software Design, Automated Testing, and Maintenance: A Practical Approach*. International Thomson Computer Press, New York, NY, USA, 1995. URL <http://citeseer.ist.psu.edu/428727.html>.
- Yinying Huo. Software requirements specification for the recsys, 2025. URL <https://github.com/V-AS/Two-tower-recommender-system/blob/main/docs/SRS/SRS.pdf>. Accessed: February 18, 2025.
- David L. Parnas. On the criteria to be used in decomposing systems into modules. *Comm. ACM*, 15(2):1053–1058, December 1972.
- David L. Parnas. Designing software for ease of extension and contraction. In *ICSE '78: Proceedings of the 3rd international conference on Software engineering*, pages 264–277, Piscataway, NJ, USA, 1978. IEEE Press. ISBN none.
- David L. Parnas and P.C. Clements. A rational design process: How and why to fake it. *IEEE Transactions on Software Engineering*, 12(2):251–257, February 1986.
- D.L. Parnas, P.C. Clement, and D. M. Weiss. The modular structure of complex systems. In *International Conference on Software Engineering*, pages 408–419, 1984.
- James Robertson and Suzanne Robertson. *Volere Requirements Specification Template*. Atlantic Systems Guild Limited, 16 edition, 2012.
- W. Spencer Smith. Systematic development of requirements documentation for general purpose scientific computing software. In *Proceedings of the 14th IEEE International Requirements Engineering Conference, RE 2006*,

- pages 209–218, Minneapolis / St. Paul, Minnesota, 2006. URL <http://www.ifi.unizh.ch/req/events/RE06/>.
- W. Spencer Smith and Nirmitha Koothoor. A document-driven method for certifying scientific computing software for use in nuclear safety analysis. *Nuclear Engineering and Technology*, 48(2):404–418, April 2016. ISSN 1738-5733. doi: <http://dx.doi.org/10.1016/j.net.2015.11.008>. URL <http://www.sciencedirect.com/science/article/pii/S1738573315002582>.
- W. Spencer Smith and Lei Lai. A new requirements template for scientific computing. In J. Ralyté, P. Ågerfalk, and N. Kraiem, editors, *Proceedings of the First International Workshop on Situational Requirements Engineering Processes – Methods, Techniques and Tools to Support Situation-Specific Requirements Engineering Processes, SREP’05*, pages 107–121, Paris, France, 2005. In conjunction with 13th IEEE International Requirements Engineering Conference.
- W. Spencer Smith, Lei Lai, and Ridha Khedri. Requirements analysis for engineering computation: A systematic approach for improving software reliability. *Reliable Computing, Special Issue on Reliable Engineering Computation*, 13(1):83–107, February 2007.
- W. Spencer Smith, John McCutchan, and Jacques Carette. Commonality analysis of families of physical models for use in scientific computing. In *Proceedings of the First International Workshop on Software Engineering for Computational Science and Engineering (SECSE 2008)*, Leipzig, Germany, May 2008. In conjunction with the 30th International Conference on Software Engineering (ICSE). URL <http://www.cse.msstate.edu/~SECSE08/schedule.htm>. 8 pp.
- W. Spencer Smith, John McCutchan, and Jacques Carette. Commonality analysis for a family of material models. Technical Report CAS-17-01-SS, McMaster University, Department of Computing and Software, 2017.
- Wikipedia. Dot product — Wikipedia, the free encyclopedia. <http://en.wikipedia.org/w/index.php?title=Dot%20product&oldid=1268352915>, 2025a. [Online; accessed 17-February-2025].
- Wikipedia. Gradient descent — Wikipedia, the free encyclopedia. <http://en.wikipedia.org/w/index.php?title=Gradient%20descent&oldid=1274464503>, 2025b. [Online; accessed 17-February-2025].

- Wikipedia. Mean squared error — Wikipedia, the free encyclopedia. <http://en.wikipedia.org/w/index.php?title=Mean%20squared%20error&oldid=1276072434>, 2025c. [Online; accessed 17-February-2025].
- Wikipedia. Stochastic gradient descent — Wikipedia, the free encyclopedia. <http://en.wikipedia.org/w/index.php?title=Stochastic%20gradient%20descent&oldid=1265558819>, 2025d. [Online; accessed 17-February-2025].
- Xinyang Yi, Ji Yang, Lichan Hong, Derek Zhiyuan Cheng, Lukasz Heldt, Aditee Ajit Kumthekar, Zhe Zhao, Li Wei, and Ed Chi, editors. *Sampling-Bias-Corrected Neural Modeling for Large Corpus Item Recommendations*, 2019.