Revision nr 1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 1 / 10

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 20280#000 **LUMOROL HQB** Product name

Chemical name and synonym Aqua (and) Ammonium Laureth Sulfate (and) Ammonium Lauryl Sulfate (and)

Cocamidopropyl Betaine (and) Sodium Myristoyl Glutamate (and) Sodium

(VC)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Surfactants blend for cosmetic field.

1.3. Details of the supplier of the safety data sheet

Name Zschimmer & Schwarz Italiana S.p.a.

Full address via A. Ariotto, 1/C 13038 Tricerro District and Country

Italia

Tel. 0039 0161 808111 Fax 0039 0161 801002

e-mail address of the competent person

responsible for the Safety Data Sheet e.merlo@zschimmer-schwarz.com

1.4. Emergency telephone number

For urgent inquiries refer to 800 452661

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in Directives 67/548/EEC and 1999/45/EC (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Danger Symbols:

R phrases: Carc. Cat. 3 40-41-43

2.2. Label elements.

Hazard labelling pursuant to Directives 67/548/EEC and 1999/45/EC and subsequent amendments and supplements.



LIMITED EVIDENCE OF A CARCINOGENIC EFFECT.

R40 RISK OF SERIOUS DAMAGE TO EYES. R41

R43 MAY CAUSE SENSITISATION BY SKIN CONTACT.

AVOID CONTACT WITH EYES. S25

IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK **S26**

MEDICAL ADVICE.

S36/37/39 WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.

Contains: **FORMALDEHYDE**

Revision nr.1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 2 / 10

SECTION 2. Hazards identification. .../>>

2.3 Other hazards

Information not available.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant

3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 67/548/EEC. Classification 1272/2008 (CLP).

Ammonium Laureth Sulfate

CAS. 32612-48-9 10 - 15 Xi R38, Xi R41 Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

EC. absent, polymer

INDEX. -Reg. no. absent, polymer

Sulfuric acid, mono-C12-14(even numbered)-alkyl esters, ammonium salts

CAS. 90583-11-2 5 - 10 Xi R38, Xi R41 Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315,

FC 931-558-1 Aquatic Chronic 3 H412

INDEX. -

Reg. no. 01-2119519217-42-0006

Cocamidopropyl Betaine

CAS. 147170-44-3 1 - 5 Xi R41 Eye Dam. 1 H318, Aquatic Chronic 3 H412

EC. 931-333-8

INDEX. -

Reg. no. 01-2119489410-39-0001

Sodium hydrogen N-(1-oxotetradecyl)-L-glutamate

CAS. 38517-37-2 1 - 5 Xi R36 Eye Irrit. 2 H319

EC. 253-981-4

INDEX. -

Reg. no. pre-registered

2-PHENOXYETHANOL

CAS. 122-99-6 1 - 5 Xn R22, Xi R36 Acute Tox. 4 H302, Eye Irrit. 2 H319

EC. 204-589-7 INDEX. 603-098-00-9

FORMALDEHYDE

CAS. 50-00-0 1 - 5 Carc. Cat. 3 R40, T R23/24/25, C R34, Xi R43, Note B D Carc. 2 H351, Acute Tox. 3 H301, Acute Tox. 3 H311,

EC. 200-001-8 Acute Tox. 3 H331, Skin Corr. 1B H314, STOT SE 3 H335, Skin Sens. 1 H317, Note B D

Acute Tox. 3 H331, Skin Corr. 1B H314, STOT SE 3 H335, Skin Sens. 1 H317, Note B D

Note: Upper limit is not included into the range.

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

 $T+= Very\ Toxic(T+),\ T=Toxic(T),\ Xn=Harmful(Xn),\ C=Corrosive(C),\ Xi=Irritant(Xi),\ O=Oxidizing(O),\ E=Explosive(E),\ F+=Extremely\ Flammable(F+),\ F=Highly\ Flammable(F),\ N=Dangerous\ for\ the\ Environment(N)$

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

Revision nr.1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 3 / 10

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind; carbon dioxide, foam, powder and water spray,

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

Revision nr.1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 4 / 10

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

United Kingdom

Éire

EH40/2005 Workplace exposure limits. Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as amended).

Code of Practice Chemical Agent Regulations 2011.

OEL EU Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive

2000/39/EC.

TLV-ACGIH ACGIH 2012

	Sulfur	ic acid, mono-0	:12-14(even ni	umbered)-alkv	Lesters am	monium salts				
Predicted no-effect co		•		umborou, umg	r ootoro, am					
Normal value for the food chain (secondary poisoning)						133,3	mg/kg			
Normal value for the terrestrial compartment						0,171	mg/kg			
Normal value in fresl	h water					0,03256	mg/l			
Normal value for water, intermittent release						0,3256	mg/l			
Normal value in marine water						0,003256	mg/l			
Normal value for fresh water sediment					0,207	mg/kg				
Normal value for marine water sediment					0,0207	mg/kg				
Normal value of STF	microorgan	isms				NPI				
Health - Derived no-eff	ect level - D	NEL / DMEL								
	Effects on consumers. Effect					ts on workers				
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic		
	local	systemic	local	systemic	local	systemic	local	systemic		
Oral.			NPI	NPI			NPI	NPI		
Inhalation.			NPI	NPI			NPI	NPI		
Skin.			30 mg/kg	VND			60 mg/kg	VND		

				FORMA	LDEHYDE
Threshold Limit	Value.				
Type	Country	TWA/8h		STEL/15r	min
		mg/m3	ppm	mg/m3	ppm
WEL	UK	2,5	2	2,5	2
OEL	IRL	2,5	2	2,5	2
TLV-ACGIH				0,37 (C)	0,3 (C)

Revision nr.1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 5 / 10

SECTION 8. Exposure controls/personal protection. .../>>

			Cocamide	opropyl Betair	ne			
redicted no-effect cor	ncentration	- PNEC.						
Normal value for the terrestrial compartment						0,314	mg/kg	
Normal value in fresh water						0,031	mg/l	
Normal value in marine water						0,0031	mg/l	
Normal value for fresh water sediment						1,67	mg/kg	
Normal value for marine water sediment						0,167	mg/kg	
Normal value of STP microorganisms						912	mg/l	
ealth - Derived no-eff	ect level - D	NEL / DMEL						
	Effects o	n consumers.		Effects on workers				
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral.			VND	2,5				
				mg/kg				
Inhalation.			VND	4,348			VND	17,632
				mg/m3				mg/m3
Skin.			VND	5			VND	10
				mg/kg				mg/kg

Leaend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance paste Colour white or yellow characteristic Odour Odour threshold. Not available. 5.5 - 7.5 (tq, 20°C) Melting point / freezing point. Not available. Initial boiling point. 100 Boiling range. Not available. Flash point. 100 °C.

Zschimmer & Schwarz Italiana S.p.a. LUMOROL HQB

Revision nr.1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 6 / 10

SECTION 9. Physical and chemical properties. .../>>

Evaporation Rate Not available Flammability of solids and gases not flammable Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available. Not available. Upper explosive limit. Vapour pressure. Not available. Vapour density Not available. Relative density. Not available. Solubility soluble in water Not available. Partition coefficient: n-octanol/water Auto-ignition temperature. Not available. Decomposition temperature. Not available. Viscosity Not available. Explosive properties Not available Oxidising properties Not available.

9.2. Other information.

Information not available

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

2-PHENOXYETHANOL: in water at 1% reacts to form a weak acid (pH=6).

FORMALDEHYDE: acqueous solutions are stabilised with methanol but tend to polymerise over time. Storage temperature varies according to concentration. Solutions >25% are also corrosive. Decomposes under the effect of heat.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

FORMALDEHYDE: risk of explosion on contact with: nitromethane, nitrogen dioxide (at 180°C), hydrogen peroxide, phenol, performic acid, nitric acid. It may also polymerise con contact with: strong oxidising agents, alkalis. Can react dangerously with: hydrolchloric acid, magnesium carbonate, sodium hydroxide, perchloric acid and aniline. Forms explosive mixtures with the air.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

FORMALDEHYDE: avoid exposure to light, sources of heat and naked flames.

10.5. Incompatible materials.

2-PHENOXYETHANOL: strong oxidising agents.

FORMALDEHYDE: acids, akalis, ammonia, tannin, strong oxidising agents, phenols and copper, silver and iron salts.

10.6. Hazardous decomposition products.

FORMALDEHYDE: carbon oxides.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

This product must be handled carefully because of its possible carcinogenic effects. Anyway, currently available data do not allow us to comprehensively assess this product.

This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration.

Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas, edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase.

Zschimmer & Schwarz Italiana S.p.a. LUMOROL HQB

Revision nr.1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 7 / 10

SECTION 11. Toxicological information. .../>>

Irritant effect on skin (rabbit, OECD 404): no primary but slight irritant effect - Irritant effect on eyes (rabbit, OECD 405): risk of serious damage to eyes - Sensitization: non sensitizing in the maximum-dose test on guinea pigs - Additional information: no experimental evidence on genotoxicity in vitro/vivo

Irritant to skin and eye (product as it is); Not sensitizing (product as it is); Not mutagenic (Ames test).

Cocamidopropyl Betaine

LD50 (Oral). > 6000 mg/kg Rat (OECD 401) LD50 (Dermal). > 2000 mg/kg Rat (OECD 402)

Ammonium Laureth Sulfate

LD50 (Oral). > 2000 mg/kg Rat

Sodium hydrogen N-(1-oxotetradecyl)-L-glutamate

LD50 (Oral). > 2000 mg/kg Rat

Sulfuric acid, mono-C12-14(even numbered)-alkyl esters, ammonium salts

LD50 (Oral). > 2000 mg/kg Rat

FORMALDEHYDE

 LD50 (Oral).
 100 mg/kg Rat

 LD50 (Dermal).
 270 mg/kg Rabbit

 LC50 (Inhalation).
 0,588 mg/l/4h Rat

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

EC0 (16h) > 8000 mg/l (Pseudomonas sp., ISO 10712)

Cocamidopropyl Betaine

LC50 - for Fish. 3 mg/l/96h Fathead minnow (OECD 203)

EC50 - for Crustacea. 5 mg/l/48h Daphnia (OECD 202)

EC50 - for Algae / Aquatic Plants. 15,6 mg/l/72h Desmodesmus subspicatus (OECD 201)

Ammonium Laureth Sulfate

LC50 - for Fish. 7,1 mg/l/96h Brachydanio rerio

EC50 - for Crustacea. 7,7 mg/l/48h Daphnia

EC50 - for Algae / Aquatic Plants. 12 mg/l/72h Scenedesmus subspicatus

Sodium hydrogen N-(1-oxotetradecyl)-L-glutamate

LC50 - for Fish. 195 mg/l/96h Fish

EC50 - for Crustacea. > 1 mg/l/48h Daphnia and Algae EC50 - for Algae / Aquatic Plants. > 1000 mg/l/72h Bacteria

Sulfuric acid, mono-C12-14(even numbered)-alkyl esters, ammonium salts

12.2. Persistence and degradability.

87% after 28 d (ISO 14953); This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Readily biodegradable (according to CE 648/2004).

Readily biodegradable (according to CE 648/2004).

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

FORMALDEHYDE: easily biodegradable.

Zschimmer & Schwarz Italiana S.p.a. LUMOROL HQB

Revision nr.1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 8 / 10

SECTION 12. Ecological information. .../>>

12.3. Bioaccumulative potential.

No bioaccumulation

No bioaccumulo.

No bioaccumulo.

No bioaccumulo.

FORMALDEHYDE: no appreciable bioaccumulation potential (log Ko/w 1-3).

12.4. Mobility in soil.

None mobility in soil

FORMALDEHYDE: very mobile in soil.

12.5. Results of PBT and vPvB assessment.

No PBT/vPvB

No PBT/vPvB.

No PBT/vPvB.

No PBT/vPvB.

12.6. Other adverse effects.

No other adverse effects

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Avoid littering. Do not contaminate soil, sewers and waterways.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

Emergency phone number for transport 800 452 661

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product.

Point.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Zschimmer & Schwarz Italiana S.p.a.

LUMOROL HQB

SECTION 15. Regulatory information. .../>>

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Carcinogenicity, category 2 Carc. 2 Acute Tox. 3 Acute toxicity, category 3 Acute Tox. 4 Acute toxicity, category 4 Skin Corr. 1B Skin corrosion, category 1B Eye Dam. 1 Serious eye damage, category 1 Eye irritation, category 2 Eye Irrit. 2 Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Skin Sens. 1 Skin sensitization, category 1

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H351 Suspected of causing cancer.

H301 Toxic if swallowed. H311 Toxic in contact with skin.

Toxic if inhaled. H331 H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Causes serious eye damage. H318 H319 Causes serious eye irritation. H315 Causes skin irritation. H335

May cause respiratory irritation. H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

HARMFUL IF SWALLOWED.

R23/24/25 TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.

R34 CAUSES BURNS. **R36** IRRITATING TO EYES. IRRITATING TO SKIN. R38 Carc. Cat. 3 Carcinogenicity, category 3.

LIMITED EVIDENCE OF A CARCINOGENIC EFFECT. R40

RISK OF SERIOUS DAMAGE TO EYES. R41

MAY CAUSE SENSITISATION BY SKIN CONTACT. **R43**

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value

Revision nr 1 Dated 12/5/2015 Printed on 12/5/2015

Page n. 9 / 10

Revision nr.1 Dated 12/5/2015 Printed on 12/5/2015 Page n. 10 / 10

SECTION 16. Other information. .../>>

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
- 8. Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament
- 9. The Merck Index. 10th Edition
- 10. Handling Chemical Safety
- 11. Niosh Registry of Toxic Effects of Chemical Substances
- 12. INRS Fiche Toxicologique (toxicological sheet)
- 13. Patty Industrial Hygiene and Toxicology
- 14. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 15. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

For further information contact Green Line 800 452661