# Rajalakshmi Engineering College

Name: vishaali R

Email: 240701595@rajalakshmi.edu.in

Roll no: 240701595 Phone: 8610931716

**Branch: REC** 

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 16

Section 1: MCQ

1. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

fo = open(\_\_\_\_\_(1), "wb") print("Name of the file: ",\_\_\_\_\_)(2)

Answer

1) "ex.txt"2) fo.name

Status: Correct Marks: 1/1

2. Which of the following is true about the finally block in Python?

# Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

3. What is the output of the following code?

```
class MyError(Exception):
   pass

try:
   raise MyError("Something went wrong")
   except MyError as e:
      print(e)
```

Answer

Something went wrong

Status: Correct Marks: 1/1

4. What happens if an exception is not caught in the except clause?

## Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

5. Fill in the blanks in the following code of writing data in binary files.

```
import ______(1)
rec=[]
while True:
    rn=int(input("Enter"))
    nm=input("Enter")
    temp=[rn, nm]
    rec.append(temp)
```

```
ch=input("Enter choice (y/N)")
oif ch.upper=="N":
    break
f.open("stud.dat","
                                _")(2)
        ____.dump(rec,f)(3)
           .close()(4)
Answer
(pickle,wb,pickle,f)
Status: Correct
                                                                     Marks: 1/1
6. What is the output of the following code?
try:
  x = 1 / 0
except ZeroDivisionError:
  print("Caught division by zero error")
finally:
  print("Executed")
Answer
Caught division by zero errorExecuted
                                                                     Marks: 1/1
Status: Correct
7. Fill the code to in order to read file from the current position.
Assuming exp.txt file has following 3 lines, consider current file position is
beginning of 2nd line
Meri,25
John,21
Raj,20
Ouptput:
['John,21\n','Raj,20\n']
```

f = open("exp.txt", "w+") \_\_\_\_\_(1) print \_\_\_\_\_(2) 2,4070159

### **Answer**

1) f.seek(0, 0)2) f.rlines()

Status: Wrong Marks: 0/1

8. What is the purpose of the except clause in Python?

## Answer

To handle exceptions during code execution

Status: Correct Marks: 1/1

9. How do you rename a file?

### Answer

os.rename(existing\_name, new\_name)

Status: Correct Marks: 1/1

10. What is the output of the following code?

try:

x = "hello" + 5

except TypeError:

print("Type Error occurred")

finally:

print("This will always execute")

#### **Answer**

Type Error occurredThis will always execute

Status: Correct Marks: 1/1

Python? Answer finally Status: Correct Marks: 1/1 12. What will be the output of the following Python code? # Predefined lines to simulate the file content lines = [ "This is 1st line" This is 2nd line". "This is 3rd line". "This is 4th line". "This is 5th line" print("Name of the file: foo.txt") # Print the first 5 lines from the predefined list for index in range(5): line = lines[index] print("Line No %d - %s" % (index + 1, line.strip()) Änswer **Displays Output** Status: Correct Marks: 1/1 13. What happens if no arguments are passed to the seek function? Answer error

Status: Wrong

11. Which clause is used to clean up resources, such as closing files in

14. Which of the following is true about

fp.seek(10,1)

**Answer** 

Move file pointer ten characters behind from the current position

Status: Wrong Marks: 0/1

15. How do you create a user-defined exception in Python?

Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/

16. What will be the output of the following Python code?

```
f = None
    for i in range (5):
      with open("data.txt", "w") as f:
         if i > 2:
           break
    print(f.closed)
Answer
```

True

Status: Correct Marks: 1/1

17. What is the correct way to raise an exception in Python?

Answer

raise Exception()

Status: Correct

18. What is the default value of reference\_point in the following code?

file\_object.seek(offset [reference\_point])

Answer

0

Status: Correct Marks: 1/1

19. What is the difference between r+ and w+ modes?

Answer

Status: Skipped Marks: 0/1

20. Match the following:

- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

,0101595

240701595

240701595

# Rajalakshmi Engineering College

Name: vishaali R

Email: 240701595@rajalakshmi.edu.in

Roll no: 240701595 Phone: 8610931716

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_COD

Attempt: 1 Total Mark: 50 Marks Obtained: 50

Section 1: Coding

## 1. Problem Statement

Write a program that calculates the average of a list of integers. The program prompts the user to enter the length of the list (n) and each element of the list. It performs error handling to ensure that the length of the list is a non-negative integer and that each input element is a numeric value.

# Input Format

The first line of the input is an integer n, representing the length of the list as a positive integer.

The second line of the input consists of an element of the list as an integer, separated by a new line.

**Output Format** 

If the length of the list is not a positive integer or zero, the output displays "Error: The length of the list must be a non-negative integer."

If a non-numeric value is entered for the length of the list, the output displays "Error: You must enter a numeric value."

If a non-numeric value is entered for a list element, the output displays "Error: You must enter a numeric value."

If the inputs are valid, the program calculates and prints the average of the provided list of integers with two decimal places: "The average is: [average]".

Refer to the sample output for the formatting specifications.

# Sample Test Case

```
Input: -2
1
2
```

Output: Error: The length of the list must be a non-negative integer.

### **Answer**

```
try:
    n = int(input())
    if n <= 0 or n > 20:
        print("Error: The length of the list must be a non-negative integer.")
    else:
        numbers = [int(input()) for _ in range(n)]
        print(f"The average is: {sum(numbers) / n:.2f}")
except ValueError:
    print("Error: You must enter a numeric value.")
```

Status: Correct Marks: 10/10

2. Problem Statement

In a voting system, a person must be at least 18 years old to be eligible to vote. If a user enters an age below 18, the system should raise a user-defined exception indicating that they are not eligible to vote.

### Input Format

The input contains a positive integer representing age.

## **Output Format**

If the age is less than 18, the output displays "Not eligible to vote".

Otherwise, the output displays "Eligible to vote".

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 18

Output: Eligible to vote

#### Answer

```
try:
    n=int(input())
    if(n<18):
        raise ValueError("Not eligible to vote")
    else:
        raise RuntimeError ("Eligible to vote")
except ValueError as e:
    print(e)
except RuntimeError as r:
    print(r)
```

Status: Correct Marks: 10/10

## 3. Problem Statement

Sophie enjoys playing with words and wants to count the number of words in a sentence. She inputs a sentence, saves it to a file, and then reads it

from the file to count the words.

Write a program to determine the number of words in the input sentence.

File Name: sentence\_file.txt

## Input Format

The input consists of a single line of text containing words separated by spaces.

## **Output Format**

The output displays the count of words in the sentence.

Refer to the sample output for the formatting specifications.

## Sample Test Case

Input: Four Words In This Sentence

Output: 5

#### Answer

n=input() l=list(n.split()) c=len(l) print(c)

Status: Correct Marks: 10/10

#### 4. Problem Statement

A retail store requires a program to calculate the total cost of purchasing a product based on its price and quantity. The program performs validation to ensure valid inputs and handles specific error conditions using exceptions:

Price Validation: If the price is zero or less, raise a ValueError with the message: "Invalid Price".Quantity Validation: If the quantity is zero or less, raise a ValueError with the message: "Invalid Quantity".Cost Threshold: If

the total cost exceeds 1000, raise RuntimeError with the message: "Excessive Cost".

# **Input Format**

The first line of input consists of a double value, representing the price of a product.

The second line consists of an integer, representing the quantity of the product.

## **Output Format**

If the calculation is successful, print the total cost rounded to one decimal place.

If the price is zero or less prints "Invalid Price".

If the quantity is zero or less prints "Invalid Quantity"

If the total cost exceeds 1000, prints "Excessive Cost".

Refer to the sample output for formatting specifications.

# Sample Test Case

Input: 20.0

```
Output: 100.0

Answer

price = float(input())
quantity = int(input())
try:
    if price <= 0:
        raise ValueError("Invalid Price")
    if quantity <= 0:
        raise ValueError("Invalid Quantity")
    total_cost = price * quantity
    if total_cost > 1000:
        raise RuntimeError("Excessive Cost")
        print(round(total_cost, 1))
    except ValueError as e:
```

print(e)
except RuntimeError as r:
print(r)

Status: Correct Marks: 10/10

### 5. Problem Statement

Tara is a content manager who needs to perform case conversions for various pieces of text and save the results in a structured manner.

She requires a program to take a user's input string, save it in a file, and then retrieve and display the string in both upper-case and lower-case versions. Help her achieve this task efficiently.

File Name: text\_file.txt

## **Input Format**

The input consists of a single line containing a string provided by the user.

# **Output Format**

The first line displays the original string read from the file in the format: "Original String: {original\_string}".

The second line displays the upper-case version of the original string in the format: "Upper-Case String: {upper\_case\_string}".

The third line displays the lower-case version of the original string in the format: "Lower-Case String: {lower\_case\_string}".

Refer to the sample output for the formatting specifications.

# Sample Test Case

Input: #SpecialSymBoLs1234

Output: Original String: #SpecialSymBoLs1234 Upper-Case String: #SPECIALSYMBOLS1234

```
240/0/595
                                                      240701595
     Lower-Case String: #specialsymbols1234
Answer
     user_input = input()
     with open("text_file.txt", "w") as file:
       file.write(user_input)
     with open("text_file.txt", "r") as file:
       original = file.read()
     print(f"Original String: {original}")
     print(f"Upper-Case String: {original.upper()}")
     print(f"Lower-Case String: {original.lower()}")
     Status: Correct
                                                                          Marks: 10/10
240701595
240701595
```

2,40707595

240101595

240701595

240701595

# Rajalakshmi Engineering College

Name: vishaali R

Email: 240701595@rajalakshmi.edu.in

Roll no: 240701595 Phone: 8610931716

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_CY

Attempt : 1 Total Mark : 40 Marks Obtained : 39

Section 1: Coding

## 1. Problem Statement

In the enchanted realm of Academia, you, the Academic Alchemist, are bestowed with a magical quill and a parchment to weave the grades of aspiring students into a tapestry of academic brilliance.

The mission is to craft a Python program that empowers faculty members to enter student grades for any two subjects, stores these magical grades in a mystical file, and then, with a wave of your virtual wand, calculates the GPA to unveil the true essence of academic achievement.

# Input Format

The input format is a string representing the student's name, any two subjects, and corresponding grades.

After entering grades, they can type 'done' when prompted for the student's name.

# **Output Format**

The output should display the (average of grades) calculated GPA with a precision of two decimal places.

The magical grades will be saved in a mystical file named "magical\_grades.txt".

Refer to the sample output for format specifications.

# Sample Test Case

```
Input: Alice
    Math
    95
    English
    88
    done
    Output: 91.50
    Answer
   with open("magical_grades.txt", "w") as file:
      while True:
       name = input()
        if name.lower() == "done":
           break
        subject1 = input()
        grade1 = float(input())
        subject2 = input()
        grade2 = float(input())
        gpa = (grade1 + grade2) / 2
        print(f"{gpa:.2f}")
        file.write(f"{name} - {subject1}: {grade1}, {subject2}: {grade2}, GPA:
   \{gpa:.2f\}\n"\}
```

Status: Correct

Additional Status Marks: 10/10 595

# 2. Problem Statement

Alex is creating an account and needs to set up a password. The program prompts Alex to enter their name, mobile number, chosen username, and desired password. Password validation criteria include:

Length between 10 and 20 characters.At least one digit.At least one special character from !@#\$%^&\* set. Display "Valid Password" if criteria are met; otherwise, raise an exception with an appropriate error message.

## **Input Format**

The first line of the input consists of the name as a string.

The second line of the input consists of the mobile number as a string.

The third line of the input consists of the username as a string.

The fourth line of the input consists of the password as a string.

## **Output Format**

If the password is valid (meets all the criteria), it will print "Valid Password"

If the password is weak (fails any one or more criteria), it will print an error message accordingly.

Refer to the sample outputs for the formatting specifications.

# Sample Test Case

Input: John 9874563210 john john1#nhoj Output: Valid Password

#### Answer

special\_characters = "!@#\$%^&\*"

```
name = input()
mobile = input()
username = input()

if not (10 <= len(password) <= 20):
    print("Should be a minimum of 10 characters and a maximum of 20 characters")
elif not any(char.isdigit() for char in password):
    print("Should contain at least one digit")
elif not any(char in special_characters for char in password):
    print("It should contain at least one special character")
else:
    print("Valid Password")
```

Status : Correct Marks : 10/10

### 3. Problem Statement

Write a program to obtain the start time and end time for the stage event show. If the user enters a different format other than specified, an exception occurs and the program is interrupted. To avoid that, handle the exception and prompt the user to enter the right format as specified.

Start time and end time should be in the format 'YYYY-MM-DD HH:MM:SS'If the input is in the above format, print the start time and end time.If the input does not follow the above format, print "Event time is not in the format"

## **Input Format**

The first line of input consists of the start time of the event.

The second line of the input consists of the end time of the event.

# **Output Format**

If the input is in the given format, print the start time and end time.

If the input does not follow the given format, print "Event time is not in the format".

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 2022-01-12 06:10:00 2022-02-12 10:10:12

Output: 2022-01-12 06:10:00

2022-02-12 10:10:12

#### Answer

```
from datetime import datetime
try:
    start_time = input()
    end_time = input()

    datetime.strptime(start_time, "%Y-%m-%d %H:%M:%S")
    datetime.strptime(end_time, "%Y-%m-%d %H:%M:%S")

    print(start_time)
    print(end_time)
except ValueError:
    print("Event time is not in the format")
```

Status: Correct Marks: 10/10

## 4. Problem Statement

Write a program to read the Register Number and Mobile Number of a student. Create user-defined exception and handle the following:

If the Register Number does not contain exactly 9 characters in the specified format(2 numbers followed by 3 characters followed by 4 numbers) or if the Mobile Number does not contain exactly 10 characters, throw an IllegalArgumentException. If the Mobile Number contains any character other than a digit, raise a NumberFormatException. If the Register Number contains any character other than digits and alphabets, throw a NoSuchElementException. If they are valid, print the message 'valid' or else print an Invalid message.

# Input Format

The first line of the input consists of a string representing the Register number.

The second line of the input consists of a string representing the Mobile number.

## **Output Format**

The output should display any one of the following messages:

If both numbers are valid, print "Valid".

if not register\_number.isalnum():

If an exception is raised, print "Invalid with exception message: ", followed by the specific exception message.

Refer to the sample output for the formatting specifications.

## Sample Test Case

```
Input: 19ABC1001
9949596920
Output: Valid

Answer
import re

try:
    register_number = input()
    mobile_number = input()
    if not re.match(r"^\d{2}[A-Z]{3}\d{4}$", register_number):
        raise Exception("Register Number should have the format: 2 numbers, 3 characters, and 4 numbers.")

if len(mobile_number) != 10:
    raise Exception("Mobile Number should have exactly 10 characters.")

if not mobile_number.isdigit():
    raise Exception("Mobile Number should only contain digits.")
```

240/0/595 raise Ex alphabets.") raise Exception("Register Number should contain only digits and 240701 print("Valid") except Exception as e: print(f"Invalid with exception message: {e}") Status: Partially correct Marks: 9/10 240101595

040707595

2,40701595

240101595

240701595

# Rajalakshmi Engineering College

Name: vishaali R

Email: 240701595@rajalakshmi.edu.in

Roll no: 240701595 Phone: 8610931716

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_PAH

Attempt : 1 Total Mark : 30 Marks Obtained : 26

Section 1: Coding

## 1. Problem Statement

Peter manages a student database and needs a program to add students. For each student, Alex inputs their ID and name. The program checks for duplicate IDs and ensures the database isn't full.

If a duplicate or a full database is detected, an appropriate error message is displayed. Otherwise, the student is added, and a confirmation message is shown. The database has a maximum capacity of 30 students, and each student must have a unique ID.

# **Input Format**

The first line contains an integer n, representing the number of students to be added to the school database.

The next n lines each contain two space-separated values, representing the student's ID (integer) and the student's name (string).

# Output Format

The output will depend on the actions performed in the code.

If a student is added to the database, the output will display: "Student with ID [ID number] added to the database."

If there is an exception due to a duplicate student ID, the output will display: "Exception caught. Error: Student ID already exists."

If there is an exception due to the database being full, the output will display: "Exception caught. Error: Student database is full."

Refer to the sample outputs for the formatting specifications.

# Sample Test Case

Input: 3 16 Sam 87 Sabari 43 Dani

Output: Student with ID 16 added to the database.
Student with ID 87 added to the database.

Student with ID 43 added to the database.

#### Answer

```
MAX_CAPACITY = 30
student_database = {}

n = int(input())

for _ in range(n):
    student_id, student_name = input().split()
    student_id = int(student_id)
```

```
try:
    if len(student_database) >= MAX_CAPACITY:
        raise RuntimeError("Exception caught. Error: Student database is full.")

if student_id in student_database:
        raise ValueError("Exception caught. Error: Student ID already exists.")

student_database[student_id] = student_name
    print(f"Student with ID {student_id} added to the database.")

except RuntimeError as re:
    print(re)
    break

except ValueError as ve:
    print(ve)
```

Status: Partially correct Marks: 8.5/10

### 2. Problem Statement

Reeta is playing with numbers. Reeta wants to have a file containing a list of numbers, and she needs to find the average of those numbers. Write a program to read the numbers from the file, calculate the average, and display it.

File Name: user\_input.txt

## Input Format

The input file will contain a single line of space-separated numbers (as a string).

These numbers may be integers or decimals.

# **Output Format**

If all inputs are valid numbers, the output should print: "Average of the numbers is: X.XX" (where X.XX is the computed average rounded to two decimal places)

If the input contains invalid data, print: "Invalid data in the input."

Refer to the sample output for format specifications.

# Sample Test Case

Input: 1 2 3 4 5

Output: Average of the numbers is: 3.00

#### Answer

```
try:
    a=input()
    s=list(map(float,a.split()))
    c=len(s)
    b=sum(s)
    avg=b/c
    print(f"Average of the numbers is :{avg:.2f}")
except ValueError:
    print("Invalid data in the input.")
```

Status: Correct Marks: 10/10

## 3. Problem Statement

John is a data analyst who often works with text files. He needs a program that can analyze the contents of a text file and count the number of times a specific character appears in the file.

John wants a simple program that allows him to specify a file and a character to count within that file.

## **Input Format**

The first line of input consists of the file's name to be analyzed.

The second line of the input consists of the string they want to write within the file.

The third line of the input consists of a character to count within the file.

# **Output Format**

If the character is found, the output displays "The character 'X' appears {Y} times in the file." where X is the character and Y i the count,

If the character does not appear in the file, the output displays "Character not found."

Refer to the sample output for the formatting specifications.

# Sample Test Case

```
Input: test.txt
   This is a test file to check the character count.
   Output: The character 'e' appears 5 times in the file.
   Answer
   file_name = input()
   text_data = input()
   character_to_count = input()
   try:
      with open(file_name, "w") as file:
        file.write(text_data)
     with open(file_name, "r") as file:
        content = file.read()
      count = content.count(character_to_count)
     if count > 0:
        print(f"The character '{character_to_count}' appears {count} times in the
   file.")
      else:
        print("Character not found in the file.")
   except FileNotFoundError:
      print("Error: File not found.")
```

except Exception as e:
 print(f"An error occurred: {e}")

Status : Description

Status: Partially correct

Marks : 7.5/10