

Integrating land use and land cover change simulations and connectivity modeling: a case study in the Monteregie region in southern Quebec

Valentin Lucet

Master of Science

Department of Biology

McGill University

Montreal, Quebec

2020-08-15

A thesis submitted to McGill University in partial fulfillment
of the requirements of the degree of Master of Science

©V. Lucet, 2020
All rights reserved

TABLE OF CONTENTS

Dedication	iii
Abstract	iv
Abrégé	v
Acknowledgements	vi
Contribution of Authors	vii
List of Figures	viii
List of Tables	ix
General Introduction	1
1 Integrating Land Use Change Modelling with Connectivity Modelling	4
1.1 Abstract	4
1.2 Introduction	5
1.3 Methods	6
1.4 Results	6
1.5 Discussion	6
Linking Statement 1	9
2 My Second chapter	10
2.1 Abstract	10
2.2 Introduction	10
2.3 Methods	10
2.4 Results	11
2.5 Discussion	11
General Discussion & Conclusion	13
2.6 Chapter I Supplementary Data and Results	15
References	16

Dedication

To be completed.

Abstract

Connectivity conservation science, whose goal is to preserve the continuity of habitat throughout a given landscape, proceeds by identifying priority areas given the current configuration of the landscape. However, current connectivity conservation planning methods suffer from at least two flaws: their prioritisation process fails to take into account risks associated with future land use change, and also fails to confront the results of the prioritisation with the priorities perceived by stakeholders. In this thesis, we show an attempt to remedy those two issues in an ongoing effort of connectivity conservation planning for the region of Montérégie in Southern Quebec, Canada. In the first chapter, we built on past work of connectivity modelling using circuit theory in the region and complemented it with land use change modelling that uses a combination of statistical modeling and MCMC-based simulations. Models trained on past land use data were used to project future land use changes and estimate future changes in functional connectivity for 5 different umbrella species. We derived conservation priorities for the design of a local network of connected protected areas resilient to future landscape change. In a second chapter, we compare those results with the perceived conservation priorities in the region. We conducted a day-long workshop with stakeholders involved in the ongoing connectivity conservation planning effort in the region and collected information on landscape features considered “core” and “linkages” priority areas. We discuss the importance of considering land use changes to produce a resilient network of protected areas and highlight the need for a multi- stakeholder approach in the definition of conservation priorities.

Abrégé

To be completed.

Acknowledgements

To be completed.

Contribution of Authors

I am the first author for all chapters and the appendix in this thesis.

Chapter 1: I wrote the manuscript with input from my supervisor.

Chapter 2: I wrote the manuscript with input from my supervisor.

<u>Figure</u>	List of Figures	<u>page</u>
1-1	Figure 1	8

List of Tables	
<u>Table</u>	<u>page</u>
1–1 Table 1.	8
2–1 Sup Table 2	15

General Introduction

Space is a finite resource. How we, as a community, manage and govern space is a reflection of the trade-offs and choices made by different people and organizations at different spatial and temporal scales. Those choices determine and regulate land use: if and how the resources held on the land are exploited, transformed or conserved. The results of those choices, referred to as land use and land cover change, is an important threat to the biodiversity and ecosystem function.

One example of ecosystem function affected by land use that is of crucial importance to biodiversity is ecological connectivity. Ecological connectivity is the extent to which the landscape supports the movements of organisms (Gonzalez et al. 2017), and is paramount for the resilience of both populations and ecosystem services (Mitchell et al. 2015) in heterogeneous and fragmented landscapes. Land use changes such as urban sprawl can cause deforestation, fragmenting habitats, and slowly eroding ecological connectivity. Many urban landscapes are experiencing uncontrolled urban sprawl and have suffered losses in connectivity and ecosystem services in consequence. Examples include cities like Barcelona (Marulli and Mallarach 2005), New York City (McPhearson et al. 2014), and also Montreal (Dupras and Alam 2015). The forces behind those land use changes are complex and understanding them is an obstacle to conservation planning (Worboys et al. 2010). Because land use change is a social process with consequences of both social and ecological nature, it is best understood within the concept of social-ecological system (Ostrom 2009). A social-ecological system (SES) can be understood as the set of human and non-human actors, the set of natural habitats they inhabit and resources and use, and the set of interactions that are maintained between all the components of the system. SESs thus form complex and integrated aggregates of interactions (Hinkel et al. 2014). Those interactions also impact governance, the process by which actors in power establish rules and laws (Bissonnette et al. 2018).

Connectivity conservation planning refers to the enterprise that engages multiple actors such as academics, NGOs, governmental bodies at different scales and in a common goal to conserve the ecological connectivity of the landscape. Connectivity conservation methods usually entails modelling connectivity of the landscape of interest and using a prioritisation method to determine conservation priorities. However, current connectivity conservation planning methods have at least two major limitations: their prioritisation process fails to take into account risks associated with future land use change, and also fails to confront the results of the prioritisation with the priorities perceived by stakeholders. Not taking into account risks of land use change would in theory lead to ill-informed conservation planned that would be over-optimistic with regard to their probability of success. In addition, failing to integrate the perceptions of stakeholders is detrimental to conservation for two reasons: first, it most likely mean that conservation will fail to gather enough local momentum to lead to actual policy change, and second, it means that the only tool for decision making will be the modelisations, whereas these are incomplete representation of the landscape and would benefit from inputs from stakeholders. This is especially true in landscapes where a considerable effort of connectivity modelling has already been conducted, like in the landscape of interest in this thesis, the southern Quebec region of Montérégie.

Montérégie is situated southeast of the city of Montreal, and contains parts of the Greater Montreal Area (GMA). The ecological connectivity of the GMA and its benefits as a provider of ecosystem services has recently been assessed in a report to the Quebec ministry of the environment (Rayfield 2018, unpublished). This study focused on identifying regions of highest connectivity, and therefore of highest priority for the conservation of biodiversity and ecosystem services. Other work by Rayfield et al. (2019, unpublished) has extended the analysis of connectivity to the whole of the Saint Lawrence Lowlands.

Although the map produced by this analysis is a snapshot of the current state of connectivity in the region, methods are available for including future land use and climate

change impacts (Albert et al. 2017). Those methods rely on established the use of land use and land cover change models whose complexity has increased from simple probabilistic state transition models to more advanced approaches using targets, discrete events and accounting for the time elapsed since the last transition (Verburg and Overmars 2009, Daniel et al. 2016).

Methods are also available to include stakeholder's input in connectivity conservation planning. Some of those methods have been developed through the methodology of participatory modeling, which can be defined as a modelling framework that can integrate knowledge from multiple sources, even if this knowledge is generated by different processes. For instance, it is possible landscape perceptions by different actors and quantitative modelling. Those methods often rely on collecting data through a community-driven process during workshops. Those methods are time consuming and require a long term engagement with a given community over many years. Other workshop-based methods are less involved, and allow researchers to simply collect data to be confronted with the results of traditional modeling techniques.

In this thesis, we show an attempt to remedy the two issues we identified above, in an ongoing effort of connectivity conservation planning for the region of Montérégie in Southern Quebec, Canada. In the first chapter, we built on past work of connectivity modelling using circuit theory in the region and complemented it with land use change modelling that uses a combination of statistical modeling and MCMC-based simulations. In the second chapter, we compare those results with the perceived conservation priorities in the landscape, using data collected during a day-long workshop with stakeholders. The Montérégie is relevant for our questions given the recent political momentum gained by connectivity conservation. There is a strong political will in the region for the conservation of ecological connectivity.

CHAPTER 1

Integrating Land Use Change Modelling with Connectivity Modelling

Valentin Lucet¹, Andrew Gonzalez¹

Author Affiliations:

¹Department of Biology, McGill University

1.1 Abstract

Space is a finite resource. How we manage and govern space is a reflection of the trade-offs and choices made by people and organizations at different spatial and temporal scales. Those choices primarily determine and regulate land use: if and how space is organized and whether resources are exploited, transformed or conserved. Ecological connectivity, defined as the extent to which the landscape supports the movements of organisms, can be strongly affected by land use. It is an important component of the resilience of populations in heterogeneous and fragmented landscapes. Land use changes such as urban sprawl and agricultural intensification intensify habitat fragmentation and landscape homogenization, leading to the erosion of ecological connectivity. The Montérégie region in southern Quebec, where this work takes place, is experiencing urban growth and sprawl. We present a framework that integrates land-use change and connectivity modeling to forecast future changes in connectivity, using a combination of statistical modeling, MCMC-based simulations, and circuit theory. Models trained on past land use data were used to project future land use changes using different scenarios, and estimate future changes in functional connectivity for 5 different umbrella species. We contrast the past and future impacts of trends in land use (i.e. urbanization, agricultural expansion, and deforestation) and derive conservation priorities for the design of a local network of connected protected areas resilient to future landscape change. We demonstrate the flexibility of a scenario approach in forecasting the range of possible futures for ecological connectivity in the region and show that taking probable landscape changes into account lead to different

conservation priorities. We conclude on the importance of considering such changes to produce a resilient network of protected areas and highlight the need for a multi stakeholder approach in the definition of scenarios and conservation priorities.

1.2 Introduction

Problem Statement: Connectivity conservation planning methods does not account for risks associated with future land use change. This can potentially lead to ill-informed conservation plans with low chances of success.

Research question: **How can we explain past changes in land use and connectivity in Montréal and better predict future changes?**

In this first chapter, we build on past work of connectivity modelling using circuit theory in the region and complement it with land use change modelling that uses a combination of statistical modeling and MCMC-based simulations. Models trained on past land use data were used to project future land use changes and estimate future changes in potential functional connectivity for 5 different umbrella species. We derive conservation priorities for the design of a local network of connected protected areas resilient to future landscape change. This work is the continuation of two important contributions on the connectivity of the region: Albert et al. (2017) and Rayfield et al. (2019, unpublished). In a seminal paper, Albert laid out the first methodological steps we follow: umbrella species selection and connectivity modelling. They also included a simple land use change model that was parameterized to replicate plausible change in the region. Rayfield improved on Albert's work by increasing the scale of the analysis and reducing the number of focal species. They showed that because species had redundant connectivity needs, modelling the needs for 5 species resulted in qualitatively similar results than when modeling the needs of all 14 species, like in Albert et al. (2017). They demonstrated that we could exploit this redundancy to reduce the computing time needed for analysis. This is welcomed as land use change simulation is computationally intensive. In this chapter, we utilise Albert and Rayfield's framework, modelling connectivity for the 5 focal species identified by Rayfield,

and using their workflow for habitat suitability and connectivity analysis. We complement this framework with a land use model that combines statistical modeling and MCMC-based simulations. It is important to note that the primary goal of this chapter is not to draw strong inference with regards to land use change drivers in the region, but to provide enough predictive power to replicate the trends in land use change that have been observed and project those trends forward into the future. We predict that our land use change model will simulate an overall decrease in connectivity change for our focal species, given the fact that we will be simulating a “business as usual” scenario for the change in the region. We do not generate specific predictions for each of our focal species.

1.3 Methods

Study Site

To be completed.

Sampling

To be completed.

Analyses

To be completed.

1.4 Results

To be completed. (Fig. 1–1).

1.5 Discussion

Nunc sed pede. Praesent vitae lectus. Praesent neque justo, vehicula eget, interdum id, facilisis et, nibh. Phasellus at purus et libero lacinia dictum. Fusce aliquet. Nulla eu ante placerat leo semper dictum. Mauris metus. Curabitur lobortis. Curabitur sollicitudin

hendrerit nunc. Donec ultrices lacus id ipsum.

Figures & Tables




Figure 1–1: Figure 1

Site	Weeks	S	XS	Daily	A/B	Total
Nhlanguleni (NHL)	3	0	0	0	Yes	6
Nwaswitshaka (NWA)	3	1	1	4	Yes	18
De LaPorte (DLP)	1	1	1	0	Yes	6
Kwaggas Pan (KWA)	2	1	1	0	Yes	8
Girivana (GIR)	3	0	0	0	Yes	6
Witpens (WIT)	3	0	0	0	Yes	6
Imbali (IMB)	3	0	0	0	Yes	6
Hoyo Hoyo (HOY)	3	1	1	0	Yes	10
Nyamarhi (NYA)	3	1	1	0	Yes	10
Ngosto North (NGO)	3	1	1	0	Yes	10
BLANK	2	0	0	0	No	2
	29	6	6	4		88

Table 1–1: Table 1.

Linking Statement 1

In Chapter I, I did this, in Chapter II I did that.

CHAPTER 2

My Second chapter

A. Student¹, B. Supervisor¹

Author Affiliations:

¹Department of Biology, McGill University

2.1 Abstract

Nunc sed pede. Praesent vitae lectus. Praesent neque justo, vehicula eget, interdum id, facilisis et, nibh. Phasellus at purus et libero lacinia dictum. Fusce aliquet. Nulla eu ante placerat leo semper dictum. Mauris metus. Curabitur lobortis. Curabitur sollicitudin hendrerit nunc. Donec ultrices lacus id ipsum.

2.2 Introduction

Nunc sed pede. Praesent vitae lectus. Praesent neque justo, vehicula eget, interdum id, facilisis et, nibh. Phasellus at purus et libero lacinia dictum. Fusce aliquet. Nulla eu ante placerat leo semper dictum. Mauris metus. Curabitur lobortis. Curabitur sollicitudin hendrerit nunc. Donec ultrices lacus id ipsum.

2.3 Methods

Study Site

Nunc sed pede. Praesent vitae lectus. Praesent neque justo, vehicula eget, interdum id, facilisis et, nibh. Phasellus at purus et libero lacinia dictum. Fusce aliquet. Nulla eu ante placerat leo semper dictum. Mauris metus. Curabitur lobortis. Curabitur sollicitudin hendrerit nunc. Donec ultrices lacus id ipsum.

Sampling

Nunc sed pede. Praesent vitae lectus. Praesent neque justo, vehicula eget, interdum id, facilisis et, nibh. Phasellus at purus et libero lacinia dictum. Fusce aliquet. Nulla eu ante placerat leo semper dictum. Mauris metus. Curabitur lobortis. Curabitur sollicitudin hendrerit nunc. Donec ultrices lacus id ipsum.

Analyses

Nunc sed pede. Praesent vitae lectus. Praesent neque justo, vehicula eget, interdum id, facilisis et, nibh. Phasellus at purus et libero lacinia dictum. Fusce aliquet. Nulla eu ante placerat leo semper dictum. Mauris metus. Curabitur lobortis. Curabitur sollicitudin hendrerit nunc. Donec ultrices lacus id ipsum.

2.4 Results

Nunc sed pede. Praesent vitae lectus. Praesent neque justo, vehicula eget, interdum id, facilisis et, nibh. Phasellus at purus et libero lacinia dictum. Fusce aliquet. Nulla eu ante placerat leo semper dictum. Mauris metus. Curabitur lobortis. Curabitur sollicitudin hendrerit nunc. Donec ultrices lacus id ipsum.

2.5 Discussion

Nunc sed pede. Praesent vitae lectus. Praesent neque justo, vehicula eget, interdum id, facilisis et, nibh. Phasellus at purus et libero lacinia dictum. Fusce aliquet. Nulla eu ante placerat leo semper dictum. Mauris metus. Curabitur lobortis. Curabitur sollicitudin hendrerit nunc. Donec ultrices lacus id ipsum.

Figures & Tables

General Discussion & Conclusion

To be completed.

Appendix

2.6 Chapter I Supplementary Data and Results

Table 2–1: Sup Table 2

Sample code	Site	Date	Temp (°C)	mS/cm	DO (%)	DO (mg/L)	pH
DLP_8	DLP	July 10	15.27	3.11	83.37	39.67	9.16
GIR_1	GIR	June 24	18.58	1.95	50.83	42.00	9.27
GIR_2	GIR	July 1	21.85	1.80	74.47	41.00	9.24
GIR_3	GIR	July 8	20.72	1.90	88.47	39.00	9.35
HOY_2	HOY	June 22	17.59	3.18	14.53	43.43	8.14
HOY_3	HOY	June 29	17.84	3.01	42.53	40.00	8.25
HOY_4	HOY	July 6	16.83	2.96	39.27	35.90	8.39
IMB_2	IMB	June 22	15.17	2.46	74.80	46.77	8.19

References

