<u>Dashboard</u> / <u>My courses</u> / <u>CS23331-DAA-2023-CSE</u> / <u>Greedy Algorithms</u> / <u>1-G-Coin Problem</u>

Started on	Tuesday, 27 August 2024, 1:41 PM
State	Finished
Completed on	Tuesday, 27 August 2024, 2:13 PM
Time taken	31 mins 45 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question **1**Correct

Mark 1.00 out of 1.00

Write a program to take value V and we want to make change for V Rs, and we have infinite supply of each of the denominations in Indian currency, i.e., we have infinite supply of { 1, 2, 5, 10, 20, 50, 100, 500, 1000} valued coins/notes, what is the minimum number of coins and/or notes needed to make the change.

Input Format:

Take an integer from stdin.

Output Format:

print the integer which is change of the number.

Example Input:

64

Output:

4

Explanaton:

We need a 50 Rs note and a 10 Rs note and two 2 rupee coins.

Answer: (penalty regime: 0 %)

```
1
   #include<stdio.h>
 2
 3 ▼ int main(){
        int a[]={1000,500,100,50,20,10,5,2,1};
4
 5
        int max=sizeof(a)/sizeof(a[0]);
        int c,d=0;
 6
 7
        scanf("%d",&c);
 8
        for(int i=0;i<max;i++){</pre>
 9 ,
             while(c>=a[i]){
10
11
             c-=a[i];
12
             d++;
13
        }
14
        printf("%d\n",d);
15
16
    return 0;
17
18
   }
```

	Input	Expected	Got	
~	49	5	5	~

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

→ Problem 5: Finding Complexity using counter method

Jump to...

2-G-Cookies Problem ►