
```
≣ dobydo
                                      C break.c
                                                                                                                                     C do29.c
       C table.c
                                                      C fact.c
                                                                      C nam.c
                                                                                      C demo.c
                                                                                                     C oh.c
                                                                                                                                                    C odd.c
int main() {
   printf("Enter the number of elements: ");
   scanf("%d", &n);
    int arr[n];
   printf("Enter %d elements:\n", n);
   for (int i = 0; i < n; i++) {
       scanf("%d", &arr[i]);
   int max = arr[0], min = arr[0];
   for (int i = 1; i < n; i++) {
       if (arr[i] > max)
           max = arr[i];
       if (arr[i] < min)
           min = arr[i];
   printf("Max=%d, Min=%d\n", max, min);
   return 0;
```



powershell
powershell
powershell
powershell
powershell
powershell
powershell

powershell powershell

```
C reverse.c
               C table.c
                               ■ dobydo
                                              C break.c
                                                              C fact.c
                                                                         ● € nam.c
                                                                                              C demo.c
                                                                                                             C oh.c
                                                                                                                         C dy30.c
                                                                                                                                             C dy29.c
                                                                                                                                                        X C odd.c
 C dy29.c > ♥ main()
       #include<stdio.h>
       int main(){
         int n, sum = 0;
           printf("Enter the number of elements: ");
           scanf("%d", &n);
           int arr[n]; // Declare an array of size n
           printf("Enter %d elements: ", n);
           for (int i = 0; i < n; i++) {
               scanf("%d", &arr[i]);
               sum += arr[i]; // Add element to sum
           printf("Sum of array elements: %d\n", sum);
           return 0;
 PS C:\Users\ACER\Desktop\itscbe> gcc dy29.c
 PS C:\Users\ACER\Desktop\itscbe> ./a.exe
 Enter the number of elements: 3
 Enter 3 elements: 3 4 3
 Sum of array elements: 10
 PS C:\Users\ACER\Desktop\itscbe>
```