

Principles of data management and organization

Andy Lynch

CRUK CI

2016/02/02

What are data disasters?

(My) Definition

Anything that stops somebody analysing data in the way that they are supposed to be able so to do.

- Total destruction of data
- Inability to find data
- Corruption of data
- Forgetting what the data mean
- Being unable to reproduce your results
- Somebody else being unable to reproduce your results
- Unauthorized access-to/use-of data

Some of these are Computing issues

Principle 1

Ensure you have a secure back up of the raw data


- Vulnerable until you have this - requires care
- Some degree of organization required
- Check that the backup is working
- Need to be clear what the raw data are
- There are costs associated with backing data up
- Check that the backup is future-proofed

Loss of data

Cambridge student 'devastated' as burglar steals the only copy of his PHD work

By **Cambridge News** | Posted: January 30, 2016

By Josh Thomas



“I had a whole year’s worth of PhD work stolen. There was work on the laptop which is not backed up”

www.cambridge-news.co.uk

How are data corrupted?

- Data can be corrupted by hardware issues
- Data can maliciously be corrupted by a third party
- Data can deliberately (non-maliciously) be corrupted by the user
- Data can automatically be corrupted by 'helpful' software
- Data can accidentally be corrupted when using software

Keith Baggerly's Duke example


HOME SEARCH

The New York Times

RESEARCH

How Bright Promise in Cancer Testing Fell Apart

By GINA KOLATA JULY 7, 2011




[Link to video](#)

Don't touch-up a masterpiece

Principle 2

Never work directly on the raw data



Ideally we adopt a practice of having a raw data file and recording the changes made to it

- Even better if the recording is 'automatic'
- This approach naturally makes research reproducible
- It can aid the understanding of the data
- It saves having to backup multiple large datasets

openrefine.org/

- formerly google refine
-
- used to manipulate spreadsheet-like data in a reproducible manner
- none of us have tried it!

Use the right software

Principle 3

Compose your 'raw' data with the right tools

If raw data are from genomics/proteomics et al. then the raw data are pre-defined. If assembling them yourself then care is required.

- For an **expert** user, Excel can be fine.
- Otherwise consider tools such as SPSS
- A simple database is not so great a cost, and can help with inconsistencies in data entry

Use the right format

Format here doesn't mean .csv not .xls, nor fonts, colours etc.

Principle 4

Set up your data with the right shape

You'll see a lot of this later, but:

- Aim for a rectangle
- No blank cells (but be careful how you represent missing data)
- Each row is a case, each column a variable (although not always)
- The key is deciding what constitutes a case
- If it isn't clear what a case is, you might be better off with two tables.

Naming variables

Principle 5

Give variables and cases sensible names

Case and variable names need to be

- unique
- lacking in exotic characters
- interpretable
- accurate




Figure 1: One of these is a person.

(flowcell image from global.fncstatic.com)

METABRIC example 1

In METABRIC we looked at breast cancer samples from ~ 2000 patients

- Each patient had two breasts
- Each breast potentially had multiple tumours
- Each tumour potentially had multiple samples
- Each sample was run on multiple technologies
- Each technology could have been repeated

Two reasons not to label data from a microarray as if it was a person

- 1 if there are multiple arrays from the same person, then it leads to confusion

METABRIC example 2

- 2 The only thing you know about the microarray data (i.e. the only metadata that are raw) is that they came from the microarray.

We had a problem with sample mixups within the project.

- Had we had 'raw' data where the cases were labelled by array name, we could simply have changed the file that mapped arrays to patients.
- It would have been easy to check that every analyst had the latest version
- By just changing the labels on the raw data, it became much harder to keep track of who was using what

Meta data

Principle 6

Have thorough Meta Data

- Since you now have rectangular data with succinct variable names, you may have lost some detail of what those variables are.
- A document explaining the primary data is invaluable.
- It can be variously known as a Data Dictionary (KB), Glossary (GSS), or Variable View (SPSS),
- For variables that can only take fixed values it can define those levels.

Versioning

Principle 7

Be clear what data are being analysed

- The raw data shouldn't change (probably), but the working data could easily so do
- To reproduce results, it is important to be able to specify the version of the data that was used.
- Some form of versioning is therefore important.

Summary

- 1 Ensure you have a secure back up of the raw data
- 2 Never work directly on the raw data
- 3 Compose your 'raw' data with the right tools
- 4 Set up your data with the right shape
- 5 Give variables and cases sensible names
- 6 Have thorough meta data
- 7 Be clear what data are being analysed

Examples

Enjoy the rest of the course.