Class inheritance: is-a

Victor Eijkhout and Carrie Arnold and Charlie Dey

Fall 2017



General case, special case

You can have classes where an object of one class is a special case of the other class. You declare that as

```
class General {
protected: // note!
 int g;
public:
 void general_method() {};
}:
class Special : public General {
public:
  void special_method() { g = ... };
};
int main() {
  Special special_object;
  special_object.general_method();
```

Inheritance: derived classes

Derived class Special inherits methods and data from base class General:

```
int main() {
   Special special_object;
   special_object.general_method();
```

Data needs to be protected, not private, to be inheritable.



Constructors

When you run the special case constructor, usually the general case needs to run too. By default the 'default constructor', but:

```
class General {
public:
    General( double x,double y ) {};
};
class Special : public General {
public:
    Special( double x ) : General(x,x+1) {};
};
```



Exercise 1

Take your code where a Rectangle was defined from one point, width, and height.

Make a class Square that inherits from Rectangle. It should have the function area defined, inherited from Rectangle.

First ask yourself: what should the constructor of a Square look like?



Exercise 2

Revisit the LinearFunction class. Add methods slope and intercept.

Now generalize LinearFunction to StraightLine class. These two are almost the same except for vertical lines. The slope and intercept do not apply to vertical lines, so design StraightLine so that it stores the defining points internally. Let LinearFunction inherit.



Overriding methods

- A derived class can inherit a method from the base class.
- A derived class can define a method that the base class does not have.
- A derived class *override* a base class method:

```
class Base {
public:
    virtual f() { ... };
};
class Deriv : public Base {
    public:
     virtual f() override { ... };
};
```



More

- Multiple inheritance: an X is-a A, but also is-a B.
 This mechanism is somewhat dangerous.
- Virtual base class: you don't actually define a function in the base class, you only say 'any derived class has to define this function'.

