-8	ELOGO) "
5,5,87,38	STUDENT REPORT	65,86
	STUDENT REPORT	38223
3 per Di	ETAILS AND	385
,7	Names CST 1384TI STAND S	_55\8h
18	VARUN SAGAR K G	
2330510	Roll Number() 30 30 30 30 30 30 30 30 30 30 30 30 30	28230
	SBR23CS162 (PERIMENT) Reproductive the standard standar	30
Ê	CPERIMENT ^{OL} KPERIMENT ^{OL} KILECTIONS STANDARD STANDA	
Show Tit	tle Agrico Caralla Agrica Agrico Agrico Agrico Caralla Agrico Agr	30578
	ELECTIONS ASC. ASC. ASC. ASC. ASC. ASC. ASC.	3BRIL
23BR23C	3BR23CS182 (PERIMENT) tle ELECTIONS Description ARABICS A	Salas
	You are the head of the election committee in your village. Each Political party is associated with a unique number and the	55
R23C5786	votes are represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's number. Return -1 if there is no party with a majority.	13BR13C
	Note: If only one vote is there he is the winner.) S*
.518738	Input Format :	9
.55	input1: An integer value representing the number the number of voters	130510
	input2: An integer array A representing the votes of the voters.	8,
,23BR23C	output Format:	36
,7	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	5,5,8237
186	Example 1:	
2305786	Input:	2236
,	6	36,
.5 ³ 8 ³ 38 ⁶	112223	
:55	Output:	365018
	2 Evaluation	5,00
3BR)3C	Explanation: As 2 got the most number of votes i.e 3.	
2	Example 2:	.53/8/25
	Input:	<i>,</i>
	6	239
	121122	ASS BY
	Output:	-
	-1	2058)
	Explanation:	200

Explanation:

Source Code:

n=int(input()) arr=list(map(int,input().split())) d={} if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i]+=1x=sorted(d.items(),key=lambda x:x[1],reverse=True)if x[0][1]==x[1][1]: print(-1) else: print(x[0][0])

RESULT

30 0

3BR1

c5\87

arl3cs.

823BR1

5782

BR

6 / 6 Test Cases Passed | 100 %

3000

3BRV

182

S.

BRIL

182

205

BRV

27 36