

Assignment - 2

Varunaditya Singhal

Abstract—This document contains the solution to Exercise 2.42 (b) of Oppenheim.

2.42. Consider the system in Figure P2.42-1.




Figure P2.42-1

Fig. 1: Plot of the Figure

Problem 1. In the above diagram, find the frequency response of the system.

Solution: Taking the Fourier transform of $h[n]$ from part (a), we get

$$H(e^{j\omega}) = \sum_{n=-\infty}^{\infty} h[n]e^{-j\omega n} \quad (1)$$

$$= \sum_{n=-\infty}^{\infty} \alpha^n u[n]e^{-j\omega n} + \beta \sum_{n=-\infty}^{\infty} \alpha^{n-1} u[n-1]e^{-j\omega n} \quad (2)$$

$$= \sum_{n=0}^{\infty} \alpha^n e^{-j\omega n} + \beta \sum_{t=0}^{\infty} \alpha^{t-1} e^{-j\omega t} \quad (3)$$

where we have used $l=(n-1)$ in the second summation. Now, we can write the above equation as

$$H(e^{j\omega}) = \frac{1}{1 - \alpha e^{-j\omega}} + \frac{\beta e^{-j\omega}}{1 - \alpha e^{-j\omega}} \quad (4)$$

$$= \frac{1 + \beta e^{-j\omega}}{1 - \alpha e^{-j\omega}} \quad (5)$$

Kindly note that the Fourier transform of $\alpha^n u[n]$ is well known, and the second term of $h[n]$ (see part (a)) is just a scaled and shifted version of $\alpha^n u[n]$. So, we could have used the properties of the Fourier transform to reduce the algebra.