

LinksPlatform's Platform.Converters Class Library

1.1 ./Platform.Converters/CachingConverterDecorator.cs

```
1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Collections;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Converters
8 {
9     public class CachingConverterDecorator<TSource, TTarget> : IConverter<TSource, TTarget>
10     {
11         private readonly IConverter<TSource, TTarget> _baseConverter;
12         private readonly IDictionary<TSource, TTarget> _cache;
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         public CachingConverterDecorator(IConverter<TSource, TTarget> baseConverter,
16             ↪ IDictionary<TSource, TTarget> cache) => (_baseConverter, _cache) = (baseConverter,
17             ↪ cache);
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public CachingConverterDecorator(IConverter<TSource, TTarget> baseConverter) :
21             ↪ this(baseConverter, new Dictionary<TSource, TTarget>()) { }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         public TTarget Convert(TSource source) => _cache.GetOrAdd(source,
25             ↪ _baseConverter.Convert);
26     }
27 }
```

1.2 ./Platform.Converters/CheckedConverter.cs

```
1 using System;
2 using System.Reflection;
3 using System.Reflection.Emit;
4 using System.Runtime.CompilerServices;
5 using Platform.Reflection;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Converters
10 {
11     public abstract class CheckedConverter<TSource, TTarget> : IConverter<TSource, TTarget>
12     {
13         public static CheckedConverter<TSource, TTarget> Default
14         {
15             [MethodImpl(MethodImplOptions.AggressiveInlining)]
16             get;
17         }
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         static CheckedConverter()
21         {
22             var assemblyName = new AssemblyName(GetNewName());
23             var assembly = AssemblyBuilder.DefineDynamicAssembly(assemblyName,
24                 ↪ AssemblyBuilderAccess.Run);
25             var module = assembly.DefineDynamicModule(GetNewName());
26             var type = module.DefineType(GetNewName(), TypeAttributes.Public |
27                 ↪ TypeAttributes.Class | TypeAttributes.Sealed, typeof(CheckedConverter<TSource,
28                 ↪ TTarget>));
29             type.EmitVirtualMethod<Converter<TSource, TTarget>>("Convert", il =>
30             {
31                 il.LoadArgument(1);
32                 if (typeof(TSource) != typeof(TTarget))
33                 {
34                     il.CheckedConvert<TSource, TTarget>();
35                 }
36                 il.Return();
37             });
38             var typeInfo = type.CreateTypeInfo();
39             Default = (CheckedConverter<TSource, TTarget>)Activator.CreateInstance(typeInfo);
40         }
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         private static string GetNewName() => Guid.NewGuid().ToString("N");
44
45         [MethodImpl(MethodImplOptions.AggressiveInlining)]
46         public abstract TTarget Convert(TSource source);
47     }
48 }
```

1.3 ./Platform.Converters/IConverter[TSource, TTarget].cs

```
1 namespace Platform.Converters
2 {
3     /// <summary>
4     /// <para>Defines a converter between two types (TSource and TTarget).</para>
5     /// <para>Определяет конвертер между двумя типами (исходным TSource и целевым
6     ///   ↳ TTarget).</para>
7     /// </summary>
8     /// <typeparam name="TSource"><para>Source type of conversion.</para><para>Исходный тип
9     ///   ↳ конверсии.</para></typeparam>
10    /// <typeparam name="TTarget"><para>Target type of conversion.</para><para>Целевой тип
11    ///   ↳ конверсии.</para></typeparam>
12    public interface IConverter<in TSource, out TTarget>
13    {
14        /// <summary>
15        /// <para>Converts the value of the source type (TSource) to the value of the target
16        ///   ↳ type.</para>
17        /// <para>Конвертирует значение исходного типа (TSource) в значение целевого типа.</para>
18        /// </summary>
19        /// <param name="source"><para>The source type value (TSource).</para><para>Значение
20        ///   ↳ исходного типа (TSource).</para></param>
21        /// <returns><para>The value is converted to the target type
22        ///   ↳ (TTarget).</para><para>Значение конвертированное в целевой тип
23        ///   ↳ (TTarget).</para></returns>
24        TTarget Convert(TSource source);
25    }
26 }
```

1.4 ./Platform.Converters/IConverter[T].cs

```
1 namespace Platform.Converters
2 {
3     /// <summary>
4     /// <para>Defines a converter between two values of the same type.</para>
5     /// <para>Определяет конвертер между двумя значениями одного типа.</para>
6     /// </summary>
7     /// <typeparam name="T"><para>Type of value to convert.</para><para>Тип преобразуемого
8     ///   ↳ значения.</para></typeparam>
9     public interface IConverter<T> : IConverter<T, T>
10    {
11    }
12 }
```

1.5 ./Platform.Converters/To.cs

```
1 using System;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Converters
7 {
8     [Obsolete]
9     public static class To
10    {
11        public static readonly char UnknownCharacter = '\0';
12
13        [MethodImpl(MethodImplOptions.AggressiveInlining)]
14        public static ulong UInt64(ulong value) => value;
15
16        [MethodImpl(MethodImplOptions.AggressiveInlining)]
17        public static long Int64(ulong value) => unchecked(value > long.MaxValue ? long.MaxValue
18        ///   ↳ : (long)value);
19
20        [MethodImpl(MethodImplOptions.AggressiveInlining)]
21        public static uint UInt32(ulong value) => unchecked(value > uint.MaxValue ?
22        ///   ↳ uint.MaxValue : (uint)value);
23
24        [MethodImpl(MethodImplOptions.AggressiveInlining)]
25        public static int Int32(ulong value) => unchecked(value > int.MaxValue ? int.MaxValue :
26        ///   ↳ (int)value);
27
28        [MethodImpl(MethodImplOptions.AggressiveInlining)]
29        public static ushort UInt16(ulong value) => unchecked(value > ushort.MaxValue ?
30        ///   ↳ ushort.MaxValue : (ushort)value);
31
32        [MethodImpl(MethodImplOptions.AggressiveInlining)]
33        public static short Int16(ulong value) => unchecked(value > (ulong)short.MaxValue ?
34        ///   ↳ short.MaxValue : (short)value);
35    }
36 }
```

```

31 [MethodImpl(MethodImplOptions.AggressiveInlining)]
32 public static byte Byte(ulong value) => unchecked(value > byte.MaxValue ? byte.MaxValue
    ↳ : (byte)value);
33
34 [MethodImpl(MethodImplOptions.AggressiveInlining)]
35 public static sbyte SByte(ulong value) => unchecked(value > (ulong)sbyte.MaxValue ?
    ↳ sbyte.MaxValue : (sbyte)value);
36
37 [MethodImpl(MethodImplOptions.AggressiveInlining)]
38 public static bool Boolean(ulong value) => value > 0UL;
39
40 [MethodImpl(MethodImplOptions.AggressiveInlining)]
41 public static char Char(ulong value) => unchecked(value > char.MaxValue ?
    ↳ UnknownCharacter : (char)value);
42
43 [MethodImpl(MethodImplOptions.AggressiveInlining)]
44 public static DateTime DateTime(ulong value) => unchecked(value > long.MaxValue ?
    ↳ System.DateTime.MaxValue : new DateTime((long)value));
45
46 [MethodImpl(MethodImplOptions.AggressiveInlining)]
47 public static TimeSpan TimeSpan(ulong value) => unchecked(value > long.MaxValue ?
    ↳ System.TimeSpan.MaxValue : new TimeSpan((long)value));
48
49 [MethodImpl(MethodImplOptions.AggressiveInlining)]
50 public static ulong UInt64(long value) => unchecked(value < (long)ulong.MinValue ?
    ↳ ulong.MinValue : (ulong)value);
51
52 [MethodImpl(MethodImplOptions.AggressiveInlining)]
53 public static ulong UInt64(int value) => unchecked(value < (int)ulong.MinValue ?
    ↳ ulong.MinValue : (ulong)value);
54
55 [MethodImpl(MethodImplOptions.AggressiveInlining)]
56 public static ulong UInt64(short value) => unchecked(value < (short)ulong.MinValue ?
    ↳ ulong.MinValue : (ulong)value);
57
58 [MethodImpl(MethodImplOptions.AggressiveInlining)]
59 public static ulong UInt64(sbyte value) => unchecked(value < (sbyte)ulong.MinValue ?
    ↳ ulong.MinValue : (ulong)value);
60
61 [MethodImpl(MethodImplOptions.AggressiveInlining)]
62 public static ulong UInt64(bool value) => value ? 1UL : 0UL;
63
64 [MethodImpl(MethodImplOptions.AggressiveInlining)]
65 public static ulong UInt64(char value) => value;
66
67 [MethodImpl(MethodImplOptions.AggressiveInlining)]
68 public static long Signed(ulong value) => unchecked((long)value);
69
70 [MethodImpl(MethodImplOptions.AggressiveInlining)]
71 public static int Signed(uint value) => unchecked((int)value);
72
73 [MethodImpl(MethodImplOptions.AggressiveInlining)]
74 public static short Signed(ushort value) => unchecked((short)value);
75
76 [MethodImpl(MethodImplOptions.AggressiveInlining)]
77 public static sbyte Signed(byte value) => unchecked((sbyte)value);
78
79 [MethodImpl(MethodImplOptions.AggressiveInlining)]
80 public static object Signed<T>(T value) => To<T>.Signed(value);
81
82 [MethodImpl(MethodImplOptions.AggressiveInlining)]
83 public static ulong Unsigned(long value) => unchecked((ulong)value);
84
85 [MethodImpl(MethodImplOptions.AggressiveInlining)]
86 public static uint Unsigned(int value) => unchecked((uint)value);
87
88 [MethodImpl(MethodImplOptions.AggressiveInlining)]
89 public static ushort Unsigned(short value) => unchecked((ushort)value);
90
91 [MethodImpl(MethodImplOptions.AggressiveInlining)]
92 public static byte Unsigned(sbyte value) => unchecked((byte)value);
93
94 [MethodImpl(MethodImplOptions.AggressiveInlining)]
95 public static object Unsigned<T>(T value) => To<T>.Unsigned(value);
96
97 [MethodImpl(MethodImplOptions.AggressiveInlining)]
98 public static T UnsignedAs<T>(object value) => To<T>.UnsignedAs(value);
99
100 }

```

1.6 ./Platform.Converters/To[T].cs

```
1 using System;
2 using System.Runtime.CompilerServices;
3 using Platform.Exceptions;
4 using Platform.Reflection;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Converters
9 {
10     [Obsolete]
11     public static class To<T>
12     {
13         public static readonly Func<T, object> Signed = CompileSignedDelegate();
14         public static readonly Func<T, object> Unsigned = CompileUnsignedDelegate();
15         public static readonly Func<object, T> UnsignedAs = CompileUnsignedAsDelegate();
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         static private Func<T, object> CompileSignedDelegate()
19         {
20             return DelegateHelpers.Compile<Func<T, object>>(emitter =>
21             {
22                 Ensure.Always.IsUnsignedInteger<T>();
23                 emitter.LoadArgument(0);
24                 var method = typeof(To).GetMethod("Signed", Types<T>.Array);
25                 emitter.Call(method);
26                 emitter.Box(method.ReturnType);
27                 emitter.Return();
28             });
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         static private Func<T, object> CompileUnsignedDelegate()
33         {
34             return DelegateHelpers.Compile<Func<T, object>>(emitter =>
35             {
36                 Ensure.Always.IsSignedInteger<T>();
37                 emitter.LoadArgument(0);
38                 var method = typeof(To).GetMethod("Unsigned", Types<T>.Array);
39                 emitter.Call(method);
40                 emitter.Box(method.ReturnType);
41                 emitter.Return();
42             });
43         }
44
45         [MethodImpl(MethodImplOptions.AggressiveInlining)]
46         static private Func<object, T> CompileUnsignedAsDelegate()
47         {
48             return DelegateHelpers.Compile<Func<object, T>>(emitter =>
49             {
50                 Ensure.Always.IsUnsignedInteger<T>();
51                 emitter.LoadArgument(0);
52                 var signedVersion = NumericType<T>.SignedVersion;
53                 emitter.UnboxValue(signedVersion);
54                 var method = typeof(To).GetMethod("Unsigned", new[] { signedVersion });
55                 emitter.Call(method);
56                 emitter.Return();
57             });
58         }
59     }
60 }
```

1.7 ./Platform.Converters/UncheckedConverter.cs

```
1 using System;
2 using System.Reflection;
3 using System.Reflection.Emit;
4 using System.Runtime.CompilerServices;
5 using Platform.Reflection;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Converters
10 {
11     public abstract class UncheckedConverter<TSource, TTarget> : IConverter<TSource, TTarget>
12     {
13         public static UncheckedConverter<TSource, TTarget> Default
14         {
15             [MethodImpl(MethodImplOptions.AggressiveInlining)]
16             get;
17         }
18     }
19 }
```

```

18 [MethodImpl(MethodImplOptions.AggressiveInlining)]
19 static UncheckedConverter()
20 {
21     var assemblyName = new AssemblyName(GetNewName());
22     var assembly = AssemblyBuilder.DefineDynamicAssembly(assemblyName,
23         ↳ AssemblyBuilderAccess.Run);
24     var module = assembly.DefineDynamicModule(GetNewName());
25     var type = module.DefineType(GetNewName(), TypeAttributes.Public |
26         ↳ TypeAttributes.Class | TypeAttributes.Sealed, typeof(UncheckedConverter<TSource,
27         ↳ TTarget>));
28     type.EmitVirtualMethod<Converter<TSource, TTarget>>("Convert", il =>
29     {
30         il.LoadArgument(1);
31         if (typeof(TSource) != typeof(TTarget))
32         {
33             il.UncheckedConvert<TSource, TTarget>();
34         }
35         il.Return();
36     });
37     var typeInfo = type.CreateTypeInfo();
38     Default = (UncheckedConverter<TSource, TTarget>)Activator.CreateInstance(typeInfo);
39 }
40 [MethodImpl(MethodImplOptions.AggressiveInlining)]
41 private static string GetNewName() => Guid.NewGuid().ToString("N");
42 [MethodImpl(MethodImplOptions.AggressiveInlining)]
43 public abstract TTarget Convert(TSource source);
44 }
45 }

```

1.8 ./Platform.Converters.Tests/ConverterTests.cs

```

1 using Xunit;
2
3 namespace Platform.Converters.Tests
4 {
5     public class ConverterTests
6     {
7         [Fact]
8         public void SameTypeTest()
9         {
10             var result = UncheckedConverter<ulong, ulong>.Default.Convert(2UL);
11             Assert.Equal(2UL, result);
12             result = CheckedConverter<ulong, ulong>.Default.Convert(2UL);
13             Assert.Equal(2UL, result);
14         }
15
16         [Fact]
17         public void Int32ToUInt64Test()
18         {
19             var result = UncheckedConverter<int, ulong>.Default.Convert(2);
20             Assert.Equal(2UL, result);
21             result = CheckedConverter<int, ulong>.Default.Convert(2);
22             Assert.Equal(2UL, result);
23         }
24     }
25 }

```

Index

- ./Platform.Converters.Tests/ConverterTests.cs, 5
- ./Platform.Converters/CachingConverterDecorator.cs, 1
- ./Platform.Converters/CheckedConverter.cs, 1
- ./Platform.Converters/IConverter[TSource, TTarget].cs, 2
- ./Platform.Converters/IConverter[T].cs, 2
- ./Platform.Converters/To.cs, 2
- ./Platform.Converters/To[T].cs, 4
- ./Platform.Converters/UncheckedConverter.cs, 4