

Assignment-4

Adepu Vasisht

GATE 2021(ST) Q.No 16

B. Finding a and c

Let X be a random variable having distribution function


$$F(x) = \begin{cases} 0, & x < 1 \\ \frac{a}{2}, & 1 \leq x < 2 \\ \frac{c}{6}, & 2 \leq x < 3 \\ 1, & x \geq 3 \end{cases}$$

where a and c are appropriate constants. Let $A_n = [1 + \frac{1}{n}, 3 - \frac{1}{n}]$, $n \geq 1$, and $A = \bigcup_{i=1}^{\infty} A_i$. If $\Pr(X \leq 1) = \frac{1}{2}$ and $E(X) = \frac{5}{3}$, then $\Pr(X \in A)$ equals to?

SOLUTION

A. Proving that X is a discrete variable

To prove the above statement we plot $F(x)$ which is the c.d.f of our random variable X by taking some arbitrary values for a and c as it is mentioned that a and c are appropriate constants. The graph will be as shown in the figure below.



As we can see the graph is step-wise which means X is a discrete random variable, moreover we can see that turns take place for $x = 1, 2, 3$ so X can take only these values.

Lemma .1. We will show that $a = 1$ and $c = 5$

Proof. So X can take only 3 values namely 1, 2 and 3. Since we know that

$$F(1) = \frac{a}{2} \quad (1)$$

$$\Pr(X \leq 1) = \frac{1}{2} \quad (2)$$

$$\implies \frac{a}{2} = \frac{1}{2} \quad (3)$$

We calculate the value of c using the given expectation value. The formula for a discrete variable is given by.

$$E(X) = \sum_{i=1}^3 \Pr(X = i) \cdot i$$

Since X is a discrete random variable we have $\Pr(X = 1) = \Pr(X \leq 1) = \frac{1}{2}$ And also since $F(x)$ is a cdf we have $F(2) = \Pr(X = 1) + \Pr(X = 2)$

$$\implies \Pr(X = 2) = \frac{c}{6} - \frac{1}{2}$$

Similarly we can say that $F(3) = F(2) + \Pr(X = 3)$

$$\implies \Pr(X = 3) = 1 - \frac{c}{6}$$

We have all the required probability values.

$$E(X) = \sum_{i=1}^3 \Pr(X = i) \cdot i \quad (4)$$

$$= \Pr(1) \cdot 1 + 2 \Pr(2) + 3 \Pr(3) \quad (5)$$

$$= \frac{1}{2} + 2 \left(\frac{c}{6} - \frac{1}{2} \right) + 3 \left(1 - \frac{c}{6} \right) \quad (6)$$

$$\frac{5}{3} = \frac{5}{2} - \frac{c}{6} \quad (7)$$

$$\implies \frac{c}{6} = \frac{5}{6} \quad (8)$$

$$\therefore c = 5 \quad (9)$$

□

C. Finding the range of A

Given that $A_n = \left[1 + \frac{1}{n}, 3 - \frac{1}{n}\right]$, $n \geq 1$, and $A = \bigcup_{i=1}^{\infty} A_i$. We can see that for any i we have $A_i \subset A_{i+1}$ and we also know the property that if A is a subset of B then we have

$$A \cup B = B$$

By applying the above principal we get that $A = A_{\infty}$ and since when $n \rightarrow \infty \implies \frac{1}{n} \rightarrow 0$ but not equal to 0 so we have $A = A_{\infty} = (1, 3)$

D. Finding the probability

We know that X can only take $X = 1, 2$ and 3 as values and $A = (1, 3)$ hence the only value X can take in A is 2 . We have $\Pr(X \in A) = \Pr(X = 2)$. And we know that

$$\Pr(X = 2) = F(2) - F(1) \quad (\because X \text{ is discrete}) \quad (10)$$

$$\Pr(X = 2) = \frac{5}{6} - \frac{1}{2} \quad (\because c = 5 \text{ and } a = 1) \quad (11)$$

$$\implies \Pr(X = 2) = \frac{1}{3} = 0.33 \quad (12)$$