



Site report for abril.com.br

Search...

→

Netcraft Extension

- Home
- Download Now!
- Report a Phish
- Site Report
- Top Reporters
- Incentives for reporters
- Phishiest TLDs
- Phishiest Countries
- Phishiest Hosters
- Phishiest Certificate Authorities
- Phishing Map
- Takedown Map
- Most Popular Websites
- Branded Extensions
- Tell a Friend

Phishing & Fraud

- Phishing Site Feed
- Hosting Phishing Alerts
- SSL CA Phishing Alerts
- Protection for TLDs against Phishing and Malware
- Deceptive Domain Score
- Bank Fraud Detection
- Phishing Site Countermeasures

Extension Support

- FAQ
- Glossary
- Contact Us
- Report a Bug

Tutorials

- Installing the Extension
- Using the Extension
- Getting the Most
- Reporting a Phish

About Netcraft

- Netcraft Home
- About Netcraft
- Website Terms of Use
- Phishing Site Feed
- Security Services
- Contact Us



Lookup another URL:

Share:

Enter a URL here

Background

Site title	Abril.com	Date first seen	September 1996
Site rank	1041535	Primary language	Portuguese
Description	""		
Keywords	Not Present		
Netcraft Risk Rating	0/10 <div></div>		
<a href="#">[FAQ]</a>			

Network

Site	<a href="https://abril.com.br">https://abril.com.br</a>	Netblock Owner	Automatic, Inc
Domain	<a href="http://abril.com.br">abril.com.br</a>	Nameserver	ns-cloud-a1.googledomains.com
IP address	192.0.78.12 ( <a href="#">VirusTotal</a> )	DNS admin	cloud-dns-hostmaster@google.com
IPv6 address	Not Present	Reverse DNS	unknown
Domain registrar	nic.br	Nameserver organisation	whois.markmonitor.com
Organisation	ABRIL COMUNICACOES S.A., Brazil	Hosting company	Automatic
Top Level Domain	Brazil (.com.br)	DNS Security Extensions	unknown
Hosting country	US		

SSL/TLS

SSLv3/POODLE	This site does not support the SSL version 3 protocol. <div><a href="#">More information about SSL version 3 and the POODLE vulnerability.</a></div>		
Heartbleed	The site offered the Heartbeat TLS extension prior to the Heartbleed disclosure, but is using a new certificate and no longer offers Heartbeat. <div><div>This test does not exploit the Heartbleed vulnerability but uses information from conventional HTTPS requests.</div><div><a href="#">More information about Heartbleed detection.</a></div></div>		
Assurance	Domain validation	Common name	<a href="http://www.guiadoestudante.abril.com.br">www.guiadoestudante.abril.com.br</a>
Organisation	Not Present	Country	Not Present
State	Not Present	Subject Alternative Name	<a href="http://abril.com.br">abril.com.br</a> , <a href="http://accounts.abril.com.br">accounts.abril.com.br</a> , <a href="http://exame.abril.com.br">exame.abril.com.br</a> , <a href="http://id.abril.com.br">id.abril.com.br</a> , <a href="http://pre-id.abril.com.br">pre-id.abril.com.br</a> , <a href="http://pre.quatrorodas.abril.com.br">pre.quatrorodas.abril.com.br</a> , <a href="http://pre.total.abril.com.br">pre.total.abril.com.br</a> , <a href="http://prod-id.abril.com.br">prod-id.abril.com.br</a> , <a href="http://profiles.abril.com.br">profiles.abril.com.br</a> , <a href="http://quatrorodas.abril.com.br">quatrorodas.abril.com.br</a> , <a href="http://total.abril.com.br">total.abril.com.br</a> , <a href="http://veja.abril.com.br">veja.abril.com.br</a> , <a href="http://www.guiadoestudante.abril.com.br">www.guiadoestudante.abril.com.br</a> , <a href="http://www.quatrorodas.abril.com.br">www.quatrorodas.abril.com.br</a>
Organisational unit	Not Present		

Validity period	From Jun 2 2019 to Aug 31 2019 (2 months, 4 weeks, 1 day)	Matches hostname	Yes
Server	nginx	Public key algorithm	rsaEncryption
Protocol version	TLSv1.2	Public key length	2048
Certificate check	ok	Signature algorithm	sha256WithRSAEncryption
Serial number	0x032c1dd4febfbf0c62c6608cd527f1ea95bf	Cipher	ECDHE-RSA-AES128-GCM-SHA256
Version number	0x02	Perfect Forward Secrecy	Yes
Next Protocol Negotiation	h2,http/1.1	Supported TLS Extensions	<a href="#">RFC5746</a> renegotiation info, <a href="#">RFC4366</a> server name, <a href="#">RFC4492</a> EC point formats, <a href="#">RFC5077</a> session ticket, Next Protocol Negotiation, unknown
Issuing organisation	Let's Encrypt	Issuer common name	Let's Encrypt Authority X3
Issuer unit	Not Present	Issuer location	Not Present
Issuer country	US	Issuer state	Not Present
Certificate Revocation Lists	Not Present	Certificate Hash	Q0qgDIINZrKNCLIZOPcjS2YLRll
Public Key Hash	509e92d78fb21541fde270c88fbc2b9b50d2a5b05fad5e7145ae66573dff340		
OCSP servers	<a href="http://ocsp.int-x3.letsencrypt.org">http://ocsp.int-x3.letsencrypt.org</a> - 100% uptime in the past 24 hours 		
OCSP stapling response	No response received		
Certificate transparency	Signed Certificate Timestamps (SCTs)		
	Source	Log	Timestamp
			Signature Verification
	Certificate	Google Icarus KTxR1lTI0wW6q1D8WAfUt2+/WHopctykwwz05UVH9Hg=	2019-06-02 22:59:11
	Certificate	Cloudflare Nimbus 2019 dh7agz6tMxCRIZz0JU9CcMK//V5CIAjGNzV55hB7zFY=	2019-06-02 22:59:12

SSL Certificate Chain

Hosting History

Netblock owner	IP address	OS	Web server	Last seen
<a href="#">Automattic, Inc 60 29th Street 343 San Francisco CA US 94110</a>	192.0.78.12	unknown	nginx	13-Jul-2019

Sender Policy Framework

A host's Sender Policy Framework (SPF) describes who can send mail on its behalf. This is done by publishing an SPF record containing a series of [rules](#). Each rule consists of a qualifier followed by a specification of which domains to apply this qualifier to. For more information please see [openspf.org](https://tools.ietf.org/html/rfc7208).

Qualifier	Mechanism	Argument
+	(Pass)	include
		<a href="#">_spf.google.com</a>
+	(Pass)	ip4
		<a href="#">200.160.188.220</a>
+	(Pass)	include
		<a href="#">spf.shopback.com.br</a>
+	(Pass)	include
		<a href="#">spf.sendinblue.com</a>
-	(Fail)	all

Modifiers extend the functionality of SPF records. The most common one is the redirect which indicates another host contains the SPF record being searched for.

Modifier	Argument
----------	----------

DMARC

DMARC (Domain-based Message Authentication, Reporting and Conformance) is a mechanism for domain owners to indicate how mail purporting to originate from their domain should be authenticated. It builds on SPF and DKIM, providing a method to set policy and to give reporting of failures. For more information please see [dmarc.org](https://dmarc.org).


Raw DMARC record:  
v=DMARC1;p=none;sp=none;rua=mailto:dmarc@mailinblue.com!10m;ruf=mailto:dmarc@mailinblue.com!10m;rf=afrr;pct=100;ri=86400

Tag	Field	Value
p=none	Requested handling policy	None: no specific action to be taken regarding delivery of messages.
sp=none	Requested handling policy for subdomains	None: no specific action to be taken regarding delivery of messages.
rua=mailto:dmarc@mailinblue.com!10m	Reporting URI(s) for aggregate data	dmarc@mailinblue.com (up to 10m)
ruf=mailto:dmarc@mailinblue.com!10m	Reporting URI(s) for failure data	dmarc@mailinblue.com (up to 10m)
rf=afrr	Failure reporting format(s)	Using the Abuse Reporting Format.
pct=100	Sampling rate	100% of messages from the Domain Owner's mail stream should have DMARC applied.
ri=86400	Aggregate reporting interval	No more than 86400 seconds separating aggregate reports.

Web Trackers

Web Trackers are third-party resources loaded onto a webpage. Trackable resources include social sharing widgets, javascript files, and images. These trackers can be used to monitor individual user behaviour across the web. Data derived from these trackers are primarily used for advertising or analytics purposes.

11 known trackers were identified.



Company	Primary Category	Tracker	Popular Sites with this Tracker
Automattic	Analytics	WordPress	<a href="https://www.news.com.au">www.news.com.au</a> , <a href="https://hotair.com">hotair.com</a> , <a href="https://osxdaily.com">osxdaily.com</a>
Criteo	Advertising	Criteo	<a href="https://www.olx.pl">www.olx.pl</a> , <a href="https://www.olx.ua">www.olx.ua</a> , <a href="https://www.kaskus.co.id">www.kaskus.co.id</a>

Company	Primary Category	Tracker	Popular Sites with this Tracker
Google	Advertising	Google AdSense	<a href="#">www.express.co.uk</a> , <a href="#">www.majorgeeks.com</a> , <a href="#">www.nicehash.com</a>
	Analytics	Google Analytics	<a href="#">www.meteofrance.com</a> , <a href="#">www.tumblr.com</a> , <a href="#">www.researchgate.net</a>
		Googletagmanager	<a href="#">www.kraken.com</a> , <a href="#">www.digikala.com</a> , <a href="#">www.zerohedge.com</a>
	CDN	Googlecdn	<a href="#">www.labanquepostale.fr</a> , <a href="#">www.etoro.com</a> , <a href="#">www.sdna.gr</a>
Moat	Widget	Googleplus	<a href="#">www.kijiji.ca</a> , <a href="#">www.chess.com</a> , <a href="#">www.ansa.it</a>
	Analytics	Moat	<a href="#">www.webhostingtalk.com</a> , <a href="#">www.rd.com</a> , <a href="#">weather.com</a>
Rubicon Project	Advertising	Rubiconproject	<a href="#">www.walmart.com</a> , <a href="#">www.eltiempo.es</a> , <a href="#">www.weather.com</a>
Twitter	Widget	Twitter	<a href="#">www.wikiwand.com</a> , <a href="#">www.imdb.com</a> , <a href="#">www.drudgereport.com</a>
WPP plc	Advertising	AppNexus Inc	<a href="#">www.match.com</a> , <a href="#">www.heise.de</a> , <a href="#">www.lefigaro.fr</a>

Site Technology

Fetchd on 13th July 2019

Server-Side

Includes all the main technologies that Netcraft detects as running on the server such as PHP.

Technology	Description	Popular sites using this technology
PHP	PHP is supported and/or running	<a href="#">www.mediafire.com</a> , <a href="#">www.wilderssecurity.com</a> , <a href="#">bitcointalk.org</a>
XML	No description	<a href="#">www.cisco.com</a> , <a href="#">static.vilynx.com</a> , <a href="#">yandex.ru</a>
SSL	A cryptographic protocol providing communication security over the Internet	<a href="#">kayakoreport.hostasaurus.com</a>

Client-Side

Includes all the main technologies that run on the browser (such as JavaScript and Adobe Flash).

Technology	Description	Popular sites using this technology
Asynchronous Javascript	No description	<a href="#">www.kraken.com</a> , <a href="#">www.binance.com</a> , <a href="#">www.tumblr.com</a>
JavaScript	Widely-supported programming language commonly used to power client-side dynamic content on websites	<a href="#">www.google.com</a> , <a href="#">vdms-ssl.cedexis-test.com</a> , <a href="#">login.salesforce.com</a>

Client-Side Scripting Frameworks

Frameworks or libraries allow for easier development of applications by providing an Application Program Interface (API) or a methodology to follow whilst developing.

Technology	Description	Popular sites using this technology
Google Tag Manager	No description	<a href="#">www.digikala.com</a> , <a href="#">www.leparisien.fr</a> , <a href="#">www.eto.com</a>


Blog

Blog software is software designed to simplify creating and maintaining weblogs. They are specialized content management systems that support the authoring, editing, and publishing of blog posts and comments.

Technology	Description	Popular sites using this technology
WordPress Self-Hosted	Free and open source blogging tool and a content management system (CMS) based on PHP and MySQL (hosted independently)	<a href="#">www.balasai.com</a> , <a href="#">www.makeuseof.com</a> , <a href="#">www.ccn.com</a>


PHP Application

PHP is an open source server-side scripting language designed for Web development to produce dynamic Web pages.

Technology	Description	Popular sites using this technology
<b>WordPress</b> 	Free and open source blogging tool and a content management system (CMS) based on PHP and MySQL	<a href="https://imagesrv.adition.com/">imagesrv.adition.com</a> , <a href="https://sellercentral.amazon.de/">sellercentral.amazon.de</a> , <a href="https://wordpress.com">wordpress.com</a>


### Search

A web search engine is a software that is designed to search for information on the World Wide Web or on a specific site.

Technology	Description	Popular sites using this technology
<b>Custom Search Engine</b> 	Google Custom Search Engine	<a href="https://www.ecosia.org/">www.ecosia.org</a> , <a href="https://www.researchgate.net/">www.researchgate.net</a> , <a href="https://www.yandex.ru">www.yandex.ru</a>


### Web Stats

Web analytics is the measurement, collection, analysis and reporting of internet data for purposes of understanding and optimizing web usage.

Technology	Description	Popular sites using this technology
<b>Google Webmaster Tools</b> 	Set of tools allowing webmasters to check indexing status and optimize visibility of their websites on Google	<a href="https://www.amazon.in/">www.amazon.in</a> , <a href="https://www.walmart.com/">www.walmart.com</a> , <a href="https://www.bankofamerica.com">www.bankofamerica.com</a>


### Character Encoding

A character encoding system consists of a code that pairs each character from a given repertoire with something else such as a bit pattern, sequence of natural numbers, octets, or electrical pulses in order to facilitate the transmission of data (generally numbers or text) through telecommunication networks or for data storage.

Technology	Description	Popular sites using this technology
<b>UTF8</b> 	UCS Transformation Format 8 bit	<a href="https://gmail.com">gmail.com</a>



### HTTP Compression

HTTP compression is a capability that can be built into web servers and web clients to make better use of available bandwidth, and provide greater transmission speeds between both.

Technology	Description	Popular sites using this technology
<b>Gzip Content Encoding</b> 	Gzip HTTP Compression protocol	<a href="https://www.expedia.com/">www.expedia.com</a> , <a href="https://www.amazon.it/">www.amazon.it</a> , <a href="https://www.amazon.fr">www.amazon.fr</a>

### Web Browser Targeting

Web browser targeting enables software applications to make use of specific functions of the browser as well as optimizing the application for specific browser versions.

Technology	Description	Popular sites using this technology
<b>Strict Transport Security</b> 	Web security policy mechanism whereby a web server declares that complying user agents are to interact with it using only secure HTTP connections	<a href="https://www.amazon.co.uk/">www.amazon.co.uk</a> , <a href="https://docs.microsoft.com/">docs.microsoft.com</a> , <a href="https://outlook.live.com">outlook.live.com</a>
<b>Document Compatibility Mode</b> 	A meta-tag used in Internet Explorer 8 to enable compatibility mode	<a href="https://www.msn.com/">www.msn.com</a> , <a href="https://www.coinbase.com/">www.coinbase.com</a> , <a href="https://outlook.office365.com">outlook.office365.com</a>

### Doctype

A Document Type Declaration, or DOCTYPE, is an instruction that associates a particular SGML or XML document (for example, a webpage) with a Document Type Definition (DTD).

Technology	Description	Popular sites using this technology
<b>HTML5</b> 	Latest revision of the HTML standard, the main markup language on the web	<a href="https://dtm.advertising.com/">dtm.advertising.com</a> , <a href="https://secure-assets.rubiconproject.com/">secure-assets.rubiconproject.com</a> , <a href="https://accounts.google.com">accounts.google.com</a>


### HTML 5

HTML5 is a markup language for structuring and presenting content for the World Wide Web and a core technology of the Internet. It is the fifth revision of the HTML standard.

Technology	Description	Popular sites using this technology
Viewport meta tag	HTML5 tag usually used for mobile optimization	<a href="#">discordapp.com</a>

CSS Usage

Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation semantics (the look and formatting) of a document written in a markup language (such as XHTML).

Technology	Description	Popular sites using this technology
External 	Styles defined within an external CSS file	<a href="#">www.facebook.com</a> , <a href="#">www.bitmex.com</a> , <a href="#">www.linkedin.com</a>
CSS Media Query	No description	<a href="#">www.zerohedge.com</a> , <a href="#">www.w3schools.com</a> , <a href="#">www.googleadservices.com</a>