Linux Shell Exercise solutions

1. Refer to Linux Command pdf file.

2. 2nd question solution

```
igntcriumgIGN-BLR-LP-215:-/linuxshellS gedit a.txt &
[3] 1681
[3] 1682
[3] 1682
[3] 1682
[3] 1692
[3] 1693
[3] 1693
[3] 1693
[3] 1693
[3] 1693
[3] 1693
[3] 1693
[3] 1693
[3] 1795
[3] 1795
[3] 1795
[3] 1795
[4] 1795
[5] 1795
[6] 1795
[6] 1795
[6] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
[7] 1795
```

- → First I have created an 'a.txt' file and added 10 lines of text into it.
- → Then I have copied this into another file 'b.txt' using cp command.
- → Then I have modified a few lines in the 'b.txt' file.
- → I have used the 'diff' utility to find the difference between two files.
- → Then I have redirected the output of diff into the 'a.patch' file.
- → Then I applied a patch file on the 'a.txt' file.
- → Now after performing 'diff' utility it is not showing any difference.i.e. Both the files are the same.

3. 3rd question solution

```
ignitarium@IGN-BLR-LP-215:~/linuxshell$ sort result.txt | uniq
aman singh me 7.9
naman garg cse 9.4
prakhar agrawal cse 9.7
rajat dua ece 9.1
rishabh gupta cse 8.4
ignitarium@IGN-BLR-LP-215:~/linuxshell$
```

- → The 'result.txt' file contains some repeated text.
- → In the above command, 'sort' command will sort the given file and then '|' will redirect its output to the next command i.e. 'uniq' command which will eliminate duplicates.

4. 4th question solution

```
gnitarium@IGN-BLR-LP-215:~/linuxshell$ ls
2ndquestion.png 3rdquestion.png 8.sh a.patch a.txt b.txt result.txt
ignitarium@IGN-BLR-LP-215:~/linuxshell$ sort result.txt > sorted_result.txt
 gnitarium@IGN-BLR-LP-215:~/linuxshell$ ls
2ndquestion.png 3rdquestion.png 8.sh a.patch a.txt b.txt result.txt sorted_result.txt
lgnitarium@IGN-BLR-LP-215:~/linuxshell$ cat sorted_result.txt
aman singh me 7.9
aman singh me 7.9
naman garg cse 9.4
prakhar agrawal cse 9.7
rajat dua ece 9.1
rajat dua ece 9.1
rishabh gupta cse 8.4
rishabh gupta cse 8.4
 lgnitarium@IGN-BLR-LP-215:~/linuxshell$ uniq result.txt >> sorted_result.txt
 gnitarium@IGN-BLR-LP-215:~/linuxshell$ cat sorted_result.txt
aman singh me 7.9
aman singh me 7.9
naman garg cse 9.4
prakhar agrawal cse 9.7
rajat dua ece 9.1
rajat dua ece 9.1
rishabh gupta cse 8.4
rishabh gupta cse 8.4
rajat dua ece 9.1
rishabh gupta cse 8.4
prakhar agrawal cse 9.7
aman singh me 7.9
rajat dua ece 9.1
rishabh gupta cse 8.4
aman singh me 7.9
naman garg cse 9.4
.gnitarium@IGN-BLR-LP-215:~/linuxshell$ uniq result.txt &> sorted_result.txt
 gnitarium@IGN-BLR-LP-215:~/linuxshell$ cat sorted result.txt
rajat dua ece 9.1
rishabh gupta cse 8.4
prakhar agrawal cse 9.7
aman singh me 7.9
rajat dua ece 9.1
rishabh gupta cse 8.4
aman singh me 7.9
naman garg cse 9.4
        ium@IGN-BLR-LP-215:~/linuxshell$ cat < result.txt
rajat dua ece 9.1
rishabh gupta cse 8.4
prakhar agrawal cse 9.7
aman singh me 7.9
rajat dua ece 9.1
rishabh gupta cse 8.4
aman singh me 7.9
naman garg cse 9.4
 gnitarium@IGN-BLR-LP-215:~/linuxshell$
```

- → First I have performed the 'sort' command on the 'result.txt' file and redirected the output into the 'sorted result.txt' file using '>'.
- → Then I performed the 'uniq' command on the 'result.txt' file and append the output to the existing file using '>>'.

- → Now I have performed 'uniq' command on the 'result.txt' file and redirected both stdout and stderr to the same file using '&>'.
- → Then I have taken input from the 'result.txt' file by redirecting stdin '<'.

```
gnitarium@IGN-BLR-LP-215:~/linuxshell$ ls
2ndquestion.png 8.sh a_sort.txt b.txt
3rdquestion.png a.patch a.txt resul
                                                          sorted_result.txt
                                            result.txt
ignitarium@IGN-BLR-LP-215:~/linuxshell$ sort b.txt | tee b_sort.txt
asdfghjkl
eszwaq eiedj
ihbuygv
lkjhgfdsa ssjsjs
mnbvcxz
plmokn
poiuytrewq
qwertyulop hhsss
tfcrdx
zxcvbnm
ignitarium@IGN-BLR-LP-215:~/linuxshell$ ls
2ndquestion.png 3rdquestion.png 8.sh a.patch a_sort.txt a.txt b_sort.txt b.txt result.txt sorted_result.txt ignitarium@IGN-BLR-LP-215:~/linuxshell$ []
```

→ Now using the 'tee' command I have redirected stdout to both file and console at the same time.

- 5. 5th question solution
 - → .bashrc file is a hidden file, use Is -a to check if that file exists or not.
 - → Then I have added alias command in the file for grepping the command history

6. 6th question solution

Repeat last command

```
ignitarium@IGN-BLR-LP-215:~/linuxshell$ echo Bash Shortcuts
Bash Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$ !!
echo Bash Shortcuts
Bash Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$
```

Repeat most recent command

```
ignitarium@IGN-BLR-LP-215:~/linuxshell$ echo Bash Shortcuts
Bash Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$ wc -m /etc/bash_completion
45 /etc/bash_completion
ignitarium@IGN-BLR-LP-215:~/linuxshell$ !echo
echo Bash Shortcuts
Bash Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$ echo Bash Shortcuts
Bash Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$ !echo:p
echo Bash Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$ [
```

All arguments of last command

First argument of last command

```
ignitarium@IGN-BLR-LP-215:~/linuxshell$ echo Bash Shortcuts
Bash Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$ touch !^
touch Bash
ignitarium@IGN-BLR-LP-215:~/linuxshell$ ls
2ndquestion.png a.patch b_sort.txt Shortcuts
3rdquestion.png a_sort.txt b.txt sorted_result.txt
8.sh a.txt listOfFiles.txt
9.sh Bash result.txt
```

Last argument of last command

```
ignitarium@IGN-BLR-LP-215:~/linuxshell$ echo Bash Shortcuts
Bash Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$ touch !$
touch Shortcuts
ignitarium@IGN-BLR-LP-215:~/linuxshell$
```

Quick command substitution

```
ignitarium@IGN-BLR-LP-215:~/linuxshell$ echo linux command line ignitarium@IGN-BLR-LP-215:~/linuxshell$ ^linux^bash^ echo bash command line linux command line bash command line linux command line linux command line ignitarium@IGN-BLR-LP-215:~/linuxshell$ []
```

Repeat entire command line

```
ignitarium@IGN-BLR-LP-215:~/linuxshell$ ^linux^bash^
echo bash command line linux command line
bash command line linux command line
ignitarium@IGN-BLR-LP-215:~/linuxshell$ echo bash command line !#
echo bash command line echo bash command line
bash command line echo bash command line
ignitarium@IGN-BLR-LP-215:~/linuxshell$
```

7. No tasks

8. 8th question solution

```
ignitarium@IGN-BLR-LP-215:~/linuxshell$ cat 8.sh echo "Enter the value of n: " read n
sum=0
echo "Enter the numbers: "
for((i=1;i<=n;i++))</pre>
            read num
sum=$((sum + num))
done
echo "Sum of given numbers is: "
echo $sum
ignitarium@IGN-BLR-LP-215:~/linuxshell$ chmod +x 8.sh
ignitarium@IGN-BLR-LP-215:~/linuxshell$ ./8.sh
Enter the value of n:
Enter the numbers:
Sum of given numbers is:
ignitarium@IGN-BLR-LP-215:~/linuxshell$
```

9. 9th question solution

```
ium@IGN-BLR-LP-215:~/linuxshell$ gedit 9.sh &
[4] 7876

ignitarium@IGN-BLR-LP-215:~/linuxshell$ chmod +x 9.sh
ignitarium@IGN-BLR-LP-215:~/linuxshell$ ./9.sh
/home/ignitarium/linuxshell/2ndquestion.png
/home/ignitarium/linuxshell/3rdquestion.png
/home/ignitarium/linuxshell/3.sh
/home/ignitarium/linuxshell/a.patch
/home/ignitarium/linuxshell/a.patch
/home/ignitarium/linuxshell/a.sort.txt
/home/ignitarium/linuxshell/b.sort.txt
/home/ignitarium/linuxshell/b.sort.txt
/home/ignitarium/linuxshell/listOfFiles.txt
/home/ignitarium/linuxshell/listOfFiles.txt
/home/ignitarium/linuxshell/result.txt
/home/ignitarium/linuxshell/sorted_result.txt
/home/ignitarium/linuxshell/sorted_result.txt
ignitarium@IGN-BLR-LP-215:~/linuxshell$ cat 9.sh
#! /bin/sh
ignitarium@IGN-BLR-LP-215:~/linuxshell$ ca
#! /bin/sh
printf '%s\n' "$PWD"/*
ignitarium@IGN-BLR-LP-215:~/linuxshell$ []
```

THANK YOU