

Catalogue of requirements and specifications

Interaction Lab

written by

Laura Anger	(Matrikelnr. 11086356)
Vera Brockmeyer	(Matrikelnr. 11077082)
Anna Bolder	(Matrikelnr. 11083451)
Britta Boerner	(Matrikelnr. 11070843)

Interactive Systems in SS 2017

Supervisor:

Prof. Dr. Stefan Michael Grünvogel
Institute for Media- und Phototechnology

1 Project goals

- This project aims to implement at least six different options of interactions with an object in virtual reality environment
- Two test scenes will be built with Unity
- A optional extension of the project with further interactions like walking will be prepared
- The project will be realised with the HTC Vive
- The release of the project is planned on July 15th 2017

2 List of requirements

2.1 Scene

At least two scene will be realised. In the first scene the participant will be able to learn the different options of grabbing. This room is kept simple. The task will be to grab different sizes of cubes from different distances. The participant will be able to change the options of grabbing. She/he should have tested all possible interactions before switching to the other room.

The second room will be modelled after a supermarket. In this room the participant will get different tasks he has to complete. These tasks will differ by complexity, distance of grabbing and size of the objects. The participant will be able to change the options of grabbing.

The optional extension of the project will a start scene. In this scene the user decides which interaction she/he wants to start, for example different ways of moving through a virtual reality scene. Depending on the selected interaction a different scene will be loaded.

2.2 Selection

The interaction possibilities can be categorised into close range and far range. Different close range interactions will be possible, one being that the participant can only grab and move the object if he actually touches the object with the controller in the virtual environment. This is a close representation of real world interactions as we can only grab and move objects we can touch. The second close range interaction will be that grabbing and moving of objects is possible if the controller is in proximity to the object but not necessarily touching it. The participant does not have to be very accurate when selecting an object.

The far range interaction will have different options as well. One will be that a beam will shoot out of the controller, extending along the biggest dimension. This

means the participant will be able to point at an object he wants to select with the controller. Another option will be that the selection beam extends from the participants head making the selection possible by looking at the object. A third option could be that the participants arm extends in the direction he is point with the controller. With that option he can grab objects that are further away.

All interaction possibilities include grabbing, rotating and positioning the object in a desired area.

2.3 Hardware

The implementation of the interactions possibilities only apply to the head-mounted display VIVE by HTC with its controllers.

2.4 Dates

The first prototype will be presented on the 1st of July 2017. The deadline for this project is 15th of July 2017.
