Rajalakshmi Engineering College

Name: veshal M C 1

Email: 240701585@rajalakshmi.edu.in

Roll no: 240701585 Phone: 7904712060

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 16

Section 1: MCQ

1. Which of the following is true about

fp.seek(10,1)

Answer

Move file pointer ten characters ahead from the current position

Status: Correct Marks: 1/1

2. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

```
Raj,20
Ouptput:
    ['John,21\n','Raj,20\n']
    f = open("exp.txt", "w+")
   _____(1) print _____(2)
    Answer
    1) f.seek(0, 1)2) f.readlines()
   3. Fill in the blanks in the following code of writing data in binary files.
    import _____ (1)
    rec=[]
    while True:
      rn=int(input("Enter"))
      nm=input("Enter")
      temp=[rn, nm]
      rec.append(temp)
      ch=input("Enter choice (y/N)")
    if ch.upper=="N":
        break
    f.open("stud.dat","_
                                  _")(2)
     _____.dump(rec,f)(3)
         ____.close()(4)
    Answer
    (pickle,wb,pickle,f)
    Status: Correct
                                                                     Marks: 1/1
```

4. What is the output of the following code?

240701585

```
240701585
    class MyError(Exception):
pass
    try:
      raise MyError("Something went wrong")
    except MyError as e:
      print(e)
    Answer
    Something went wrong
                                                                    Marks: 1/1
    Status: Correct
       How do you rename a file?
    Answer
    os.rename(existing_name, new_name)
    Status: Correct
                                                                    Marks: 1/1
    6. What will be the output of the following Python code?
    f = None
    for in range (5):
    with open("data.txt", "w") as f:
        if i > 2:
          break
    print(f.closed)
    Answer
    True
    Status: Correct
                                                                    Marks: 1/1
    7. Which clause is used to clean up resources, such as closing files in
```

Python?

Answer

Status: Correct Marks: 1/1

8. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

9. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

0

Status: Correct Marks: 1/1

10. What is the output of the following code?

try

$$x = 1 / 0$$

except ZeroDivisionError:

print("Caught division by zero error")

finally:

print("Executed")

Answer

Caught division by zero errorExecuted

Status: Correct Marks: 1/1

11. What is the difference between r+ and w+ modes?

Answer

in w+ the pointer is initially placed at the beginning of the file and the pointer is at the end for r+

Status: Wrong Marks: 0/1

12. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

13. What is the output of the following code?

try:

x = "hello" + 5

except TypeError:

print("Type Error occurred")

finally:

print("This will always execute")

Answer

Type Error occurredThis will always execute

Status: Correct Marks: 1/1

14. What is the correct way to raise an exception in Python?

Answer

raise Exception()

Status: Correct Marks: 1/1

15. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

fo = open(_____(1), "wb") print("Name of the file: ",_____)(2)

Answer

1) "ex.txt"2) fo.name

Status: Correct Marks: 1/1

- 16. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-iv, d-ii

Status: Wrong Marks: 0/1

17. What happens if no arguments are passed to the seek function?

Answer

error

Status: Wrong Marks: 0/1

18. What will be the output of the following Python code?

Predefined lines to simulate the file content lines = ["This is 1st line", "This is 2nd line", "This is 3rd line",

```
"This is 4th line",
This is 5th line"
print("Name of the file: foo.txt")
# Print the first 5 lines from the predefined list
for index in range(5):
  line = lines[index]
  print("Line No %d - %s" % (index + 1, line.strip()))
Answer
Syntax Error
                                                                   Marks: 0/1
Status: Wrong
19. How do you create a user-defined exception in Python?
Answer
By creating a new class that inherits from the Exception class
Status: Correct
                                                                    Marks: 1/1
20. What is the purpose of the except clause in Python?
Answer
To handle exceptions during code execution
Status: Correct
                                                                    Marks: 1/1
```

240701585

240701585

240101585

240101585