INT404 ARTIFICIAL INTELLIGENCE

Lecture 6

Problem Characteristics

1. Is problem **decomposable** into set of(nearly) independent smaller or easier sub problems?

2. Can solution steps be **ignored** or at least **undone** if they prove unwise?

3. Is the problem's universe **predictable**?

4. Is a good solution to the problem is obvious **without comparing** to all other possible solutions?

5. Is a desire solution a state of the world or a **path to a state**?

6. Is a large amount of knowledge absolute required to solve the problem, or is knowledge important only to certain the search?

7. Can a computer that is simply given the problem return the solution, or will the solution of problem require interaction between the computer and a person?

1. Is the problem Decomposable?

By this method we can solve large problem easily.

Ex: Decomposable problem

Symbolic Integration

$$\int (x^2 + 3x + \sin^2x \cdot \cos^2x)\,dx$$

Can be divided to

Integral of x^2

Integral of $3x$

Integral of $\sin^2x \cdot \cos^2x$, which can be further divided to $(1 - \cos^2x) \cdot \cos^2x$ ….

1. Is the problem Decomposable?

## Ex: Non- decomposable problems

Block World Problem

Assume that only two operations are available:

1. CLEAR(x)[Block x has nothing on it]->ON(x, Table)[Pick up x and put on the table]
2. CLEAR(x) and CLEAR (y)->ON(x, y)[Put x on y]

Start state

Goal state

CLEAR(C)
ON(B,C) and ON(A,B)

2. Can Solution steps be ignored or undone?

- **Ignorable problem:** in which solution steps can be ignored.

Ex:- Theorem Proving

Suppose we are trying to prove a mathematical theorem. We proceed by first proving a lemma(intermediate theorem) that we think will be useful. Eventually, we realize that the lemma is not help at all.

Every thing we need to know to prove theorem is still true and in memory, if it ever was. Any rule that could have been applied at the outset can still be applied. _All we have lost is the effort that was spent exploring the blind alley._

2. Can Solution steps be ignored or undone?

- Recoverable problem: in which solution steps can be undone.

Ex:- The 8-Puzzle

The 8-puzzle is a square tray in which are placed, eight square tiles and remaining 9th square is uncovered. Each tile has number on it. A tile that is adjacent to blank space can be slide in to that space. A game consist of a starting position and a specific goal position.

We might make stupid move.
We can backtrack and undo the first move. Mistakes can still be recovered from but not quite as easy as in theorem proving.

2	8	3
1	6	4
7		5

Initial State

1	2	3
8		4
7	6	5

Goal state

2. Can Solution steps be ignored or undone?

2	8	3
1	6	4
7		5

Initial State

2	8	3
1	4	
7	6	5

Goal state

8-Puzzle ----------------------------------

2. Can Solution steps be ignored or undone?

- **Irrecoverable problem:** in which solution steps cannot be undone.

Ex:- Chess

➢ Cannot backtrack

➢ Cannot restart

➢ Only can do keep on playing

2. Can Solution steps be ignored or undone?

- **Ignorable problem**
  - Simple control structure
  - Cannot backtrack
  - Simple implementation
- **Recoverable problem**
  - More complex control structure
  - Need backtracking
- **Irrecoverable**
  - Needs to explore future decision in advance
  - If taken, the decision must be final
  - Some irrecoverable problems can be solved by "Planning Process"

3. Is universe predictable?

Certain-outcome problem

Ex: 8-Puzzle

- After taking move, next state is known
- Entire sequence of moves can be planned

Uncertain-outcome problem

Ex: play Bridge

- One of the decisions we will have to make is which card to play on the first trick.
- impossible to do such planning, we **don't** know what the **other players** will **do** on their turn.

4. Is a good solution Absolute or Relative ?

Any-path problem

Ex: <u>Answer-question System</u>

Consider the problem of answering the question based on following facts:

1. Marcus was a man.
2. Marcus was a Pompean.
3. Marcus was born in 40 AD.
4. All men are mortal.
5. All Pompeans died when volcano erupted in 79 AD.
6. No mortal lives longer than 150 years.
7. Now it is 1991 AD.

" Is Marcus alive?"

4. Is a good solution Absolute or Relative ?

1. Marcus was a man	- Axiom1
4. All men are mortal	-Axiom4
8. Marcus is Mortal	- 1&4
3. Marcus was born in 40 AD	-Axiom3
7. Now it is 1991 AD	-Axiom7
9. Marcus age is 1951 years	- 3&7
6. No mortal lives longer than 150 years	-Axiom6
10. Marcus is dead	-6,8,9

OR

7. It is now 1991AD	-axiom 7
5. All pompeians died in 79 AD	-axiom 5
11. All pompeians are died now	-7 & 5
2. Marcus was a pompeian	-axiom 2
12. Marcus is dead	-11,2

1.   Marcus was a man.
2.   Marcus was a Pompean.
3.   Marcus was born in 40 AD.
4.   All men are mortal.
5.   All Pompeans died when volcano erupted in 79 AD.
6.   No mortal lives longer than 150 years.
7.   Now it is 1991 AD.

4. Is a good solution Absolute or Relative ?

1. Marcus was a man	- Axiom1
4. All men are mortal	-Axiom4
8. Marcus is Mortal	- 1&4
3. Marcus was born in 40 AD	-Axiom3
7. Now it is 1991 AD	-Axiom7
9. Marcus age is 1951 years	- 3&7
6. No mortal lives longer than 150 years	-Axiom6
10. **Marcus is dead**	-6,8,9

OR

7. It is now 1991AD	-axiom 7
5. All pompeians died in 79 AD	-axiom 5
11. All pompeians are died now	-7 & 5
2. Marcus was a pompeian	-axiom 2
12. **Marcus is dead**	-11,2

Since all we are interested in is the answer to question, it does not matter **which path we follow**.

If we do follow one path successfully to the answer, there is no reason to go back and see if some other path might also lead to a solution.

Best-path problem

Ex: <u>Traveling Salesman Problem</u>

Given a road map of n cities, find the **shortest** tour which visits every city on the map exactly once and then return to the original city (*Hamiltonian circuit*)

	Boston	New York	Miami	Dallas	S.F.
Boston		250	1450	1700	3000
New York	250		1200	1500	2900
Miami	1450	1200		1600	3300
Dallas	1700	1500	1600		1700
S.F.	3000	2900	3300	1700	

Boston

(3000)

(250)

San Francisco

New York

(1700)

(1200)

Dallas

Miami

(1500)

(1600)

New York

Dallas

(1200)

(1700)

Miami

San Francisco

(1450)

(3000)

Boston

Boston

Total: (8850)

Total: (7750)

4. Is a good solution Absolute or Relative ?

➢ Best-path problems are, in general, computationally harder than any-path problems.

➢ Any-path problems can often be solved in a reasonable amount of time by using heuristics that suggest good paths to explore. If the heuristics are not perfect, the search for a solution may not be as direct as possible, but that does not matter.

➢ For true best-path problems, however, no heuristic that could possibly miss the best solution can be used. So a much more exhaustive search will be performed.

5. Is the solution a State or Path ?

Solution is a path to state

Ex: Water jug problem

➢ Thus a statement of solution to this problem must be a sequence of operations (some time called *apian*) that produce the final state.

Solution is a state of world

Ex: Natural language understanding

➢ To solve the problem of finding the interpretation(meaning) we need to produce interpretation itself.

➢ No record of processing by which the interpretation was found is necessary.

"The **bank** president ate a **dish** of pasta salad with the fork".

Knowledge is important only to constrain(limit) the search for solution

Ex: playing chess

➢ Suppose you have ultimate computing power available.

➢ How much knowledge **would be required by a perfect program**?

➢ just the rule for determining legal moves.

Knowledge is required even to be able to recognize a solution

Ex: Scanning daily news paper to decide which are supporting the democrats and which are supporting the republicans in some upcoming elections.

➢ you have ultimate computing power available.

➢ How much knowledge **would be required by a perfect program?**

This time answer is great deal. It would have to know:

• The name of candidates in each party.

• For supporting republicans; you want to see done is have taxes lowered.

• For supporting democrats; you want to see done is improved education for minority students.

• And so on......

7. Does the task require interaction with person?

Solitary:

➢ in which the computer is given a problem description and produces an answer with no intermediate communication and with no demand for an explanation of the reasoning process.

➢ Level of interaction b/w computer and user is **problem-in solution-out.**

EX: Theorem Proving

Conversational:

➢ in which there is intermediate communication between a person and the computer, either to prove additional assistance to computer or to prove additional information to user, or both.

Ex: Medical diagnosis

Production System Characteristics

Production System Characteristics

Production systems are a good way to describe the operations that can be performed in a search for a solution to a problem.

1. Can production systems, like problems, be described by a set of characteristics that shed some light on how they easily be implemented?

2. If so, what relationships are there b/w problem types and the types of production systems best suited to solve the problem.

1. Class of production Systems

➢ A *monotonic production system* is a system in which the <u>application of rule never prevents the later application of another rule that could also have been applied at the time that the first rule was selected.</u>

➢ A *nonmonotonic production system* is one in which <u>this is not true.</u>

➢ A *partially commutative production system* is a system in with the property that <u>if the application of particular sequence of rules transforms state x into state y, then any permutation of those rules that is allowable also transform state x in to state y.</u>

➢ A *commutative production system* is a production system that is <u>both monotonic and partially commutative.</u>

2. Relationship b/w problems and production systems

➢ For any solvable problem, there exist an infinite number of production systems.

➢ Any problem that can be solved by any production system can be solved by a commutative one, but practically useless.

➢ So in formal sense, there is no relation ship b/w kind of problems and kind of production system since all problems can be solved by all kinds of system.

➢ But in practical sense, there definitely is such a relationships b/w kind of problems and kind of systems that lend themselves naturally to describing those problems.

2. Relationship b/w problems and production systems

Ignorable problems; where creating new things rather than changing old once

Change occur but can be reversed and in which order of operation is not critical

	Monotonic	**Nonmonotonic**
Partially Commutative	Theorem Proving	Robot Navigation, 8-puzzle
Not Partially Commutative	Chemical synthesis	Bridge, Chess

where creating new thins by changing old once

Reverse not possible and order matter.