

# elegant-polimi-thesis documentation

This chapter is the result of the documentation generated from the source code. Since it's not strictly needed to use the template – there are very little functions to actually use, which are only section organizers – it's quite barebones.

The intended order of use of the functions is as follows:

1. frontmatter
  - a. toc
  - b. list-of-figures
  - c. list-of-tables
  - d. nomenclature
2. mainmatter
3. backmatter
4. acknowledgements
5. appendix

The acknowledgements section can be moved in frontmatter, as one prefers (or as the advisor requests).

## Contents

polimi-thesis .....	1	nomenclature .....	4
frontmatter .....	3	theorems-init .....	4
acknowledgements .....	3	bluepoli .....	4
mainmatter .....	3	toc .....	4
appendix .....	3	list-of-figures .....	5
backmatter .....	4	list-of-tables .....	5

## polimi-thesis

Main formatting function of the template.

### Parameters

```
polimi-thesis(  
  title: str,  
  author: str,  
  advisor: str,  
  coadvisor: str,  
  tutor: str,  
  phdcycle: str,  
  cycle: str,  
  chair: str,  
  language: str,  
  colored-headings: bool,  
  main-logo: path,  
  body  
) -> content
```

**title**    `str`

Title of the thesis

Default: "Thesis Title"

**author** `str`

Author of the name (Name Surname).

Default: `"Name Surname"`

**advisor** `str`

Advisor of the thesis.

Default: `" "`

**coadvisor** `str`

Coadvisor of the thesis.

Default: `" "`

**tutor** `str`

Tutor of the thesis.

Default: `" "`

**phdcycle** `str`

Academic year. If empty, defaults to the current one: "2024 — 2025".

Default: `" "`

**cycle** `str`

Cycle of the thesis (not used).

Default: `none`

**chair** `str`

Chair of the thesis (not used).

Default: `none`

**language** `str`

Language of the thesis.

Default: `"en"`

**colored-headings** `bool`

Whether to activate the colored headings or not.

Default: `true`

**main-logo** `path`

Path of the main logo of the thesis (default: engineering).

Default: `"img/logo_ingegneria.svg"`

## frontmatter

Frontmatter section. Similar to  $\text{\LaTeX}$ 's `\frontmatter`. It sets the page numbering to "i" and numbering: `none` for headings.

### Parameters

`frontmatter`(body) -> `content`

## acknowledgements

Acknowledgements section. It sets numbering: `none` for headings.

### Parameters

`acknowledgements`(body) -> `content`

## mainmatter

Mainmatter section. Similar to  $\text{\LaTeX}$ 's `\mainmatter`. It sets to page numbering to "1", numbering: `"1.1"` for headings and resets the page counter.

### Parameters

`mainmatter`(body) -> `content`

## appendix

Appendix section. Similar to  $\text{\LaTeX}$ 's `\appendix`. It sets numbering: `"A.1"` for headings and resets their counter.

### Parameters

`appendix`(body) -> `content`

## backmatter

Backmatter section. Similar to L<sup>A</sup>T<sub>E</sub>X's `\backmatter`. It sets numbering: `none` for headings.

### Parameters

`backmatter`(body) -> `content`

## nomenclature

Nomenclature function.

### Parameters

```
nomenclature(  
    dict: dictionary,  
    indented: bool  
) -> content
```

**dict**    `dictionary`

Dictionary that hold keys and values.

**indented**    `bool`

Whether to indent or not the nomenclature.

Default: `true`

## theorems-init

Utility function to initialize the various theorem environments – which are:

- theorem
- proposition
- lemma
- remark

### Parameters

`theorems-init`(body) -> `content`

## bluepoli `color`

Custom PoliMi colour ()

## toc

Table of contents. It's a custom built upon `outline()`.

## **list-of-figures** content

List of figures. Similar to  $\text{\LaTeX}$ 's `\listoffigures`.

## **list-of-tables** content

List of tables. Similar to  $\text{\LaTeX}$ 's `\listoftables`.