Discrete Structures

IIIT Hyderabad

Monsoon 2020

Tutorial 3

September 23, 2020

Introduction



Instructions

- Questions
 - Question 0
 - Question 1
 - Question 2

Instructions



We will be having a test quiz to increase your familiarity with Moodle. This is NOT GRADED. You don't need to mail them to sir in case you have not submitted.

- Go to the "Tutorial 3 Submission" under the Tutorials Section on Moodle.
- ② A pdf named "Tutorial 3" would be there in the portal.
- Please download it and solve the questions 1, 2.1 and 2.2. You may not submit Question 0.
- Upload your scanned answers by 1:25PM. We would start discussing their solutions by then.

Question 0



0.1 In the following condition, when is it equal?

$$(A \times B) \cup (C \times D) \subseteq (A \cup C) \times (B \cup D)$$

0.2 Find the number of primes between 40 - 100 using PRT.

Question 1




Simplify the following -

$$(A \cap B') \cup (A' \cap B) \cup (A' \cap B')$$

Question 2



2.1 A is the set of people who go to resort area for vacation, B is the set of people who take cruise for vacation, C is the set of people who go to national park for vacation. Suppose |A|=150, |B|=100 and |C|=300



- **a.** How many people only go to a resort area for vacation?
- **b.** How many people only take a cruise for vacation?
- **c.** How many people only go to national park for vacation?
- **d.** How many people either go to a resort area or take a cruise for vacation but not national park?
- **e.** How many people use any of the 3 methods to take a vacation?

Question 2 (contd.)



2.2 Observe the values of the table and find the number of students who:

		Pudding			
		Chocolate	Tapioca	Neither	Total
Ice Cream	Vanilla	68	53	12	133
	Strawberry	59	48	9	116
	Neither	23	21	7	51
	Total	150	122	28	300

 a. Like strawberry ice cream and tapioca pudding

- **b.** Do not like pudding
- **c.** Like at least one of the ice cream flavours
- d. Like neither ice cream nor pudding
- **2.3** Mark the following as true or false:
- **a.** $26 \in \mathbb{Z}$
- **b.** $-5 \in \mathbb{N}$
- c. $\sqrt{2} \notin \mathbb{Q} \cap \mathbb{R}$
- **d.** $\mathbb{Z} \cup \mathbb{Q} = \mathbb{R}$
- e. $\mathbb{R} \cap \mathbb{C} = \mathbb{R}$