

GCI'16 Documentation

Manfredi Vincenzo N86001233	Pollastro Andrea N86001233
Santangelo Andrea N86001233	Scalella Andrea N86001233

A.A. 2016/17

Contents

1	Software requirements document	3
1.1	Functional model	3
1.1.1	Use case diagram	3
1.1.2	Cockburn tables	4
2	Testing document	24
2.1	System Testing	24
2.1.1	Performs login test	24
2.1.2	Researches contract test	25
2.1.3	Alters contract test	26
2.1.4	Deletes contract test	27
2.1.5	Adds contract test	28
2.1.6	Reports errors in bills test	29
2.1.7	Deletes injunctions test	30
2.1.8	Confirms bill test	31
2.1.9	Resends bill test	32
2.1.10	Confirms injunctions test	33
2.1.11	Resends injunctions test	34

1 Software requirements document

1.1 Functional model

1.1.1 Use case diagram




Figure 1: Use case diagram

1.1.2 Cockburn tables

Use case	Performs login
Goal in context	The operator wants to authenticate
Preconditions	The goal is to let the operator log into the system inserting the right credentials
Success end condition	The operator gets access to the system
Failed end condition	The operator can't access to the system
Primary actor	Operator
Trigger	The operator starts the program

MAIN SCENARIO		
Step n.	Operator	System
1	The operator starts the program	
2		The system shows the "Login" mockup
3	The operator fills all field in the "Login" mockup	
4		The system enables the "Login" button in the "Login" mockup
5	The operator presses the "Login" button in the "Login" mockup	
6		The system shows the "Home" mockup

EXTENSION n.1		
Step n.	Operator	System
6.1		The system shows the "Login - error" mockup
7.1	The operator presses the "ok" button in the "Login - error" mockup	
8.1		Go to step 3

Use case	Researches contract
Goal in context	The operator can be able to read information about the contract researched
Preconditions	The operator must be logged in and he has compiled almost one field in the “Registry management” mockup
Success end condition	The operator reads the informations about the contract researched
Failed end condition	There aren’t contracts in the system
Primary actor	Operator
Trigger	The operator clicks on “Search” button in the “Registry management” mockup

MAIN SCENARIO

Step n.	Operator	System
1	The operator clicks on “Search” button in “Registry management” mockup	
2		The system shows in the table the details of the contracts founded.

EXTENSION n.1

Step n.	Operator	System
3.1		The system shows the “Registry management – Error” mockup
4.1	The operator clicks on the “Ok” button in the “Registry management – Error” mockup	

SUBVARIATION n.1

Step n.	Operator	System
1.2	The operator leaves all field blank	
2.2		The system shows details of all contracts present in the system

Use case	Alters contract
Goal in context	Modify a pre-existing contract
Preconditions	The operator must be logged in, he has searched a contract and he has selected it from the table in the "Registry management" mockup
Success end condition	The operator has modified a pre-existing contract
Failed end condition	The operator fills the fields with invalid characters The operator cancels the operation and system shows the "Registry management" mockup
Primary actor	Operator
Trigger	The operator clicks on the "Alter holder" button in the "Registry management" mockup

MAIN SCENARIO		
Step n.	Operator	System
1	The operator clicks on the "Alter holder" button in "Registry management" mockup	
2		The system shows the "Alter holder" mockup
3	The operator edits one or more fields	
4		The system enables the "Alter" button associated with the field edited
5	The operator clicks on the "Alter" button	
6		The system shows the "Alter holder – Success" mockup
7	The operator clicks on the "Ok" button in the "Alter holder – Success" mockup	

EXTENSION n.1		
Step n.	Operator	System
6.1		The system shows the “Alter holder – Error” mockup with the reference to the form that contains the error
7.1	The operator clicks on the “Ok” button in the “Alter holder – Error” mockup	
8.1		Go to step 2
EXTENSION n.2		
Step n.	Operator	System
3.2	The operator clicks on the “Back” button in the “Alter holder” mockup	
4.2		The system shows the “Registry management” mockup

Use case	Deletes contract
Goal in context	The operator wants to delete a contract
Preconditions	The operator must be logged in and he has selected a contract from the table described in mockup “Registry management”
Success end condition	The operator deletes the selected contract
Failed end condition	The operator can't delete the selected contract The operator cancels the operation
Primary actor	Operator
Trigger	The operator clicks on the “Delete” button in the “Registry management” mockup

MAIN SCENARIO		
Step n.	Operator	System
1	The operator clicks on the “Delete” button in the “Registry management” mockup	
2		The system shows the “Delete contract” mockup
3	The operator clicks on the “Yes” button in the “Delete contract” mockup	
4		The system shows the “Delete contract - Success” mockup
5	The operator clicks on the “Ok” button in the “Delete contract - Success” mockup	
6		The system shows the mockup “Registry management” mockup

EXTENSION n.1		
Step n.	Operator	System
3.1		The system shows the “Delete contract - Error” mockup
4.1	The operator clicks on the “Ok” button in the “ Delete contract - Error ” mockup	
5.1		Go to step 6
EXTENSION n.2		
Step n.	Operator	System
3.2	The operator clicks on the “No” button in the “Delete contract” mockup	
4.2		Go to step 6

Use case	Reports errors in bills
Goal in context	The operator wants to report errors in bills
Preconditions	The operator must be logged in and he has selected a bill in the bills' table of the "Bills queue" mockup
Success end condition	The operator reports and error in a bill
Failed end condition	The operator clicks on the "Cancel" button
Primary actor	Operator
Trigger	The operator clicks on the "Report error" button in the "Bills" mockup

MAIN SCENARIO

Step n.	Operator	System
1	The operator clicks on the "Report error" button in "Bills" mockup	
2		The system shows the "Report error" mockup
3	The operator fills the "Report's specifications" field in the "Report error" mockup	
4		The system enables the "Send" button
5	The operator clicks on the "Send" button	
6		The system shows the "Send " mockup

EXTENSION n.1

Step n.	Operator	System
3.1	The operator clicks on the "Cancel" button	
4.1		Go to step 8

EXTENSION n.2		
Step n.	Operator	System
5.2	The operator clicks on the “Cancel” button	
6.2		Go to step 8

Use case	Deletes injunction
Goal in context	The operator wants to delete an injunction that has the “non-issued” state
Preconditions	The operator must be logged in and has selected an injunction from the injunctions’ table in “Injunctions queue” mockup
Success end condition	The operator deletes one or more injunctions from the injunctions’ table in “Injunctions queue” mockup
Failed end condition	The operator doesn’t delete the injunction from the table
Primary actor	Operator
Trigger	The operator clicks on the “Delete” button in the “Injunctions queue” mockup

MAIN SCENARIO

Step n.	Operator	System
1	The operator clicks on the “Delete” button in the “Injunctions queue” mockup	
2		The system shows the “Delete Injunction - Success” mockup
3	The operator clicks on the “Ok” button	
4		The system shows the “Injunctions queue” mockup

EXTENSION n.1

Step n.	Operator	System
2.2		The system shows the “Delete Injunction – Error” mockup
3.2	The operator clicks on the “Ok” button	

Use case	Confirms bills
Goal in context	The operator wants to confirm a single or a group of bills
Preconditions	The operator must be logged in and he has selected a bill/s in the bills' table of the "Bills queue" mockup
Success end condition	The operator confirms a bill
Failed end condition	The operator cancels the operation
Primary actor	Operator
Trigger	The operator clicks on the "Confirm" button in the "Bills queue" mockup

MAIN SCENARIO

Step n.	Operator	System
1	The operator clicks on the "Confirm" button in the "Bills queue" mockup	
2		The system shows the "Build PDF" mockup
3	The operator clicks on the "Send PDF" button in the "Build PDF" mockup	
4		The system shows the "Send PDF" mockup
5	The operator clicks on the "Ok" button	
6		The system shows the "Bills queue" mockup

EXTENSION n.1

Step n.	Operator	System
3.1	The operator clicks on the "Cancels" button in the "Build PDF" mockup	
4.1		Go to step 6

EXTENSION n.2		
Step n.	Operator	System
4.2		The system shows the “Send PDF” mockup in which the field “Log address’ Error” is visible
5.2	Go to step 5	
SUBVARIATION n.1		
Step n.	Operator	System
1.3	The operator clicks on the “Confirm” button in the “Bills queue” mockup after he has selected multiple rows from the table or has clicked on the “Select All” button	
2.3		The system shows the “Build PDF - Multiple” mockup
3.3	The operator clicks on the “Send PDFs” button in the “Build PDF - Multiple” mockup	
4.3		The system shows the “Send PDF - Multiple” mockup
5.3	Go to step 5	

Use case	Resends bills
Goal in context	The operator wants to resend a bill that has the “Issued” state
Preconditions	The operator must be logged in and he has selected a bill in the bills’ table of the “Bills” mockup
Success end condition	The operator must be logged in and he has selected a bill in the bills’ table of the “Bills” mockup
Failed end condition	The operator cancels the operation The PDF interface is not available
Primary actor	Operator
Trigger	The operator clicks on “Build PDF” button in the “Bills” mockup

MAIN SCENARIO		
Step n.	Operator	System
1	The operator clicks on the “Build PDF” button in the “Bills” mockup	
2		The system shows the “Build PDF” mockup
3	The operator clicks on the “Send PDF” button in the “Build PDF” mockup	
4		The system shows the “Send PDF” mockup
5	The operator clicks on the “Ok” button	
6		The system shows the “Registry management” mockup

EXTENSION n.1		
Step n.	Operator	System
3.1	The operator clicks on the “Cancel” button in the “Build PDF” mockup	
4.1		The system shows the “Bills” mockup
EXTENSION n.2		
Step n.	Operator	System
4.2		The system shows the “Send PDF” mockup in which the “Log address’ error” form is visible
5.2	Go to step 5	
EXTENSION n.3		
Step n.	Operator	System
2.3		The system shows the “Build PDF – Error” mockup
3.3	The operator clicks on the “Ok” button in the “Build PDF – Error” mockup	
4.3	Go to step 6	

Use case	Confirms injunctions
Goal in context	The operator wants to send the injunction to the customer
Preconditions	The operator must be logged in and he has selected an injunction from the table described in “Injunctions queue” mockup
Success end condition	The system creates and sends the PDF
Failed end condition	The operator cancels the operation The PDF interface is not available
Primary actor	Operator
Trigger	The operator clicks on the “Confirm” button in “Injunctions queue” mockup

MAIN SCENARIO		
Step n.	Operator	System
1	The operator clicks on the “Confirm” button in “Injunctions queue” mockup	
2		The system shows the “Build PDF” mockup
3	The operator clicks on the “Send PDF” button in “Build PDF” mockup	
4		The system shows the “Send PDF” mockup
5	The operator clicks on the “Ok” button in the “Send PDF” mockup	
6		The system shows the “Registry management” mockup

EXTENSION n.1		
Step n.	Operator	System
3.1	The operator clicks on the “Cancel” button in "Build PDF" mockup	
4.1		The system shows the “Injunctions queue” mockup
EXTENSION n.2		
Step n.	Operator	System
4.2		The system shows the “Send PDF” mockup in which the “Log address’ error” form is visible
5.2	Go to step 5	
EXTENSION n.3		
Step n.	Operator	System
2.3		The system shows the “Build PDF – Error” mockup
3.3	The operator clicks on the “Ok” button in the “Build PDF – Error” mockup	
4.3		Go to step 6

Use case	Resends injunctions
Goal in context	The operator wants to resend an injunction that has the “Issued” state
Preconditions	The operator must be logged in and he has selected an injunction in the injunctions’ table of the “Injunctions” mockup
Success end condition	The operator resends an injunction that has the “Issued” state
Failed end condition	The operator cancels the operation
Primary actor	Operator
Trigger	The operator clicks on the “Build PDF” button in “Injunctions” mockup

MAIN SCENARIO		
Step n.	Operator	System
1	The operator clicks on the “Build PDF” button in “Injunctions” mockup	
2		The system shows the “Build PDF” mockup
3	The operator clicks on the “Send PDF” button in the “Build PDF” mockup	
4		The system shows the “Send PDF” mockup
5	The operator clicks on the “Ok” button in the “Send PDF” mockup	
6		The system shows the “Registry management” mockup

EXTENSION n.1		
Step n.	Operator	System
3.1	The operator clicks on the “Cancel” button in “Build PDF” mockup	
4.1		The system shows the “Injunctions” mockup
EXTENSION n.2		
Step n.	Operator	System
4.2		The system shows the “Send PDF” mockup in which the “Log address’ error” form is visible
5.2	Go to step 5	
EXTENSION n.3		
Step n.	Operator	System
2.3		The system shows the “Build PDF – Error” mockup
3.3	The operator clicks on the “Ok” button in the “Build PDF – Error” mockup	
4.3		Go to step 6

Use case	Adds contract
Goal in context	Create a new contract
Preconditions	The operator must be logged in and clicks on the “Registry management” button from the “Home” mockup
Success end condition	The operator adds a new contract
Failed end condition	The operator doesn’t fill all fields - The operator cancels the operation
Primary actor	Operator
Trigger	The operator clicks on the “Add” button in the “Registry management” mockup

MAIN SCENARIO		
Step n.	Operator	System
1	The operator clicks on the “Add” button in the “Registry management” mockup	
2		The system shows the “Add holder” mockup
3	The operator fills all fields and clicks on the “Add” button in the “Add holder” mockup	
4		The system shows the “Add holder – Success” mockup
5	The operator clicks on the “Ok” button in the “Add holder – Success” mockup	
6		The system shows the “Add holder” mockup

EXTENSION n.1		
Step n.	Operator	System
4.1		The system shows the “Add holder – Error” mockup with reference to the field that contains the error
5.1	The operator clicks on the “Ok” button in the “Add holder – Error” mockup	
6.1		Go to step 2
EXTENSION n.2		
Step n.	Operator	System
3.2	The operator clicks on the “Back” button in the “Add holder” mockup	
4.2		The system shows the “Registry management” mockup

2 Testing document

2.1 System Testing

2.1.1 Performs login test

Test ID	1	
Test name	Performs login	
Test goal	The goal is to let the operator log into the system inserting the right credentials	
Note	In this case we consider these credentials: <i>"User1", "Psw1": right credentials (stored into the DBMS), "User2", "Psw2": wrong credentials (non-stored into the DBMS)</i>	
Input	Desired Output	Obtained Output
The operator fills the form with credentials: <i>"User1", "Psw1"</i>	System shows the "Registry Management" view	System shows the "Registry Management" view
The operator fills the form with credentials: <i>"User1", "Psw2"</i>	System shows the error's popup with message "Invalid ID and/or Password!"	System shows the error's popup with message "Invalid ID and/or Password!"
The operator fills the form with credentials: <i>"User2", "Psw1"</i>	System shows the error's popup with message "Invalid ID and/or Password!"	System shows the error's popup with message "Invalid ID and/or Password!"
The operator fills the form with credentials: <i>"User2", "Psw2"</i>	System shows the error's popup with message "Invalid ID and/or Password!"	System shows the error's popup with message "Invalid ID and/or Password!"

2.1.2 Researches contract test

Test ID	2	
Test name	Researches contract	
Test goal	The goal is to let the operator research contracts using forms	
Note	In this case we consider these credentials: <i>"Name1", "Surname1", "ContractID1", "TaxC/VAT1": right credentials (stored into the DBMS), "Name2", "Surname2", "ContractID2", "TaxC/VAT2": wrong credentials (non-stored into the DBMS)</i>	
Input	Desired Output	Obtained Output
The operator fills the form with credentials: <i>"Name1", "Surname1", "ContractID1", "TaxC/VAT1"</i>	System shows the results into the table	System shows the results into the table
The operator fills the form with credentials: <i>"Name2"</i>	System shows the error's popup with message "No result found"	System shows the error's popup with message "No result found"
The operator fills the form with credentials: <i>"Surname2"</i>	System shows the error's popup with message "No result found"	System shows the error's popup with message "No result found"
The operator fills the form with credentials: <i>"ContractID2"</i>	System shows the error's popup with message "No result found"	System shows the error's popup with message "No result found"
The operator fills the form with credentials: <i>"TaxC/VAT2"</i>	System shows the error's popup with message "No result found"	System shows the error's popup with message "No result found"

2.1.3 Alters contract test

Test ID	3	
Test name	Alters contract	
Test goal	The goal is to let the operator alter a contract selected from the table	
Note		
Input	Desired Output	Obtained Output
The operator fills the form with new credentials	System shows a popup with message "Contract altered"	System shows a popup with message "Contract altered"

2.1.4 Deletes contract test

Test ID	4	
Test name	Deletes contract	
Test goal	The goal is to let the operator delete contracts selected from the table	
Note	We consider three cases: " <i>Contract1</i> ": <i>this contract can be removed</i> ; " <i>Contract2</i> ": <i>this contract can't be removed because it has some pendant bills</i> ; " <i>Contract3</i> ": <i>this contract can't be removed because is already closed</i> .	
Input	Desired Output	Obtained Output
The operator selected the " <i>Contract1</i> "	System shows a popup with message "Contract removed"	System shows a popup with message "Contract removed"
The operator selected the " <i>Contract2</i> "	System shows the error's popup with a message that explains the reason why it can't be closed	System shows the error's popup with a message that explains the reason why it can't be closed
The operator selected the " <i>Contract3</i> "	System shows the error's popup with a message that explains the reason why it can't be closed	System shows the error's popup with a message that explains the reason why it can't be closed

2.1.5 Adds contract test

Test ID	5	
Test name	Adds contract	
Test goal	The goal is to let the operator add new contracts	
Note		
Input	Desired Output	Obtained Output
The operator fills all forms interested for the contract's adding	System shows a popup with message "New contract added"	System shows a popup with message "New contract added"
The operator fills a form with invalid characters	System shows the error's popup with a message that explains the reason why it can't continue the operation	System shows the error's popup with a message that explains the reason why it can't continue the operation

2.1.6 Reports errors in bills test

Test ID	6	
Test name	Reports errors in bills	
Test goal	The goal is to let the operator reports errors in bills	
Note		
Input	Desired Output	Obtained Output
The operator fill the form with the errors	System shows a popup with message "Operation successfully completed"	System shows a popup with message "Operation successfully completed"

2.1.7 Deletes injunctions test

Test ID	7	
Test name	Deletes injunctions	
Test goal	The goal is to let the operator delete injunctions	
Note		
Input	Desired Output	Obtained Output

2.1.8 Confirms bill test

Test ID	8	
Test name	Confirms bill	
Test goal	The goal is to let the operator confirm a selected bill	
Note		
Input	Desired Output	Obtained Output
The operator selects a bill from the bill's table and presses "Confirm" button	System shows the bill's pre-view (PDF)	System shows the bill's pre-view (PDF)

2.1.9 Resends bill test

Test ID	9	
Test name	Resends bill	
Test goal	The goal is to let the operator resend a selected bill	
Note		
Input	Desired Output	Obtained Output
The operator selects a bill from the bill's table and presses "Confirm" button	System shows the bill's pre-view (PDF)	System shows the bill's pre-view (PDF)

2.1.10 Confirms injunctions test

Test ID	10	
Test name	Confirms injunctions	
Test goal	The goal is to let the operator confirm an injunction	
Note		
Input	Desired Output	Obtained Output
The operator selects an injunction from the injunction's table and presses "Confirm" button	System shows the bill's pre-view (PDF)	System shows the bill's pre-view (PDF)

2.1.11 Resends injunctions test

Test ID	11	
Test name	Confirms injunctions	
Test goal	The goal is to let the operator resends an injunction	
Note		
Input	Desired Output	Obtained Output
The operator selects an injunction from the injunction's table and presses "Confirm" button	System shows the bill's pre-view (PDF)	System shows the bill's pre-view (PDF)