#### JAVA AWT BASED-

# STRICT POLICIES FOR RECOVERY OF DELAY PAYMENT - SQL CONNECTIVITY USING JDBC

 $\boldsymbol{A}$ 

Report

Submitted in partial fulfilment of the

Requirements for the award of the Degree of

**BACHELOR OF ENGINEERING** 

IN

INFORMATION TECHNOLOGY

By

#### **VINUTHNA TATIKONDA <1602-18-737-118>**

Under the guidance of

**B.**Leelavathy



**Department of Information Technology** 

Vasavi College of Engineering (Autonomous)

(Affiliated to Osmania University) Ibrahimbagh, Hyderabad-31

2019-2020

### **BONAFIDE CERTIFICATE**

Certified that this project report titled 'STRICT POLICIES' FOR RECOVERY OF DELAY PAYMENT' is bonafied mini project work of Ms.Vinuthna Tatikonda bearing Hall Ticket .No 1602-18-737-118 who carried out the project under my supervision in the year 2020 certified further to my best knowledge.

Signature of

Signature of

**Internal Examiner** 

**External Examiner** 

# **ABSTRACT**

Taking and giving money is happening in every sector.In manufacturing, if the buyer fails to make payment of the amount to the supplier, he shall be liable to pay compound interest with monthly rests to the supplier on the amount from the appointed day or, on the date agreed on, at three times of the Bank Rate notified by Reserve Bank. This may not be applicable in all the sectors. Following the policy of legally seizing the property, both the lender and borrower will get advantage. Borrower can buy his lost property again and the lender can get his money recovered. The lender sets the deadline for the borrower to return the money along with interest. If the borrower does not make payment on a timely basis, he will receive notice in the form of letter or mail or a text message. If the borrower does not return the money the lender owe, even after eceiving reminders, the lender has the right to legally take his/her property.

# **Aim and Priority of the project:**

To create a **Java GUI based "Strict policies for recovery of Delay Payment"** which has the entities like: Lender, Borrower, Notices and Property whose values are taken from the user. These values are to be inserted, updated and deleted in the database using **JDBC connectivity.** 

# **INTRODUCTION**

# **Requirements:**

Tables required - 7

- Lender
- Borrower
- Lender\_Borrower
- Borrower\_notices
- Notices
- Property
- Lender\_Property

ENTITY	ATTRIBUTES	DOMAIN
Lender	i.Name	Varchar2(10)
	ii.Lender _id	Number(10)
	iii.Contact_no	Number(20)
	iv.Money _lent	Number(30)
	v.Deadline	Date
Borrower	i.Name	Varchar2(10)
	ii.Payment _id	Number(10)
	iii.Contact_no	Number(10)
	iv. Address	Varchar2(20)
	v. Payment_status	Varchar2(10)
	vi. Profession	Varchar2(15)
Lender_Borrower	i. Lender _id	Number(10)
	ii.Payment_id	Number(10)
	iii.Day	Date
Borrower_notices	i. Payment_id	Number(10)
	ii.Mail_id	Varchar2(30)
	iii.Conformation	Varchar2(20)
	iv.Date_received	Date
Property	i.Ownership	Varchar2(10)
	ii.Value	Number(15)
	iii.Acres	Number(10)
	iv.Location	Varchar2(20)
Notices	i.Mail_id	Varchar2(30)
	ii. Contact_info	Number(15)
	iii.Days_delayed	Number(10)
Lender_property	i.Lender_id	Number(10)
	ii.Ownwership	Varchar2(20)
	iii.date_siezed	Date

### **Architecture and Technology:**

#### Software used:

- i. Java Eclipse
- ii. Oracle 11g Database Enterprise Edition Release 11.2.0.1.0-64 bit SQL\*Plus Release 9.0.1.3.0.

iii.

#### Java AWT:

Java AWT (Abstract Window Toolkit) is an API to develop GUI or window-based applications in java.


Java AWT components are platform-dependent i.e. components are displayed according to the view of operating system. AWT is heavyweight i.e. its components are using the resources of OS. The java.awt package provides classes for AWT API such as TextField, Label, TextArea, Button, Choice, List, etc.

#### SQL:

Structure Query Language(SQL) is a database query language used for storing and managing data in Relational DBMS. SQL was the first commercial language introduced for E.F Codd's Relational model of database. Today almost all RDBMS (MySql, Oracle, Infomix, Sybase, MS Access) use SQL as the standard database query language. SQL is used to perform all types of data operations in RDBMS.

# Design:

#### ENTITY RELATIONSHIP MODEL



#### Tables:

Here are creation of tables lender, borrower and relationship lender\_borrower between them :

```
Run SQL Command Line

SQL> create table lender(
2 name varchar2(10),
3 lender_id number(10) primary key,
4 contact_no number(20),
5 money_lent number(30),
6 deadline date);

Table created.

SQL> create table borrower(
2 name varchar2(10),
3 payment_id number(10),
4 contact_no number(10),
5 address varchar2(20),
6 payment_sttaus varchar2(10),
7 profession varchar2(15));

Table created.

SQL> alter table borrower modify(primary key(payment_id));

Table altered.
```

```
SQL> create table lender_borrowwer(
2 lender_id number(10),
3 payment_id number(10),
4 day date,
5 foreign key(lender_id) references lender,
6 foreign key(payment_id) references borrower
```

#### Description of the tables:

```
SQL> desc lender;
Name
                                            Null?
                                                      Type
NAME
                                                     VARCHAR2(10)
LENDER ID
                                            NOT NULL NUMBER(10)
CONTACT_NO
                                                     NUMBER(20)
MONEY LENT
                                                     NUMBER(30)
DEADLINE
SQL> desc borrower;
                                            Null?
Name
                                                     Type
NAME
                                                     VARCHAR2(10)
PAYMENT_ID
                                            NOT NULL NUMBER(10)
CONTACT_NO
                                                     NUMBER(10)
ADDRESS
                                                     VARCHAR2 (20)
PAYMENT STTAUS
                                                     VARCHAR2(10)
PROFESSION
                                                     VARCHAR2(15)
SQL> desc lender_borrower;
                                            Null?
                                                     Type
LENDER_ID
                                                     NUMBER(10)
PAYMENT_ID
                                                     NUMBER(10)
DAY
                                                     DATE
```

#### Records of the table:

```
SQL> select * from borrower;
NAME
              PAYMENT ID CONTACT NO ADDRESS
                                                                      PAYMENT ST PROFESSION
              1033 203 uppal
1031 201 banjara hills
1032 202 lb nagar
1034 204 secundrabad
1035 205 ibrahimbagh
1036 206 suncity
1038 208 hitec city
                                                                paid clerk
paid professor
kim
Priya
                                                                    not paid s/w engineer
Suresh
                                                                  paid bank manager
not paid teacher
not paid doctor
jones
nick
edward
ellis
                                                               paid
                                                                                    lawyer
7 rows selected.
```

## **Implementation:**

i. Front end programs and connectivity

//CONNECTIVITY PROGRAM:

```
package xyz;
/*import java.sql.Connection;
 import java.sql.DriverManager;
 import java.sql.SQLException; */
 import java.sql.*;
 class OracleCon
public static void main(String args[]){
 try{
 Class.forName("oracle.jdbc.driver.OracleDriver");
 Connection con=DriverManager.getConnection(
 "jdbc:oracle:thin:@localhost:1521:xe","vinuthna","9989");
 Statement stmt=con.createStatement();
 con.close();
 }catch(Exception e)
     System.out.println(e);
 }
 }
```

Thus, the connection from Java to Oracle database is performed and therefore, can be used for inserting, updating and deleting tables in the database directly.

#### //PROGRAM FOR INSERTING LENDER TABLE:

```
package abc;
import java.awt.*;
import java.awt.event.*;
import java.sql.*;
public class InsertLender extends Frame
```

```
Button insertLenderButton;
```

 $TextField\ nameText, lender\_idText, contact\_noText, money\_lentText, deadlineText;$ 

```
TextArea errorText;
```

```
Connection connection;
            Statement statement;
            public InsertLender()
                        try
                                    Class.forName("oracle.jdbc.driver.OracleDriver");
                                                                                                }
                        catch (Exception e) {
                                    System.err.println("Unable to find and load driver");
                                    System.exit(1);
                        connectToDB();
            public void connectToDB()
                        try
                         connection = Driver Manager.get Connection ("jdbc:oracle:thin:@localhost:1521:xe", "vinuthna", "9989"); \\
                         statement = connection.createStatement();
                                    }
                        catch (SQLException connectException) {
                         System.out.println(connectException.getMessage());\\
                         System.out.println(connectException.getSQLState());\\
                         System.out.println(connectException.getErrorCode());
                         System.exit(1);
           }
            public void buildGUI()
            {
                        insertLenderButton = new Button("Insert Lender");
                        insertLenderButton.addActionListener(new ActionListener()
                                    public void actionPerformed(ActionEvent e)
String\ query="INSERT\ INTO\ lender\ VALUES(""+nameText.getText()+"","+lender_idText.getText()+"","+contact_noText.getText()+"","+money_lentText.getText()+","+deadlineText.getText()+"")";
```

```
errorText.append("\nInserted " + i + " rows successfully"); }
                                   catch (SQLException insertException) {
                                   displaySQLErrors(insertException); }
                       }
           });
           nameText = new TextField(15);
                                                          lender_idText = new TextField(15);
           contact_noText = new TextField(15);
                                                          money_lentText = new TextField(15);
           deadlineText = new TextField(15);
                                                          errorText = new TextArea(10, 40);
           errorText.setEditable(false);
           Panel first = new Panel();
           first.setLayout(new GridLayout(5, 2));
           first.add(new Label("Name:"));
                                                          first.add(nameText);
           first.add(new Label("Lender_id:"));
                                                          first.add(lender_idText);
           first.add(new Label("Contact_no:"));
                                                          first.add(contact_noText);
           first.add(new Label("Money Lent:"));
                                                          first.add(money_lentText);
           first.add(new Label("Deadline:"));
                                                          first.add(deadlineText);
           first.setBounds(125,90,200,100);
           Panel second = new Panel(new GridLayout(4, 1));
           second.add(insertLenderButton);
           second.setBounds(125,220,150,100);
           Panel third = new Panel();
           third.add(errorText);
           third.setBounds(125,320,300,200);
           setLayout(null);
           add(first); add(second); add(third);
           setTitle("New Lender Creation");
           setSize(500, 600);
           setVisible(true);
private void displaySQLErrors(SQLException e)
           error Text.append("\nSQLException:"+e.getMessage()+"\n");
           errorText.append("SQLState: "+e.getSQLState() + "\n");\\
           errorText.append("VendorError: "+e.getErrorCode() + "\n");\\
public static void main(String[] args)
```

```
{
                     InsertLender l = new InsertLender();
                      l.addWindowListener(new WindowAdapter(){
                      public void windowClosing(WindowEvent e)
                                System.exit(0); }
                     });
                     l.buildGUI();
//PROGRAM FOR UPDATING LENDER TABLE:
package abc;
import java.awt.*;
import java.awt.event.*;
import java.sql.*;
public class UpdateLender extends Frame
          Button updateLenderButton;
          List lenderIDList;
          TextField\ nameText, lender\_idText, contact\_noText, money\_lentText, deadlineText;
          TextArea errorText;
          Connection connection;
          Statement statement;
          ResultSet rs;
          public UpdateLender()
                     try
```

 $\label{try} {\it Connection=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","vinuthna","9989");}$ 

statement = connection.createStatement();

System.exit(1); }

catch (Exception e) {

connectToDB();

public void connectToDB()

}

Class.forName("oracle.jdbc.driver.OracleDriver");

System.err.println("Unable to find and load driver");

```
}
                       catch (SQLException connectException) {
                        System.out.println(connectException.getMessage());\\
                        System.out.println(connectException.getSQLState());\\
                        System.out.println(connectException.getErrorCode());\\
                        System.exit(1);
                       }
           }
           private void loadLenders()
           { try
                        rs = statement.executeQuery("SELECT LENDER_ID FROM lender");
                        while (rs.next())
                        {
                                  lenderIDList.add(rs.getString("LENDER_ID"));
                        }
                       catch (SQLException e) {
                        displaySQLErrors(e); }
           }
           public void buildGUI()
             lenderIDList = new List(10);
                       loadLenders();
                       add(lenderIDList);
                       lender IDL ist. add Item Listener (new \ Item Listener ()
                       {
                                  public void itemStateChanged(ItemEvent e)
                                  {
                                              try
                                                                    statement.executeQuery("SELECT *
                                                                                                             FROM
                                                                                                                      lender
                                                                                                                                 where
                                                                                                                                          LENDER_ID
                                                         rs
="+lenderIDList.getSelectedItem());
                                                         rs.next();
                                                         nameText.setText(rs.getString("NAME"));
                                                         lender_idText.setText(rs.getString("LENDER_ID"));
                                                         contact_noText.setText(rs.getString("CONTACT_NO"));
                                                         money\_lentText.setText(rs.getString("MONEY\_LENT"));
                                                         deadlineText.setText(rs.getString("DEADLINE"));\\
```

```
}
                                                                                                                   catch (SQLException selectException) {
                                                                                                                                                displaySQLErrors(selectException); }
                                                                                       }
                                                         });
                                                         updateLenderButton = new Button("Update Lender");
                                                         updateLenderButton.addActionListener (new\ ActionListener ()
                                                         {
                                                                                       public void actionPerformed(ActionEvent e)
                                                                                       {
                                                                                                                   try {
                                                                                                                                                Statement statement = connection.createStatement();
                                                                                                                                                int i = statement.executeUpdate("UPDATE lender "
                                                                                                                                                 + "SET name="" + nameText.getText() +
                                                                                                                                                "',contact_no="+contact_noText.getText()+
                                                                                                                                                ", money\_lent="+money\_lentText.getText() + ", deadline='"+deadlineText.getText() + "' + (deadlineText.getText() + (deadlineText.getText.getText() + (deadlineText.getText() + (deadlineText.getText.getText() + (deadlineText.getText() + (deadlineText.getText() + (deadlineText.getText() + (deadlineText.getText() + (deadlineText.getText() + (deadlineText.getText.getText() + (deadlineText.getText.getText() + (deadlineText.getText.getText.getText.getText.getText() + (deadlineText.getText.getText.getText.getText.getText.getText.getText.getText.getText.getText.getText.getText.getT
                                                                                                                                                                                                                                                                                                                                                                    WHERE
lender_id ="
                                                                                                                                                + lenderIDList.getSelectedItem());
                                                                                                                                                errorText.append("\nUpdated " + i + " rows successfully");
                                                                                                                                                lenderIDList.removeAll();
                                                                                                                                                loadLenders();
                                                                                                                  }
                                                                                                                  catch (SQLException insertException)
                                                                                                                   {
                                                                                                                                                displaySQLErrors(insertException);
                                                                                       }
                                                         });
                                                         lender_idText = new TextField(15);
                                                         lender_idText.setEditable(false);
                                                         nameText = new TextField(15);
                                                                                                                                                  money_lentText = new TextField(15);
                                                         contact_noText = new TextField(15); deadlineText = new TextField(15);
                                                         errorText = new TextArea(10, 40); errorText.setEditable(false);
                                                         Panel first = new Panel();
                                                         first.setLayout(new GridLayout(5, 2));
                                                          first.add(new Label("Lender ID:")); first.add(lender_idText);
                                                         first.add(new Label("Name:"));
                                                                                                                                                   first.add(nameText);
                                                         first.add(new Label("Contact no:")); first.add(contact_noText);
                                                         first.add(new Label("Money Lent:")); first.add(money_lentText);
```

```
first.add(new Label("Deadline:"));
                                                        first.add(deadlineText);
                     Panel second = new Panel(new GridLayout(4, 1));
                     second.add(updateLenderButton);
                     Panel third = new Panel();
                     third.add(errorText);
                     add(first); add(second); add(third);
                     setTitle("Update Lender");
                     setSize(500, 600);
                     setLayout(new FlowLayout());
                     setVisible(true);
          }
          private void displaySQLErrors(SQLException e)
           {
                     errorText.append("\nSQLException:"+e.getMessage()+"\n");\\
                     errorText.append("SQLState: "+e.getSQLState() + "\n");
                     errorText.append("VendorError: "+e.getErrorCode() + "\n");\\
          }
          public static void main(String[] args)
           {
                     UpdateLender l = new UpdateLender();
                     l.addWindowListener(new WindowAdapter() {
                      public void windowClosing(WindowEvent e)
                                System.exit(0);
                     });
                     l.buildGUI();
          }
}
//PROGRAM FOR DELETING LENDER TABLE :
package abc;
import java.awt.*;
import java.awt.event.*;
import java.sql.*;
public class DeleteLender extends Frame
```

Button deleteLenderButton;

```
List lenderIDList;
TextField\ nameText, lender\_idText, contact\_noText, money\_lentText, deadlineText;
TextArea errorText;
Connection connection;
Statement statement;
ResultSet rs;
public DeleteLender()
            try {
                        Class.forName("oracle.jdbc.driver.OracleDriver");
            }
            catch (Exception e) {
                        System.err.println("Unable to find and load driver");
                        System.exit(1);
            connectToDB();
}
public void connectToDB()
{
            try {
             connection = Driver Manager.get Connection ("jdbc:oracle:thin:@localhost:1521:xe", "vinuthna", "9989"); \\
             statement = connection.createStatement();
            catch (SQLException connectException) {
             System.out.println(connectException.getMessage());
             System.out.println(connectException.getSQLState());\\
             System.out.println(connectException.getErrorCode());\\
             System.exit(1); }
}
private void loadLenders()
{
             try {
             rs = statement.executeQuery("SELECT * FROM lender");
             while (rs.next())
             {
                       lenderIDList.add(rs.getString("LENDER_ID"));
             }
            catch (SQLException e)
```

displaySQLErrors(e); }

{

```
public void buildGUI()
           {
                      lenderIDList = new List(10);
                      loadLenders();
                      add(lenderIDList);
                      lender IDL ist. add Item Listener (new \ Item Listener))\\
                      {
                                  public void itemStateChanged(ItemEvent e)
                                  {
                                             try {
                                                         rs = statement.executeQuery("SELECT * FROM lender");
                                                         while (rs.next())
                                                         if (rs.getString ("LENDER\_ID"). equals (lenderIDList.getSelectedItem ())) \\
                                                         break;
                                                         }
                                                         if (!rs.isAfterLast())
           lender_idText.setText(rs.getString("LENDER_ID"));
           nameText.setText(rs.getString("NAME"));
           contact_noText.setText(rs.getString("CONTACT_NO"));
           money_lentText.setText(rs.getString("MONEY_LENT"));
           deadlineText.setText(rs.getString("DEADLINE"));
                                             }
                                             catch \ (SQLException \ selectException)
                                                  displaySQLErrors(selectException);
                                                                                           }
                                  }
                      });
                      deleteLenderButton = new Button("Delete Lender");
                      deleteLenderButton.addActionListener(new ActionListener()
                      {
                                  public void actionPerformed(ActionEvent e)
                                             try {
                                                         Statement = connection.createStatement();
                                                         int i = statement.executeUpdate("DELETE FROM lender WHERE LENDER_ID =" +
lenderIDList.getSelectedItem());
```

```
errorText.append("\nDeleted " + i + " rows successfully");
                                              lender_idText.setText(null);
                                                                                 nameText.setText(null);
                                                                                 money_lentText.setText(null);
                                              contact_noText.setText(null);
                                              deadlineText.setText(null);
                                                                                 lenderIDList.removeAll();
                                              loadLenders();
                                  }
                                  catch (SQLException insertException) {
                                              displaySQLErrors(insertException);}
                       }
           });
           lender_idText = new TextField(15); lender_idText.setEditable(false);
           nameText = new TextField(15);
                                             money_lentText = new TextField(15);
           contact_noText = new TextField(15); deadlineText = new TextField(15);
           errorText = new TextArea(10, 40);
           errorText.setEditable(false);
                                              first.setLayout(new GridLayout(5, 2));
           Panel first = new Panel();
           first.add(new Label("Lender ID:")); first.add(lender_idText);
           first.add(new Label("Name:"));
                                              first.add(nameText);
           first.add(new Label("Contact no:")); first.add(contact_noText);
           first.add(new Label("Money Lent:")); first.add(money_lentText);
           first.add(new Label("Deadline:")); first.add(deadlineText);
           Panel second = new Panel(new GridLayout(4, 1));
           second.add(deleteLenderButton);
           Panel third = new Panel();
                                              third.add(errorText);
           add(first); add(second); add(third);
           setTitle("Remove Lender");
           setSize(450, 600);
                                  setLayout(new FlowLayout());
           setVisible(true);
private void displaySQLErrors(SQLException e)
           error Text.append("\nSQLException:"+e.getMessage()+"\n");
           errorText.append("SQLState: "+e.getSQLState() + "\n");
           errorText.append("VendorError: "+e.getErrorCode() + "\n");\\
public static void main(String[] args)
```

```
{
                                                    DeleteLender d = new DeleteLender();
                                                   d.addWindowListener(new WindowAdapter(){
                                                       public void windowClosing(WindowEvent e)
                                                                              System.exit(0);
                                                   });
                                                   d.buildGUI();
//MAIN PROGRAM:
package abc;
import java.awt.*;
import java.awt.event.*;
public \ class \ Policies For Delay Payment \ extends \ Frame \ implements \ Action Listener \{ boundaries \ extends \ Frame \ extends 
                          String msg = "";
                                                                              Label ll;
                            InsertLender inl::
                                                                               UpdateLender upl;
                                                                                                                                  DeleteLender dell;
                            InsertBorrower inb;
                                                                                UpdateBorrower upb; DeleteBorrower delb;
                            InsertProperty inp;
                                                                              UpdateProperty upp;
                                                                                                                                  DeleteProperty delp;
                            InsertNotices inn;
                                                                              UpdateNotices upn;
                                                                                                                                  DeleteNotices deln;
                            InsertLender_Borrower inlb;
                                                                                                        UpdateLender_Borrower uplb;
                                                                                                                                                                                        DeleteLender_Borrower dellb;
                            InsertBorrower_Notices inbn;
                                                                                                        UpdateBorrower\_Notices\ upbn;
                                                                                                                                                                                       DeleteBorrower_Notices delbn;
                            InsertLender_Property inlp;
                                                                                                        UpdateLender_Property;
                                                                                                                                                                                        DeleteLender_Property dellp;
                           PoliciesForDelayPayment()
                                                                              ll = new Label();
                                                                                                                                  ll.setAlignment(Label.CENTER);
                                                                              ll.setBounds(15,150,350,150);
                                                                                                                                                            ll.setText("Welcome to Life Pay Policies!!!");
                                                                              add(ll);
                                                                                                       MenuBar mbar = new MenuBar();
                                                                              setMenuBar(mbar);
                                                                              MenuItem item1, item2, item3, item4, item5, item6, item7, item8, item9, item10, item11, item12, item13, item14, item15,
                                                                              item16,item17,item18,item19,item20,item21;
                                                                              Menu lender = new Menu("Lenders");
                                                                              lender.add(item1 = new MenuItem("Insert Lender"));
                                                                              lender.add(item2 = new MenuItem("View Lender"));
                                                                              lender.add(item3 = new MenuItem("Delete Lender"));
                                                                              Menu borrower = new Menu("Borrowers");
                                                                              borrower.add(item4 = new MenuItem("Insert Borrower"));
```

```
borrower.add(item5 = new MenuItem("View Borrower"));
borrower.add(item6 = new MenuItem("Delete Borrower"));
Menu property = new Menu("Properties");
property.add(item7 = new MenuItem("Insert Property"));
property.add(item8 = new MenuItem("View Property"));
property.add(item9 = new MenuItem("Delete Property"));
Menu notices = new Menu("Notices");
notices.add(item10 = new MenuItem("Insert Notices"));
notices.add(item11 = new MenuItem("View Notices"));
notices.add(item12 = new MenuItem("Delete Notices"));
Menu l_b = new Menu("Lender_Borrower");
l_b.add(item13 = new MenuItem("Insert Lender_Borrower"));
l_b.add(item14 = new MenuItem("View Lender_Borrower"));
l_b.add(item15 = new MenuItem("Delete Lender_Borrower"));
Menu b_n = new Menu("Borrower_Notice");
b_n.add(item16 = new MenuItem("Insert Borrower_Notice"));
b_n.add(item17 = new MenuItem("View Borrower_Notice"));
b_n.add(item18 = new MenuItem("Delete Borrower_Notice"));
Menu l_p = new Menu("Lender_Property");
l_p.add(item19 = new MenuItem("Insert Lender_Property"));
l_p.add(item20 = new MenuItem("View Lender_Property"));
l_p.add(item21 = new MenuItem("Delete Lender_Property"));
mbar.add(lender);
                      mbar.add(borrower); mbar.add(property);
mbar.add(notices);
                      mbar.add(l_b);
                                             mbar.add(b_n);
                                                                   mbar.add(l_p);
item1.addActionListener(this);
                                 item2.addActionListener(this);
item3.addActionListener(this);
                                 item4.addActionListener(this);
item5.addActionListener(this);
                                 item6.addActionListener(this);
item7.addActionListener(this);
                                 item8.addActionListener(this);
item9.addActionListener(this);
                                 item10.addActionListener(this);
item11.addActionListener(this);
                                 item12.addActionListener(this);
item13.addActionListener(this);
                                 item14.addActionListener(this);
item15.addActionListener(this);
                                 item16.addActionListener(this);
item17.addActionListener(this);
                                 item18.addActionListener(this);
item19.addActionListener(this);
                                 item20.addActionListener(this);
item21.addActionListener(this);
addWindowListener(new WindowAdapter(){
```

```
public void windowClosing(WindowEvent we) {
                                              System.exit(0);
                       });
                       setTitle("Strict Policies For Recovery of Delay Payment");
                       setFont(new Font("Dialog", Font.ITALIC, 21));
                       setLayout(null);
                                              setSize(500, 450);
                                                                     setVisible(true);
}
public void actionPerformed(ActionEvent e)
           String arg = e.getActionCommand();
            if(arg.equals("Insert Lender"))
                       inl = new InsertLender();
                      inl.addWindowListener(new WindowAdapter(){
                       public void windowClosing(WindowEvent e) {
                                  inl.dispose(); }
                       });
                      inl.buildGUI();
           else if(arg.equals("View Lender")) {
                       upl = new UpdateLender();
                       upl.addWindowListener(new\ WindowAdapter()\{
                       public void windowClosing(WindowEvent e) {
                                  upl.dispose(); }
                       });
                       upl.buildGUI();
           else if(arg.equals("Delete Lender")) {
                       dell = new DeleteLender();
                       dell. add Window Listener (new Window Adapter () \{
                       public void windowClosing(WindowEvent e)
                                  dell.dispose();
                                                         }
                       });
                       dell.buildGUI();
           else if(arg.equals("Insert Borrower")) {
                       inb = new InsertBorrower();
                       inb. add Window Listener (new\ Window Adapter () \{
                       public void windowClosing(WindowEvent e) {
                                  inb.dispose(); }
```


```
});
           inb.buildGUI(); }
else if(arg.equals("View Borrower")) {
           upb = new UpdateBorrower();
          upb.addWindowListener(new WindowAdapter(){
           public void windowClosing(WindowEvent e) {
                      upb.dispose(); }
           });
           upb.buildGUI(); }
else if(arg.equals("Delete Borrower")) {
           delb = new DeleteBorrower();
           delb.addWindowListener(new WindowAdapter(){
           public void windowClosing(WindowEvent e)
                      delb.dispose();
           });
           delb.buildGUI(); }
else if(arg.equals("Insert Property")) {
           inp = new InsertProperty();
           inp.addWindowListener(new WindowAdapter(){
          public void windowClosing(WindowEvent e)
                      inp.dispose(); }
           });
          inp.buildGUI(); }
else if(arg.equals("View Property")) {
           upp = new UpdateProperty();
          upp.addWindowListener(new WindowAdapter(){
           public void windowClosing(WindowEvent e)
                      upp.dispose();
           });
           upp.buildGUI(); }
else if(arg.equals("Delete Property")) {
           delp = new DeleteProperty();
           delp. add Window Listener (new Window Adapter () \{
          public void windowClosing(WindowEvent e)
                      delp.dispose();
           });
```

```
delp.buildGUI();
else if(arg.equals("Insert Notices")) {
           inn = new InsertNotices();
           inn. add Window Listener (new Window Adapter () \{
           public void windowClosing(WindowEvent e) {
                      inn.dispose();
           });
           inn.buildGUI();
else if(arg.equals("View Notices")) {
           upn = new UpdateNotices();
           upn.addWindowListener(new WindowAdapter(){
           public void windowClosing(WindowEvent e)
                       upn.dispose();
           });
           upn.buildGUI();
else if(arg.equals("Delete Notices")) {
           deln = new DeleteNotices();
           deln. add Window Listener (new Window Adapter () \{
           public void windowClosing(WindowEvent e)
           {
                       deln.dispose(); }
           });
           deln.buildGUI();\\
else if(arg.equals("Insert Lender_Borrower"))
{
           inlb = new InsertLender_Borrower();
           inlb. add Window Listener (new\ Window Adapter () \{
           public void windowClosing(WindowEvent e)
                      inlb.dispose();
                                             }
           });
           inlb.buildGUI();
}
else if(arg.equals("View Lender_Borrower"))
           uplb = new UpdateLender_Borrower();
           uplb.addWindowListener(new WindowAdapter(){
```

```
public void windowClosing(WindowEvent e)
                      uplb.dispose();
           });
           uplb.buildGUI();
}
else if(arg.equals("Delete Lender_Borrower"))
           dellb = new DeleteLender_Borrower();
           dellb.addWindowListener(new WindowAdapter(){
          public void windowClosing(WindowEvent e)
                      dellb.dispose();
           }
           });
 dellb.buildGUI();
else if(arg.equals("Insert Borrower_Notice"))
          inbn = new InsertBorrower_Notices();
          inbn.addWindowListener(new WindowAdapter(){
           public void windowClosing(WindowEvent e)
                      inbn.dispose();
           });
           inbn.buildGUI();
}
else if(arg.equals("View Borrower_notice"))
           upbn = new UpdateBorrower_Notices();
           upbn.addWindowListener(new WindowAdapter(){
           public void windowClosing(WindowEvent e) {
                      upbn.dispose();
           });
           upbn.buildGUI();
}
else if(arg.equals("Delete Borrower_notice"))
          delbn = new DeleteBorrower_Notices();
```


```
delbn.addWindowListener(new WindowAdapter(){
           public void windowClosing(WindowEvent e) {
                      delbn.dispose();
           }
           });
 delbn.buildGUI();
}
else if(arg.equals("Insert Lender_Borrower"))
           inlb = new InsertLender_Borrower();
           inlb.addWindowListener(new WindowAdapter(){
           public void windowClosing(WindowEvent e) {
                      inlb.dispose();
           });
           inlb.buildGUI();
}
else if(arg.equals("View Lender_Property"))
           uplp = new UpdateLender_Property();
           uplp.addWindowListener(new\ WindowAdapter()\{
           public\ void\ window Closing (Window Event\ e)
                      uplp.dispose();
           }
           });
           uplp.buildGUI();
}
else if(arg.equals("Delete Lender_Property"))
{
           dellp = new DeleteLender_Property();
           dellp.addWindowListener(new\ WindowAdapter()\{
           public void windowClosing(WindowEvent e) {
                      dellp.dispose();
           });
 dellp.buildGUI();
```


After executing main program, the following frames are displayed:



### Github Link & Folder Structure:

Link- <a href="https://github.com/Vinuthna123/DBMS-PROJECT.git">https://github.com/Vinuthna123/DBMS-PROJECT.git</a>







N	Data was difficul	Turne	Size
Name	Date modified	Туре	Size
DeleteBorrower	09/04/2020 2:32 PM	JAVA File	5 KB
DeleteBorrower_Notices	09/04/2020 2:30 PM	JAVA File	5 KB
DeleteLender	14/04/2020 6:16 PM	JAVA File	5 KB
DeleteLender_Borrower	09/04/2020 2:34 PM	JAVA File	5 KB
DeleteLender_Property	09/04/2020 2:36 PM	JAVA File	5 KB
DeleteNotices	15/03/2020 3:28 PM	JAVA File	5 KB
DeleteProperty	15/03/2020 3:27 PM	JAVA File	5 KB
InsertBorrower	15/04/2020 8:31 PM	JAVA File	4 KB
InsertBorrower_Notices	09/04/2020 3:15 PM	JAVA File	4 KB
InsertLender	15/04/2020 7:57 PM	JAVA File	4 KB
InsertLender_Borrower	09/04/2020 8:03 AM	JAVA File	4 KB
InsertLender_Property	09/04/2020 12:25	JAVA File	4 KB
InsertNotices	15/03/2020 3:32 PM	JAVA File	3 KB
InsertProperty	15/03/2020 3:34 PM	JAVA File	4 KB
PoliciesForDelayPayment	15/04/2020 10:06	JAVA File	10 KB
UpdateBorrower	15/03/2020 3:36 PM	JAVA File	5 KB
UpdateBorrower_Notices	09/04/2020 12:18	JAVA File	5 KB
UpdateLender	15/03/2020 3:40 PM	JAVA File	5 KB
UpdateLender_Borrower	09/04/2020 10:34	JAVA File	4 KB
UpdateLender_Property	09/04/2020 12:41	JAVA File	4 KB
UpdateNotices	15/03/2020 3:43 PM	JAVA File	5 KB
UpdateProperty	15/03/2020 3:46 PM	JAVA File	5 KB
WronglnputException	15/04/2020 7:53 PM	JAVA File	1 KB

→ ↑					
☐ Name	Date modified	Туре	Size		
OracleCon	14/04/2020 1:22 PM	JAVA File	1 KB		

# **Testing:**



If incorrect values are entered which mismatch datatypes, the following pop up box is shown:




# **RESULTS:**

Here are DML operations for two tables Lender and Borrower


### i.Insert:

New Lender Cre	eation		_	П	×
	Name: Lender_id: Contact_no: Money Lent: Deadline:	sridhar 6021 109 10000 05-mar-2020			
	Insert Len	ider		^	
				~	
Mew Borrower C	Creation		_		×
	Name: Payment_id: Contact_no: Address: Payment Status: Profession:	teacher	_		×
	Name: Payment_id: Contact_no: Address: Payment Status: Profession:	1039 109 gachibowli paid teacher			×

### 2.Update:



#### 3.Delete:



# **DISCUSSION & FUTURE WORK:**

The application done till now is basically how to get back money from the borrower the lender gave and here it showed that it can be recovered from by seizing the property. There are numerous other ways in which we can recover the amount lent. Furthermore, other programming languages can also be used along with database by connecting SQL with it. Other actors can be included like guaranteer and policy manager and other attributes can also be added to extend the application.

# **REFERENCES:**

https://www.oracle.com/technetwork/java/javase/documentation/index.html

https://nptel.ac.in/courses/106105175/

https://google.github.io/styleguide/javaguide.html

https://nptel.ac.in/courses/106105191/