

**JAVA AWT BASED-  
STRICT POLICIES FOR RECOVERY OF DELAY PAYMENT  
- SQL CONNECTIVITY USING JDBC**

A

*Report*

*Submitted in partial fulfilment of the  
Requirements for the award of the Degree of*

**BACHELOR OF ENGINEERING**

IN

**INFORMATION TECHNOLOGY**

By

**VINUTHNA TATIKONDA <1602-18-737-118>**

Under the guidance of

B.Leelavathy



**Department of Information Technology**

**Vasavi College of Engineering (Autonomous)**

**(Affiliated to Osmania University) Ibrahimbagh, Hyderabad-31**

**2019-2020**

## **BONAFIDE CERTIFICATE**

This is to certify that the project report titled '**STRICT POLICIES FOR RECOVERY OF DELAY PAYMENT**' is bonafied mini project work of **Ms.Vinuthna Tatikonda** bearing Hall Ticket .No **1602-18-737-118** who carried out the project under my supervision in the year 2020 certified further to my best knowledge.

**Signature of**

**Internal Examiner**

**Signature of**

**External Examiner**

## **ABSTRACT**

Taking and giving money is happening in every sector. In manufacturing, if the buyer fails to make payment of the amount to the supplier, he shall be liable to pay compound interest with monthly rests to the supplier on the amount from the appointed day or, on the date agreed on, at three times of the Bank Rate notified by Reserve Bank. This may not be applicable in all the sectors. Following the policy of legally seizing the property, both the lender and borrower will get advantage. Borrower can buy his lost property again and the lender can get his money recovered. The lender sets the deadline for the borrower to return the money along with interest. If the borrower does not make payment on a timely basis, he will receive notice in the form of letter or mail or a text message. If the borrower does not return the money the lender owes, even after receiving reminders, the lender has the right to legally take his/her property.

### **Aim and Priority of the project :**

To create a **Java GUI based “Strict policies for recovery of Delay Payment”** which has the entities like: Lender, Borrower, Notices and Property whose values are taken from the user. These values are to be inserted, updated and deleted in the database using **JDBC connectivity**.

# INTRODUCTION

## Requirements:

Tables required - 7

- Lender
- Borrower
- Lender\_Borrower
- Borrower\_notices
- Notices
- Property
- Lender\_Property

ENTITY	ATTRIBUTES	DOMAIN
Lender	i.Name ii.Lender _id iii.Contact_no iv.Money _lent v.Deadline	Varchar2(10) Number(10) Number(20) Number(30) Date
Borrower	i.Name ii.Payment _id iii.Contact_no iv. Address v. Payment_status vi. Profession	Varchar2(10) Number(10) Number(10) Varchar2(20) Varchar2(10) Varchar2(15)
Lender_Borrower	i. Lender _id ii.Payment_id iii.Day	Number(10) Number(10) Date
Borrower_notices	i. Payment_id ii.Mail_id iii.Conformation iv.Date_received	Number(10) Varchar2(30) Varchar2(20) Date
Property	i.Ownership ii.Value iii.Acres iv.Location	Varchar2(10) Number(15) Number(10) Varchar2(20)
Notices	i.Mail_id ii. Contact_info iii.Days_delayed	Varchar2(30) Number(15) Number(10)
Lender_property	i.Lender_id ii.Ownwership iii.date_siezed	Number(10) Varchar2(20) Date

## **Architecture and Technology :**

### Software used :

- i. Java Eclipse
- ii. Oracle 11g Database Enterprise Edition Release 11.2.0.1.0-64 bit  
SQL\*Plus Release 9.0.1.3.0.
- iii.

### Java AWT:

Java AWT (Abstract Window Toolkit) is an API to develop GUI or window-based applications in java.


Java AWT components are platform-dependent i.e. components are displayed according to the view of operating system. AWT is heavyweight i.e. its components are using the resources of OS. The java.awt package provides classes for AWT API such as TextField, Label, TextArea, Button, Choice, List ,etc.

### SQL:

Structure Query Language(SQL) is a database query language used for storing and managing data in Relational DBMS. SQL was the first commercial language introduced for E.F Codd's Relational model of database. Today almost all RDBMS (MySQL, Oracle, Infomix, Sybase, MS Access) use SQL as the standard database query language. SQL is used to perform all types of data operations in RDBMS.

## Design :

### ENTITY RELATIONSHIP MODEL



Tables:

Here are creation of tables lender, borrower and relationship lender\_borrower between them :

Run SQL Command Line

```
SQL> create table lender(  
2  name varchar2(10),  
3  lender_id number(10) primary key,  
4  contact_no number(20),  
5  money_lent number(30),  
6  deadline date);
```

Table created.

```
SQL> create table borrower(  
2  name varchar2(10),  
3  payment_id number(10),  
4  contact_no number(10),  
5  address varchar2(20),  
6  payment_sttaus varchar2(10),  
7  profession varchar2(15));
```

Table created.

```
SQL> alter table borrower modify(primary key(payment_id));
```

Table altered.

```
SQL> create table lender_borrower(  
2  lender_id number(10),  
3  payment_id number(10),  
4  day date,  
5  foreign key(lender_id) references lender,  
6  foreign key(payment_id) references borrower
```

Table created.

Description of the tables :

```
SQL> desc lender;
```

Name	Null?	Type
NAME		VARCHAR2(10)
LENDER_ID	NOT NULL	NUMBER(10)
CONTACT_NO		NUMBER(20)
MONEY_LENT		NUMBER(30)
DEADLINE		DATE

```
SQL> desc borrower;
```

Name	Null?	Type
NAME		VARCHAR2(10)
PAYMENT_ID	NOT NULL	NUMBER(10)
CONTACT_NO		NUMBER(10)
ADDRESS		VARCHAR2(20)
PAYMENT_STTAUS		VARCHAR2(10)
PROFESSION		VARCHAR2(15)

```
SQL> desc lender_borrower;
```

Name	Null?	Type
LENDER_ID		NUMBER(10)
PAYMENT_ID		NUMBER(10)
DAY		DATE

Records of the table :

```
SQL> select * from lender;
```

NAME	LENDER_ID	CONTACT_NO	MONEY_LENT	DEADLINE
sridhar	6021	109	10000	05-MAR-20
Srinivas	6024	104	18000	04-MAR-20
Gopal	6025	105	15500	03-MAR-20
Suresh	6026	106	16000	02-MAR-20
Kavitha	6027	107	17600	03-MAR-20
Rekha	6022	102	15000	03-MAR-20

6 rows selected.

```
SQL> select * from borrower;
```

NAME	PAYMENT_ID	CONTACT_NO	ADDRESS	PAYMENT_ST	PROFESSION
kim	1033	203	uppal	paid	clerk
Priya	1031	201	banjara hills	paid	professor
Suresh	1032	202	lb nagar	not paid	s/w engineer
jones	1034	204	secundrabad	paid	bank manager
nick	1035	205	ibrahimbagh	not paid	teacher
edward	1036	206	suncity	not paid	doctor
ellis	1038	208	hitec city	paid	lawyer

7 rows selected.

```
SQL> select * from lender_borrower;
```

LENDER_ID	PAYMENT_ID	DAY
6025	1038	04-MAR-20
6021	1034	06-MAR-20
6021	1038	02-MAR-20
6027	1033	03-MAR-20
6026	1031	05-MAR-20
6025	1035	01-MAR-20

6 rows selected.



# Implementation :

## i. Front end programs and connectivity

//CONNECTIVITY PROGRAM :

```
package xyz;
/*import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException; */

import java.sql.*;

class OracleCon
{
public static void main(String args[]){
try{

Class.forName("oracle.jdbc.driver.OracleDriver");

Connection con=DriverManager.getConnection(
"jdbc:oracle:thin:@localhost:1521:xe","vinuthna","9989");

Statement stmt=con.createStatement();

con.close();

}catch(Exception e)
{
    System.out.println(e);
}

}
}
```

Thus, the connection from Java to Oracle database is performed and therefore, can be used for inserting, updating and deleting tables in the database directly.

//PROGRAM FOR INSERTING LENDER TABLE :

```
package abc;

import java.awt.*;

import java.awt.event.*;

import java.sql.*;

public class InsertLender extends Frame
{

```

```

        Button insertLenderButton;

        TextField nameText, lender_idText, contact_noText, money_lentText, deadlineText;

        TextArea errorText;

        Connection connection;

        Statement statement;

        public InsertLender()
        {
            try
            {
                Class.forName("oracle.jdbc.driver.OracleDriver");
            }

            catch (Exception e) {

                System.err.println("Unable to find and load driver");

                System.exit(1);
            }

            connectToDB();
        }

        public void connectToDB()
        {
            try
            {
                connection = DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","vinuthna","9989");

                statement = connection.createStatement();

            }

            catch (SQLException connectException) {

                System.out.println(connectException.getMessage());

                System.out.println(connectException.getSQLState());

                System.out.println(connectException.getErrorCode());

                System.exit(1);
            }
        }

        public void buildGUI()
        {

            insertLenderButton = new Button("Insert Lender");

            insertLenderButton.addActionListener(new ActionListener()
            {

                public void actionPerformed(ActionEvent e)

                {
                    try
                    {

                        String query= "INSERT INTO lender VALUES(" + nameText.getText() + "," + lender_idText.getText() + ","
+ contact_noText.getText() + "," + money_lentText.getText() + ","+deadlineText.getText()+ ")";

                        int i = statement.executeUpdate(query);

```

```

        errorText.append("\nInserted " + i + " rows successfully"); }

        catch (SQLException insertException) {

            displaySQLErrors(insertException); }

    }

});

nameText = new TextField(15);          lender_idText = new TextField(15);

contact_noText = new TextField(15);    money_lentText = new TextField(15);

deadlineText = new TextField(15);      errorText = new TextArea(10, 40);

errorText.setEditable(false);

Panel first = new Panel();

first.setLayout(new GridLayout(5, 2));

first.add(new Label("Name:"));          first.add(nameText);

first.add(new Label("Lender_id:"));      first.add(lender_idText);

first.add(new Label("Contact_no:"));      first.add(contact_noText);

first.add(new Label("Money Lent:"));      first.add(money_lentText);

first.add(new Label("Deadline:"));        first.add(deadlineText);

first.setBounds(125,90,200,100);

Panel second = new Panel(new GridLayout(4, 1));

second.add(insertLenderButton);

second.setBounds(125,220,150,100);

Panel third = new Panel();

third.add(errorText);

third.setBounds(125,320,300,200);

setLayout(null);

add(first); add(second); add(third);

setTitle("New Lender Creation");

setSize(500, 600);

setVisible(true);

}

private void displaySQLErrors(SQLException e)

{

    errorText.append("\nSQLException: " + e.getMessage() + "\n");

    errorText.append("SQLState: " + e.getSQLState() + "\n");

    errorText.append("VendorError: " + e.getErrorCode() + "\n");

}

public static void main(String[] args)

```

```

{

    InsertLender l = new InsertLender();

    l.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)

        {

            System.exit(0); }

    });

    l.buildGUI();

} }

```

## **//PROGRAM FOR UPDATING LENDER TABLE :**

```

package abc;

import java.awt.*;

import java.awt.event.*;

import java.sql.*;

public class UpdateLender extends Frame

{

    Button updateLenderButton;

    List lenderIDList;

    TextField nameText, lender_idText, contact_noText, money_lentText,deadlineText;

    TextArea errorText;

    Connection connection;

    Statement statement;

    ResultSet rs;

    public UpdateLender()

    {

        try

        {

            Class.forName("oracle.jdbc.driver.OracleDriver");

        }

        catch (Exception e) {

            System.err.println("Unable to find and load driver");

            System.exit(1); }

        connectToDB();

    }

    public void connectToDB()

    {

        try {

            Connection=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","vinuthna","9989");

            statement = connection.createStatement();


```

```

    }

    catch (SQLException connectException) {

        System.out.println(connectException.getMessage());

        System.out.println(connectException.getSQLState());

        System.out.println(connectException.getErrorCode());

        System.exit(1);

    }

}

private void loadLenders()

{
    try
    {
        rs = statement.executeQuery("SELECT LENDER_ID FROM lender");

        while (rs.next())

        {

            lenderIDList.add(rs.getString("LENDER_ID"));

        }

    }

    catch (SQLException e) {

        displaySQLErrors(e);
    }

}

public void buildGUI()

{

    lenderIDList = new List(10);

    loadLenders();

    add(lenderIDList);

    lenderIDList.addItemListener(new ItemListener()

    {

        public void itemStateChanged(ItemEvent e)

        {

            try

            {

                rs = statement.executeQuery("SELECT * FROM lender where LENDER_ID

=" + lenderIDList.getSelectedItem());

                rs.next();

                nameText.setText(rs.getString("NAME"));

                lender_idText.setText(rs.getString("LENDER_ID"));

                contact_noText.setText(rs.getString("CONTACT_NO"));

                money_lentText.setText(rs.getString("MONEY_LENT"));

                deadlineText.setText(rs.getString("DEADLINE"));

```

```

        }

        catch (SQLException selectException) {

            displaySQLErrors(selectException); }

    }

});

updateLenderButton = new Button("Update Lender");

updateLenderButton.addActionListener(new ActionListener()

{

    public void actionPerformed(ActionEvent e)

    {

        try {

            Statement statement = connection.createStatement();

            int i = statement.executeUpdate("UPDATE lender "

            + "SET name=" + nameText.getText() +

            "",contact_no="+contact_noText.getText()+

            ",money_lent="+money_lentText.getText()+",deadline="+deadlineText.getText()+"    WHERE

lender_id ="

            + lenderIDList.getSelectedItemAt());

            errorText.append("\nUpdated " + i + " rows successfully");

            lenderIDList.removeAll();

            loadLenders();

        }

        catch (SQLException insertException)

        {

            displaySQLErrors(insertException);

        }

    }

});

lender_idText = new TextField(15);

lender_idText.setEditable(false);

nameText = new TextField(15);    money_lentText = new TextField(15);

contact_noText = new TextField(15); deadlineText = new TextField(15);

errorText = new TextArea(10, 40);    errorText.setEditable(false);

Panel first = new Panel();

first.setLayout(new GridLayout(5, 2));

first.add(new Label("Lender ID:"));    first.add(lender_idText);

first.add(new Label("Name:"));    first.add(nameText);

first.add(new Label("Contact no:"));    first.add(contact_noText);

first.add(new Label("Money Lent:"));    first.add(money_lentText);

```

```

        first.add(new Label("Deadline:"));    first.add(deadlineText);

        Panel second = new Panel(new GridLayout(4, 1));

        second.add(updateLenderButton);

        Panel third = new Panel();

        third.add(errorText);

        add(first); add(second); add(third);

        setTitle("Update Lender");

        setSize(500, 600);

        setLayout(new FlowLayout());

        setVisible(true);
    }

    private void displaySQLExceptions(SQLException e)
    {

        errorText.append("\nSQLException: " + e.getMessage() + "\n");

        errorText.append("SQLState:  " + e.getSQLState() + "\n");

        errorText.append("VendorError: " + e.getErrorCode() + "\n");

    }

    public static void main(String[] args)

    {

        UpdateLender l = new UpdateLender();

        l.addWindowListener(new WindowAdapter() {

            public void windowClosing(WindowEvent e)

            {

                System.exit(0);

            }

        });

        l.buildGUI();

    }

}

```

## //PROGRAM FOR DELETING LENDER TABLE :

```

package abc;

import java.awt.*;

import java.awt.event.*;

import java.sql.*;

public class DeleteLender extends Frame

{

    Button deleteLenderButton;

```

```

List lenderIDList;

TextField nameText, lender_idText, contact_noText, money_lentText, deadlineText;

TextArea errorText;

Connection connection;

Statement statement;

ResultSet rs;

public DeleteLender()

{
    try {

        Class.forName("oracle.jdbc.driver.OracleDriver");

    }

    catch (Exception e) {

        System.err.println("Unable to find and load driver");

        System.exit(1);    }

    connectToDB();

}

public void connectToDB()

{
    try {

        connection = DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","vinuthna","9989");

        statement = connection.createStatement();

    }

    catch (SQLException connectException) {

        System.out.println(connectException.getMessage());

        System.out.println(connectException.getSQLState());

        System.out.println(connectException.getErrorCode());

        System.exit(1); }

}

private void loadLenders()

{
    try {

        rs = statement.executeQuery("SELECT * FROM lender");

        while (rs.next())

        {

            lenderIDList.add(rs.getString("LENDER_ID"));

        }

    }

    catch (SQLException e)

    {
        displaySQLErrors(e);  }
}

```



```

    }

    public void buildGUI()
    {
        lenderIDList = new List(10);

        loadLenders();

        add(lenderIDList);

        lenderIDList.addItemListener(new ItemListener()
        {
            public void itemStateChanged(ItemEvent e)
            {
                try {
                    rs = statement.executeQuery("SELECT * FROM lender");

                    while (rs.next())
                    {
                        if(rs.getString("LENDER_ID").equals(lenderIDList.getSelectedItem()))
                        break;
                    }

                    if (!rs.isAfterLast())
                    {
                        lender_idText.setText(rs.getString("LENDER_ID"));
                        nameText.setText(rs.getString("NAME"));
                        contact_noText.setText(rs.getString("CONTACT_NO"));
                        money_lentText.setText(rs.getString("MONEY_LENT"));
                        deadlineText.setText(rs.getString("DEADLINE"));
                    }
                }

                catch (SQLException selectException)
                {
                    displaySQLErrors(selectException);
                }
            }
        });

        deleteLenderButton = new Button("Delete Lender");

        deleteLenderButton.addActionListener(new ActionListener()
        {
            public void actionPerformed(ActionEvent e)
            {
                try {
                    Statement statement = connection.createStatement();

                    int i = statement.executeUpdate("DELETE FROM lender WHERE LENDER_ID =" +
lenderIDList.getSelectedItem());

```

```

        errorText.append("\nDeleted " + i + " rows successfully");

        lender_idText.setText(null);        nameText.setText(null);

        contact_noText.setText(null);        money_lentText.setText(null);

        deadlineText.setText(null);        lenderIDList.removeAll();

        loadLenders();

    }

    catch (SQLException insertException) {

        displaySQLErrors(insertException);}

    }

});

lender_idText = new TextField(15); lender_idText.setEditable(false);

nameText = new TextField(15);    money_lentText = new TextField(15);

contact_noText = new TextField(15); deadlineText = new TextField(15);

errorText = new TextArea(10, 40);

errorText.setEditable(false);

Panel first = new Panel();        first.setLayout(new GridLayout(5, 2));

first.add(new Label("Lender ID:")); first.add(lender_idText);

first.add(new Label("Name:"));    first.add(nameText);

first.add(new Label("Contact no:")); first.add(contact_noText);

first.add(new Label("Money Lent:")); first.add(money_lentText);

first.add(new Label("Deadline:")); first.add(deadlineText);

Panel second = new Panel(new GridLayout(4, 1));

second.add(deleteLenderButton);

Panel third = new Panel();        third.add(errorText);

add(first); add(second); add(third);

setTitle("Remove Lender");

setSize(450, 600);    setLayout(new FlowLayout());

setVisible(true);

}

private void displaySQLErrors(SQLException e)

{

    errorText.append("\nSQLException: " + e.getMessage() + "\n");

    errorText.append("SQLState:  " + e.getSQLState() + "\n");

    errorText.append("VendorError: " + e.getErrorCode() + "\n");

}

public static void main(String[] args)

```

```

{

    DeleteLender d = new DeleteLender();

    d.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)

        {
            System.exit(0);
        }

    });

    d.buildGUI();
}

```

## //MAIN PROGRAM:

```

package abc;

import java.awt.*;

import java.awt.event.*;

public class PoliciesForDelayPayment extends Frame implements ActionListener{

    String msg = "";
    Label ll;

    InsertLender inl;;
    UpdateLender upl;
    DeleteLender dell;

    InsertBorrower inb;
    UpdateBorrower upb;
    DeleteBorrower delb;

    InsertProperty inp;
    UpdateProperty upp;
    DeleteProperty delp;

    InsertNotices inn;
    UpdateNotices upn;
    DeleteNotices deln;

    InsertLender_Borrower inlb;
    UpdateLender_Borrower uplb;
    DeleteLender_Borrower dellb;

    InsertBorrower_Notices inbn;
    UpdateBorrower_Notices upbn;
    DeleteBorrower_Notices delbn;

    InsertLender_Property inlp;
    UpdateLender_Property;
    DeleteLender_Property dellp;

    PoliciesForDelayPayment()

    {

        ll = new Label();
        ll.setAlignment(Label.CENTER);

        ll.setBounds(15,150,350,150);
        ll.setText("Welcome to Life Pay Policies!!!");

        add(ll);
        MenuBar mbar = new MenuBar();

        setMenuBar(mbar);

        MenuItem item1, item2, item3,item4, item5,item6, item7, item8,item9,item10, item11,item12,item13,item14,item15,
        item16,item17,item18,item19,item20,item21;

        Menu lender = new Menu("Lenders");

        lender.add(item1 = new MenuItem("Insert Lender"));

        lender.add(item2 = new MenuItem("View Lender"));

        lender.add(item3 = new MenuItem("Delete Lender"));

        Menu borrower = new Menu("Borrowers");

        borrower.add(item4 = new MenuItem("Insert Borrower"));
    }
}

```

```

borrower.add(item5 = new MenuItem("View Borrower"));

borrower.add(item6 = new MenuItem("Delete Borrower"));

Menu property = new Menu("Properties");

property.add(item7 = new MenuItem("Insert Property"));

property.add(item8 = new MenuItem("View Property"));

property.add(item9 = new MenuItem("Delete Property"));

Menu notices = new Menu("Notices");

notices.add(item10 = new MenuItem("Insert Notices"));

notices.add(item11 = new MenuItem("View Notices"));

notices.add(item12 = new MenuItem("Delete Notices"));

Menu l_b = new Menu("Lender_Borrower");

l_b.add(item13 = new MenuItem("Insert Lender_Borrower"));

l_b.add(item14 = new MenuItem("View Lender_Borrower"));

l_b.add(item15 = new MenuItem("Delete Lender_Borrower"));

Menu b_n = new Menu("Borrower_Notice");

b_n.add(item16 = new MenuItem("Insert Borrower_Notice"));

b_n.add(item17 = new MenuItem("View Borrower_Notice"));

b_n.add(item18 = new MenuItem("Delete Borrower_Notice"));

Menu l_p = new Menu("Lender_Property");

l_p.add(item19 = new MenuItem("Insert Lender_Property"));

l_p.add(item20 = new MenuItem("View Lender_Property"));

l_p.add(item21 = new MenuItem("Delete Lender_Property"));

mbar.add(lender);    mbar.add(borrower); mbar.add(property);

mbar.add(notices);   mbar.add(l_b);      mbar.add(b_n);      mbar.add(l_p);

item1.addActionListener(this);    item2.addActionListener(this);

item3.addActionListener(this);    item4.addActionListener(this);

item5.addActionListener(this);    item6.addActionListener(this);

item7.addActionListener(this);    item8.addActionListener(this);

item9.addActionListener(this);    item10.addActionListener(this);

item11.addActionListener(this);    item12.addActionListener(this);

item13.addActionListener(this);    item14.addActionListener(this);

item15.addActionListener(this);    item16.addActionListener(this);

item17.addActionListener(this);    item18.addActionListener(this);

item19.addActionListener(this);    item20.addActionListener(this);

item21.addActionListener(this);

addWindowListener(new WindowAdapter(){

```

```

        public void windowClosing(WindowEvent we) {

            System.exit(0);        }

    });

    setTitle("Strict Policies For Recovery of Delay Payment");

    setFont(new Font("Dialog", Font.ITALIC, 21));

    setLayout(null);        setSize(500, 450);        setVisible(true);

}

public void actionPerformed(ActionEvent e)

{

    String arg = e.getActionCommand();

    if(arg.equals("Insert Lender"))    {

        inl = new InsertLender();

        inl.addWindowListener(new WindowAdapter(){

            public void windowClosing(WindowEvent e)    {

                inl.dispose(); }

        });

        inl.buildGUI();        }

    else if(arg.equals("View Lender")) {

        upl = new UpdateLender();

        upl.addWindowListener(new WindowAdapter(){

            public void windowClosing(WindowEvent e)    {

                upl.dispose(); }

        });

        upl.buildGUI();        }

    else if(arg.equals("Delete Lender")) {

        dell = new DeleteLender();

        dell.addWindowListener(new WindowAdapter(){

            public void windowClosing(WindowEvent e)    {

                dell.dispose();        }

        });

        dell.buildGUI();        }

    else if(arg.equals("Insert Borrower")) {

        inb = new InsertBorrower();

        inb.addWindowListener(new WindowAdapter(){

            public void windowClosing(WindowEvent e)    {

                inb.dispose(); }

```

```

    });

    inb.buildGUI(); }

else if(arg.equals("View Borrower")) {

    upb = new UpdateBorrower();

    upb.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            upb.dispose(); }

    });

    upb.buildGUI(); }

else if(arg.equals("Delete Borrower")) {

    delb = new DeleteBorrower();

    delb.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            delb.dispose();        }

    });

    delb.buildGUI(); }

else if(arg.equals("Insert Property")) {

    inp = new InsertProperty();

    inp.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            inp.dispose(); }

    });

    inp.buildGUI(); }

else if(arg.equals("View Property")) {

    upp = new UpdateProperty();

    upp.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            upp.dispose();        }

    });

    upp.buildGUI(); }

else if(arg.equals("Delete Property")) {

    delp = new DeleteProperty();

    delp.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            delp.dispose();        }

    });

```

```

        delp.buildGUI();    }

else if(arg.equals("Insert Notices")) {

    inn = new InsertNotices();

    inn.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            inn.dispose();    }

    });

    inn.buildGUI();    }

else if(arg.equals("View Notices")) {

    upn = new UpdateNotices();

    upn.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            upn.dispose();    }

    });

    upn.buildGUI();    }

else if(arg.equals("Delete Notices")) {

    deln = new DeleteNotices();

    deln.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)

        {

            deln.dispose(); }

    });

    deln.buildGUI();    }

else if(arg.equals("Insert Lender_Borrower"))

{

    inlb = new InsertLender_Borrower();

    inlb.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            inlb.dispose();    }

    });

    inlb.buildGUI();

}

else if(arg.equals("View Lender_Borrower"))

{

    uplb = new UpdateLender_Borrower();

    uplb.addWindowListener(new WindowAdapter(){

```

```

        public void windowClosing(WindowEvent e)    {

            uplb.dispose();        }

    });

    uplb.buildGUI();
}

else if(arg.equals("Delete Lender_Borrower"))
{

    dellb = new DeleteLender_Borrower();

    dellb.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            dellb.dispose();

        }

    });

    dellb.buildGUI();
}

else if(arg.equals("Insert Borrower_Notice"))
{

    inbn = new InsertBorrower_Notices();

    inbn.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            inbn.dispose();        }

    });

    inbn.buildGUI();
}

else if(arg.equals("View Borrower_notice"))
{

    upbn = new UpdateBorrower_Notices();

    upbn.addWindowListener(new WindowAdapter(){

        public void windowClosing(WindowEvent e)    {

            upbn.dispose();        }

    });

    upbn.buildGUI();
}

else if(arg.equals("Delete Borrower_notice"))
{

    delbn = new DeleteBorrower_Notices();

```



```

        delbn.addWindowListener(new WindowAdapter(){
            public void windowClosing(WindowEvent e)    {
                delbn.dispose();
            }
        });

        delbn.buildGUI();
    }

    else if(arg.equals("Insert Lender_Borrower"))
    {

        inlb = new InsertLender_Borrower();

        inlb.addWindowListener(new WindowAdapter(){
            public void windowClosing(WindowEvent e)    {
                inlb.dispose();            }
        });

        inlb.buildGUI();
    }

    else if(arg.equals("View Lender_Property"))
    {

        uplp = new UpdateLender_Property();

        uplp.addWindowListener(new WindowAdapter(){
            public void windowClosing(WindowEvent e)    {
                uplp.dispose();
            }
        });

        uplp.buildGUI();
    }

    else if(arg.equals("Delete Lender_Property"))
    {

        dellp = new DeleteLender_Property();

        dellp.addWindowListener(new WindowAdapter(){
            public void windowClosing(WindowEvent e)    {
                dellp.dispose();            }
        });

        dellp.buildGUI();
    }
}

```

```


    public static void main(String ... args)
    {

        new PoliciesForDelayPayment();

    }
}

```


After executing main program, the following frames are displayed :








## Github Link & Folder Structure :

Link- <https://github.com/Vinuthna123/DBMS-PROJECT.git>
























### GitHub Link




1602-18-737-118			
<input type="checkbox"/> Name	Date modified	Type	Size
 .metadata	10/11/2019 9:46 AM	File folder	
 Dbms assignment 2	08/03/2020 6:13 PM	File folder	

 > 1602-18-737-118 > Dbms assignment 2 > src			
<input type="checkbox"/> Name	Date modified	Type	Size
 abc	15/04/2020 7:52 PM	File folder	
 xyz	09/03/2020 10:36 ...	File folder	


1602-18-737-118 > Dbms assignment 2 > src > abc

<input type="checkbox"/> Name	Date modified	Type	Size
 DeleteBorrower	09/04/2020 2:32 PM	JAVA File	5 KB
 DeleteBorrower_Notices	09/04/2020 2:30 PM	JAVA File	5 KB
 DeleteLender	14/04/2020 6:16 PM	JAVA File	5 KB
 DeleteLender_Borrower	09/04/2020 2:34 PM	JAVA File	5 KB
 DeleteLender_Property	09/04/2020 2:36 PM	JAVA File	5 KB
 DeleteNotices	15/03/2020 3:28 PM	JAVA File	5 KB
 DeleteProperty	15/03/2020 3:27 PM	JAVA File	5 KB
 InsertBorrower	15/04/2020 8:31 PM	JAVA File	4 KB
 InsertBorrower_Notices	09/04/2020 3:15 PM	JAVA File	4 KB
 InsertLender	15/04/2020 7:57 PM	JAVA File	4 KB
 InsertLender_Borrower	09/04/2020 8:03 AM	JAVA File	4 KB
 InsertLender_Property	09/04/2020 12:25 ...	JAVA File	4 KB
 InsertNotices	15/03/2020 3:32 PM	JAVA File	3 KB
 InsertProperty	15/03/2020 3:34 PM	JAVA File	4 KB
 PoliciesForDelayPayment	15/04/2020 10:06 ...	JAVA File	10 KB
 UpdateBorrower	15/03/2020 3:36 PM	JAVA File	5 KB
 UpdateBorrower_Notices	09/04/2020 12:18 ...	JAVA File	5 KB
 UpdateLender	15/03/2020 3:40 PM	JAVA File	5 KB
 UpdateLender_Borrower	09/04/2020 10:34 ...	JAVA File	4 KB
 UpdateLender_Property	09/04/2020 12:41 ...	JAVA File	4 KB
 UpdateNotices	15/03/2020 3:43 PM	JAVA File	5 KB
 UpdateProperty	15/03/2020 3:46 PM	JAVA File	5 KB
 WrongInputException	15/04/2020 7:53 PM	JAVA File	1 KB

1602-18-737-118 > Dbms assignment 2 > src > xyz

<input type="checkbox"/> Name	Date modified	Type	Size
 OracleCon	14/04/2020 1:22 PM	JAVA File	1 KB

## Testing :




The screenshot shows a window titled "New Lender Creation" with the following fields and values:

Name:	Raghu
Lender_id:	ragh
Contact_no:	104
Money Lent:	1000
Deadline:	02-mar-2020

Below the fields is an "Insert Lender" button. Below the button is a text area displaying an SQL exception error:

```
SQLException: ORA-00984: column not allowed he
SQLState: 42000
VendorError: 984
```


If incorrect values are entered which mismatch datatypes, the following pop up box is shown:



# RESULTS :

Here are DML operations for four tables Lender,Borrower, Lender\_Borrower and Lender\_Property.


## i.Insert :



The screenshot shows a window titled "New Lender Creation". It contains a form with the following fields and values:

Name:	sridhar
Lender_id:	6021
Contact_no:	109
Money Lent:	10000
Deadline:	05-mar-2020

Below the form is a button labeled "Insert Lender". Below the button is a message box that says "Inserted 1 rows successfully".



The screenshot shows a window titled "New Borrower Creation". It contains a form with the following fields and values:

Name:	michelle
Payment_id:	1039
Contact_no:	109
Address:	gachibowli
Payment Status:	paid
Profession:	teacher

Below the form is a button labeled "Insert Borrower". Below the button is a message box that says "Inserted 1 rows successfully".

Lend Money

lender ID:

6021

▼

Payment ID:

1033

▼

Date:

05-may-2020

Lend Money

Inserted 1 rows successfully

^

▼

Acquire property

lender ID:

6027

▼

Ownership:

priyas mother

▼

Date:

04-apr-2020

Acquire Property

Inserted 1 rows successfully

^

▼



## 2.Update :

Update Lender

6022  
6024  
6025  
6026  
6027  
6028

Lender ID:

Name:

Contact no:

Money Lent:

Deadline:

6026

Ramesh

106

16000

02-mar-2020

Update Lender

6022  
6024  
6025  
6026  
6027  
6028

Lender ID:

Name:

Contact no:

Money Lent:

Deadline:

6026

Suresh

106

16000

02-mar-2020

Update Lender

Updated 1 rows successfully

Update Borrower

1031  
1032  
1033  
1034  
1035  
1036  
1038  
1039

Name:

Payment\_id:

Contact\_no:

Address:

Payment Status:

Profession:

michelle

1039

109

gachibowli

paid

teacher

Update Borrower

1031  
1032  
1033  
1034  
1035  
1036  
1038  
1039

Name:

Payment\_id:

Contact\_no:

Address:

Payment Status:

Profession:

michelle

1039

110

gachibowli

paid

teacher

Update Borrower

Updated 1 rows successfully

Update Lender\_Borrower

6025  
6021  
6021  
6027  
6026  
6025  
6021

Lender ID: 6025  
Payment ID: 1038  
Date: 2020-03-04 00:00:00

Update Lender\_Borrower

Update Lender\_Borrower

6026  
6026  
6026  
6027  
6026  
6026  
6026  
6026

Lender ID: 6026  
Payment ID: 1038  
Date: 04-mar-2020

Updated 5 rows successfully

Update Lender\_Borrower

Update Lender\_Property

6027  
6026

Lender ID: 6027  
OWNERSHIP: priyas mother  
Date siezed: 2020-04-04 00:00:00

Update Lender\_Property

Update Lender\_Property

6025  
6026

Lender ID: 6025  
OWNERSHIP: priyas mother  
Date siezed: 04-mar-2020

Updated 1 rows successfully

Update Lender\_Property

### 3.Delete :

The image displays four screenshots of a database application interface, arranged in a 2x2 grid. The top row shows the 'Remove Lender' window, and the bottom row shows the 'Remove Borrower' window. Each window has a title bar with a standard icon, a list of IDs on the left, a form for details on the right, a 'Delete' button, and a message box at the bottom.

**Top Left: Remove Lender (Initial State)**

- List:** 6021, 6024, 6025, 6026, 6027, **6028** (selected), 6022
- Form:**
  - Lender ID: 6028
  - Name: Ramesh
  - Contact no: 108
  - Money Lent: 15000
  - Deadline: 2020-03-03 00:00:00
- Button:** Delete Lender
- Message:** (Empty)

**Top Right: Remove Lender (After Deletion)**

- List:** 6021, 6024, 6025, 6026, 6027, 6022
- Form:** (All fields are empty)
- Button:** Delete Lender
- Message:** Deleted 1 rows successfully

**Bottom Left: Remove Borrower (Initial State)**

- List:** 1033, **1039** (selected), 1031, 1032, 1034, 1035, 1036, 1038
- Form:**
  - Lender ID: 1039
  - Name: michelle
  - Contact no: 110
  - Address: gachibowli
  - Payment\_status: paid
  - Profession: teacher
- Button:** Delete Borrower
- Message:** (Empty)

**Bottom Right: Remove Borrower (After Deletion)**

- List:** 1033, 1031, 1032, 1034, 1035, 1036, 1038
- Form:** (All fields are empty)
- Button:** Delete Borrower
- Message:** Deleted 1 rows successfully

Remove Lender

6026  
6026  
6026  
6027  
6026  
6026  
6026  
6026

Lender ID: 6026  
Payment\_ID: 1038  
Date: 2020-03-04 00:00:00

Delete Lender\_Borrower

Remove Lender

6027

Lender ID:  
Payment\_ID:  
Date:

Delete Lender\_Borrower

Deleted 6 rows successfully

Remove Lender\_Property

6025  
6026

Lender ID: 6026  
OWNERSHIP: nick  
Date Siezed: 2020-03-03 00:00:00

Delete Lender\_Property

Remove Lender\_Property

6025

Lender ID:  
OWNERSHIP:  
Date Siezed:

Delete Lender\_Property

Deleted 1 rows successfully

## **DISCUSSION & FUTURE WORK :**

The application done till now is basically how to get back money from the borrower the lender gave and here it showed that it can be recovered from by seizing the property. There are numerous other ways in which we can recover the amount lent. Furthermore, other programming languages can also be used along with database by connecting SQL with it. Other actors can be included like guarantor and policy manager and other attributes can also be added to extend the application.

## **REFERENCES :**

<https://www.oracle.com/technetwork/java/javase/documentation/index.html>

<https://nptel.ac.in/courses/106105175/>

<https://google.github.io/styleguide/javaguide.html>

<https://nptel.ac.in/courses/106105191/>

