

# Hurricanes EDA

## Data Sources

**amo\_by\_month.csv:**

[https://climatedataguide.ucar.edu/sites/default/files/amo\\_monthly.10yrLP.txt](https://climatedataguide.ucar.edu/sites/default/files/amo_monthly.10yrLP.txt)  
(Manually generated CSV file from the textual data)

**category4\_atlantic\_by\_decade.csv:**

[https://en.wikipedia.org/wiki/List\\_of\\_Category\\_4\\_Atlantic\\_hurricanes](https://en.wikipedia.org/wiki/List_of_Category_4_Atlantic_hurricanes)  
(Manually generated CSV file from the tables)

**category4\_atlantic\_by\_year:**

[https://en.wikipedia.org/wiki/List\\_of\\_Category\\_4\\_Atlantic\\_hurricanes](https://en.wikipedia.org/wiki/List_of_Category_4_Atlantic_hurricanes)  
(Manually generated CSV file from the tables)

**category5\_atlantic\_by\_decade.csv:**

[https://en.wikipedia.org/wiki/List\\_of\\_Category\\_5\\_Atlantic\\_hurricanes](https://en.wikipedia.org/wiki/List_of_Category_5_Atlantic_hurricanes)  
(Manually generated CSV file from the tables)

**category5\_atlantic\_by\_year:**

[https://en.wikipedia.org/wiki/List\\_of\\_Category\\_5\\_Atlantic\\_hurricanes](https://en.wikipedia.org/wiki/List_of_Category_5_Atlantic_hurricanes)  
(Manually generated CSV file from the tables)

**tropical\_storm\_data:**

## Plot Bar Plots of Hurricanes by Decade


### Category 4 Hurricanes

```
Cat4.Atlantic.decade <-  
  read.csv('datasets/category4_atlantic_by_decade.csv')  
Cat4.Atlantic.decade
```

```
##    decade frequency  
## 1    1851         2  
## 2    1861         1  
## 3    1871         3  
## 4    1881         2  
## 5    1891         5  
## 6    1901         2  
## 7    1911         5  
## 8    1921         7  
## 9    1931         9  
## 10   1941        12  
## 11   1951        12
```

```
## 12 1961      10
## 13 1971       5
## 14 1981       7
## 15 1991      14
## 16 2001      17
## 17 2011      13
## 18 2021       1
```

```
barplot(
  Cat4.Atlantic.decade$frequency,
  names.arg = Cat4.Atlantic.decade$decade,
  main = 'Category 4 Hurricanes by Decade',
  xlab = 'Decade',
  ylab = 'Frequency',
  las = 2
)
grid()
```




## Category 5 Hurricanes

```
Cat5.Atlantic.decade <-
  read.csv('datasets/category5_atlantic_by_decade.csv')
Cat5.Atlantic.decade
```

```
##      decade frequency
## 1      1851          0
## 2      1861          0
## 3      1871          0
## 4      1881          0
## 5      1891          0
## 6      1901          0
## 7      1911          0
## 8      1921          2
## 9      1931          6
## 10     1941          0
## 11     1951          2
## 12     1961          4
## 13     1971          4
## 14     1981          2
## 15     1991          2
## 16     2001          8
## 17     2011          6
## 18     2021          0
```

```
barplot(
  Cat5.Atlantic.decade$frequency,
  names.arg = Cat5.Atlantic.decade$decade,
  main = 'Category 5 Hurricanes by Decade',
  xlab = 'Decade',
  ylab = 'Frequency',
  las = 2
)
grid()
```

## Category 5 Hurricanes by Decade



## Calculate the Highest Frequency of Hurricanes Over the Decades

```
Cat4.max_freq = max(Cat4.Atlantic.decade$frequency)
Cat4.max_freq
```

```
## [1] 17
```

```
Cat5.max_freq = max(Cat5.Atlantic.decade$frequency)
Cat5.max_freq
```

```
## [1] 8
```

## Calculate Number of Decades

```
num_decades = length(Cat4.Atlantic.decade$decade)
num_decades
```

```
## [1] 18
```

## Function to Count the Number of Decades Having the Same Hurricane Frequencies

Example: Number of Decades where there was 1 occurrence of Category 4 Hurricane is 2,  
Number of Decades where there were 2 occurrences of Category 4 Hurricanes is 3, etc.

```
get_freqs <- function(Cat, freqs_list) {  
  for (i in Cat$frequency) {  
    freqs_list[i + 1] = freqs_list[i + 1] + 1  
  }  
  return(freqs_list)  
}
```

```
Cat4.freqs = c(0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0)  
Cat4.freqs = get_freqs(Cat4.Atlantic.decade, Cat4.freqs)  
Cat4.freqs
```


```
## [1] 0 2 3 1 0 3 0 2 0 1 1 0 2 1 1 0 0 1
```

```
Cat5.freqs = c(0, 0, 0, 0, 0, 0, 0, 0, 0, 0)  
Cat5.freqs = get_freqs(Cat5.Atlantic.decade, Cat5.freqs)  
Cat5.freqs
```

```
## [1] 9 0 4 0 2 0 2 0 1
```


## Plot Number of Hurricanes in a Decade

```
barplot(  
  Cat4.freqs,  
  names.arg = 0:Cat4.max_freq,  
  main = 'Category 4 Hurricanes by Decade',  
  xlab = 'Number of Hurricanes in a Decade',  
  ylab = 'Frequency',  
  las = 2  
)  
grid()
```



```
barplot(  
  Cat5.freqs,  
  names.arg = 0:Cat5.max_freq,  
  main = 'Category 5 Hurricanes by Decade',  
  xlab = 'Number of Hurricanes in a Decade',  
  ylab = 'Frequency',  
  las = 2  
)  
grid()
```

## Category 5 Hurricanes by Decade



## Calculate lambda Value for Poisson Distribution

```
Cat4.lambda = mean(Cat4.Atlantic.decade$frequency)
Cat4.lambda
```

```
## [1] 7.055556
```

```
Cat5.lambda = mean(Cat5.Atlantic.decade$frequency)
Cat5.lambda
```

```
## [1] 2
```

## Plot Poisson Distribution Over Hurricane Frequencies


```
plot(
  0:Cat4.max_freq,
  Cat4.freqs,
  main = 'Poisson Distribution Over Category 4 Hurricane Frequencies',
  xlab = 'Hurricane Frequency in a Decade',
```

```

    ylab = 'Count of Decades',
    ylim = c(0, 10)
)
lines(0:Cat4.max_freq,
      dpois(0:Cat4.max_freq, Cat4.lambda) * sum(Cat4.freqs),
      lwd = 2)
grid()

```

## Poisson Distribution Over Category 4 Hurricane Frequencies




```

plot(
  0:Cat5.max_freq,
  Cat5.freqs,
  main = 'Poisson Distribution Over Category 5 Hurricane Frequencies',
  xlab = 'Hurricane Frequency in a Decade',
  ylab = 'Count of Decades'
)
lines(0:Cat5.max_freq,
      dpois(0:Cat5.max_freq, Cat5.lambda) * sum(Cat5.freqs),
      lwd = 2)
grid()

```




## Poisson Distribution Over Category 5 Hurricane Frequencies



## Plot Q-Q Plots


```
qqplot(  
  dpois(0:Cat4.max_freq, Cat4.lambda) * sum(Cat4.freqs),  
  Cat4.freqs,  
  main = 'Poisson Q-Q Plot for Category 4 Hurricanes',  
  xlab = 'Theoretical Quantiles',  
  ylab = 'Sample Quantiles',  
  xlim = c(0, 4),  
  ylim = c(0, 4)  
)  
abline(0, 1)
```

### Poisson Q-Q Plot for Category 4 Hurricanes



```
qqplot(  
  dpois(0:Cat5.max_freq, Cat5.lambda) * sum(Cat5.freqs),  
  Cat5.freqs,  
  main = 'Poisson Q-Q Plot for Category 5 Hurricanes',  
  xlab = 'Theoretical Quantiles',  
  ylab = 'Sample Quantiles',  
  xlim = c(0, 4),  
  ylim = c(0, 4)  
)  
abline(0, 1)
```

## Poisson Q-Q Plot for Category 5 Hurricanes



## Read Monthly Atlantic Multidecadal Oscillation Index CSV File

```
AMO.month <- read.csv('datasets/amo_by_month.csv')
AMO.month
```

## Remove Outlier Values

```
AMO.month = AMO.month[c(-146:-152),]
AMO.month
```

## Plot AMO Index (Yearly Mean)

```
AMO.month.means = rowMeans(AMO.month[, -1])
AMO.month.means.ts = ts(AMO.month.means, frequency = 1, start = 1870)
plot(AMO.month.means.ts, main = 'AMO Index (Yearly Mean)', xlab='Year', ylab='Temperature Anomaly')
abline(h=0, lwd=2)
grid()
```

**AMO Index (Yearly Mean)**

