Congratulations! You passed!

Grade received 100% To pass 80% or higher

Go to next item

1.	Given a corpus A, encoded as $\begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$ and corpus B encoded as $\begin{pmatrix} 4 \\ 7 \\ 2 \end{pmatrix}$, What is the euclidean distance between the	1/1 point
	two documents?	
	O 35	
	O 2.43	
	O None of the above	
	✓ Correct Yes, this is correct.	
2.	Given the previous problem, a user now came up with a corpus C defined as $\begin{pmatrix} 3 \\ 1 \\ 4 \end{pmatrix}$ and you want to recommend	1/1 point
	a document that is similar to it. Would you recommend document A or document B?	
	DocumentA	
	O Document B	
	○ Correct That is correct	
	That is correct	
3.	Which of the following is true about euclidean distance?	1/1 point
	When comparing similarity between two corpuses, it does not work well when the documents are of different sizes.	
	⊙ Correct That is correct.	
	☑ It is the norm of the difference between two vectors.	
	Correct That is correct.	
	☐ It is a method that makes use of the angle between two vectors	
	It is the norm squared of the difference between two vectors.	
4.	What is the range of a cosine similarity score, namely s, in the case of information retrieval where the vectors are positive?	1/1 point
	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	
	$\square \ -\infty \leq s \leq \infty$	
	$lacksquare 0 \leq s \leq 1$	
	○ Correct That is correct.	
	$-1 \le s \le 0$	

5. The cosine similarity score of corpus A = $\begin{pmatrix} 1 \\ 0 \\ -1 \end{pmatrix}$ and corpus B = $\begin{pmatrix} 2 \\ 8 \\ 1 \end{pmatrix}$ is equal to ?	1/1 point
● 0.08512565307587486	
○ 0 ○ 1.251903 ○ -0.3418283 ○ correct This is correct.	
6. We will define the following vectors, USA = $\binom{5}{6}$, Washington = $\binom{10}{5}$, Turkey = $\binom{3}{1}$, Ankara = $\binom{9}{1}$, Russia = $\binom{5}{5}$, and Japan = $\binom{4}{3}$. Using only the following vectors, Ankara is the capital of what country? Please consider the cosine similarity score in your calculations. Usapan Russia Morocco	1/1 point
 Turkey Correct Yes, you should compute (USA - Washington) + Ankara and then compare that vector to the country vectors to decide. 	
7. Please select all that apply. PCA is ✓ used to reduce the dimension of your data; ✓ correct This is correct.	1/1 point
✓ visualize word vectors;✓ Correct This is correct.	
☐ make predictions; ☐ label data.	
8. Please select all that apply. Which is correct about PCA?You can think of an eigenvector as an uncorrelated feature for your data.	1/1 point
✓ The eigenvalues tell you the amount of information retained by each feature.	
✓ Correct This is correct.	
☐ If working with features in different scales, you do not have to mean normalize. ✓ Computing the covariance matrix is critical when performing PCA	
○ Correct This is correct.	

9. In which order do you perform the following operations when computing PCA?	1/1 point
mean normalize, get Σ the covariance matrix, perform SVD, then dot product the data, namely X, with a subset of the columns of U to get the reconstruction of your data.	
\bigcirc mean normalize, perform SVD, get Σ the covariance matrix, then dot product the data, namely X, with a subset of the columns of U to get the reconstruction of your data.	
\bigcirc get Σ the covariance matrix, perform SVD, then dot product the data, namely X, with a subset of the columns of U to get the reconstruction of your data, mean normalize.	
\bigcirc get Σ the covariance matrix, mean normalize, perform SVD, then dot product the data, namely X, with a subset of the columns of U to get the reconstruction of your data.	
Correct This is correct.	
10. Vector space models allow us to	1/1 point
To represent words and documents as vectors.	
⊙ Correct This is correct.	
build useful applications including and not limited to, information extraction, machine translation, and chatbots.	
CorrectThis is correct.	
✓ create representations that capture similar meaning.	
○ Correct This is correct.	
build faster training algorithms	