

NATIONAL INSTITUTE OF TECHNOLOGY, TIRUCHIRAPPALLI-620015

B.TECH. DEGREE (FIFTH SEMESTER)

BRANCH: COMPUTER SCIENCE AND ENGINEERING

COMPENSATION ASSESSMENT

SUB.CODE & TITLE: CSPCS3 COMPUTER NETWORKS

TIME: 11.00 A.M. - 12 NOON.

DATE: 08.11.2024

MAX. MARKS: 20

ANSWER ALL QUESTIONS

1. Compare:

i) Data Link layer and transport Layer

ii) Virtual circuit and Datagram

iii) Half Duplex and Full Duplex

(3)

(2)

Why protocols are needed in Networking?

(2)

3. Why statistical multiplexer is more efficient than synchronous multiplexer?

(3)

4. Draw the frame format of IEEE 802.3 and describe the role of each field.

B. Consider the following message and generator polynomial:

$M = 1100101011000101$

$G = 1010$

(3)

Demonstrate the working of CRC.

atlen, /3r0ih

6. Explain the various types of transmission impairments.

(4)

7. Explain the working of Pure ALOHA and Slotted ALOHA.

Ary

Cycle Test 1

CSPE S1- Augmented and Virtual Reality

19c4

AIRAPP

Date : 30.08.2024

Time : 10.30 am -11.30 am

Max. mark : 20

1. List out the challenges involved in immersive technologies.  
What is FoV? In what way is it useful in VR technologies? (1)  
c) How many degrees of freedom does Oculus Quest 2 HMD track? Explain them (1)  
d) In what ways does the participant interact with objects in the virtual world? Explain the interaction ways with suitable examples. (1)
2. a) How is the reality perceived in VR? (3)  
b) What is haptic feedback and how is it useful in VR? Give an example of it. (2)  
Explain different travel paradigms used in VR experiences (2)
3. a) A Bezier curve is drawn with the control points P, Q, R, S. To alter the shape of the curve one needs to shift (2)  
(6) Consider a circle of radius 2 with center located at (2,2). Perform a rotation of 90° clockwise about the center. What is the new coordinate value after rotation? (1)  
In a 2D graphics system, the transformation matrix reflects a point through the origin and line (10,10). Is the resultant transformation being same as the diagonal line "The coordinate matrix rotated 45° clockwise followed by the reflection following? finally applying inverse rotation about the origin". Justify your answer with an example about X-axis and (2)

National Institute of Technology, Tiruchirappalli  
Department of Computer Science and Engineering  
RETEST

CSPC51 -Computer Architecture

Branch/Semester/Section : CSE/ V/ B

Time : 10:30AM to 11:30AM

Date 06.11.2024

Max Marks : 20

Answer All Questions

1. a. We want to compare the computers R1 and R2, which differ that R1 has the machine instructions for the floating point operations, while R2 has not (FP operations are implemented in the software using several non-FP instructions). Both computers have a clock frequency of 400 MHz. In both we perform the same program, which has the following mixture of commands:

(2.5)

Type the command	Dynamic Share of instructions in program (p)	Instruction duration (Number of clock periods)	CPI
		R1	R2
FP addition	16%		20
FP multiplication	10%		32
FP division	8%		66
Non-FP instructions	66%		

Calculate the MIPS for the computers R1 and R2.

) Calculate the CPU program execution time on the computers R1 and R2, if there are 12000 instructions in the program?

b. Assuming that N instructions are executed, and all N instructions are add instructions (takes 4 clock cycles), what is the speedup of a pipelined implementation when compared to a multi-cycle implementation? Your answer should be an expression that is a function of N. (Assume clock cycle time is 305ps)

(2.5)

2. a. In the following loop, find all the true dependences, output dependences, and antidependences. Eliminate the output dependences and antidependences by renaming,

(2.5)

```
for (i=0; i<i00; i+=4) {
    A[i] = A[i] * B[i]; /* S1 */
    B[i] = A[i] + c; /* S2 */
    A[i] = C[i] * c; /* S3 */
    C[i] = D[i] * A[i]; /* S4 */
}
```

122,

b. Consider the following loop:

(2.5)

```
for (i=0; i < 100; i++) {
    A[i] = A[i] + B; // S1
    B[i] = i + D[i] * S2; // S2
}
```

Are there dependences between S1 and S2? Is this loop parallel? If not, show how to make it parallel,

8. Explain the two classes of the protocols? A snapshot of the state associated with 2 caches, on 2 separate cores, in a centralized shared memory system is shown below. In this system, cache coherency is maintained with an MSI snooping protocol. You can assume that the caches are direct mapped.

(10)

PO	Tag	Data Word 1	Data Word 2	Data Word 3	Data Word 4	Coherency State
Block 0	1000	10	20	30	40	
Block 1	4000	500	600	700	800	S
Block N	3000	2		6		S

  

P1	Tag	Data Word 1	Data Word 2	Data Word 3	Data Word 4	Coherency State
Block 0	1000	10	10	10	10	
Block 1	8000	500	600	700	800	
Block N	3000		4	6	8	

i. If P0 wants to write Block 0, what happens to its coherency state?

ii. If P1 writes to Block 1, is Block 1 on P0 invalidated? Why or why not?

iii. If P1 brings in Block M for reading, and no other cache has a copy, what state is it cached in?



#.List and explain the deadlock prevention schemes with neat examples. Explain the advantages and disadvantages of each scheme. (4)

B. Consider a B+-tree with a maximum number of pointers per node is 5 and the maximum number of entries is 4. (4)

- a. Show the results of entering one by one the keys that are three letter strings: (era, ban, bat, kin, day, log, rye, max, won, ace, ado, bug, cop, gas, let, fax) (in that order) to an initially empty B+-tree. Assume that you use lexicographic ordering to compare the strings. Show the state of the tree after every 4 insertions.
- b. What is the utilization of the tree? The utilization of the tree is defined as the total number of entries in all the nodes of the tree (both leaf and non-leaf nodes) over the maximum number of entries that the same nodes can store.

Lot, bon,

hon, bady se, tin

NATIONAL INSTITUTE OF TECHNOLOGY, TRICHIRAPPALLI -620015  
DEPARTMENT OF COMPUTERSCIENCE AND ENGINEERING

B.Tech (CSE) -Compensation Test-.July - December 2024

CSPC54- Introduction to Artificial Intelligence and Machinelearning

Semester: v, Section B

Max Marks: 15

Curriculum: NUTTUGCSE21

Time: 1 hour

Date of Exam: 5th October 2024

\* Construct a Naive Bayes model for the following data and predict the risk class of a car driver based on the following attributes: Time 1-2 year, Female, Urban. (2)

Time	Gender	Area	Risk
years			
1-2	M	Urban	LOW
2-7	M	Rural	HIGH
>7	F	Rural	LOW
1-2	F	Rural	HIGH
>7	M	Rural	HIGH
1-2	M	Rural	HIGH
2-7		Urban	LOW
2-7	M	Urban	LOW

e. Cluster the following points using k-means clustering and show the clusters. Show the no. epochs as well. A1= (12,18, 15), A2=(20,15, 21), A3=(16, 14, 21), A4=(19, 8, 12), A5=(17,15, 1), A6=(16, 4, 12), A7=(11, 2, 14), A8=(14, 9, 12). The seed points are A2, A5.

Explain the A\* algorithm used that solve the following TSP problem and compare the performances with Greedy Best First Search. Assume a Heuristic function (4)

15

30

35

4. Define PEAS for a BABYSITTER and CRICKET UMPIRE. What type of agent will you use it for designing these two agents? Describe diagrammatically the representation of the various actions and percept that these agents need to use for carrying out their job. (3)

Give a complete problem formulation for the following so that it is precise enough to be implemented: (3)

"A 3-foot-tall monkey is in a room where some bananas are suspended from the 8 foot ceiling. He would like to get the bananas. The room contains two stackable, movable, climbable 3-foot-high crates".

---Best Wishes ---