

3D Transformation



Translation

In three-dimensional homogeneous coordinate representation, a point is transformed from position $P = (x, y, z)$ to $P' = (x', y', z')$. This can be written as:

$$x' = x + t_x$$

$$y' = y + t_y$$

$$z' = z + t_z$$




Translation

$$\begin{bmatrix} x' & y' & z' & 1 \end{bmatrix} = \begin{bmatrix} x & y & z & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ T_x & T_y & T_z & 1 \end{bmatrix}$$


Rotation

$$R_z = \begin{bmatrix} \cos\theta & \sin\theta & 0 & 0 \\ -\sin\theta & \cos\theta & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

(a)



(b)




(c)

Rotation about z axis


Rotation

$$R_x = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & \cos\theta & \sin\theta & 0 \\ 0 & -\sin\theta & \cos\theta & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

(a)



(b)




(c)

Rotation about x axis


Rotation

$$R_y = \begin{bmatrix} \cos\theta & 0 & -\sin\theta & 0 \\ 0 & 1 & 0 & 0 \\ \sin\theta & 0 & \cos\theta & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

(a)



(b)



(c)



Rotation about y axis

Scaling


- The matrix expression for the scaling transformation of a position $P = (x_i, y_i, z_i)$ relative to coordinate origin can be written as:

$$\begin{bmatrix} x_i & y_i & z_i & w \end{bmatrix} \begin{bmatrix} S_x & 0 & 0 & 0 \\ 0 & S_y & 0 & 0 \\ 0 & 0 & S_z & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} = \begin{bmatrix} S_x x_i & S_y y_i & S_z z_i & w \end{bmatrix}$$

Reflection



Reflection




YZ plane

XY plane

XZ plane

Shearing



$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ sh_y & 1 & 0 & 0 \\ sh_z & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & Sh_x & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & Sh_z & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & Sh_x & 0 \\ 0 & 1 & Sh_y & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

- **Shearing about X axis**- X coordinate will change but no change in Y and Z axis coordinate.
- **Shearing about Y axis**- Y coordinate will change and changes are made only in X and Z axis.
- **Shearing about Z axis**- Z coordinate will change but no change in X and Y axis.

