


Lecture 22 & 23: Linear Regression Part 2

Recap


- Population and Sample Regression
- Simple Linear Regression Intuition
- Linear Regression Algorithm
- Gradient Descent
- Impact of Scaling in Gradient Descent
- Closed form analytical solution
- Types of Gradient Descent
- Coding Linear Regression

Simple Linear Regression

House sizes and prices




Multiple Linear Regression



CAUTION This is going to be mathematically very

intensive



Multivariate calculus refresher & Gradient intuition


Multivariate calculus refresher

$$y = f(x) : \mathcal{R} \to \mathcal{R} \qquad \frac{df}{dx}$$

$$y = f(x_1, x_2, ...x_n) : \mathcal{R}^n \to \mathcal{R}$$
$$\frac{\partial f}{\partial x_1}, \frac{\partial f}{\partial x_2}, ... \frac{\partial f}{\partial x_n}$$

$$\mathbf{y} = f(\mathbf{x}) : \mathcal{R}^n \to \mathcal{R}$$

$$\mathbf{x} = \begin{bmatrix} x_1 \\ x_2 \\ \dots \\ x_n \end{bmatrix} \nabla_{\mathbf{x}} f = \begin{bmatrix} \frac{\partial f}{\partial x_1} \\ \frac{\partial f}{\partial x_2} \\ \frac{\partial f}{\partial x_n} \end{bmatrix}$$





$$\nabla f\big|_{(a,b)} = \begin{bmatrix} \frac{\partial f}{\partial x_1}\big|_{(a,b)} \\ \frac{\partial f}{\partial x_2}\big|_{(a,b)} \end{bmatrix}$$

What is partial derivative exactly?

$$z = f(x,y) : \mathcal{R}^2 \to \mathcal{R} \quad \frac{\partial f}{\partial x}, \frac{\partial f}{\partial y}$$


 $\frac{\partial f}{\partial x}, \frac{\partial f}{\partial y}$ Derivative along one axis using another axis aligned plane







Which direction to do gradient descent?

- In the direction of slope
- •2 directions left & right •Infinite directions at each
- •Slope in WHICH direction?





What is gradient?



$$y = f(x_1, x_2, ...x_n) : \mathcal{R}^n \to \mathcal{R} \quad \frac{\partial f}{\partial x_1}, \frac{\partial f}{\partial x_2}, ... \frac{\partial f}{\partial x_n}$$

What is directional derivative (aka slope)?

$$D_{\tilde{\mathbf{u}}}f(a,b) = (\nabla f)^T \vec{u}$$


Max value when theta = 0

Gradient: Direction of steepest ascent

Negative gradient:
Direction of
steepest descent

$$\nabla f\big|_{(a,b)} = \begin{bmatrix} \frac{\partial f}{\partial x_1}\big|_{(a,b)} \\ \frac{\partial f}{\partial x_2}\big|_{(a,b)} \end{bmatrix}_{\mathbf{q}}$$

- Easy read
- Just very high level overview




Supplementary Videos (Optional)

- Calculus III Multivariable Calculus Dr. Trefor Bazett
- https://www.youtube.com/playlist?list=PLHXZ9OQGMqxc

CvEy7xBKRQr6I214QJcd




Search




1S

- The Matrix Calculus you need for Deep Learning
 - https://arxiv.org/abs/1802.01528
- Explanation
 - Part1: https://www.youtube.com/watch?v=pQ5HT8LylZs
 - Part 2: https://www.youtube.com/watch?v=rWRb8K-hcTo

- An illustrative guide to
 Multivariable and Vector Calculus
 - Detailed
 - MATLAB code



- Mathematics for Machine Learning
 - https://mml-book.github.io/
- Chapter 5 Vector Calculus
- More of a reference/review book



L4



Vectorized Linear Regression

Objective function - vectorized solution

 $\mathbf{w} = \begin{vmatrix} w_0 \\ w_1 \end{vmatrix}$

Non vectorized

$$\hat{y} = w_1 x^{(i)} + w_0$$

$$\mathcal{J}(w_1, w_0) = \frac{1}{m} \sum_{i=1}^{m} (w_0 + w_1 x^{(i)} - y^{(i)})^2$$

$$\mathcal{J}(w_1, w_0) = \frac{1}{m} \sum_{i=1}^{m} (w^T x^{(i)} - y^{(i)})^2$$

Vectorized

$$\hat{y} = w^T x^{(i)} \quad \mathbf{x}^{(i)} = \begin{bmatrix} 1 \\ x_1^{(i)} \end{bmatrix}$$

$$\mathcal{J}(w_1, w_0) = \frac{1}{m} \sum_{i=1}^{m} \left(w^T x^{(i)} - y^{(i)} \right)^2$$

$$\mathcal{J}(w) = \frac{1}{m} \left(\begin{bmatrix} x^{(1)}^T w \\ x^{(2)}^T w \\ \dots \\ x^{(m)}^T w \end{bmatrix} - \begin{bmatrix} y^{(1)} \\ y^{(2)} \\ \dots \\ y^{(m)} \end{bmatrix} \right)^T \left(\begin{bmatrix} x^{(1)}^T w \\ x^{(2)}^T w \\ \dots \\ x^{(m)}^T w \end{bmatrix} - \begin{bmatrix} y^{(1)} \\ y^{(2)} \\ \dots \\ y^{(m)} \end{bmatrix} \right) \quad X = \begin{bmatrix} 1 & x_1^{(1)} \\ 1 & x_1^{(2)} \\ 1 & \dots \\ 1 & x_1^{(m)} \end{bmatrix}$$

Minimize the objective function

$$\arg\min_{w} \quad \mathcal{J}(w) = \frac{1}{m} (Xw - y)^{T} (Xw - y)$$

Gradient - vectorized solution

Non vectorized

Vectorized

$$X = \begin{bmatrix} 1 & x_1^{(2)} \\ 1 & \dots \\ 1 & x_1^{(m)} \end{bmatrix}$$

$$\mathcal{J}(w_1, w_0) = \frac{1}{m} \sum_{i=1}^{m} (w_0 + w_1 x^{(i)} - y^{(i)})^2 \mathbf{w} = \begin{bmatrix} w_0 \\ w_1 \end{bmatrix} \mathbf{x}^{(i)} = \begin{bmatrix} 1 \\ x_1^{(i)} \end{bmatrix}$$

$$\mathbf{w} = \begin{bmatrix} w_0 \\ w_1 \end{bmatrix} \quad \mathbf{x}^{(i)} = \begin{bmatrix} 1 \\ x_1^{(i)} \end{bmatrix}$$

$$\mathcal{J}(w) = \frac{1}{m} (Xw - y)^T (Xw - y)$$

$$\frac{\partial J}{\partial w_0} = \frac{1}{m} \sum_{i=1}^{m} 2(w_0 + w_1 x^{(i)} - y^{(i)})$$

$$\frac{\partial J}{\partial w_1} = \frac{1}{m} \sum_{i=1}^{m} 2x^{(i)} (w_0 + w_1 x^{(i)} - y^{(i)})$$

$$\frac{\partial J}{\partial w_0} = \frac{1}{m} \sum_{i=1}^{m} 2(w_0 + w_1 x^{(i)} - y^{(i)}) \\ \frac{\partial J}{\partial w_1} = \frac{1}{m} \sum_{i=1}^{m} 2x^{(i)} (w_0 + w_1 x^{(i)} - y^{(i)}) \\ \nabla_w J = \begin{bmatrix} \frac{\partial J}{\partial w_0} \\ \frac{\partial J}{\partial w_1} \end{bmatrix} = \frac{2}{m} \begin{bmatrix} \sum_{i=1}^{m} 1 & (x^{(i)}^T w - y^{(i)}) \\ \sum_{i=1}^{m} x^{(i)} (x^{(i)}^T w - y^{(i)}) \end{bmatrix}$$

$$\nabla_w J = \frac{2}{m} X^T (Xw - y)$$

Gradient descent - vectorized solution

Non vectorized

$$\mathcal{J}(w_1, w_0) = \frac{1}{m} \sum_{i=1}^{m} (w_0 + w_1 x^{(i)} - y^{(i)})^2$$

$$\frac{\partial J}{\partial w_0} = \frac{1}{m} \sum_{i=1}^{m} 2(w_0 + w_1 x^{(i)} - y^{(i)})$$

$$\frac{\partial J}{\partial w_1} = \frac{1}{m} \sum_{i=1}^{m} 2x^{(i)} (w_0 + w_1 x^{(i)} - y^{(i)})$$

$$w_0 = w_0 - \eta \frac{\partial J}{\partial w_0}$$

$$w_1 = w_1 - \eta \frac{\partial J}{\partial w_1}$$

Vectorized

$$X = \begin{bmatrix} 1 & x_1^{(1)} \\ 1 & x_1^{(2)} \\ 1 & \dots \\ 1 & x_1^{(m)} \end{bmatrix}$$

$$\mathbf{w} = \begin{bmatrix} w_0 \\ w_1 \end{bmatrix} \qquad \mathbf{x}^{(i)} = \begin{bmatrix} 1 \\ x_1^{(i)} \end{bmatrix}$$

$$\mathcal{J}(w) = \frac{1}{m} (Xw - y)^T (Xw - y)$$

$$\nabla_w J = \begin{bmatrix} \frac{\partial J}{\partial w_0} \\ \frac{\partial J}{\partial w_1} \end{bmatrix} = \frac{2}{m} X^T (Xw - y)$$

$$\mathbf{w} = \mathbf{w} - \eta \nabla_w J \qquad \mathbf{w} = \mathbf{w} + \eta (-\nabla_w J)$$

Linear Regression Summary

Non vectorized

$$\mathcal{J}(w_1, w_0) = \frac{1}{m} \sum_{i=1}^{m} (w_0 + w_1 x^{(i)} - y^{(i)})^2$$

$$\mathcal{J}(w) = \frac{1}{m} (Xw - y)^T (Xw - y)$$

$$\frac{\partial J}{\partial w_0} = \frac{1}{m} \sum_{i=1}^{m} 2(w_0 + w_1 x^{(i)} - y^{(i)})$$

$$\frac{\partial J}{\partial w_1} = \frac{1}{m} \sum_{i=1}^{m} 2x^{(i)} (w_0 + w_1 x^{(i)} - y^{(i)})$$

$$w_0 = w_0 - \eta \frac{\partial J}{\partial w_0}$$

$$w_1 = w_1 - \eta \frac{\partial J}{\partial w_1}$$

Vectorized


$$\mathcal{J}(w) = \frac{1}{m} (Xw - y)^T (Xw - y)$$

$$\nabla_w J = \frac{2}{m} X^T (Xw - y)$$

$$\mathbf{w} = \mathbf{w} - \eta \nabla_w J$$

Supplementary Videos (Optional)

- Linear Algebra Full Course Dr. Trefor Bazett
- https://www.youtube.com/playlist?list=PLHXZ9OQGMqxfUl
 OtcqPNTJsb7R6BqSLo6
- Fairly easy to understand
- But theoretical, no ML application
- Precursor to Gilbert Strang course MIT




Other readable books

Easy to read & understand




Not comprehensive





Other readable books

- Easy to read & understand
- Can code immediately
- Applicable to Machine Learning



- ML books that use maths
- Math for Machine Learning Richard Han
 - https://www.onlinemathtraining.com/wp-content/uploads/2016/04/Math-for-Machine-Learning-Book-Preview.pdf
- Machine Learning from scratch

arning Lecture.pdf

- https://dafriedman97.github.io/mlbook/content/introduct
 ion.html
- Mathematical Foundations of Machine Learning
 - https://skim.math.msstate.edu/LectureNotes/Machine Le

- ML books that use maths
- A comprehensive guide to Machine Learning: UC Berkeley
- Data Driven Science and Engineering (Videos and Book)
 - Steve Brunton University of Washington
- Data Science & ML: Mathematical & Statistical Methods
 - https://people.smp.uq.edu.au/DirkKroese/DSML/DSML.pdf

