

13.2) Variability

Vitor Kamada

December 2019

Tables, Graphics, and Figures from

Computational and Inferential Thinking: The Foundations of Data Science

Adhikari & DeNero (2019): Ch 14.2 Variability

<https://www.inferentialthinking.com/>

Deviations from Average

```
import numpy as np
from datascience import *
any_numbers = make_array(1, 2, 2, 10)
mean = np.mean(any_numbers)
```

3.75

```
deviations = any_numbers - mean
calculation_steps = Table().with_columns(
    'Value', any_numbers,
    'Deviation from Average', deviations
)
```

Value	Deviation from Average
-------	------------------------

1	-2.75
---	-------

2	-1.75
---	-------

2	-1.75
---	-------

10	6.25
----	------

```
sum(deviations)
```

0.0

Variance and Standard Deviation (SD)

```
squared_deviations = deviations ** 2
calculation_steps = calculation_steps.with_column(
    'Squared Deviations from Average', squared_deviations
)
```

Value	Deviation from Average	Squared Deviations from Average
1	-2.75	7.5625
2	-1.75	3.0625
2	-1.75	3.0625
10	6.25	39.0625

```
variance = np.mean(squared_deviations)    13.1875
```

```
sd = variance ** 0.5    3.6314597615834874
```

Standard Units

$$z = \frac{\text{value} - \text{average}}{SD}$$

```
def standard_units(numbers_array):  
    "Convert any array of numbers to standard units."  
    return (numbers_array - np.mean(numbers_array))/np.std(numbers_array)
```

```
path_data = 'https://github.com/data-8/textbook/raw/gh-pages/data/'  
united = Table.read_table(path_data + 'united_summer2015.csv')  
united = united.with_column(  
    'Delay (Standard Units)', standard_units(united.column('Delay'))  
)
```

Flight Number	Destination	Delay	Delay (Standard Units)
73	HNL	257	6.08766
217	EWR	28	0.287279
237	STL	-3	-0.497924

Chebyshev's Bounds

For all numbers z , the proportion of entries that are in the range "average $\pm z$ SDs" is at least $1 - \frac{1}{z^2}$

"average ± 2 SDs" is at least $1 - 1/4 = 0.75$

"average ± 3 SDs" is at least $1 - 1/9 \approx 0.89$

"average ± 4.5 SDs" is at least $1 - 1/4.5^2 \approx 0.95$

```
united.sort('Delay', descending=True)
```

Flight Number	Destination	Delay	Delay (Standard Units)
---------------	-------------	-------	------------------------

1964	SEA	580	14.269
------	-----	-----	--------

300	HNL	537	13.1798
-----	-----	-----	---------

1149	IAD	508	12.4453
------	-----	-----	---------

```
within_3_sd = united.where('Delay (Standard Units)',  
                           are.between(-3, 3))
```

```
within_3_sd.num_rows/united.num_rows
```

0.9790235081374322

```
%matplotlib inline
import matplotlib.pyplot as plots
plots.style.use('fivethirtyeight')
united.hist('Delay (Standard Units)', bins=np.arange(-5, 15.5, 0.5))
plots.xticks(np.arange(-6, 17, 3));
```

