

CONFIDENTIAL - FOR AUTHORIZED SECURITY PERSONNEL ONLY

DDoS Amplification Attack - Network Resilience Response

CRITICAL **APPROVED** Version v1 | PB-DDOS-0005

Generated: 2026-08-15 10:46:10 UTC | Template: ssh_brute_force.j2

[META] Playbook Metadata

Playbook ID	PB-DDOS-0005	Version	v1
Status	APPROVED	Severity	CRITICAL
Created At	2026-07-30 10:00:00 UTC	Template	ssh_brute_force.j2
Reviewed By	analyst1	Reviewed At	2026-07-30 12:00:00 UTC
Exported At	2026-08-15 10:46:10 UTC	Export Format	PDF (xhtml2pdf / reportlab)

[THREAT] Threat Context

Source IP	192.168.1.100	Destination Port	22
Protocol	TCP	Attack Type	DDOS_AMPLIFICATION
Threat Score	91.0 / 100		
Confidence Score	0.910	Severity Tier	CRITICAL

[MITRE] MITRE ATT&CK Mapping

Technique ID	T1498	Tactic	Impact
Technique Name	Network Denial of Service		
ATT&CK Reference	T1498 — Network Denial of Service ATT&CK Reference: https://attack.mitre.org/techniques/T1110/001/		

[PLAYBOOK] Playbook Content

Incident Response Playbook

Executive Summary

This playbook describes the full incident response workflow for a detected threat campaign.

Phase 1: Identification

- Step 1: Perform analysis task 1 in phase 1. Review all log entries from source 10.0.0.2.
- Step 2: Perform analysis task 2 in phase 1. Review all log entries from source 10.0.0.3.
- Step 3: Perform analysis task 3 in phase 1. Review all log entries from source 10.0.0.4.
- Step 4: Perform analysis task 4 in phase 1. Review all log entries from source 10.0.0.5.
- Step 5: Perform analysis task 5 in phase 1. Review all log entries from source 10.0.0.6.
- Step 6: Perform analysis task 6 in phase 1. Review all log entries from source 10.0.0.7.
- Step 7: Perform analysis task 7 in phase 1. Review all log entries from source 10.0.0.8.
- Step 8: Perform analysis task 8 in phase 1. Review all log entries from source 10.0.0.9.
- Step 9: Perform analysis task 9 in phase 1. Review all log entries from source 10.0.0.10.
- Step 10: Perform analysis task 10 in phase 1. Review all log entries from source 10.0.0.11.
- Step 11: Perform analysis task 11 in phase 1. Review all log entries from source 10.0.0.12.
- Step 12: Perform analysis task 12 in phase 1. Review all log entries from source 10.0.0.13.
- Step 13: Perform analysis task 13 in phase 1. Review all log entries from source 10.0.0.14.
- Step 14: Perform analysis task 14 in phase 1. Review all log entries from source 10.0.0.15.
- Step 15: Perform analysis task 15 in phase 1. Review all log entries from source 10.0.0.16.
- Step 16: Perform analysis task 16 in phase 1. Review all log entries from source 10.0.0.17.
- Step 17: Perform analysis task 17 in phase 1. Review all log entries from source 10.0.0.18.

18. Step 18: Perform analysis task 18 in phase 1. Review all log entries from source 10.0.0.19.
19. Step 19: Perform analysis task 19 in phase 1. Review all log entries from source 10.0.0.20.
20. Step 20: Perform analysis task 20 in phase 1. Review all log entries from source 10.0.0.21.
21. Step 21: Perform analysis task 21 in phase 1. Review all log entries from source 10.0.0.22.
22. Step 22: Perform analysis task 22 in phase 1. Review all log entries from source 10.0.0.23.
23. Step 23: Perform analysis task 23 in phase 1. Review all log entries from source 10.0.0.24.
24. Step 24: Perform analysis task 24 in phase 1. Review all log entries from source 10.0.0.25.
25. Step 25: Perform analysis task 25 in phase 1. Review all log entries from source 10.0.0.26.
26. Step 26: Perform analysis task 26 in phase 1. Review all log entries from source 10.0.0.27.
27. Step 27: Perform analysis task 27 in phase 1. Review all log entries from source 10.0.0.28.
28. Step 28: Perform analysis task 28 in phase 1. Review all log entries from source 10.0.0.29.
29. Step 29: Perform analysis task 29 in phase 1. Review all log entries from source 10.0.0.30.
30. Step 30: Perform analysis task 30 in phase 1. Review all log entries from source 10.0.0.31.
31. Step 31: Perform analysis task 31 in phase 1. Review all log entries from source 10.0.0.32.
32. Step 32: Perform analysis task 32 in phase 1. Review all log entries from source 10.0.0.33.
33. Step 33: Perform analysis task 33 in phase 1. Review all log entries from source 10.0.0.34.
34. Step 34: Perform analysis task 34 in phase 1. Review all log entries from source 10.0.0.35.
35. Step 35: Perform analysis task 35 in phase 1. Review all log entries from source 10.0.0.36.
36. Step 36: Perform analysis task 36 in phase 1. Review all log entries from source 10.0.0.37.
37. Step 37: Perform analysis task 37 in phase 1. Review all log entries from source 10.0.0.38.
38. Step 38: Perform analysis task 38 in phase 1. Review all log entries from source 10.0.0.39.
39. Step 39: Perform analysis task 39 in phase 1. Review all log entries from source 10.0.0.40.
40. Step 40: Perform analysis task 40 in phase 1. Review all log entries from source 10.0.0.41.

Phase 2: Detection

1. Step 1: Perform analysis task 1 in phase 2. Review all log entries from source 10.0.0.2.
2. Step 2: Perform analysis task 2 in phase 2. Review all log entries from source 10.0.0.3.
3. Step 3: Perform analysis task 3 in phase 2. Review all log entries from source 10.0.0.4.
4. Step 4: Perform analysis task 4 in phase 2. Review all log entries from source 10.0.0.5.
5. Step 5: Perform analysis task 5 in phase 2. Review all log entries from source 10.0.0.6.
6. Step 6: Perform analysis task 6 in phase 2. Review all log entries from source 10.0.0.7.
7. Step 7: Perform analysis task 7 in phase 2. Review all log entries from source 10.0.0.8.
8. Step 8: Perform analysis task 8 in phase 2. Review all log entries from source 10.0.0.9.

9. Step 9: Perform analysis task 9 in phase 2. Review all log entries from source 10.0.0.10.
10. Step 10: Perform analysis task 10 in phase 2. Review all log entries from source 10.0.0.11.
11. Step 11: Perform analysis task 11 in phase 2. Review all log entries from source 10.0.0.12.
12. Step 12: Perform analysis task 12 in phase 2. Review all log entries from source 10.0.0.13.
13. Step 13: Perform analysis task 13 in phase 2. Review all log entries from source 10.0.0.14.
14. Step 14: Perform analysis task 14 in phase 2. Review all log entries from source 10.0.0.15.
15. Step 15: Perform analysis task 15 in phase 2. Review all log entries from source 10.0.0.16.
16. Step 16: Perform analysis task 16 in phase 2. Review all log entries from source 10.0.0.17.
17. Step 17: Perform analysis task 17 in phase 2. Review all log entries from source 10.0.0.18.
18. Step 18: Perform analysis task 18 in phase 2. Review all log entries from source 10.0.0.19.
19. Step 19: Perform analysis task 19 in phase 2. Review all log entries from source 10.0.0.20.
20. Step 20: Perform analysis task 20 in phase 2. Review all log entries from source 10.0.0.21.
21. Step 21: Perform analysis task 21 in phase 2. Review all log entries from source 10.0.0.22.
22. Step 22: Perform analysis task 22 in phase 2. Review all log entries from source 10.0.0.23.
23. Step 23: Perform analysis task 23 in phase 2. Review all log entries from source 10.0.0.24.
24. Step 24: Perform analysis task 24 in phase 2. Review all log entries from source 10.0.0.25.
25. Step 25: Perform analysis task 25 in phase 2. Review all log entries from source 10.0.0.26.
26. Step 26: Perform analysis task 26 in phase 2. Review all log entries from source 10.0.0.27.
27. Step 27: Perform analysis task 27 in phase 2. Review all log entries from source 10.0.0.28.
28. Step 28: Perform analysis task 28 in phase 2. Review all log entries from source 10.0.0.29.
29. Step 29: Perform analysis task 29 in phase 2. Review all log entries from source 10.0.0.30.
30. Step 30: Perform analysis task 30 in phase 2. Review all log entries from source 10.0.0.31.
31. Step 31: Perform analysis task 31 in phase 2. Review all log entries from source 10.0.0.32.
32. Step 32: Perform analysis task 32 in phase 2. Review all log entries from source 10.0.0.33.
33. Step 33: Perform analysis task 33 in phase 2. Review all log entries from source 10.0.0.34.
34. Step 34: Perform analysis task 34 in phase 2. Review all log entries from source 10.0.0.35.
35. Step 35: Perform analysis task 35 in phase 2. Review all log entries from source 10.0.0.36.
36. Step 36: Perform analysis task 36 in phase 2. Review all log entries from source 10.0.0.37.
37. Step 37: Perform analysis task 37 in phase 2. Review all log entries from source 10.0.0.38.
38. Step 38: Perform analysis task 38 in phase 2. Review all log entries from source 10.0.0.39.
39. Step 39: Perform analysis task 39 in phase 2. Review all log entries from source 10.0.0.40.
40. Step 40: Perform analysis task 40 in phase 2. Review all log entries from source 10.0.0.41.

Phase 3: Containment

1. Step 1: Perform analysis task 1 in phase 3. Review all log entries from source 10.0.0.2.
2. Step 2: Perform analysis task 2 in phase 3. Review all log entries from source 10.0.0.3.
3. Step 3: Perform analysis task 3 in phase 3. Review all log entries from source 10.0.0.4.
4. Step 4: Perform analysis task 4 in phase 3. Review all log entries from source 10.0.0.5.
5. Step 5: Perform analysis task 5 in phase 3. Review all log entries from source 10.0.0.6.
6. Step 6: Perform analysis task 6 in phase 3. Review all log entries from source 10.0.0.7.
7. Step 7: Perform analysis task 7 in phase 3. Review all log entries from source 10.0.0.8.
8. Step 8: Perform analysis task 8 in phase 3. Review all log entries from source 10.0.0.9.
9. Step 9: Perform analysis task 9 in phase 3. Review all log entries from source 10.0.0.10.
10. Step 10: Perform analysis task 10 in phase 3. Review all log entries from source 10.0.0.11.
11. Step 11: Perform analysis task 11 in phase 3. Review all log entries from source 10.0.0.12.
12. Step 12: Perform analysis task 12 in phase 3. Review all log entries from source 10.0.0.13.
13. Step 13: Perform analysis task 13 in phase 3. Review all log entries from source 10.0.0.14.
14. Step 14: Perform analysis task 14 in phase 3. Review all log entries from source 10.0.0.15.
15. Step 15: Perform analysis task 15 in phase 3. Review all log entries from source 10.0.0.16.
16. Step 16: Perform analysis task 16 in phase 3. Review all log entries from source 10.0.0.17.
17. Step 17: Perform analysis task 17 in phase 3. Review all log entries from source 10.0.0.18.
18. Step 18: Perform analysis task 18 in phase 3. Review all log entries from source 10.0.0.19.
19. Step 19: Perform analysis task 19 in phase 3. Review all log entries from source 10.0.0.20.
20. Step 20: Perform analysis task 20 in phase 3. Review all log entries from source 10.0.0.21.
21. Step 21: Perform analysis task 21 in phase 3. Review all log entries from source 10.0.0.22.
22. Step 22: Perform analysis task 22 in phase 3. Review all log entries from source 10.0.0.23.
23. Step 23: Perform analysis task 23 in phase 3. Review all log entries from source 10.0.0.24.
24. Step 24: Perform analysis task 24 in phase 3. Review all log entries from source 10.0.0.25.
25. Step 25: Perform analysis task 25 in phase 3. Review all log entries from source 10.0.0.26.
26. Step 26: Perform analysis task 26 in phase 3. Review all log entries from source 10.0.0.27.
27. Step 27: Perform analysis task 27 in phase 3. Review all log entries from source 10.0.0.28.
28. Step 28: Perform analysis task 28 in phase 3. Review all log entries from source 10.0.0.29.
29. Step 29: Perform analysis task 29 in phase 3. Review all log entries from source 10.0.0.30.
30. Step 30: Perform analysis task 30 in phase 3. Review all log entries from source 10.0.0.31.
31. Step 31: Perform analysis task 31 in phase 3. Review all log entries from source 10.0.0.32.
32. Step 32: Perform analysis task 32 in phase 3. Review all log entries from source 10.0.0.33.
33. Step 33: Perform analysis task 33 in phase 3. Review all log entries from source 10.0.0.34.
34. Step 34: Perform analysis task 34 in phase 3. Review all log entries from source 10.0.0.35.

35. Step 35: Perform analysis task 35 in phase 3. Review all log entries from source 10.0.0.36.
36. Step 36: Perform analysis task 36 in phase 3. Review all log entries from source 10.0.0.37.
37. Step 37: Perform analysis task 37 in phase 3. Review all log entries from source 10.0.0.38.
38. Step 38: Perform analysis task 38 in phase 3. Review all log entries from source 10.0.0.39.
39. Step 39: Perform analysis task 39 in phase 3. Review all log entries from source 10.0.0.40.
40. Step 40: Perform analysis task 40 in phase 3. Review all log entries from source 10.0.0.41.

Phase 4: Eradication

1. Step 1: Perform analysis task 1 in phase 4. Review all log entries from source 10.0.0.2.
2. Step 2: Perform analysis task 2 in phase 4. Review all log entries from source 10.0.0.3.
3. Step 3: Perform analysis task 3 in phase 4. Review all log entries from source 10.0.0.4.
4. Step 4: Perform analysis task 4 in phase 4. Review all log entries from source 10.0.0.5.
5. Step 5: Perform analysis task 5 in phase 4. Review all log entries from source 10.0.0.6.
6. Step 6: Perform analysis task 6 in phase 4. Review all log entries from source 10.0.0.7.
7. Step 7: Perform analysis task 7 in phase 4. Review all log entries from source 10.0.0.8.
8. Step 8: Perform analysis task 8 in phase 4. Review all log entries from source 10.0.0.9.
9. Step 9: Perform analysis task 9 in phase 4. Review all log entries from source 10.0.0.10.
10. Step 10: Perform analysis task 10 in phase 4. Review all log entries from source 10.0.0.11.
11. Step 11: Perform analysis task 11 in phase 4. Review all log entries from source 10.0.0.12.
12. Step 12: Perform analysis task 12 in phase 4. Review all log entries from source 10.0.0.13.
13. Step 13: Perform analysis task 13 in phase 4. Review all log entries from source 10.0.0.14.
14. Step 14: Perform analysis task 14 in phase 4. Review all log entries from source 10.0.0.15.
15. Step 15: Perform analysis task 15 in phase 4. Review all log entries from source 10.0.0.16.
16. Step 16: Perform analysis task 16 in phase 4. Review all log entries from source 10.0.0.17.
17. Step 17: Perform analysis task 17 in phase 4. Review all log entries from source 10.0.0.18.
18. Step 18: Perform analysis task 18 in phase 4. Review all log entries from source 10.0.0.19.
19. Step 19: Perform analysis task 19 in phase 4. Review all log entries from source 10.0.0.20.
20. Step 20: Perform analysis task 20 in phase 4. Review all log entries from source 10.0.0.21.
21. Step 21: Perform analysis task 21 in phase 4. Review all log entries from source 10.0.0.22.
22. Step 22: Perform analysis task 22 in phase 4. Review all log entries from source 10.0.0.23.
23. Step 23: Perform analysis task 23 in phase 4. Review all log entries from source 10.0.0.24.
24. Step 24: Perform analysis task 24 in phase 4. Review all log entries from source 10.0.0.25.
25. Step 25: Perform analysis task 25 in phase 4. Review all log entries from source 10.0.0.26.

26. Step 26: Perform analysis task 26 in phase 4. Review all log entries from source 10.0.0.27.
27. Step 27: Perform analysis task 27 in phase 4. Review all log entries from source 10.0.0.28.
28. Step 28: Perform analysis task 28 in phase 4. Review all log entries from source 10.0.0.29.
29. Step 29: Perform analysis task 29 in phase 4. Review all log entries from source 10.0.0.30.
30. Step 30: Perform analysis task 30 in phase 4. Review all log entries from source 10.0.0.31.
31. Step 31: Perform analysis task 31 in phase 4. Review all log entries from source 10.0.0.32.
32. Step 32: Perform analysis task 32 in phase 4. Review all log entries from source 10.0.0.33.
33. Step 33: Perform analysis task 33 in phase 4. Review all log entries from source 10.0.0.34.
34. Step 34: Perform analysis task 34 in phase 4. Review all log entries from source 10.0.0.35.
35. Step 35: Perform analysis task 35 in phase 4. Review all log entries from source 10.0.0.36.
36. Step 36: Perform analysis task 36 in phase 4. Review all log entries from source 10.0.0.37.
37. Step 37: Perform analysis task 37 in phase 4. Review all log entries from source 10.0.0.38.
38. Step 38: Perform analysis task 38 in phase 4. Review all log entries from source 10.0.0.39.
39. Step 39: Perform analysis task 39 in phase 4. Review all log entries from source 10.0.0.40.
40. Step 40: Perform analysis task 40 in phase 4. Review all log entries from source 10.0.0.41.

Phase 5: Recovery

1. Step 1: Perform analysis task 1 in phase 5. Review all log entries from source 10.0.0.2.
2. Step 2: Perform analysis task 2 in phase 5. Review all log entries from source 10.0.0.3.
3. Step 3: Perform analysis task 3 in phase 5. Review all log entries from source 10.0.0.4.
4. Step 4: Perform analysis task 4 in phase 5. Review all log entries from source 10.0.0.5.
5. Step 5: Perform analysis task 5 in phase 5. Review all log entries from source 10.0.0.6.
6. Step 6: Perform analysis task 6 in phase 5. Review all log entries from source 10.0.0.7.
7. Step 7: Perform analysis task 7 in phase 5. Review all log entries from source 10.0.0.8.
8. Step 8: Perform analysis task 8 in phase 5. Review all log entries from source 10.0.0.9.
9. Step 9: Perform analysis task 9 in phase 5. Review all log entries from source 10.0.0.10.
10. Step 10: Perform analysis task 10 in phase 5. Review all log entries from source 10.0.0.11.
11. Step 11: Perform analysis task 11 in phase 5. Review all log entries from source 10.0.0.12.
12. Step 12: Perform analysis task 12 in phase 5. Review all log entries from source 10.0.0.13.
13. Step 13: Perform analysis task 13 in phase 5. Review all log entries from source 10.0.0.14.
14. Step 14: Perform analysis task 14 in phase 5. Review all log entries from source 10.0.0.15.
15. Step 15: Perform analysis task 15 in phase 5. Review all log entries from source 10.0.0.16.
16. Step 16: Perform analysis task 16 in phase 5. Review all log entries from source 10.0.0.17.

- 17. Step 17: Perform analysis task 17 in phase 5. Review all log entries from source 10.0.0.18.
- 18. Step 18: Perform analysis task 18 in phase 5. Review all log entries from source 10.0.0.19.
- 19. Step 19: Perform analysis task 19 in phase 5. Review all log entries from source 10.0.0.20.
- 20. Step 20: Perform analysis task 20 in phase 5. Review all log entries from source 10.0.0.21.
- 21. Step 21: Perform analysis task 21 in phase 5. Review all log entries from source 10.0.0.22.
- 22. Step 22: Perform analysis task 22 in phase 5. Review all log entries from source 10.0.0.23.
- 23. Step 23: Perform analysis task 23 in phase 5. Review all log entries from source 10.0.0.24.
- 24. Step 24: Perform analysis task 24 in phase 5. Review all log entries from source 10.0.0.25.
- 25. Step 25: Perform analysis task 25 in phase 5. Review all log entries from source 10.0.0.26.
- 26. Step 26: Perform analysis task 26 in phase 5. Review all log entries from source 10.0.0.27.
- 27. Step 27: Perform analysis task 27 in phase 5. Review all log entries from source 10.0.0.28.
- 28. Step 28: Perform analysis task 28 in phase 5. Review all log entries from source 10.0.0.29.
- 29. Step 29: Perform analysis task 29 in phase 5. Review all log entries from source 10.0.0.30.
- 30. Step 30: Perform analysis task 30 in phase 5. Review all log entries from source 10.0.0.31.
- 31. Step 31: Perform analysis task 31 in phase 5. Review all log entries from source 10.0.0.32.
- 32. Step 32: Perform analysis task 32 in phase 5. Review all log entries from source 10.0.0.33.
- 33. Step 33: Perform analysis task 33 in phase 5. Review all log entries from source 10.0.0.34.
- 34. Step 34: Perform analysis task 34 in phase 5. Review all log entries from source 10.0.0.35.
- 35. Step 35: Perform analysis task 35 in phase 5. Review all log entries from source 10.0.0.36.
- 36. Step 36: Perform analysis task 36 in phase 5. Review all log entries from source 10.0.0.37.
- 37. Step 37: Perform analysis task 37 in phase 5. Review all log entries from source 10.0.0.38.
- 38. Step 38: Perform analysis task 38 in phase 5. Review all log entries from source 10.0.0.39.
- 39. Step 39: Perform analysis task 39 in phase 5. Review all log entries from source 10.0.0.40.
- 40. Step 40: Perform analysis task 40 in phase 5. Review all log entries from source 10.0.0.41.

IOC Reference Table

Type	Value	Severity	First Seen
IP	10.0.0.1	HIGH	2026-07-01
IP	10.0.0.2	HIGH	2026-07-02
IP	10.0.0.3	HIGH	2026-07-03

IP	10.0.0.4	HIGH	2026-07-04
IP	10.0.0.5	HIGH	2026-07-05
IP	10.0.0.6	HIGH	2026-07-06
IP	10.0.0.7	HIGH	2026-07-07
IP	10.0.0.8	HIGH	2026-07-08
IP	10.0.0.9	HIGH	2026-07-09
IP	10.0.0.10	HIGH	2026-07-10
IP	10.0.0.11	HIGH	2026-07-11

Forensic Notes

```
Line 1: tcpdump frame analysis result for packet sequence 1000 # Line 2: tcpdump frame analysis
result for packet sequence 2000 # Line 3: tcpdump frame analysis result for packet sequence 3000
Line 4: tcpdump frame analysis result for packet sequence 4000 # Line 5: tcpdump frame analysis result
for packet sequence 5000 # Line 6: tcpdump frame analysis result for packet sequence 6000 # Line
tcpdump frame analysis result for packet sequence 7000 # Line 8: tcpdump frame analysis result for
packet sequence 8000 # Line 9: tcpdump frame analysis result for packet sequence 9000 # Line 10:
tcpdump frame analysis result for packet sequence 10000 # Line 11: tcpdump frame analysis result for
packet sequence 11000 # Line 12: tcpdump frame analysis result for packet sequence 12000 # Line 13:
tcpdump frame analysis result for packet sequence 13000 # Line 14: tcpdump frame analysis result for
packet sequence 14000 # Line 15: tcpdump frame analysis result for packet sequence 15000 # Line 16:
tcpdump frame analysis result for packet sequence 16000 # Line 17: tcpdump frame analysis result for
packet sequence 17000 # Line 18: tcpdump frame analysis result for packet sequence 18000 # Line 19:
tcpdump frame analysis result for packet sequence 19000 # Line 20: tcpdump frame analysis result for
packet sequence 20000 # Line 21: tcpdump frame analysis result for packet sequence 21000 # Line 22:
tcpdump frame analysis result for packet sequence 22000 # Line 23: tcpdump frame analysis result for
packet sequence 23000 # Line 24: tcpdump frame analysis result for packet sequence 24000 # Line 25:
tcpdump frame analysis result for packet sequence 25000 # Line 26: tcpdump frame analysis result for
packet sequence 26000 # Line 27: tcpdump frame analysis result for packet sequence 27000 # Line 28:
tcpdump frame analysis result for packet sequence 28000 # Line 29: tcpdump frame analysis result for
packet sequence 29000
```

[IDS] Snort IDS Rule

```
alert udp any any -> $HOME_NET 53 (msg:"DNS Amplification Attack"; content:"|00 00 ff 00 01|"; threshold:type
both,track by_src,count 100,seconds 10; classtype:attempted-dos; sid:9005001; rev:1;)
```

This document was automatically generated by the PhantomNet Sentinel Platform. It contains sensitive security information and must be handled in accordance with your organisation's information security policy. Playbook ID: **PB-DDOS-0005**. Export timestamp: 2026-08-15 10:46:10 UTC.