

# Spectra for individual channels

Campaign V  
Oleynikov Vladislav  
20 Nov 2018

# Algorithm:

11713f949ea5bffc2f0ceb22d1267b5f314a5af

Merge branch 'barycenter' into 'master'

## Cut list:

```
bool cls0_is_S1 = clusters.at(0)->f90 > 0.2;
bool cls0_is_full = clusters.at(0)->rep == 1;

bool S1_Am_peak = (clusters.at(0)->charge > 440) &&
(clusters.at(0)->charge < 630); // mean +- 1.5sigma using run 537


//bool S1_Am_peak = (clusters.at(0)->charge > 419) &&
(clusters.at(0)->charge < 587); // mean +- 1.5sigma using run 542

//bool S1_Am_peak = (clusters.at(0)->charge > 342) &&
(clusters.at(0)->charge < 482); // mean +- 1.5sigma using run 544

bool cls0 = nc_i == 0; //cluster 0
bool cls1 = nc_i == 1; //cluster 1
bool is_S1 = nc == 2 && cls0 && cls0_is_full && cls0_is_S1;
bool is_S2 = nc == 2 && cls1 && cls0_is_full && cls0_is_S1;
bool is_S1_only = nc == 1 && cls0_is_full && cls0_is_S1;
```


Ph1, Am241, run 399

C1.is\_S1\_only




Ph1, Am241, run 418

C1.is\_S1\_only




Ph1, Am241, run 511

C1.is\_S1\_only




Ph2, Am241, run 537

C1.is\_S1



Ph2, Am241, run 542


C1.is\_S1






Ph2, Am241, run 544

C1.is\_S1




Ph2, Am241, run 550

C1.is\_S1



Ph2, Am241, run 554


C1.is\_S1






# Ph1, Am241, run 399

C1.is\_S1\_only




C1.is\_S1\_only




# Ph1, Am241, run 418

C1.is\_S1\_only




C1.is\_S1\_only




# Ph1, Am241, run 511

C1.is\_S1\_only




C1.is\_S1\_only




# Ph2, Am241, run 537

C1.is\_S1




C1.is\_S1






# Ph2, Am241, run 542

C1.is\_S1




C1.is\_S1



# Ph2, Am241, run 544

C1.is\_S1



C1.is\_S1

