	CrInGe
Let's calculate smth with expression given: $f(x, y) =$	
Firstly, let's insert all constants and simplify it:	
BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT IT!!! IN THE POINT $(x = 3.000, y = 2.000)$ IT'S VALUE = 43.455 !!! 1 step: finding a derivation of function:	
here it is:	
2 step: finding a derivation of function:	
here it is:	
3 step: finding a derivation of function:	
here it is:	
4 step: finding a derivation of function:	
here it is:	
5 step: finding a derivation of function:	
here it is:	
6 step: finding a derivation of function:	
here it is:	
7 step: finding a derivation of function:	
here it is:	3.
Congratulations! The first derivation of the expression is:	3.
IN THE POINT (x = 3.000, y = 2.000)IT'S VALUE = 54.255 !!! Let's calculate the 3 derivation of the expression: Calculating the 1 derivation of the expression: 1 step: finding a derivation of function:	
here it is:	
2 step: finding a derivation of function:	
here it is:	
3 step: finding a derivation of function:	
here it is: 4 step: finding a derivation of function:	
here it is:	
5 step: finding a derivation of function: here it is:	
6 step: finding a derivation of function:	
here it is:	
7 step: finding a derivation of function:	
here it is:	
Calculating the 2 derivation of the expression:	3.
1 step: finding a derivation of function:	
here it is:	
2 step: finding a derivation of function:	
here it is: 3 step: finding a derivation of function:	
here it is:	
4 step: finding a derivation of function:	
here it is:	
5 step: finding a derivation of function:	
here it is:	
6 step: finding a derivation of function:	
here it is:	
7 step: finding a derivation of function:	
here it is:	
8 step: finding a derivation of function:	
here it is:	
9 step: finding a derivation of function:	
here it is:	
10 step: finding a derivation of function:	
here it is:	2.000 ·
11 step: finding a derivation of function:	2.000

GeCrInGeProduction. Supercringe introduction here: $x^{3.000} \cdot \ln\left(x+y\right)$ $x^{3.000} \cdot \ln\left(x+y\right)$ 1.000 x1.000 (x+y)2.000 $\ln\left(x+y\right)$ $2.000 \cdot \frac{1.000}{x+y}$ 1.000 $x^{3.000}$ $3.000 \cdot x^{2.000}$ $x^{3.000} \cdot \ln\left(x+y\right)$ $3.000 \cdot x^{2.000} \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$ $3.000 \cdot x^{2.000} \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$ y1.000 x1.000 (x+y)2.000 $\ln\left(x+y\right)$ $2.000 \cdot \frac{1.000}{x+y}$ 1.000 $x^{3.000}$ $3.000 \cdot x^{2.000}$ $x^{3.000} \cdot \ln\left(x+y\right)$ $3.000 \cdot x^{2.000} \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$ 1.000 $x^{3.000}$ $3.000 \cdot x^{2.000}$ 1.000 x1.000 x + y2.0001.000 0.000 $\frac{1.000}{x+y}$ $\frac{(-1.000) \cdot 2.000}{\left(x+y\right)^{2.000}}$ 2.0000.000 $2.000 \cdot \frac{1.000}{x+y}$ $2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$ $2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$ $0 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$

here it is:	
12 step: finding a derivation of function:	1.000
here it is:	x
13 step: finding a derivation of function:	1.000
here it is:	(x+y)
14 step: finding a derivation of function:	2.000
here it is:	$\ln{(x+y)}$
15 step: finding a derivation of function:	$2.000 \cdot \frac{1.000}{x+y}$
here it is:	x
16 step: finding a derivation of function:	1.000
here it is:	$x^{2.000}$
17 step: finding a derivation of function:	$2.000 \cdot x$
here it is:	3.000
18 step: finding a derivation of function:	0.000
here it is:	$3.000\cdot x^{2.000}$
19 step: finding a derivation of function:	$3.000 \cdot 2.000 \cdot x$
here it is:	$3.000 \cdot x^{2.000} \cdot \ln\left(x + y\right)$
	$3.000 \cdot 2.000 \cdot x \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000}$
20 step: finding a derivation of function:	$3.000 \cdot x^{2.000} \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$
here it is:	$3.000 \cdot 2.000 \cdot x \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000} + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$
Calculating the 3 derivation of the expression:	$x+y (x+y)^{2.000} x+y$
1 step: finding a derivation of function:	y
here it is:	1.000
2 step: finding a derivation of function: here it is:	x
a step: finding a derivation of function:	1.000
here it is:	x + y
4 step: finding a derivation of function:	2.000
here it is:	1.000
5 step: finding a derivation of function:	0.000
o step. midnig a derivation of function.	$\frac{1.000}{x+y}$
here it is:	$\frac{(-1.000) \cdot 2.000}{(x+y)^{2.000}}$
6 step: finding a derivation of function:	(x+y) 2.000
here it is:	0.000
7 step: finding a derivation of function:	
here it is:	$2.000 \cdot \frac{1.000}{x+y}$
	$2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$
8 step: finding a derivation of function:	x
here it is:	1.000
9 step: finding a derivation of function:	$x^{2.000}$
here it is: 10 step: finding a derivation of function:	$2.000 \cdot x$
here it is:	3.000
11 step: finding a derivation of function:	0.000
here it is:	$3.000\cdot x^{2.000}$
12 step: finding a derivation of function:	$3.000 \cdot 2.000 \cdot x$
	$3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$
here it is:	$3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y} + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x^{2.000}$
13 step: finding a derivation of function:	x
here it is:	1.000
14 step: finding a derivation of function:	$x^{3.000}$
here it is:	$3.000\cdot x^{2.000}$
15 step: finding a derivation of function:	y
here it is:	1.000
16 step: finding a derivation of function:	x
here it is:	1.000
17 step: finding a derivation of function:	(x+y)
here it is:	2.000
18 step: finding a derivation of function:	$(x+y)^{2.000}$
here it is:	$2.000 \cdot 2.000 \cdot (x+y)$

19 step: finding a derivation of function:	
here it is:	(-2.000)
20 step: finding a derivation of function:	0.000
20 stop. Intaing a derivation of function.	$\frac{(-2.000)}{\left(x+y ight)^{2.000}}$
here it is:	$\frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot 2.000 \cdot (x+y)}{\left((x+y)^{2.000}\right)^{2.000}}$
21 step: finding a derivation of function:	
here it is:	2.000
22 step: finding a derivation of function:	0.000
	$2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$
here it is:	$2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot 2.000 \cdot (x+y)}{((x+y)^{2.000})^{2.000}}$
23 step: finding a derivation of function:	
here it is:	$2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000}$
	$2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot 2.000 \cdot (x+y)}{\left((x+y)^{2.000}\right)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{(-2.000)}{\left(x+y\right)^{2.000}}$
24 step: finding a derivation of function:	$2.000 \cdot \frac{(-2.000)}{\left(x+y\right)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$
here it is:	
	$2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot 2.000 \cdot (x+y)}{\left((x+y)^{2.000}\right)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} + 3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y} + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x^{2.000}$
25 step: finding a derivation of function:	x
here it is:	1.000
26 step: finding a derivation of function:	$x^{2.000}$
here it is:	$2.000 \cdot x$
27 step: finding a derivation of function:	3.000
here it is:	0.000
28 step: finding a derivation of function:	$3.000\cdot x^{2.000}$
here it is:	$3.000 \cdot 2.000 \cdot x$
29 step: finding a derivation of function:	y
here it is:	1.000
30 step: finding a derivation of function:	x
here it is:	1.000
31 step: finding a derivation of function:	x+y
here it is:	2.000
32 step: finding a derivation of function:	1.000
here it is:	0.000
33 step: finding a derivation of function:	$\underline{1.000}$
here it is:	x+y
34 step: finding a derivation of function:	$\frac{(-1.000) \cdot 2.000}{\left(x+y\right)^{2.000}}$
here it is:	2.000
35 step: finding a derivation of function:	0.000
33 step. initing a derivation of function.	$2.000 \cdot \frac{1.000}{x+y}$
here it is:	$2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$
36 step: finding a derivation of function:	
here it is:	$2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000}$
	$2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x^{2.000} + 3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y}$
37 step: finding a derivation of function:	y
here it is:	1.000
38 step: finding a derivation of function:	x
here it is:	1.000
39 step: finding a derivation of function:	(x+y)
here it is:	2.000
40 step: finding a derivation of function:	$\ln{(x+y)}$
here it is:	$2.000 \cdot \frac{1.000}{x+y}$
41 step: finding a derivation of function:	x
here it is:	1.000
42 step: finding a derivation of function:	2.000
here it is:	0.000
43 step: finding a derivation of function:	$2.000 \cdot x$
here it is:	2.000
44 step: finding a derivation of function:	3.000
here it is:	0.000
45 step: finding a derivation of function:	$3.000 \cdot 2.000 \cdot x$
	$\sigma_{0000} \cdot 2.000 \cdot \mu$

here it is:
6.000

46 step: finding a derivation of function: $3.000 \cdot 2.000 \cdot x \cdot \ln(x+y)$

here it is: $6.000 \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot 2.000 \cdot x$

47 step: finding a derivation of function: $3.000 \cdot 2.000 \cdot x \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000}$

here it is: $6.000 \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot 2.000 \cdot x + 2.000 \cdot \frac{(-2.000)}{{(x+y)}^{2.000}} \cdot 3.000 \cdot x^{2.000} + 3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y}$

 $3.000 \cdot 2.000 \cdot x \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000} + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$ here it is:

 $6.000 \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot 2.000 \cdot x + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y} + 2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot (x+y)}{(x+y)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{(x+y)^{2.000}} + 3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{(x+y)^{2.000}} \cdot 3.000 \cdot x^{2.000} \cdot$

Finally... The 3 derivation of the expression: $\frac{1.000}{(x+y)^{2.000}} \cdot 3.000 \cdot 2.000 \cdot x + 2.000 \cdot \frac{1.000}{(x+y)^{2.000}} \cdot 3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{(x+y)^{2.000}} \cdot \frac{1.0$

 $27.000 \cdot \frac{1.000}{3.000 + y}$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THE 3 DERIVATION OF THIS EXPRESSION!!! IN THE POINT (x = 3.000, y = 2.000)IT'S VALUE = 21.753!!! Partial derivation of the expression on the variable 'x':

 $3.000 \cdot x^{2.000} \cdot \ln{(x + 2.000)} + \frac{1.000}{x + 2.000} \cdot x^{3.000}$

IN THE POINT (x = 3.000, y = 2.000) IT'S VALUE = 48.854824 !!! Partial derivation of the expression on the variable 'y':

IN THE POINT (x = 3.000, y = 2.000) IT'S VALUE = 5.400000 !!! Full derivation: $\sqrt{\left(3.000 \cdot x^{2.000} \cdot \ln{(x + 2.000)} + \frac{1.000}{x + 2.000} \cdot x^{3.000}\right)^{2.000} + \left(27.000 \cdot \frac{1.000}{3.000 + y}\right)^{2.000}}$

IN THE POINT (x = 3.000, y = 2.000)IT'S VALUE = 49.152 !!! Let's consider the expression as a function of x variable: $f(x) = x^{3.000} \cdot \ln(x + 2.000)$

Maklorens formula for x near to 3.000000: $43.455 + 48.855 \cdot (x - 3.000) + 19.345 \cdot (x - 3.000)^{2.000} + 2.941 \cdot (x - 3.000)^{3.000} + 0.081 \cdot (x - 3.000)^{4.000}$

And remaining member is o maloe from: $(x - 3.000)^{4.000}$ Graph f(x):

Tangent equation in point -2.000: $f(x) = (-inf) \cdot (x - (-2.000)) + inf$

Normal equation in point -2.000: $f(x) = 0.000 \cdot (x - (-2.000)) + inf$