CrInGeCrInGe Production. Super cringe introduction here: Let's calculate smth with expression given:

 $\tan x$ 

Firstly, let's insert all constants and simplify it:

 $\tan x$ 

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THIS EXPRESSION IN THE POINT ( $\mathbf{x}=0.000000$ )...

IT'S VALUE = 0.0000000 !!!

Calculating the 1 derivation of the expression:

1 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

2 step: finding a derivation of function:

 $\tan x$ 

here it is:

 $\frac{1.000}{\cos x^{2.000}}$ 

Calculating the 2 derivation of the expression:

1 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

2 step: finding a derivation of function:

 $\cos x$ 

here it is:

 $(-1.000) \cdot \sin x$ 

3 step: finding a derivation of function:

 $\cos x^{2.000}$ 

here it is:

 $2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$ 

4 step: finding a derivation of function:

1.000

0.000

5 step: finding a derivation of function:

 $\frac{1.000}{\cos x^{2.000}}$ 

here it is:

$$\frac{\left(-1.000\right) \cdot 2.000 \cdot \cos x \cdot \left(-1.000\right) \cdot \sin x}{\left(\cos x^{2.000}\right)^{2.000}}$$

Calculating the 3 derivation of the expression:

1 step: finding a derivation of function:

x

here it is:

1.000

2 step: finding a derivation of function:

 $\cos x$ 

here it is:

$$(-1.000) \cdot \sin x$$

3 step: finding a derivation of function:

$$(\cos x^{2.000})$$

here it is:

$$2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

4 step: finding a derivation of function:

$$\left(\cos x^{2.000}\right)^{2.000}$$

here it is:

$$2.000 \cdot \cos x^{2.000} \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

5 step: finding a derivation of function:

x

here it is:

1.000

6 step: finding a derivation of function:

 $\sin x$ 

here it is:

 $\cos x$ 

(-1.000)

here it is:

0.000

8 step: finding a derivation of function:

 $(-1.000) \cdot \sin x$ 

here it is:

 $(-1.000) \cdot \cos x$ 

9 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

10 step: finding a derivation of function:

 $\cos x$ 

here it is:

$$(-1.000) \cdot \sin x$$

11 step: finding a derivation of function:

2.000

here it is:

0.000

12 step: finding a derivation of function:

 $2.000 \cdot \cos x$ 

here it is:

$$2.000 \cdot (-1.000) \cdot \sin x$$

13 step: finding a derivation of function:

$$2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

here it is:

$$2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x$$

14 step: finding a derivation of function:

(-1.000)

0.000

15 step: finding a derivation of function:

$$(-1.000) \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

here it is:

$$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x)$$

16 step: finding a derivation of function:

$$\frac{(-1.000) \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x}{(\cos x^{2.000})^{2.000}}$$

here it is:

$$\frac{\left(-1.000\right)\cdot\left(2.000\cdot\left(-1.000\right)\cdot\sin x\cdot\left(-1.000\right)\cdot\sin x+\left(-1.000\right)\cdot\cos x\cdot2.000\cdot\cos x\right)\cdot\left(\cos x^{2.000}\right)^{2.000}-2.000}{\left(\left(\cos x^{2.000}\right)^{2.000}\right)^{2.000}}$$

Calculating the 4 derivation of the expression:

1 step: finding a derivation of function:

x

here it is:

1.000

2 step: finding a derivation of function:

 $\cos x$ 

here it is:

$$(-1.000) \cdot \sin x$$

3 step: finding a derivation of function:

$$(\cos x^{2.000})$$

here it is:

$$2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

4 step: finding a derivation of function:

$$((\cos x^{2.000})^{2.000})$$

here it is:

$$2.000 \cdot \cos x^{2.000} \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

5 step: finding a derivation of function:

$$\left(\left(\cos x^{2.000}\right)^{2.000}\right)^{2.000}$$

 $2.000 \cdot \left(\cos x^{2.000}\right)^{2.000} \cdot 2.000 \cdot \cos x^{2.000} \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$ 

6 step: finding a derivation of function:

x

here it is:

1.000

7 step: finding a derivation of function:

 $\sin x$ 

here it is:

 $\cos x$ 

8 step: finding a derivation of function:

(-1.000)

here it is:

0.000

9 step: finding a derivation of function:

 $(-1.000) \cdot \sin x$ 

here it is:

 $(-1.000) \cdot \cos x$ 

10 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

11 step: finding a derivation of function:

 $\cos x$ 

here it is:

 $(-1.000) \cdot \sin x$ 

12 step: finding a derivation of function:

2.000

here it is:

0.000

 $2.000 \cdot \cos x$ 

here it is:

$$2.000 \cdot (-1.000) \cdot \sin x$$

14 step: finding a derivation of function:

$$2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

here it is:

$$2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x$$

15 step: finding a derivation of function:

(-1.000)

here it is:

0.000

16 step: finding a derivation of function:

$$(-1.000) \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

here it is:

$$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x)$$

17 step: finding a derivation of function:

x

here it is:

1.000

18 step: finding a derivation of function:

 $\sin x$ 

here it is:

 $\cos x$ 

19 step: finding a derivation of function:

(-1.000)

here it is:

0.000

 $(-1.000) \cdot \sin x$ 

here it is:

 $(-1.000) \cdot \cos x$ 

21 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

22 step: finding a derivation of function:

 $\cos x$ 

here it is:

 $(-1.000) \cdot \sin x$ 

23 step: finding a derivation of function:

2.000

here it is:

0.000

24 step: finding a derivation of function:

 $2.000\cdot\cos x$ 

here it is:

$$2.000 \cdot (-1.000) \cdot \sin x$$

 $25~\mathrm{step:}$  finding a derivation of function:

$$2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

here it is:

$$2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x$$

26 step: finding a derivation of function:

x

here it is:

1.000

27 step: finding a derivation of function:

 $\cos x$ 

$$(-1.000) \cdot \sin x$$

28 step: finding a derivation of function:

 $\cos x^{2.000}$ 

here it is:

$$2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

29 step: finding a derivation of function:

2.000

here it is:

0.000

30 step: finding a derivation of function:

$$2.000\cdot\cos x^{2.000}$$

here it is:

$$2.000 \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

31 step: finding a derivation of function:

$$2.000 \cdot \cos x^{2.000} \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

here it is:

$$2.000 \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x + (2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot (-1.000)$$

32 step: finding a derivation of function:

$$2.000 \cdot \cos x^{2.000} \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot (-1$$

here it is:

$$(2.000 \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x + (2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot (-1.000$$

 $33~{\rm step} \colon$  finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

34 step: finding a derivation of function:

 $\cos x$ 

here it is:

$$(-1.000) \cdot \sin x$$

 $(\cos x^{2.000})$ 

here it is:

$$2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

36 step: finding a derivation of function:

$$(\cos x^{2.000})^{2.000}$$

here it is:

$$2.000 \cdot \cos x^{2.000} \cdot 2.000 \cdot \cos x \cdot (-1.000) \cdot \sin x$$

37 step: finding a derivation of function:

x

here it is:

1.000

38 step: finding a derivation of function:

 $\cos x$ 

here it is:

$$(-1.000) \cdot \sin x$$

39 step: finding a derivation of function:

2.000

here it is:

0.000

40 step: finding a derivation of function:

 $2.000 \cdot \cos x$ 

here it is:

$$2.000 \cdot (-1.000) \cdot \sin x$$

41 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

42 step: finding a derivation of function:

 $\cos x$ 

$$(-1.000) \cdot \sin x$$

43 step: finding a derivation of function:

(-1.000)

here it is:

0.000

44 step: finding a derivation of function:

 $(-1.000) \cdot \cos x$ 

here it is:

$$(-1.000) \cdot (-1.000) \cdot \sin x$$

45 step: finding a derivation of function:

$$(-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x$$

here it is:

$$(-1.000) \cdot (-1.000) \cdot \sin x \cdot 2.000 \cdot \cos x + 2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \cos x$$

46 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

47 step: finding a derivation of function:

 $\sin x$ 

here it is:

 $\cos x$ 

48 step: finding a derivation of function:

(-1.000)

here it is:

0.000

49 step: finding a derivation of function:

 $(-1.000) \cdot \sin x$ 

here it is:

 $(-1.000) \cdot \cos x$ 

 $\boldsymbol{x}$ 

here it is:

1.000

51 step: finding a derivation of function:

 $\sin x$ 

here it is:

 $\cos x$ 

52 step: finding a derivation of function:

(-1.000)

here it is:

0.000

53 step: finding a derivation of function:

 $(-1.000) \cdot \sin x$ 

here it is:

 $(-1.000) \cdot \cos x$ 

54 step: finding a derivation of function:

2 000

here it is:

0.000

55 step: finding a derivation of function:

 $2.000 \cdot (-1.000) \cdot \sin x$ 

here it is:

$$2.000 \cdot (-1.000) \cdot \cos x$$

56 step: finding a derivation of function:

$$2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x$$

here it is:

 $2.000 \cdot (-1.000) \cdot \cos x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x$ 

57 step: finding a derivation of function:

$$(2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x)$$

 $2.000 \cdot (-1.000) \cdot \cos x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot (-1.000) \cdot \sin x + (-1.000) \cdot$ 

58 step: finding a derivation of function:

$$(-1.000)$$

here it is:

0.000

59 step: finding a derivation of function:

$$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x)$$

here it is:

$$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot \cos x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot ($$

60 step: finding a derivation of function:

$$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot \sin x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot \cos x) \cdot (\cos x^{2.000})^{2.000}$$

here it is:

$$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot \cos x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot ($$

61 step: finding a derivation of function:

$$\left(-1.000\right)\cdot \left(2.000\cdot \left(-1.000\right)\cdot \sin x\cdot \left(-1.000\right)\cdot \sin x+\left(-1.000\right)\cdot \cos x\cdot 2.000\cdot \cos x\right)\cdot \left(\cos x^{2.000}\right)^{2.000}-2.000\cdot \cos x$$

here it is:

$$((-1.000) \cdot (2.000 \cdot (-1.000) \cdot \cos x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot (-$$

62 step: finding a derivation of function:

$$\frac{\left(-1.000\right)\cdot \left(2.000\cdot \left(-1.000\right)\cdot \sin x\cdot \left(-1.000\right)\cdot \sin x+\left(-1.000\right)\cdot \cos x\cdot 2.000\cdot \cos x\right)\cdot \left(\cos x^{2.000}\right)^{2.000}-2.000}{\left(\left(\cos x^{2.000}\right)^{2.000}\right)^{2.000}}$$

here it is:

$$\left(\left((-1.000)\cdot (2.000\cdot (-1.000)\cdot \cos x\cdot (-1.000)\cdot \sin x + (-1.000)\cdot \cos x\cdot 2.000\cdot (-1.000)\cdot (-1$$

Finally... The 4 derivation of the expression:

$$(((-1.000) \cdot (2.000 \cdot (-1.000) \cdot \cos x \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot \sin x + (-1.000) \cdot \cos x \cdot 2.000 \cdot (-1.000) \cdot (-1.00$$

## BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THE 4 DERIVATION OF THIS EXPRESSION IN THE POINT (x = 0.000000)...

 $IT'S\ VALUE = 0.0000000\ !!!$ 

Partial derivation of the expression on the variable 'x':

$$\frac{1.000}{\cos x^{2.000}}$$

IN THE POINT (x = 0.000000) IT'S VALUE = 1.000000 !!! Maklorens formula:

$$x + 0.333 \cdot x^{3.000} + 0.133 \cdot x^{5.000}$$

And remainig member is o maloe from:

 $x^{6.000}$