

Let’s calculate smth with a given function: $f(x, y) = x \cdot y^{2.000}$
Firstly, let’s insert all constants and simplify this expression: $f(x, y) = x \cdot y^{2.000}$
BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT IT!!!
In the point (x = 3.000, y = 2.000) it’s value = 12.000
Personally, I’ve always thought about first derivation of something like that function... Haven’t you?
But now, by using informatics and math skills I feel that I’m prepared enough to calculate it!
1 step. finding a derivation:

$$y$$

While preparing for exams, I learned a lot of new things, for example::

$$1.000$$

2 step. finding a derivation:

$$y^{2.000}$$

It’s really easy to find:

$$2.000 \cdot y$$

3 step. finding a derivation:

$$x$$

My roommate mumbled it in his sleep all night:

$$1.000$$

4 step. finding a derivation:

$$x \cdot y^{2.000}$$

Sounds logical that it is the same as:

$$y^{2.000} + 2.000 \cdot y \cdot x$$

Congratulations! The first derivation of the expression is:

$$y^{2.000} + 2.000 \cdot y \cdot x$$

In the point (x = 3.000, y = 2.000) it’s value = 16.000
Let’s calculate the 3 derivation of the expression:
Calculating the 1 derivation of the expression:
1 step. finding a derivation:

$$y$$

For centuries, people have hunted for the secret knowledge that:

$$1.000$$

2 step. finding a derivation:

$$y^{2.000}$$

Sounds logical that it is the same as:

$$2.000 \cdot y$$

3 step. finding a derivation:

$$x$$

It’s really easy to find:

$$1.000$$

4 step. finding a derivation:

$$x \cdot y^{2.000}$$

My roommate mumbled it in his sleep all night:

$$y^{2.000} + 2.000 \cdot y \cdot x$$

Calculating the 2 derivation of the expression:
1 step. finding a derivation:

$$x$$

What if it equals:

$$1.000$$

2 step. finding a derivation:

$$y$$

It’s really easy to find:

$$1.000$$

3 step. finding a derivation:

$$2.000$$

Even my two-aged sister knows that it equals:

$$0.000$$

4 step. finding a derivation:

$$2.000 \cdot y$$

When I was child, my father always told me: ”Remember, son:

$$2.000$$

5 step. finding a derivation:

$$2.000 \cdot y \cdot x$$

I spend the hole of my life to find the answer and finally it’s:

$$2.000 \cdot x + 2.000 \cdot y$$

6 step. finding a derivation:

$$y$$

Man... Just look:

$$1.000$$

7 step. finding a derivation:

$$y^{2.000}$$

For centuries, people have hunted for the secret knowledge that:

$$2.000 \cdot y$$

8 step. finding a derivation:

$$y^{2.000} + 2.000 \cdot y \cdot x$$

It's really easy to find:

$$2.000 \cdot y + 2.000 \cdot x + 2.000 \cdot y$$

Calculating the 3 derivation of the expression:

1 step. finding a derivation:

$$y$$

It's simple as fuck:

$$1.000$$

2 step. finding a derivation:

$$2.000$$

thanks to the results of my colleagues' scientific work, I know that it equals:

$$0.000$$

3 step. finding a derivation:

$$2.000 \cdot y$$

When I was child, my father always told me: "Remember, son:

$$2.000$$

4 step. finding a derivation:

$$x$$

It's really easy to find:

$$1.000$$

5 step. finding a derivation:

$$2.000$$

I was asked not to tell anyone that:

$$0.000$$

6 step. finding a derivation:

$$2.000 \cdot x$$

For centuries, people have hunted for the secret knowledge that:

$$2.000$$

7 step. finding a derivation:

$$2.000 \cdot x + 2.000 \cdot y$$

My roommate mumbled it in his sleep all night:

$$4.000$$

8 step. finding a derivation:

$$y$$

What if it equals:

$$1.000$$

9 step. finding a derivation:

$$2.000$$

Even my two-aged sister knows that it equals:

$$0.000$$

10 step. finding a derivation:

$$2.000 \cdot y$$

I spend the hole of my life to find the answer and finally it's:

$$2.000$$

11 step. finding a derivation:

$$2.000 \cdot y + 2.000 \cdot x + 2.000 \cdot y$$

Even my two-aged sister knows that it equals:

$$6.000$$

Finally... The 3 derivation of the expression:

$$6.000$$

BRITISH SCIENTISTS WERE SHOCKED AGAIN, WHEN THEY COUNT THE 3 DERIVATION OF THIS EXPRESSION!!!

In the point (x = 3.000, y = 2.000) it's value = 6.000

Partial derivation of the expression on the variable 'x':

$$\frac{\partial f}{\partial x} = 4.000$$

In the point (x = 3.000, y = 2.000) it's value = 4.000000 !!!

Partial derivation of the expression on the variable 'y':

$$\frac{\partial f}{\partial y} = 3.000 \cdot 2.000 \cdot y$$

In the point $(x = 3.000, y = 2.000)$ it's value = 12.000000 !!!

Full derivation:

$$\sqrt{16.000 + (3.000 \cdot 2.000 \cdot y)^{2.000}}$$

In the point $(x = 3.000, y = 2.000)$ it's value = 12.649 !!!

Let's consider the expression as a function of x variable: $f(x) = 4.000 \cdot x$

Maklorens formula for $x \rightarrow 3.000$: $f(x) = 12.000 + 4.000 \cdot (x - 3.000) + o((x - 3.000)^{4.000})$

Graph $f(x)$:

Tangent equation in point -2.000:

$$f(x) = 4.000 \cdot (x - (-2.000)) + (-8.000)$$

$$\text{Normal equation in point -2.000: } f(x) = (-0.250) \cdot (x - (-2.000)) + (-8.000)$$