CrInGeCrInGe Production. Super cringe introduction here: Let's calculate smth with expression given:

$$x^{2.000} \cdot y^{2.000} \cdot z^{3.000}$$

Firstly, let's insert all constants and simplify it:

$$x^{2.000} \cdot y^{2.000} \cdot z^{3.000}$$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THIS EXPRESSION IN THE POINT ($x=1.000000,\,y=2.000000,\,z=3.000000$)...

IT'S VALUE = 108.000000 !!!

Calculating the 1 derivation of the expression:

1 step: finding a derivation of function:

z

here it is:

1.000

2 step: finding a derivation of function:

 $z^{3.000}$

here it is:

 $3.000 \cdot z^{2.000}$

3 step: finding a derivation of function:

y

here it is:

1.000

4 step: finding a derivation of function:

 $y^{2.000}$

here it is:

 $2.000 \cdot y$

5 step: finding a derivation of function:

 $y^{2.000} \cdot z^{3.000}$

here it is:

 $2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000}$

6 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

7 step: finding a derivation of function:

2.000

here it is:

 $2.000 \cdot x$

8 step: finding a derivation of function:

 $x^{2.000} \cdot y^{2.000} \cdot z^{3.000}$

here it is:

 $2.000 \cdot x \cdot y^{2.000} \cdot z^{3.000} + (2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000}) \cdot x^{2.000}$

Calculating the 2 derivation of the expression:

1 step: finding a derivation of function:

x

here it is:

1.000

2 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

3 step: finding a derivation of function:

y

here it is:

1.000

4 step: finding a derivation of function:

 $y^{2.000}$

here it is:

 $2.000 \cdot y$

5 step: finding a derivation of function:

z

here it is:

1.000

6 step: finding a derivation of function:

 $z^{2.000}$

here it is:

 $2.000 \cdot z$

7 step: finding a derivation of function:

3.000

here it is:

0.000

8 step: finding a derivation of function:

 $3.000\cdot z^{2.000}$

here it is:

 $3.000 \cdot 2.000 \cdot z$

9 step: finding a derivation of function:

 $3.000 \cdot z^{2.000} \cdot y^{2.000}$

here it is:

 $3.000 \cdot 2.000 \cdot z \cdot y^{2.000} + 2.000 \cdot y \cdot 3.000 \cdot z^{2.000}$

10 step: finding a derivation of function:

z

here it is:

1.000

11 step: finding a derivation of function:

 $z^{3.000}$

here it is:

 $3.000 \cdot z^{2.000}$

12 step: finding a derivation of function:

y

here it is:

1.000

13 step: finding a derivation of function:

2.000

here it is:

0.000

14 step: finding a derivation of function:

 $2.000 \cdot y$

here it is:

2.000

15 step: finding a derivation of function:

$$2.000 \cdot y \cdot z^{3.000}$$

here it is:

$$2.000 \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot 2.000 \cdot y$$

16 step: finding a derivation of function:

$$(2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000})$$

here it is:

$$2.000 \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot 2.000 \cdot y + 3.000 \cdot 2.000 \cdot z \cdot y^{2.000} + 2.000 \cdot y \cdot 3.000 \cdot z^{2.000}$$

17 step: finding a derivation of function:

$$(2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000}) \cdot x^{2.000}$$

here it is:

$$\left(2.000 \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot 2.000 \cdot y + 3.000 \cdot 2.000 \cdot z \cdot y^{2.000} + 2.000 \cdot y \cdot 3.000 \cdot z^{2.000}\right) \cdot x^{2.000} + 2.000 \cdot z^{2.000} + 2.000 \cdot z^{2$$

18 step: finding a derivation of function:

z

here it is:

1.000

19 step: finding a derivation of function:

 $z^{3.000}$

here it is:

$$3.000 \cdot z^{2.000}$$

20 step: finding a derivation of function:

y

here it is:

1.000

21 step: finding a derivation of function:

 $y^{2.000}$

here it is:

 $2.000 \cdot y$

22 step: finding a derivation of function:

$$y^{2.000} \cdot z^{3.000}$$

here it is:

$$2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000}$$

23 step: finding a derivation of function:

x

here it is:

1.000

24 step: finding a derivation of function:

2.000

here it is:

0.000

25 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

26 step: finding a derivation of function:

$$2.000 \cdot x \cdot y^{2.000} \cdot z^{3.000}$$

here it is:

$$2.000 \cdot y^{2.000} \cdot z^{3.000} + (2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000}) \cdot 2.000 \cdot x$$

27 step: finding a derivation of function:

$$2.000 \cdot x \cdot y^{2.000} \cdot z^{3.000} + (2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000}) \cdot x^{2.000}$$

here it is:

$$2.000 \cdot y^{2.000} \cdot z^{3.000} + (2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000}) \cdot 2.000 \cdot x + (2.000 \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot 2.000 \cdot z^{2.000}) \cdot 2.000 \cdot x + (2.000 \cdot z^{3.000} + 3.000 \cdot z^{2.000}) \cdot 2.000 \cdot z^{2.000} \cdot z^{2.0$$

Finally... The 2 derivation of the expression:

$$2.000 \cdot y^{2.000} \cdot z^{3.000} + (2.000 \cdot y \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot y^{2.000}) \cdot 2.000 \cdot x + (2.000 \cdot z^{3.000} + 3.000 \cdot z^{2.000} \cdot 2.000 \cdot z^{2.000}) \cdot 2.000 \cdot x + (2.000 \cdot z^{3.000} + 3.000 \cdot z^{2.000}) \cdot 2.000 \cdot z^{2.000} \cdot z^{2.0$$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THE 2 DERIVATION OF THIS EXPRESSION IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000)...

IT'S VALUE = 1422.0000000 !!!

Partial derivation of the expression on the variable 'x':

$$108.000\cdot 2.000\cdot x$$

IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000) IT'S VALUE = 216.000000 !!!

Partial derivation of the expression on the variable 'y':

$$27.000 \cdot 2.000 \cdot y$$

IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000) IT'S VALUE = 108.000000 !!!

Partial derivation of the expression on the variable 'z':

$$4.000 \cdot 3.000 \cdot z^{2.000}$$

IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000) IT'S VALUE = 108.000000 !!!

Full derivation:

$$\left(108.000 \cdot 2.000 \cdot x\right)^{2.000} + \left(27.000 \cdot 2.000 \cdot y\right)^{2.000} + \left(4.000 \cdot 3.000 \cdot z^{2.000}\right)^{2.000}$$

IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000)...

IT'S VALUE = 69984.0000000 !!!

Maklorens formula for x near to 1.000000:

$$108.000 + 216.000 \cdot (x - 1.000) + 108.000 \cdot (x - 1.000)^{2.000}$$

And remainig member is o maloe from:

$$(x - 1.000)^{3.000}$$