CrInGeCrInGe Production. Super cringe introduction here: Let's calculate smth with expression given: f(x) =

$$7.000\cdot x^{4.000}$$

Firstly, let's insert all constants and simplify it:

$$7.000 \cdot x^{4.000}$$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT IT!!! IN THE POINT (x = 3.000)IT'S VALUE = 567.000!!!

1 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

2 step: finding a derivation of function:

 $x^{4.000}$

here it is:

 $4.000\cdot x^{3.000}$

3 step: finding a derivation of function:

7.000

here it is:

0.000

4 step: finding a derivation of function:

 $7.000 \cdot x^{4.000}$

here it is:

 $7.000 \cdot 4.000 \cdot x^{3.000}$

Congratulations! The first derivation of the expression is:

 $7.000 \cdot 4.000 \cdot x^{3.000}$

IN THE POINT (x = 3.000)IT'S VALUE = 756.000 !!! Let's calculate the 2 derivation of the expression: Calculating the 1 derivation of the expression: 1 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

2 step: finding a derivation of function:

 $r^{4.000}$

here it is:

 $4.000\cdot x^{3.000}$

3 step: finding a derivation of function:

7.000

here it is:

0.000

4 step: finding a derivation of function:

 $7.000\cdot x^{4.000}$

here it is:

 $7.000 \cdot 4.000 \cdot x^{3.000}$

Calculating the 2 derivation of the expression: 1 step: finding a derivation of function:

x

here it is:

1.000

2 step: finding a derivation of function:

 $x^{3.000}$

here it is:

 $3.000 \cdot x^{2.000}$

3 step: finding a derivation of function:

4.000

here it is:

0.000

4 step: finding a derivation of function:

 $4.000\cdot x^{3.000}$

here it is:

 $4.000\cdot 3.000\cdot x^{2.000}$

5 step: finding a derivation of function:

7.000

here it is:

0.000

6 step: finding a derivation of function:

$$7.000 \cdot 4.000 \cdot x^{3.000}$$

here it is:

$$7.000 \cdot 4.000 \cdot 3.000 \cdot x^{2.000}$$

Finally... The 2 derivation of the expression:

$$7.000 \cdot 4.000 \cdot 3.000 \cdot x^{2.000}$$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THE 2 DERIVATION OF THIS EXPRESSION!!! IN THE POINT (x = 3.000)IT'S VALUE = 756.000!!!

Partial derivation of the expression on the variable 'x':

$$7.000 \cdot 4.000 \cdot x^{3.000}$$

IN THE POINT (x = 3.000) IT'S VALUE = 756.000000 !!!

Full derivation:

$$\sqrt{(7.000 \cdot 4.000 \cdot x^{3.000})^{2.000}}$$

IN THE POINT (x = 3.000)IT'S VALUE = 756.000 !!!

Let's consider the expression as a function of x variable: f(x) =

$$7.000 \cdot x^{4.000}$$

Maklorens formula for x near to 3.000000:

$$567.000 + 756.000 \cdot (x - 3.000) + 378.000 \cdot (x - 3.000)^{2.000} + 84.000 \cdot (x - 3.000)^{3.000}$$

And remaining member is o maloe from:

$$(x - 3.000)^{3.000}$$

Graph f(x):

Tangent equation in point 1.000: f(x) =

$$28.000 \cdot (x - 1.000) + 7.000$$

Normal equation in point 1.000: f(x) =

$$(-0.036) \cdot (x - 1.000) + 7.000$$