CrInGeCrInGe Production. Super cringe introduction here: Let's calculate smth with expression given:

$$\frac{x^{2.000} \cdot y}{z}$$

Firstly, let's insert all constants and simplify it:

$$\frac{x^{2.000} \cdot y}{z}$$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THIS EXPRESSION IN THE POINT ($x=1.000000,\,y=2.000000,\,z=3.000000$)...

IT'S VALUE = 0.666667 !!!

Calculating the 1 derivation of the expression:

1 step: finding a derivation of function:

z

here it is:

1.000

2 step: finding a derivation of function:

y

here it is:

1.000

3 step: finding a derivation of function:

x

here it is:

1.000

4 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

5 step: finding a derivation of function:

 $x^{2.000} \cdot y$

here it is:

 $2.000 \cdot x \cdot y + x^{2.000}$

6 step: finding a derivation of function:

 $\frac{x^{2.000} \cdot y}{7}$

$$\frac{\left(2.000 \cdot x \cdot y + x^{2.000}\right) \cdot z - x^{2.000} \cdot y}{z^{2.000}}$$

Calculating the 2 derivation of the expression: 1 step: finding a derivation of function:

z

here it is:

1.000

2 step: finding a derivation of function:

 $z^{2.000}$

here it is:

 $2.000 \cdot z$

3 step: finding a derivation of function:

y

here it is:

1.000

4 step: finding a derivation of function:

x

here it is:

1.000

5 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

6 step: finding a derivation of function:

 $x^{2.000} \cdot y$

here it is:

 $2.000 \cdot x \cdot y + x^{2.000}$

7 step: finding a derivation of function:

z

here it is:

 \boldsymbol{x}

here it is:

1.000

9 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

10 step: finding a derivation of function:

y

here it is:

1.000

11 step: finding a derivation of function:

x

here it is:

1.000

12 step: finding a derivation of function:

2.000

here it is:

0.000

13 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

14 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

 $2.000 \cdot y + 2.000 \cdot x$

15 step: finding a derivation of function:

 $(2.000 \cdot x \cdot y + x^{2.000})$

$$(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$$

16 step: finding a derivation of function:

$$(2.000 \cdot x \cdot y + x^{2.000}) \cdot z$$

here it is:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})$$

17 step: finding a derivation of function:

$$(2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y$$

here it is:

$$(((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})$$

18 step: finding a derivation of function:

$$\frac{\left(2.000 \cdot x \cdot y + x^{2.000}\right) \cdot z - x^{2.000} \cdot y}{z^{2.000}}$$

here it is:

$$\frac{\left(\left(\left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})\right) - (2.000 \cdot x \cdot y + x^{2.000})\right) \cdot z^{2.000} - 2.000 \cdot z}{\left(z^{2.000}\right)^{2.000}}$$

Calculating the 3 derivation of the expression:

1 step: finding a derivation of function:

z

here it is:

1.000

2 step: finding a derivation of function:

 $(z^{2.000})$

here it is:

$$2.000 \cdot z$$

3 step: finding a derivation of function:

$$(z^{2.000})^{2.000}$$

here it is:

$$2.000 \cdot z^{2.000} \cdot 2.000 \cdot z$$

4 step: finding a derivation of function: yhere it is: 1.000 5 step: finding a derivation of function: xhere it is: 1.000 6 step: finding a derivation of function: $x^{2.000}$ here it is: $2.000 \cdot x$ 7 step: finding a derivation of function: here it is: $2.000 \cdot x \cdot y + x^{2.000}$ 8 step: finding a derivation of function: zhere it is: 1.000 9 step: finding a derivation of function: xhere it is:

: 10 15.

1.000

10 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

11 step: finding a derivation of function:

y

1.000

12 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

13 step: finding a derivation of function:

2.000

here it is:

0.000

14 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

15 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

$$2.000 \cdot y + 2.000 \cdot x$$

16 step: finding a derivation of function:

$$(2.000 \cdot x \cdot y + x^{2.000})$$

here it is:

$$(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$$

17 step: finding a derivation of function:

$$(2.000 \cdot x \cdot y + x^{2.000}) \cdot z$$

here it is:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})$$

18 step: finding a derivation of function:

$$((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y)$$

here it is:

$$(((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})$$

z

here it is:

1.000

20 step: finding a derivation of function:

2.000

here it is:

0.000

21 step: finding a derivation of function:

 $2.000 \cdot z$

here it is:

2.000

22 step: finding a derivation of function:

$$2.000 \cdot z \cdot ((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y)$$

here it is:

$$2.000 \cdot ((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y) + ((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000}) \cdot z) + ((2.000 \cdot x \cdot y + x^{2.000}) \cdot$$

23 step: finding a derivation of function:

z

here it is:

1.000

24 step: finding a derivation of function:

 $z^{2.000}$

here it is:

 $2.000 \cdot z$

25 step: finding a derivation of function:

x

here it is:

1.000

26 step: finding a derivation of function:

 $x^{2.000}$

 $2.000 \cdot x$

27 step: finding a derivation of function:

y

here it is:

1.000

28 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

29 step: finding a derivation of function:

2.000

here it is:

0.000

30 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

31 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

 $2.000 \cdot y + 2.000 \cdot x$

32 step: finding a derivation of function:

 $(2.000 \cdot x \cdot y + x^{2.000})$

here it is:

 $(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$

33 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

35 step: finding a derivation of function:

y

here it is:

1.000

36 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

37 step: finding a derivation of function:

2.000

here it is:

0.000

38 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

39 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

 $2.000 \cdot y + 2.000 \cdot x$

40 step: finding a derivation of function:

 $(2.000 \cdot x \cdot y + x^{2.000})$

here it is:

 $(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$

41 step: finding a derivation of function:

z

1.000

42 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

43 step: finding a derivation of function:

2.000

here it is:

0.000

44 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

45 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

46 step: finding a derivation of function:

2.000

here it is:

0.000

47 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

48 step: finding a derivation of function:

y

here it is:

2.000

here it is:

0.000

50 step: finding a derivation of function:

$$2.000 \cdot y$$

here it is:

2.000

51 step: finding a derivation of function:

$$(2.000 \cdot y + 2.000 \cdot x)$$

here it is:

4.000

52 step: finding a derivation of function:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

here it is:

6.000

53 step: finding a derivation of function:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z$$

here it is:

$$6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

54 step: finding a derivation of function:

$$(((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$(6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

55 step: finding a derivation of function:

$$((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) - ((2.000 \cdot y + 2.000 \cdot x)) - ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot x + 2.$$

56 step: finding a derivation of function:

$$((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000})$$

$$\left(\left((6.000 \cdot z + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x + 2.0$$

57 step: finding a derivation of function:

$$((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000}) \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z \cdot z + (2.000 \cdot x \cdot y + x^{2.000}) \cdot z \cdot z + (2$$

here it is:

$$\left(\left(\left((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) - ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x)) + ((2.000$$

58 step: finding a derivation of function:

$$\frac{\left(\left(\left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})\right) - \left(2.000 \cdot x \cdot y + x^{2.000}\right)\right) \cdot z^{2.000} - 2.000 \cdot z}{\left(z^{2.000}\right)^{2.000}}$$

here it is:

$$\left(\left(\left(\left((6.000 \cdot z + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x + 2.000 \cdot x$$

Calculating the 4 derivation of the expression:

1 step: finding a derivation of function:

z

here it is:

1.000

2 step: finding a derivation of function:

 $(z^{2.000})$

here it is:

$$2.000 \cdot z$$

3 step: finding a derivation of function:

$$((z^{2.000})^{2.000})$$

here it is:

$$2.000 \cdot z^{2.000} \cdot 2.000 \cdot z$$

4 step: finding a derivation of function:

$$\big(\big(z^{2.000}\big)^{2.000}\big)^{2.000}$$

here it is:

$$2.000 \cdot \left(z^{2.000}\right)^{2.000} \cdot 2.000 \cdot z^{2.000} \cdot 2.000 \cdot z$$

y

here it is:

1.000

6 step: finding a derivation of function:

x

here it is:

1.000

7 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

8 step: finding a derivation of function:

 $x^{2.000} \cdot y$

here it is:

 $2.000 \cdot x \cdot y + x^{2.000}$

9 step: finding a derivation of function:

z

here it is:

1.000

10 step: finding a derivation of function:

x

here it is:

1.000

11 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

12 step: finding a derivation of function:

y

1.000

13 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

14 step: finding a derivation of function:

2.000

here it is:

0.000

15 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

16 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

$$2.000 \cdot y + 2.000 \cdot x$$

17 step: finding a derivation of function:

$$(2.000 \cdot x \cdot y + x^{2.000})$$

here it is:

$$(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$$

18 step: finding a derivation of function:

$$(2.000 \cdot x \cdot y + x^{2.000}) \cdot z$$

here it is:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})$$

19 step: finding a derivation of function:

$$((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y)$$

here it is:

$$(((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})$$

z

here it is:

1.000

21 step: finding a derivation of function:

2.000

here it is:

0.000

22 step: finding a derivation of function:

 $2.000 \cdot z$

here it is:

2.000

23 step: finding a derivation of function:

$$2.000 \cdot z \cdot ((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y)$$

here it is:

$$2.000 \cdot ((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y) + ((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000}) \cdot z) + (2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y) + (((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x) \cdot z + (2.000 \cdot x) \cdot z) + (2.000 \cdot x) \cdot z + (2.000$$

24 step: finding a derivation of function:

z

here it is:

1.000

25 step: finding a derivation of function:

 $z^{2.000}$

here it is:

 $2.000 \cdot z$

26 step: finding a derivation of function:

x

here it is:

1.000

27 step: finding a derivation of function:

 $x^{2.000}$

 $2.000 \cdot x$

28 step: finding a derivation of function:

y

here it is:

1.000

29 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

30 step: finding a derivation of function:

2.000

here it is:

0.000

31 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

32 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

 $2.000 \cdot y + 2.000 \cdot x$

33 step: finding a derivation of function:

 $(2.000 \cdot x \cdot y + x^{2.000})$

here it is:

 $(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$

 $34~\rm step:$ finding a derivation of function:

 \boldsymbol{x}

here it is:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

36 step: finding a derivation of function:

y

here it is:

1.000

37 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

38 step: finding a derivation of function:

2.000

here it is:

0.000

39 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

40 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

$$2.000 \cdot y + 2.000 \cdot x$$

41 step: finding a derivation of function:

 $(2.000 \cdot x \cdot y + x^{2.000})$

here it is:

$$(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$$

42 step: finding a derivation of function:

z

1.000

43 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

44 step: finding a derivation of function:

2.000

here it is:

0.000

45 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

46 step: finding a derivation of function:

x

here it is:

1.000

47 step: finding a derivation of function:

2.000

here it is:

0.000

48 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

49 step: finding a derivation of function:

y

here it is:

2.000

here it is:

0.000

51 step: finding a derivation of function:

$$2.000 \cdot y$$

here it is:

2.000

52 step: finding a derivation of function:

$$(2.000 \cdot y + 2.000 \cdot x)$$

here it is:

4.000

53 step: finding a derivation of function:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

here it is:

6.000

54 step: finding a derivation of function:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z$$

here it is:

$$6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

55 step: finding a derivation of function:

$$(((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$(6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

56 step: finding a derivation of function:

$$((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) - ((2.000 \cdot y + 2.000 \cdot x)) - ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot x + 2.$$

57 step: finding a derivation of function:

$$((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000})$$

 $\left(\left((6.000 \cdot z + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + (2.000 \cdot x)$

58 step: finding a derivation of function:

 $((((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot x \cdot y + x^{2.000})) \cdot z^{2.000} - 2.000 \cdot x \cdot y + x^{2.000})$

here it is:

 $\left(\left(\left((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + 2.000 \cdot x)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot x) + (2.000 \cdot x) + (2.000 \cdot x) + ((2.000 \cdot x) + (2.000 \cdot x) + ((2.000 \cdot x) + (2.000 \cdot x) + (2.000 \cdot x) + ((2.000 \cdot x) + (2.000 \cdot x) + (2.$

59 step: finding a derivation of function:

z

here it is:

1.000

60 step: finding a derivation of function:

2.000

here it is:

0.000

61 step: finding a derivation of function:

 $2.000 \cdot z$

here it is:

2.000

62 step: finding a derivation of function:

z

here it is:

1.000

63 step: finding a derivation of function:

 $z^{2.000}$

here it is:

 $2.000 \cdot z$

64 step: finding a derivation of function:

2.000

here it is:

$$2.000 \cdot z^{2.000}$$

here it is:

$$2.000 \cdot 2.000 \cdot z$$

66 step: finding a derivation of function:

$$2.000 \cdot z^{2.000} \cdot 2.000 \cdot z$$

here it is:

$$2.000 \cdot 2.000 \cdot z \cdot 2.000 \cdot z + 2.000 \cdot 2.000 \cdot z^{2.000}$$

67 step: finding a derivation of function:

$$2.000 \cdot z^{2.000} \cdot 2.000 \cdot z \cdot (((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$(2.000 \cdot 2.000 \cdot z \cdot 2.000 \cdot z + 2.000 \cdot 2.000 \cdot z^{2.000}) \cdot (((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + 2.000 \cdot x) \cdot z + (2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot$$

68 step: finding a derivation of function:

z

here it is:

1.000

69 step: finding a derivation of function:

 $(z^{2.000})$

here it is:

 $2.000 \cdot z$

70 step: finding a derivation of function:

$$(z^{2.000})^{2.000}$$

here it is:

$$2.000 \cdot z^{2.000} \cdot 2.000 \cdot z$$

71 step: finding a derivation of function:

z

here it is:

1.000

72 step: finding a derivation of function:

0.000

73 step: finding a derivation of function:

 $2.000 \cdot z$

here it is:

2.000

74 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

75 step: finding a derivation of function:

2.000

here it is:

 $2.000 \cdot x$

76 step: finding a derivation of function:

y

here it is:

1.000

77 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

78 step: finding a derivation of function:

2.000

here it is:

0.000

79 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

 $2.000 \cdot x \cdot y$

here it is:

 $2.000 \cdot y + 2.000 \cdot x$

81 step: finding a derivation of function:

 $(2.000 \cdot x \cdot y + x^{2.000})$

here it is:

 $(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$

82 step: finding a derivation of function:

x

here it is:

1.000

83 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

84 step: finding a derivation of function:

y

here it is:

1.000

85 step: finding a derivation of function:

x

here it is:

1.000

86 step: finding a derivation of function:

2.000

here it is:

0.000

87 step: finding a derivation of function:

 $2.000 \cdot x$

2.000

88 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

 $2.000 \cdot y + 2.000 \cdot x$

89 step: finding a derivation of function:

 $(2.000 \cdot x \cdot y + x^{2.000})$

here it is:

 $(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$

90 step: finding a derivation of function:

z

here it is:

1.000

91 step: finding a derivation of function:

x

here it is:

1.000

92 step: finding a derivation of function:

2.000

here it is:

0.000

93 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

94 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

2.000

here it is:

0.000

96 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

97 step: finding a derivation of function:

y

here it is:

1.000

98 step: finding a derivation of function:

2.000

here it is:

0.000

99 step: finding a derivation of function:

 $2.000 \cdot y$

here it is:

2.000

100 step: finding a derivation of function:

 $(2.000 \cdot y + 2.000 \cdot x)$

here it is:

4.000

101 step: finding a derivation of function:

 $((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$

here it is:

6.000

102 step: finding a derivation of function:

 $((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z$

$$6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

103 step: finding a derivation of function:

$$(((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$(6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

104 step: finding a derivation of function:

$$((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$\left(\left(6.000 \cdot z + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) - \left(\left(2.000 \cdot y + 2.000 \cdot x\right)\right)$$

105 step: finding a derivation of function:

$$((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) \cdot 2.000 \cdot z$$

here it is:

$$\left(\left((6.000 \cdot z + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)$$

106 step: finding a derivation of function:

y

here it is:

1.000

107 step: finding a derivation of function:

x

here it is:

1.000

108 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

109 step: finding a derivation of function:

 $x^{2.000} \cdot y$

 $2.000 \cdot x \cdot y + x^{2.000}$

110 step: finding a derivation of function:

z

here it is:

1.000

111 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

112 step: finding a derivation of function:

2.000

here it is:

 $2.000 \cdot x$

113 step: finding a derivation of function:

y

here it is:

1.000

114 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

115 step: finding a derivation of function:

2.000

here it is:

0.000

116 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

$$2.000 \cdot x \cdot y$$

here it is:

$$2.000 \cdot y + 2.000 \cdot x$$

118 step: finding a derivation of function:

$$(2.000 \cdot x \cdot y + x^{2.000})$$

here it is:

$$(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$$

119 step: finding a derivation of function:

$$(2.000 \cdot x \cdot y + x^{2.000}) \cdot z$$

here it is:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})$$

120 step: finding a derivation of function:

$$((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y)$$

here it is:

$$(((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})$$

121 step: finding a derivation of function:

2.000

here it is:

0.000

122 step: finding a derivation of function:

$$2.000 \cdot ((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y)$$

here it is:

$$2.000 \cdot ((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000}))$$

123 step: finding a derivation of function:

$$(2.000 \cdot ((2.000 \cdot x \cdot y + x^{2.000}) \cdot z - x^{2.000} \cdot y) + ((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000}) \cdot z +$$

here it is:

$$2.000 \cdot ((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) + (((6.000 \cdot x \cdot y + x^{2.000})) + ((6.000 \cdot x \cdot y + x^{2.000})) + (6.000 \cdot x \cdot y + x^{2.000})) + ($$

 \boldsymbol{x}

here it is:

1.000

125 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

126 step: finding a derivation of function:

y

here it is:

1.000

127 step: finding a derivation of function:

x

here it is:

1.000

128 step: finding a derivation of function:

2.000

here it is:

0.000

129 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

130 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

 $2.000 \cdot y + 2.000 \cdot x$

131 step: finding a derivation of function:

 $(2.000 \cdot x \cdot y + x^{2.000})$

$$(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$$

132 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

133 step: finding a derivation of function:

 $x^{2.000}$

here it is:

 $2.000 \cdot x$

134 step: finding a derivation of function:

y

here it is:

1.000

135 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

136 step: finding a derivation of function:

2.000

here it is:

0.000

137 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

138 step: finding a derivation of function:

 $2.000 \cdot x \cdot y$

here it is:

 $2.000 \cdot y + 2.000 \cdot x$

 $(2.000 \cdot x \cdot y + x^{2.000})$

here it is:

 $(2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x$

140 step: finding a derivation of function:

z

here it is:

1.000

141 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

142 step: finding a derivation of function:

2.000

here it is:

0.000

143 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

144 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

1.000

145 step: finding a derivation of function:

2.000

here it is:

0.000

146 step: finding a derivation of function:

 $2.000 \cdot x$

2.000

147 step: finding a derivation of function:

y

here it is:

1.000

148 step: finding a derivation of function:

2.000

here it is:

0.000

149 step: finding a derivation of function:

 $2.000 \cdot y$

here it is:

2.000

150 step: finding a derivation of function:

$$(2.000 \cdot y + 2.000 \cdot x)$$

here it is:

4.000

151 step: finding a derivation of function:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

here it is:

6.000

152 step: finding a derivation of function:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z$$

here it is:

$$6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

153 step: finding a derivation of function:

$$(((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$(6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

$$((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) - ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) - ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x) + 2.000 \cdot x)$$

155 step: finding a derivation of function:

2.

here it is:

1.000

156 step: finding a derivation of function:

2.000

here it is:

0.000

157 step: finding a derivation of function:

 $2.000 \cdot z$

here it is:

2.000

158 step: finding a derivation of function:

$$2.000 \cdot z \cdot ((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000}))$$

here it is:

$$2.000 \cdot ((((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) \cdot z + (2.000 \cdot x \cdot y + x^{2.000})) - (2.000 \cdot x \cdot y + x^{2.000})) + (((6.000 \cdot x \cdot y + x^{2.000})) + ((6.000 \cdot x \cdot y + x^{2.000}))) + ((6.000 \cdot x \cdot y + x^{2.000})) + ((6.000 \cdot x \cdot y + x^{2.000})) + ((6.00$$

159 step: finding a derivation of function:

z

here it is:

1.000

160 step: finding a derivation of function:

 $z^{2.000}$

here it is:

 $2.000 \cdot z$

 \boldsymbol{x}

here it is:

1.000

162 step: finding a derivation of function:

2.000

here it is:

0.000

163 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

164 step: finding a derivation of function:

x

here it is:

1.000

165 step: finding a derivation of function:

2.000

here it is:

0.000

166 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

167 step: finding a derivation of function:

y

here it is:

1.000

168 step: finding a derivation of function:

0.000

169 step: finding a derivation of function:

 $2.000 \cdot y$

here it is:

2.000

170 step: finding a derivation of function:

 $(2.000 \cdot y + 2.000 \cdot x)$

here it is:

4.000

171 step: finding a derivation of function:

 $((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$

here it is:

6.000

172 step: finding a derivation of function:

x

here it is:

1.000

173 step: finding a derivation of function:

2.000

here it is:

0.000

174 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

175 step: finding a derivation of function:

 \boldsymbol{x}

here it is:

2.000

here it is:

0.000

177 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

178 step: finding a derivation of function:

y

here it is:

1.000

179 step: finding a derivation of function:

2.000

here it is:

0.000

180 step: finding a derivation of function:

 $2.000 \cdot y$

here it is:

2.000

181 step: finding a derivation of function:

 $(2.000 \cdot y + 2.000 \cdot x)$

here it is:

4.000

182 step: finding a derivation of function:

 $((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$

here it is:

6.000

183 step: finding a derivation of function:

 \boldsymbol{x}

1.000

184 step: finding a derivation of function:

2.000

here it is:

0.000

185 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

186 step: finding a derivation of function:

x

here it is:

1.000

187 step: finding a derivation of function:

2.000

here it is:

0.000

188 step: finding a derivation of function:

 $2.000 \cdot x$

here it is:

2.000

189 step: finding a derivation of function:

y

here it is:

1.000

190 step: finding a derivation of function:

2.000

here it is:

 $2.000 \cdot y$

here it is:

2.000

192 step: finding a derivation of function:

 $(2.000 \cdot y + 2.000 \cdot x)$

here it is:

4.000

193 step: finding a derivation of function:

$$((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)$$

here it is:

6.000

194 step: finding a derivation of function:

z

here it is:

1.000

195 step: finding a derivation of function:

6.000

here it is:

0.000

196 step: finding a derivation of function:

 $6.000 \cdot z$

here it is:

6.000

197 step: finding a derivation of function:

$$(6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x))$$

here it is:

12.000

198 step: finding a derivation of function:

$$((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x))$$

18.000

199 step: finding a derivation of function:

$$\left(\left(\left(6.000 \cdot z + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) - \left(\left(2.000 \cdot y + 2.000 \cdot x\right)\right)$$

here it is:

12.000

200 step: finding a derivation of function:

$$\left(\left((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot x + 2$$

here it is:

$$12.000 \cdot z^{2.000} + 2.000 \cdot z \cdot (((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y +$$

201 step: finding a derivation of function:

$$\left(\left(\left((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) - ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x)) + ((2.000$$

here it is:

$$(12.000 \cdot z^{2.000} + 2.000 \cdot z \cdot (((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot x) + (2.000 \cdot x)) + ((2.000 \cdot x) + ($$

202 step: finding a derivation of function:

$$\left(\left(\left(\left((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) - ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x) + 2.000 \cdot x)) + ((2.0$$

here it is:

$$\left(\left(12.000 \cdot z^{2.000} + 2.000 \cdot z \cdot \left(\left(\left(6.000 \cdot z + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + \left(\left(2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x$$

203 step: finding a derivation of function:

$$\left(\left(\left(\left((6.000 \cdot z + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x + 2.000 \cdot x + 2.000 \cdot x + 2.000 \cdot x) + 2.000 \cdot x + 2.000$$

here it is:

$$\left(\left((12.000 \cdot z^{2.000} + 2.000 \cdot z \cdot \left(\left((6.000 \cdot z + \left((2.000 \cdot y + 2.000 \cdot x\right) + 2.000 \cdot x\right)\right) + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right)\right) + \left((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x\right) + 2.000 \cdot x\right) + 2.000 \cdot x +$$

204 step: finding a derivation of function:

$$\left(\left(\left(\left((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) - ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)\right) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot x) + 2.000 \cdot$$

here it is:

$$((((12.000 \cdot z^{2.000} + 2.000 \cdot z \cdot (((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot z + ((2.000 \cdot z + ((2.000 \cdot z + ((2.000 \cdot z + (2.000 \cdot z + ((2.000 \cdot z + ((2.000$$

$$\left(\left(\left(\left((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x) + 2.000 \cdot x\right)\right) - \left((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot x) + (2.000 \cdot x)) + ((2.000 \cdot x) + (2.000 \cdot x) + (2.000 \cdot x)) + ((2.000 \cdot x) + (2.000 \cdot x) + (2.000$$

here it is:

$$(((((12.000 \cdot z^{2.000} + 2.000 \cdot z \cdot (((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot y + 2.000 \cdot x)) + ((2.000 \cdot x + 2.000 \cdot x$$

Finally... The 4 derivation of the expression:

$$\left(\left(\left(((12.000 \cdot z^{2.000} + 2.000 \cdot z \cdot (((6.000 \cdot z + ((2.000 \cdot y + 2.000 \cdot x) + 2.000 \cdot x)) + ((2.000 \cdot y + 2.000 \cdot x) + ((2.000 \cdot x) + (2.000 \cdot$$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THE 4 DERIVATION OF THIS EXPRESSION IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000)...

IT'S VALUE = -0.395062!!!

Partial derivation of the expression on the variable 'x':

$$\frac{3.000 \cdot 2.000 \cdot 2.000 \cdot x}{9.000}$$

IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000) IT'S VALUE = 1.333333 !!!

Partial derivation of the expression on the variable 'y':

0.333

IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000) IT'S VALUE = 0.333333 !!!

Partial derivation of the expression on the variable 'z':

$$\frac{(-2.000)}{z^{2.000}}$$

IN THE POINT (x = 1.000000, y = 2.000000, z = 3.000000) IT'S VALUE = -0.222222 !!!