CrInGeCrInGe Production. Super cringe introduction here: Let's calculate smth with expression given:

 $x \cdot x$ 

Firstly, let's insert all constants and simplify it:

 $x \cdot x$ 

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THIS EXPRESSION IN THE POINT (x = 1.000000)...

IT'S VALUE = 1.0000000 !!!

Calculating the 1 derivation of the expression:

1 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

2 step: finding a derivation of function:

x

here it is:

1.000

3 step: finding a derivation of function:

 $x \cdot x$ 

here it is:

x + x

Calculating the 2 derivation of the expression:

1 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

2 step: finding a derivation of function:

 $\boldsymbol{x}$ 

here it is:

1.000

3 step: finding a derivation of function:

x + x

here it is:

2.000

Finally... The 2 derivation of the expression:

2.000

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THE 2 DERIVATION OF THIS EXPRESSION IN THE POINT (x = 1.000000)...

IT'S VALUE = 2.000000 !!!

Partial derivation of the expression on the variable 'x':

x + x

IN THE POINT (x = 1.000000) IT'S VALUE = 2.000000 !!! Maklorens formula:

$$1.000 + 2.000 \cdot (x - 1.000) + (x - 1.000)^{2.000}$$

And remaining member is o maloe from:

$$(x - 1.000)^{3.000}$$