Enkät – Läsbarhet av test

Exempel 1

Läs igenom nedanstående:

```
import com.sigma.qsab.gui.runner.GUIRunner;
import com.sigma.qsab.gui.runner.FESTGUIRunner;
import org.junit.After;
import org.junit.Before;
import org.junit.Test;
public class JUnitRegisterTest {
    private static GUIRunner runner;
    private String firstName;
    private String lastName;
    private String socialID;
    private String street;
    private String zipCode;
    private String city;
    private String phone;
    private String cellPhone;
    private String email;
    private String password;
    @BeforeClass
    public static void setUpOnce() {
        runner = new FESTGUIRunner();
    @Before
    public void setUp() {
        runner.initiateGUIRunner();
    public void tearDown() {
        runner.tearDownGUIRunner();
        cleanCustomersData();
    @Test
    public void testRegisterFillOut() {
        findFormulary();
        firstName = "Test";
        lastName = "Testsson";
socialID = "121212-1212";
        street = "Testgatan 55";
        zipCode = "12345";
city = "Testort";
        phone = "08-123456";
        cellPhone = "073-123456";
        email = "test@test.com";
        password = "123456";
        fillOutRegisterFormulary();
        assertFormulary();
        login();
        assertLoggedIn();
    }
```

Förstår du vad exempel 1 går ut på?

 \Box Ja

□ Nej

Exempel 2

Läs igenom nedanstående:

```
*** Test Cases ***
Register customer
    # Customers must register before he can use the services provided
    Given a customer with the first name "Test", last name "Testsson", social id "121212-1212"
          that lives on "Testgatan 55" with the zip code "12345" in "Testort", have the
          phone number "08-123456", cellphone number "073-123456", email "test@test.com"
          and will be using the password "123456"
    When a customer fills out the register sheet and clicks "Nästa"
    Then a new customer is created
Log in
    # A registered customer logs in
    Given a customer with the social id "121212-1212" and the password "123456"
    When the customer tries to log in
    Then he succeeds
Delete customer from database (cleaning)
    # We don't want the test customers to remain in the database
    Given a customer with the first name "Test", last name "Testsson", social id "121212-1212"
          that lives on "Testgatan 55" with the zip code "12345" in "Testort", have the
          phone number "08-123456", cellphone number "073-123456", email "test@test.com"
          and will be using the password "123456"
    When the customer is deleted
    Then it cease to exist
*** Settings ***
Library
                 com.sigma.qsab.gui.RobotFrameworkRegisterTest
Test Setup
Test Teardown
                 tear Down
*** Keywords ***
a customer with the first name "${firstName}", last name "${lastName}", social id "${socialID}", that lives on "${street}" with the zip code "${zipCode}" in "${city}", have the
phone number "${phone}", cellphone number "${cellphone}", email "${email}" and will be using
the password "${password}"
    prepare Register Strings ${firstName} ${lastName} ${socialID} ${street} ${zipCode}
${city} ${phone} ${cellphone} ${email} ${password}
a customer with the social id "${socialID}" and the password "${password}"
    prepare Login Strings ${socialID} ${password}
a customer fills out the register sheet and click "Nästa"
    fill Out Register Form
When the bug "${glitch}" is selected and a customer fills out the register sheet and click
    fill Out Register Form With Selected Bug ${glitch}
the customer tries to log in
    loa In
the customer is deleted
    delete Customer
a new customer is created
    check If Customer Exists
he succeeds
   verify Logged In
it cease to exist
    verify Deleted Customer
```

Fö	orstår du vad exempel 2 går ut på?
	Ja
	Nej

Exempel 3

Läs igenom nedanstående:

```
# language: sv
Egenskap: Kundregistrering
  Kunder måste registrera sig innan de kan använda tjänsten.
Scenario: Registrering
    Givet en kund med förnamnet "Test", efternamnet "Testsson", personnumret "121212-1212", som bor på gatan "Testgatan 55" med postnummer "12345" och orten "Testort", har
           telefonnumret "08-123456", mobilnumret "073-123456", mejladressen "test@test.com" och använder lösenordet "123456"
    När kunden fyller i registreringsformuläret och klickar "Nästa"
    Så skapas en ny kund med ovanstående information
Scenario: Logga in
    Givet en kund med personnumret "121212-1212" och lösenordet "123456"
    När kunden försöker logga in
    Så lyckas han
Scenario: Städning av databas
    Givet en kund med förnamnet "Test", efternamnet "Testsson", personnumret "121212-1212",
           som bor på gatan "Testgatan 55" med postnummer "12345" och orten "Testort", har
           telefonnumret "08-123456", mobilnumret "073-123456", mejladressen "test@test.com"
           och använder lösenordet "123456"
    När kunden raderas
    Så finns han inte längre kvar
Förstår du vad exempel 3 går ut på?
```

 \Box Ja □ Nej

Uppföljningsfrågor	
Ålder:	
Yrke:	
Programmeringsvana (sätt ett k	ryss längs linjen):
Ingen	Stor
Rangordna de tre exempel du lä	ist efter lätthet i att förstå:
1	
2	
3	

Vad är det som gör ditt förstaval lättare att förstå än de andra två?