

Table of Contents

CD	1
Experience	1
ExperienceCreatedDTO	2
ExperienceUpdatedDTO	2
FieldError	2
Issue	2
IssueComment	4
IssueCommentCreatedDTO	5
IssueCommentUpdatedDTO	5
IssueCreatedDTO	5
IssueCriteriaDTO	6
IssueImportDTO	7
IssueImportTemplate	7
IssueProperty	8
IssuePropertyDefinition	9
IssueRecord	10
IssueTransferDTO	10
IssueUpdatedDTO	10
JsonListResponseBodyÇExperienceË	12
JsonListResponseBodyÇIssueCommentË	12
JsonListResponseBodyÇIssuePropertyDefinitionË	13
JsonListResponseBodyÇIssueRecordË	13
JsonListResponseBodyÇIssueË	13
JsonListResponseBodyÇTagË	14
JsonObjectResponseBodyÇExperienceË	14
JsonObjectResponseBodyÇIssueImportTemplateË	15
JsonObjectResponseBodyÇIssuePropertyDefinitionË	15
JsonObjectResponseBodyÇIssueË	16
JsonObjectResponseBodyÇTagË	16
JsonResponseBody	16
JsonResponseError	17
Meta	17
PropertyDTO	18
PropertyDefinitionCreatedDTO	18
PropertyDefinitionUpdatedDTO	18
ReferenceData	18
Tag	18
TagCreatedDTO	19

! "

Experience

# \$	%&	' (
attachment ! "	! " ID	string
createdAt ! "	# \$ %&	string
createdBy ! "	# \$ ' ()	ReferenceData
deleted ! "	* + , - . /	boolean
deletedAt ! "	. / %&	string
deletedBy ! "	. / ' ()	ReferenceData
description ! "	O 1	string
id ! "	2 3 ID	string
lastModifiedAt ! "	4 5 6 7 %&	string
lastModifiedBy ! "	4 5 6 7 ' ()	ReferenceData
no ! "	8 9 : ; < =	string
orgId ! "	> ? ID	string
projectId ! "	@A ID	string
properties ! "	BCDE F	< IssueProperty > array
props ! "	BCDE F GH	string
status ! "	I J 2 3 K L	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
title ! "	M;	string
type ! "	: ; NO	enum (ISSUE, EXPERIENCE)
version ! "	6 7 PQRST UVWX	integer (int64)

ExperienceCreateDTO

# \$	%&	' (
attachment ! "	! "	string
description ! "	Y Z [\ O 1	string
no ! "	< =	string
properties ! "	B C D E F G H	< PropertyDTO > array
title ! "	Y Z [\ M;	string

ExperienceUpdateDTO

# \$	%&	' (
attachment ! "	! "	string
description ! "	Y Z [\ O 1	string
no ! "	< =	string
properties ! "	B C D E F G H	< PropertyDTO > array
title ! "	Y Z [\ M;	string

FieldError

# \$	%&	' (
message ! "] ^ O 1	string
name ! "	_ `] ^ a b c	string
type ! "] ^ N O	string

Issue

# \$	%&	' (
area ! "	d e	string
attachment ! "	! " ID	string

# \$	%&	' (
batchNo ! "	f g h i < =	string
cleanPackage ! "	j k l	string
createdAt ! "	# \$ % &	string
createdBy ! "	# \$ ' ()	ReferenceData
deleted ! "	* + , - . /	boolean
deletedAt ! "	. / % &	string
deletedBy ! "	. / ' ()	ReferenceData
department ! "	m n o p	ReferenceData
description ! "	O 1	string
entities ! "	2 3	string
externalInspectNo ! "	q r < =	string
id ! "	2 3 ID	string
inspectionRecord ! "	s Z t	string
lastModifiedAt ! "	4 5 6 7 % &	string
lastModifiedBy ! "	4 5 6 7 ' ()	ReferenceData
layer ! "	u	string
leader ! "	m n v	ReferenceData
level ! "	w x y z	enum (A, B, C)
members ! "	{ v	< ReferenceData > array
no ! "	8 9 : ; < =	string
orgId ! "	> ? ID	string
owner ! "		ReferenceData

# \$	%&	' (
planFinishTime ! "	} ~ • € %&	string (date-time)
pressureTestPa ckage ! "	• ,	string
priority ! "	f „ z	enum (LOW, MEDIUM, HIGH)
process ! "	...†	string
projectId ! "	@A ID	string
properties ! "	BCDE F	< IssueProperty > array
props ! "	BCDE F GH	string
source ! "	‡ ^	enum (QC, OWNER, THIRD_PARTY)
status ! "	I J 2 3 K L	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
subSystem ! "	%Š <	string
title ! "	M;	string
type ! "	: ; NO	enum (ISSUE, EXPERIENCE)
version ! "	6 7 PQRST UVWX	integer (int64)

IssueComment

# \$	%&	' (
comment ! "		string
createdAt ! "	# \$ %&	string
createdBy ! "	# \$ ' ()	ReferenceData
deleted ! "	* + , - . /	boolean
deletedAt ! "	. / %&	string
deletedBy ! "	. / ' ()	ReferenceData

# \$	%&	' (
id !"	2 3 ID	string
issued !"		string
lastModifiedAt !"	4 5 6 7 %&	string
lastModifiedBy !"	4 5 6 7 ' ()	ReferenceData
status !"	I J 2 3 K L	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
version !"	6 7 P Q R S T U V W X	integer (int64)

IssueCommentCreateDTO

# \$	%&	' (
comment !"	Œ•	string

IssueCommentUpdateDTO

# \$	%&	' (
comment !"	Œ•	string

IssueCreateDTO

# \$	%&	' (
area !"	d e	string
attachment !"	!"	string
cleanPackage !"	j k l	string
department !"	{ v ž • o p	string
description !"	Y Z [\ O 1	string
entities !"	2 3	string

# \$	%&	' (
externalInspectNo !"	q r < =	string
inspectionRecord !"	s Z t	string
layer !"	u	string
leader !"	• mv	string
level !"	w x y z	enum (A, B, C)
members !"	{ v	< string > array
no !"	< =	string
owner !"	' ' v	string
planFinishTime !"	" } • €" •	string (date-time)
pressureTestPackage !"	• , l	string
priority !"	f , z	enum (LOW, MEDIUM, HIGH)
process !"	...†	string
properties !"	B C D E F G H	< PropertyDTO > array
source !"	‡ ^	enum (QC, OWNER, THIRD_PARTY)
status !"	K L	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
subSystem !"	%Š <	string
title !"	Y Z [\ M;	string

IssueCriteriaDTO

# \$	%&	' (
createdAtEndTime !"	# \$ – —" •	string (date-time)

# \$	%&	' (
createdAtStart Time !"	# \$ ~ ™ " •	string (date-time)
creatorId !"	# \$ ' ID	string
finishedEndTi me !"	• € – — %&	string (date-time)
finishedStartTi me !"	• € " ~ ™ %&	string (date-time)
issueIds !"	: ; ID GH	< string > array
keyword !"	š > b	string
leaderId !"	mn v ID	string
participantId !"	œ • ' ID	string
props !"	BCD b c ž Ÿ " REF ID: j X	string
source !"	: ; ‡ ^	< enum (QC, OWNER, THIRD_PARTY) > array
status !"	K L	< enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED) > array

IssueImportDTO

# \$	%&	' (
fileName !"	¢ % £ " ¤	string

IssueImportTemplate

# \$	%&	' (
createdAt !"	# \$ %&	string
createdBy !"	# \$ ' ()	ReferenceData
deleted !"	* + , - . /	boolean

# \$	%&	' (
deletedAt ! "	. / %&	string
deletedBy ! "	. / ' ()	ReferenceData
fileId ! "	f g £" ID	string
id ! "	2 3 ID	string
issueType ! "	: ; NO	enum (ISSUE, EXPERIENCE)
lastModifiedAt ! "	4 5 6 7 %&	string
lastModifiedBy ! "	4 5 6 7 ' ()	ReferenceData
projectId ! "	@A ID	string
propertyName s ! "	f g £" ID	string
status ! "	I J 2 3 K L	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
version ! "	6 7 P Q R S T U V W X	integer (int64)

IssueProperty

# \$	%&	' (
createdAt ! "	# \$ %&	string
id ! "	2 3 ID	string
issueId ! "	: ; ID	string
lastModifiedAt ! "	4 5 6 7 %&	string
propertyId ! "	E F ID	string
propertyName ! "	E F α ¥	string
propertyType ! "	E F NO	enum (TEXT, OPTIONS_SINGLE, OPTIONS_MULTIPLE)

# \$	%&	' (
status !"	I J 23KL	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
values !"	E F i	string

IssuePropertyDefinition

# \$	%&	' (
createdAt !"	# \$ %&	string
createdBy !"	# \$ ' ()	ReferenceData
deleted !"	* +, - . /	boolean
deletedAt !"	. / %&	string
deletedBy !"	. / ' ()	ReferenceData
id !"	2 3 ID	string
issueType !"	: ; NO	enum (ISSUE, EXPERIENCE)
lastModifiedAt !"	4 5 6 7 %&	string
lastModifiedBy !"	4 5 6 7 ' ()	ReferenceData
name !"	E F α ¥	string
options !"		< string > array
orgId !"	> ? ID	string
projectId !"	@A ID	string
propertyType !"	NO	enum (TEXT, OPTIONS_SINGLE, OPTIONS_MULTIPLE)
status !"	I J 23KL	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
version !"	6 7 PQRST UVWX	integer (int64)

IssueRecord

# \$	%&	' (
content ! "		string
createdAt ! "	# \$ %&	string
createdBy ! "	# \$ ' ()	ReferenceData
deleted ! "	* + , - . /	boolean
deletedAt ! "	. / %&	string
deletedBy ! "	. / ' ()	ReferenceData
id ! "	2 3 ID	string
issuelid ! "		string
lastModifiedAt ! "	4 5 6 7 %&	string
lastModifiedBy ! "	4 5 6 7 ' ()	ReferenceData
status ! "	I J 2 3 K L	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
version ! "	6 7 P Q R S T U V W X	integer (int64)

IssueTransferDTO

# \$	%&	' (
comment ! "	\$ " ©	string
issues ! "	: ; G H	< string > array
leader ! "	• mv	string

IssueUpdatedDTO

# \$	%&	' (
area ! "	d e	string

# \$	%&	' (
attachment ! "	! "	string
cleanPackage ! "	j k l	string
department ! "	{ v ž • o p	string
description ! "	Y Z [\ O 1	string
entities ! "	2 3	string
externalInspectionNo ! "	q r < =	string
inspectionRecord ! "	s Z t	string
layer ! "	u	string
leader ! "	• m v	string
level ! "	w x y z	enum (A, B, C)
members ! "	€ ^a	< string > array
no ! "	< =	string
planFinishTime ! "	" } • € " •	string (date-time)
pressureTestPackage ! "	• , l	string
priority ! "	f „ z	enum (LOW, MEDIUM, HIGH)
process ! "	... †	string
properties ! "	B C D E F G H	< PropertyDTO > array
source ! "	‡ ^	enum (QC, OWNER, THIRD_PARTY)
status ! "	K L	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
subSystem ! "	% Š <	string

# \$	%&	' (
title !"	Y Z [\ M;	string

JsonListResponseBodyÇExperienceÈ

# \$	%&	' (
accessToken !"	« ¬ - : ® ¯	string
data !"	ž Ÿ – °	< Experience > array
error !"] ^ ()	JsonResponseError
included !"	± « J	object
links !"	² š ³ ´	< string, string > map
meta !"	ž Ÿ µ J	Meta
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonListResponseBodyÇIssueCommentÈ

# \$	%&	' (
accessToken !"	« ¬ - : ® ¯	string
data !"	ž Ÿ – °	< IssueComment > array
error !"] ^ ()	JsonResponseError
included !"	± « J	object
links !"	² š ³ ´	< string, string > map
meta !"	ž Ÿ µ J	Meta
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonListResponseBodyÇIssuePropertyDefinition

# \$	%&	' (
accessToken !"	« ¬ - : ® -	string
data !"	ž Ÿ – °	< IssuePropertyDefinition > array
error !"] ^ ()	JsonResponseError
included !"	± « J	object
links !"	² š ³ ´	< string, string > map
meta !"	ž Ÿ µ J	Meta
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonListResponseBodyÇIssueRecord

# \$	%&	' (
accessToken !"	« ¬ - : ® -	string
data !"	ž Ÿ – °	< IssueRecord > array
error !"] ^ ()	JsonResponseError
included !"	± « J	object
links !"	² š ³ ´	< string, string > map
meta !"	ž Ÿ µ J	Meta
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonListResponseBodyÇIssue

# \$	%&	' (
accessToken ! "	« ¬ - : ® ¯	string
data ! "	ž Ÿ – °	< Issue > array
error ! "] ^ ()	JsonResponseError
included ! "	± « J	object
links ! "	² Š ³ ´	< string, string > map
meta ! "	ž Ÿ µ J	Meta
status ! "	HTTP K L ¶	integer (int32)
success ! "	· ¸ * + € ¹	boolean

JsonListResponseBodyÇTagÈ

# \$	%&	' (
accessToken ! "	« ¬ - : ® ¯	string
data ! "	ž Ÿ – °	< Tag > array
error ! "] ^ ()	JsonResponseError
included ! "	± « J	object
links ! "	² Š ³ ´	< string, string > map
meta ! "	ž Ÿ µ J	Meta
status ! "	HTTP K L ¶	integer (int32)
success ! "	· ¸ * + € ¹	boolean

JsonObjectResponseBodyÇExperienceÈ

# \$	%&	' (
accessToken ! "	« ¬ - : ® ¯	string
data ! "	° » J	Experience

# \$	%&	' (
error !"] ^ ()	JsonResponseError
included !"	± « J	object
links !"	2 Š 3 ´	< string, string > map
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonObjectResponseBodyÇIssueImportTemplateÈ

# \$	%&	' (
accessToken !"	« ¬ - : ® ¯	string
data !"	° » J	IssueImportTemplate
error !"] ^ ()	JsonResponseError
included !"	± « J	object
links !"	2 Š 3 ´	< string, string > map
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonObjectResponseBodyÇIssuePropertyDefinitionÈ

# \$	%&	' (
accessToken !"	« ¬ - : ® ¯	string
data !"	° » J	IssuePropertyDefinition
error !"] ^ ()	JsonResponseError
included !"	± « J	object
links !"	2 Š 3 ´	< string, string > map
status !"	HTTP K L ¶	integer (int32)

# \$	%&	' (
success !"	· ¸ * + € ¹	boolean

JsonObjectResponseBodyÇIssueÈ

# \$	%&	' (
accessToken !"	« ¬ - : ® ¯	string
data !"	° » j	Issue
error !"] ^ ()	JsonResponseError
included !"	± « j	object
links !"	² š ³ ´	< string, string > map
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonObjectResponseBodyÇTagÈ

# \$	%&	' (
accessToken !"	« ¬ - : ® ¯	string
data !"	° » j	Tag
error !"] ^ ()	JsonResponseError
included !"	± « j	object
links !"	² š ³ ´	< string, string > map
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonResponseBody

# \$	%&	' (
accessToken !"	« ¬ - : ® ¯	string

# \$	%&	' (
error !"] ^ ()	JsonResponseError
status !"	HTTP K L ¶	integer (int32)
success !"	· ¸ * + € ¹	boolean

JsonResponseError

# \$	%&	' (
code !"] ^ ¼ ¶	string
errors !"] ^ GH	< JsonResponseError > array
fields !"	_ ` ½ Z] ^ a b c a GH	< FieldError > array
message !"] ^ ¾)	string
status !"	HTTP K L ¶	integer (int32)

Meta

# \$	%&	' (
count !"	I J ¿ I	integer (int64)
hasNextPage !"	* + Å • Á Â Ã	boolean
hasPreviousPage !"	* + Å • Ä Å Ã	boolean
isFirstPage !"		boolean
isLastPage !"		boolean
pageNo !"	Å Æ Ã =	integer (int32)
pageSize !"	Ç Ã È É	integer (int32)
pages !"	I J ¿ Ã I	integer (int32)

PropertyDTO

# \$	%&	' (
propertyDefinitionId	BCDEFCDID	string
values	ÊËaEFi	< string > array

PropertyDefinitionCreateDTO

# \$	%&	' (
issueType	: ; NO	enum (ISSUE, EXPERIENCE)
name	E F α ¥	string
options	Ï Î ; REFNOÎ OPTIONS_SINGLE Î OPTIONS_MULTIPLE %X	< string > array
propertyType	E F NO	enum (TEXT, OPTIONS_SINGLE, OPTIONS_MULTIPLE)

PropertyDefinitionUpdateDTO

# \$	%&	' (
issueType	: ; NO	enum (ISSUE, EXPERIENCE)
name	E F α ¥	string
options	Ï Î ; REFNOÎ OPTIONS_SINGLE Î OPTIONS_MULTIPLE %X	< string > array
propertyType	E F NO	enum (TEXT, OPTIONS_SINGLE, OPTIONS_MULTIPLE)

ReferenceData

# \$	%&	' (
\$ref	± « AMI J 23 ID	string

Tag

# \$	%&	' (
children ! "		string
createdAt ! "	# \$ %&	string
createdBy ! "	# \$ ' ()	ReferenceData
deleted ! "	* + , - . /	boolean
deletedAt ! "	. / %&	string
deletedBy ! "	. / ' ()	ReferenceData
id ! "	2 3 ID	string
lastModifiedAt ! "	4 5 6 7 %&	string
lastModifiedBy ! "	4 5 6 7 ' ()	ReferenceData
parentId ! "		string
projectId ! "		string
status ! "	I J 2 3 K L	enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED)
targetId ! "		string
text ! "		string
version ! "	6 7 P Q R S T U V W X	integer (int64)

TagCreateDTO

# \$	%&	' (
parentId ! "	Ä z ID	string
targetId ! "	A M ID	string
text ! "	£ Q ¤ ¥	string