```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
df = sns.load_dataset("iris")
df.head()
     0
                 5.1
                             3.5
                                           1.4
                                                       0.2
                                                             setosa
     2
                 4.7
                              3.2
                                           1.3
                                                       0.2
                                                             setosa
X = df.iloc[:,:-1]
from sklearn.naive_bayes import GaussianNB
model = GaussianNB().fit(X,y)
model
     ▼ GaussianNB
     GaussianNB()
from sklearn.model_selection import train_test_split
 \textbf{X\_train , X\_test , y\_train , y\_test = train\_test\_split(X,y ,test\_size=0.2 , random\_state=0) } 
from sklearn.naive_bayes import GaussianNB
model = GaussianNB().fit(X_train,y_train)
model
     ▼ GaussianNB
     GaussianNB()
y_pred = model.predict(X_test)
y_pred
from sklearn.metrics import accuracy_score
score = accuracy_score(y_test,y_pred)
print('NAVIE bayes model accuracy is' ,score*100)
     NAVIE bayes model accuracy is 96.6666666666667
from sklearn.metrics import confusion_matrix
cm = confusion_matrix (y_test,y_pred)
sns.heatmap(cm,annot=True)
```

