

System Test Report

(Systemtestbericht)

(TINF18C, SWE I Praxisprojekt 2019/2020)

Project: **DD2AML Converter**

Customer: **Rentschler & Ewertz**
Rotebühlplatz 41
70178 Stuttgart

Supplier: Team 3 – by Antonia Wermerskirch
(Nora Baitinger, Antonia Wermerskirch, ~~Carl Beese~~, Lara Mack, Bastiane Storz)
Rotebühlplatz 41
70178 Stuttgart

Version	Date	Author	Comment
0.1	07.09.2018		created
0.2	04.05.2020	Wermerskirch	First draft
0.3	04.05.2020	Wermerskirch	Test Results for GUI added
1.0	09.05.2020	Wermerskirch	Finalization

Contents

1. Scope	3
2. Definitions	3
3. Test Objects	3
4. Test Equipment	3
5. Results of Testsuite <TS-001: Conversion Library>	4
5.1. Results of <TC-001-001> (File Validation with valid input file)	4
5.2. Results of <TC-001-002> (File Validation with invalid input file)	5
6. Results of Testsuite <TS-002: Command Line Interface>	6
6.1. Results of <TC-002-001> (View CLI help text)	6
6.2. Results of <TC-002-002> (Converting without output flag)	6
7. Results of Testsuite <TS-003: Graphical User Interface>	8
7.1. Results of <TC-003-001> (GUI Input field verification)	8
7.2. Results of <TC-003-002> (GUI Input file selection via file explorer)	8
7.3. Results of <TC-003-003> (GUI Input file selection via file explorer)	9
7.4. Results of <TC-003-004> (GUI Output file path generation)	10
8. References/Standards	10

1. Scope

The TCS / TRP (Test Case Specification / Test Report) describes the environment, the preconditions and the actions of a test performed or to be performed. If the test was performed, the results are given. Test Case Specification / Test Reports are referenced by System Integration Plans/Reports (SIP/SIR), by System Test Plans/Reports (STP/STR) and by System Validation Plans/Reports (SVP/SVR).

2. Definitions

TC	Testcase
TS	Testsuite
MC	Multicast
CLI	Command Line Interface
GUI	Graphical User Interfac

3. Test Objects

Ref.-Id.	Test Object Name	product-number, serial-number, modification status
1	DD2AML Conversion Library	Build v1.0 beta
2	DD2AML CLI and GUI	Build v1.0 beta

4. Test Equipment

The following equipment must be available for testing:

- A computer with Windows 7 or higher
- Installed AutomationML Editor ([Download here](#))
- Installed DD2AML software

5. Results of Testsuite <TS-001: Conversion Library>

5.1. Results of <TC-001-001> (File Validation with valid input file)

Testcase ID:		TC-001-001	
Testcase Name:		File Validation with valid input file	
Req.-ID:		LF20, LF10, LF30, LF40, LF50, LF100	
Test Setup:		The Balluff-BNI_IOL_355_S02_Z013-20170315-IODD1.1.xml is used as test file.	
Test Steps			
Step	Action	Expected result	Actual Result
1	Install the DD2AML tool and open the CLI by typing cmd in the windows search.	The DD2AML tool is installed on the system. The CLI is open.	The DD2AML tool is installed on the system. The CLI is open.
2	Select a valid input file for the validation, for example: dd2aml -input /filePathTo/Balluff-BNI_IOL_355_S02_Z013-20170315-IODD1.1.xml -v 2	The validation is executed successfully, and the conversion is completed correctly without error message.	The conversion is completed successfully and the AMLX file can be opened.
3	Then open the logs of the CLI. These can be found under: C:\Users\USERNAME\AppData\Local\DD2AML\Logs\CLI	After replacing the USERNAME tag with the real username, the CLI folder with all logs opens. The most recent log is opened.	After navigating to the CLI log folder, the latest log can be opened.
4	Find the log message that shows that the file was successfully deserialized. It can be found at the beginning of the log file.	The log message “DD file was deserialized correctly.” should be found approximately in the 5th line of the log.	An INFO log message with the text "DD file was deserialized correctly." could be found in the 5th line.
Tester:		Antonia Wermerskirch	
Date:		09.05.2020	
Testcase Result:		PASS	

5.2. Results of <TC-001-002> (File Validation with invalid input file)

Testcase ID:		TC-001-002	
Testcase Name:		File Validation with valid input file	
Req.-ID:		LF20, LF80, LF100	
Test Setup:		The Balluff-BNI_IOL_355_S02_Z013-20170315-IODD1.1.xml is used as test file.	
Test Steps			
Step	Action	Expected result	Actual Result
1	Install the DD2AML tool and open the CLI by typing cmd in the windows search.	The DD2AML tool is installed on the system. The CLI is open.	The DD2AML tool is installed on the system. The CLI is open.
2	Select a valid input file for the validation, for example: dd2aml -input /filePathTo/BrokenBalluff-BNI_IOL_355_S02_Z013-20170315-IODD1.1.xml -v 2	The conversion is aborted after the failed validation.	The conversion is terminated with an error message.
3	Then open the logs of the CLI. These can be found under: C:\Users\USERNAME\AppData\Local\DD2AML\Logs\CLI	After replacing the USERNAME tag with the real username, the CLI folder with all logs opens. The most recent log is opened.	After navigating to the CLI log folder, the latest log can be opened.
4	Look at the first error message in the logs.	The error message can be found approximately in the 5th line. Detailed information about the error, as well as line details are given.	The error message was found in the 5th line. In the test case it contains the following: The 'Feature' start tag on line 31 position 8 does not match the end tag of 'Features'. Line 33, position 9.
Tester:		Antonia Wermerskirch	
Date:		09.05.2020	
Testcase Result:		PASS	

6. Results of Testsuite <TS-002: Command Line Interface>

6.1. Results of <TC-002-001> (View CLI help text)

Testcase ID:		TC-002-002	
Testcase Name:		View CLI help text	
Req.-ID:		LF60	
Test Setup:		The Balluff-BNI_IOL_355_S02_Z013-20170315-IODD1.1.xml is used as test file.	
Test Steps			
Step	Action	Expected result	Actual Result
1	Install the DD2AML tool and open the CLI by typing cmd in the windows search.	The DD2AML tool is installed on the system. The CLI is open.	The DD2AML tool is installed on the system. The CLI is open.
2	Run the DD2AML CLI with valid arguments and use the help flag.	Regardless of the other valid arguments, only "--help" is executed and a help text is displayed, showing all possible functions.	As long as --help is included in the transfer parameters, the help text is displayed, which gives information about all possible transfer parameters.
Tester:		Antonia Wermerskirch	
Date:		04.05.2020	
Testcase Result:		PASS	

6.2. Results of <TC-002-002> (Converting without output flag)

Testcase ID:	TC-002-002		
Testcase Name:	Converting without output flag		
Req.-ID:	LF60		
Test Setup:	The Balluff-BNI_IOL_355_S02_Z013-20170315-IODD1.1.xml is used as test file.		
Test Steps			
Step	Action	Expected result	Actual Result
1	Install the DD2AML tool and open the CLI by typing cmd in the windows search.	The DD2AML tool is installed on the system. The CLI is open.	The DD2AML tool is installed on the system. The CLI is open.
2	Run the DD2AML CLI with valid input flag, for example:	The conversion is executed successfully. Since no output path is given, the output file is saved in the file path of the input file.	The output file will be saved in the input directory without further inquiry. If an output

	dd2aml -input /filePathTo/Balluff- BNI_IOL_355_S02_Z 013-20170315- IODD1.1.xml -v 2		file with the same name already exists, the system will first ask whether it is allowed to overwrite it.
Tester:		Antonia Wermerskirch	
Date:		04.05.2020	
Testcase Result:		PASS	

7. Results of Testsuite <TS-003: Graphical User Interface>

7.1. Results of <TC-003-001> (GUI Input field verification)

Testcase ID:		TC-003-001	
Testcase Name:		GUI Input field verification	
Req.-ID:		LF70, LF90	
Test Setup:		The DD2AML software should be downloaded and ready to run the setup for installation.	
Test Steps			
Step	Action	Expected result	Actual Result
1	Install the DD2AML Software and open the GUI.	The software is installed and the GUI window opens.	With installed DD2AML Software the GUI window opens.
2	Try to start the conversion by pressing the “Convert” button at the bottom centre.	Conversion not possible, because "Convert" button stays deactivated.	It is not possible to start the conversation by clicking "Convert" while the input field is empty.
Tester:		Antonia Wermerskirch	
Date:		04.05.2020	
Testcase Result:		PASS	

7.2. Results of <TC-003-002> (GUI Input file selection via file explorer)

Testcase ID:	TC-003-002		
Testcase Name:	GUI Input file selection via file explorer		
Req.-ID:	LF70, LF90		
Test Setup:	The DD2AML software should be downloaded and ready to run the setup for installation.		
Test Steps			
Step	Action	Expected result	Actual Result
1	Install the DD2AML Software and open the GUI.	The software is installed and the GUI window opens.	With installed DD2AML Software the GUI window opens.
2	Click on the "..." button at the end of the input text field.	The file explorer opens in a new window.	
3	Click on "Files" in the lower right corner di-	A drop-down menu opens showing that only file suffix with .xml or .cspp are allowed.	The drop-down list shows that only files with .xml or .cspp as suffix are allowed. To

	rectly above the buttons for open and cancel		be exact, it shows: Files (*.xml;*.cspp)
Tester:		Antonia Wermerskirch	
Date:		04.05.2020	
Testcase Result:		PASS	

7.3. Results of <TC-003-003> (GUI Input file selection via file explorer)

Testcase ID:	TC-003-003		
Testcase Name:	GUI Input file selection via drag and drop		
Req.-ID:	LF70, LF90		
Test Setup:	The DD2AML software should be downloaded and ready to run the setup for installation.		
Test Steps			
Step	Action	Expected result	Actual Result
1	Install the DD2AML Software and open the GUI.	The software is installed and the GUI window opens.	With installed DD2AML Software the GUI window opens.
2	Open the file explorer and select any file. Drag the selected file and drop it into the GUI input text field.	If the selected file has a valid file suffix, its absolute file path will appear in the input field. If it has an invalid suffix, it is not possible to drop the file into the input field.	If a suffix is allowed, the file can be placed in the input field, then the absolute file path of the file is in the input field. For each invalid suffix, the mouse pointer changes to a no-drop symbol, when the file is dragged into the input field and it is not possible to drop the file.
Tester:	Antonia Wermerskirch		
Date:	04.05.2020		
Testcase Result:	PASS		

7.4. Results of <TC-003-004> (GUI Output file path generation)

Testcase ID:		TC-003-004	
Testcase Name:		GUI Output file path generation	
Req.-ID:		LF70, LF90	
Test Setup:		The DD2AML software should be downloaded and ready to run the setup for installation. Example files from GSD, IODD and CSP+ must be available.	
Test Steps			
Step	Action	Expected result	Actual Result
1	Install the DD2AML Software and open the GUI.	The software is installed and the GUI window opens.	With installed DD2AML Software the GUI window opens.
2	Select a valid file of IODD, CSP+ or GSD format in the Input text box.	As soon as the file including file path is in the input field, an output file is suggested for the same directory. The output file has the suffix .amlx and does not have the file format of the input file in its name.	For an IODD file, "-IODD1.1" is removed from the file name. For a CSP+ file, only the extension .cspp is replaced by .amlx. With the GSD file "GSD-" is removed from the name. The output file with the file path of the input file is displayed in the output text field.
Tester:			
Date:		Antonia Wermerskirch	
Testcase Result:		04.05.2020	
		PASS	

8. References/Standards

[1] SRS TINF18C DD2AML

[2] STP TINF18C DD2AML