

ELECTRICAL DOCUMENTATION

CUSTOMER :
 PLANT DESIGNATION : ASSY,ELECT,BA625,480V
 ORDER NUMBER :

PANEL NO. : 6250096482_D
 DOCUMENT NO : 6250096482_D
 MACHINE NO. : BA625/24

EUROPEAN STANDARD :
 ENCLOSURE PROTECTION DEGREE : NEMA 4X
 DISTRIBUTION SYSTEM :

MANUFACTURING YEAR : 2018
 PLOT DATE : 5/20/2019
 RESPONSIBLE FOR PROJECT : Ryan O
 EDITOR : AaronS
 NUMBER OF PAGES : 7

RATED OPERATIONAL VOLTAGE : 480V
 RATED CURRENT : 5A
 MAX.SHORT CIRCUIT CURRENT ICP : 20kA
 CONTROL CIRCUIT VOLTAGE : 24VDC

*) The machine must be connected to the mains in accordance with the local electricity supply regulations as regards neutral conductor and grounding according to IEC/EN 60204-1.

*) Prior to connection, compare the mains voltage indicated on the rating plate.

BAADER LINCO, INC. 2955 Fairfax Trafficway Kansas City, KS Tel +1 913 621 3366, www.Baader.com

Prev.page:

Next page:
=CONTROL+MOTOR/3




Proj.start 9/11/2014	Mach. no. BA625/24
by RyanO	Panel no. 6250096482_D
Page rev. 1/23/2018	Doc. no. 6250096482_D
by RyanO	Plot date 5/20/2019
Path\\file C:\Users\Public\EPLAN\Data\Projects\Linco\6250096482_D.elk	

ASSY,ELECT,BA625,480V

REVISION : D



= INFO +
P/N


Page 2




Prev.page:
=INFO+/2

Next page:
3_PARAMETERS

 BAADER ® Food Processing Machinery	 Member of the Boudier Group® LINCO FOOD SYSTEMS	Proj.start 9/11/2014	Mach. no. BA625/24	ASSY,ELECT,BA625,480V	REVISION : D	CONTROL	MOTOR
		by RyanO	Panel no. 6250096482_D				
		Page rev. 7/3/2018	Doc. no. 6250096482_D				
		by RyanO	Plot date 5/20/2019				
Path\\file C:\Users\Public\EP\AN\Data\Projects\Linco\6250096482 D.elk							





Prev. page: +POWER/4 Next page: +CONTROL/6

