

UNIVERSITY OF MUNICH
Department “Institute for Informatics”
Education and Research Units Media Informatics
Prof. Dr. Heinrich Hußmann

Master Thesis
Web-Based Creator for Activity Sculptures

Walter Rempening-Diaz
me@walterrempening.com

Working Time: 1. 12. 2014 to 1. 6. 2015
Supervisor: Simon Stusak
Responsible Professor: Prof. Dr. Andreas Butz

Acknowledgements

Abstract

The recollection of personal activity data has been greatly facilitated by the increasing amount of applications and devices that encourage users to measure their activity with the primary goal of health improvement. These devices range from mobile applications taking advantage of smartphone sensors to dedicated fitness trackers presented as modern watches and bracelets. Apart from the analytical insights about the data obtained through classic data visualizations, it is also possible to visualize the information through physical objects also known as activity sculptures. It has been shown that activity sculptures have a positive influence in users making them feel rewarded for their active lifestyle. To further study the process of visualizing activity information into sculptures an web-based activity sculpture creator was developed. This tool takes advantage of modern web technologies and offers a platform in which users can export their data and allows them to experiment creating variations of an activity sculpture which can also be exported for 3D printing. For the development of the configurator current product customization platforms where analyzed for gathering best practices in user interface and interaction design. In order for users to have a sculpture with a high degree of variability for the data to be mapped on 4 different sculpture prototypes were developed. For the validation of the configurator an online version was released and a user study was performed. User feedback showed that our prototype was easy to operate and that the obtained sculptures were appealing and meaningful them.

Zusammenfassung

Die Sammlung persönlicher Aktivitätsdaten wurde durch die zahlreiche Anzahl an Anwendungen und Geräte enorm vereinfacht. Diese Anwendungen und Gerätschaften, die hauptsächlich das Ziel haben, Nutzer zu einem aktiven Lebensstil ermutigen, können in Smartphones, wo sie die Vielfalt an Sensoren ausnutzen oder als tragbare Accessoires wie moderne Uhren oder Armbänder gefunden werden. Abgesehen davon, dass klassische Datenvisualisierungen Einblicke in den Aktivitätsdaten verschaffen können, ist es auch möglich den Datensatz durch physikalische Objekte, auch als Aktivitätsskulpturen bekannt, zu visualisieren. Es wurde bewiesen, dass Aktivitätsskulpturen Nutzer positiv beeinflussen, da die Nutzer sich für ihren aktiven Lebensstil belohnt fühlen. Um den Prozess der Visualisierung von Information in Skulpturen weiter zu forschen wurde ein Web-Konfigurator für Aktivitätsskulpturen entwickelt. Durch die Nutzung moderner Web-Technologien erhält der Nutzer eine Platform die ihm es erlaubt seine Daten unkompliziert zu exportieren und ermöglicht ihn die Gestaltung einer 3D druckbaren Skulptur. Für die Entwicklung des Konfigurators, wurden aktuelle Konfiguratoren analysiert mit dem Ziel Best-Practices im Bereich des Interface- und Interaktionsdesigns zu erkennen. Um den Nutzer eine breite Vielfalt an möglichen Anpassungen für die Skulptur, wurden 4 verschiedene Skulptur-Prototypen entwickelt. Letztendlich wurden für die Validierung des Prototyps eine online Demoversion veröffentlicht und eine Nutzerstudie durchgeführt. Die Resonanz der Nutzer zeigte, dass unser Prototyp einfach zu bedienen war und, dass die entstandene Skulptur ästhetisch und sinnvoll rüberkam.

Task Definition

Activity Sculptures are physical (3D printed) representations of personal tracking data (e.g. step count) that dwell between the artistic and the abstract. For this master's thesis the student will develop a web configurator that will allow to individually create said activity sculptures (a similar example can be seen in www.shapeways.com/creator/statement_vase).

The focus of the thesis will be the development of interaction concepts and their implementation in the configurator. The concepts will be examined and improved in smaller iterative user studies. Another important aspect is a seamless and easy import of external tracking data (e.g. export data from tracking apps). The result should be a stable working prototype that can be used for follow-up works.

Possible research questions

- What interaction concepts are possible? What are their advantages and disadvantages?
- What degree of freedom is possible and meaningful while designing a visualization?
- What is a possible design space for said activity sculptures?

Tasks

- Research and related works (e.g. data visualization, configurators)
- Development of interaction concepts
- Concept implementation
- Planing and executing several small user studies
- Written thesis and presentation of work

Requirements

- Programming skills in web development and computer graphics

I confirm that I independently prepared the thesis and that I used only the references and auxiliary means indicated in the thesis.

Munich, May 29, 2015

.....

Contents

1	Introduction	1
1.1	Background & Problem Definition	1
1.2	Goals	2
1.3	Content overview	2
2	Related Work	4
2.1	Web-based Interactive Product Visualization	4
2.1.1	Gates 3D Configurator	4
2.1.2	The MakerVis Fabrication Tool	5
2.1.3	Twikit	7
2.2	Activity Sculptures	8
2.2.1	Sweat Atoms	8
2.2.2	Mental Fabrications	10
2.3	Fitness Trackers	10
3	Prototype Design	13
3.1	Activity Sculpture Design	13
3.1.1	3D Graph	14
3.1.2	Activity Landscape	16
3.1.3	Activity Flora	17
3.1.4	Activity Vase	18
3.1.5	Prototype Validation	19
3.2	Configurator Design	20
3.2.1	Ideation Process	21
3.2.2	Prototype Validation	23
4	Implementation	25
4.1	Requirements	25
4.2	Technology	25
4.3	Architecture	25
4.4	Configurator	25
4.4.1	Sculpture Manipulation	25
4.4.2	Sculpture Generation & Rendering	25
4.5	Backend	25
4.5.1	Withings API Integration	25
4.5.2	Data Processing	25
4.6	Challenges	25
5	User Study	26
5.1	Study Design	26
5.2	Questionnaire	26
5.3	Participants	26
5.4	Procedure	26
5.5	Results	26
5.6	Limitations	26
6	Conclusion	27
7	Future Work	28

Appendix	35
A Prototype Sketches	35
A.1 Sculpture Prototypes	35
A.2 Web Configurator Prototypes	41
B User Study & Questionnaire	50
B.1 Questionnaire	50
B.2 Questionnaire Results	56
B.3 User Study Results	71
B.4 Heat Map Images	72
Contents of the enclosed CD	75

1 Introduction

The presented work deals with two major topics: web customization platforms and activity sculptures. For the former topic interaction processes and usability aspects applied in current projects are of great interest as they provide a foundation on which the author's prototype will be built upon. The latter will help the user explore and engage with their activity data in a meaningful way, first in virtual and later in physical 3D space. The following sections offer an background information to the topic and a define the problem addressed in this work. To conclude this chapter a general overview of each chapter will be provided.

1.1 Background & Problem Definition

At its core, the problem to solve in this work is a data visualization problem. The field of data visualization is tightly interlaced with other fields such as statistics, psychology, design, human-computer interaction, computer and cognitive sciences to name a few. This makes it a science that requires a broad set of skills to master. Due to its multidisciplinary nature it is also difficult to define. A definition of data visualization suitable for this work would be the one described by Card et al.[7]:“The use of computer-supported, interactive, visual representations of abstract data to amplify cognition”. In other words this definition states that the existent knowledge about a specific dataset can be increased by mapping the data to a visual space and by interacting with it through a computer system

The interrogatives and curiosities about a dataset are the start point of every visualization. This work aims to answer some questions about activity data and the possible forms of representing it in a physical sculpture. But why activity data? We are living in a time where there is more data flowing every second through the internet than all the data stored in the internet 20 years ago[31]. It is estimated that the measure of digital created data will grow by a factor of 300 from 130 exabytes in 2005 to 40,000 exabytes in 2020[13]. This forecast shows how the analysis of big data is playing an important role in the way how decisions are made in the industry. The large scale nature of big data observing how millions of users behave can also be put into a much smaller scale namely the quantified self. Big data and the quantified self could be compared to a telescope and a microscope. Both use the same principles to amplify the ability of humans to observe but on totally different magnitudes. The quantified self is a movement of people that make use of self-tracking tools to measure physical performance or vital signs for self improvement and was first described by Wired editor Gary Wolf[55]. Noticing the great momentum the movement was having Gary Wolf founded together with his fellow editor Kevin Kelly the Quantified Self Labs[56]. Even though people have been tracking themselves through the centuries and the improvement of performance by solely knowing one is being observed has been also been studied[32], the technological improvements in sensor development has made the process of gathering activity data much easier. So much that anybody with a smartphone can start tracking his own activity. Advocates of the quantified self movement see in this practice a tremendous potential for solving health challenges through big data[45].

It is therefore of great interest to develop new visual representations for the increasing amount of personal data available. The challenge for these visualizations is that they can engage people in a more deeper level as the data treated is a reflect of their own behavior. For this purpose designers and engineers have been taking advantage of digital fabrication systems, in particular 3D printing, to translate their visualizations from the screen to physical space. Activity sculptures have shown to be a suitable visualization for communicating abstract data into a tangible object. While it can be discussed about the usefulness of such an object is mainly determined by the information it can convey[57], activity sculptures have shown to influence people's behavior positively[28]. Other valuable characteristics of activity sculptures is the interaction possibilities and their physical properties[57]. Simply by being physically constructed they can approach the natural instinct

of interacting with objects through touch, by feeling its material and exploring its surface and structure.

As discussed before, one key aspect in the process of modern data visualization is that the interaction with the visual representation of the data occurs on a computer-aided system. One approach that has proved to be efficient in aiding users to manipulate objects to their specific need is the configurator. This tool supports the product configuration process satisfying every design and configuration constrain set by the manufacturer[15]. The development of configuration systems originated from the mass customization paradigm, that establishes a business model in which companies massively manufacture individually customized goods[11]. This paradigm is divided in different methods that offer each different degrees of freedom to customers. Out of this method the collaborative customization or the co-creation method uses of software tools that allow the customer to transfer their preferences directly to the product[39, 38]. Most of the configurators are deployed as web applications, in large due to the scalability and accessibility of web systems. Advancements in web technologies allow manufacturers to build more complex configuration systems. Because the configurator's degree of user friendliness can have a positive or negative impact on the completion of a sale, it is important to companies to understand how to guide the customer in a meaningful way to complete the sale[42, 2]. The work-flow proposed in research is usable to ensuring the successful guidance of the user throughout the process of developing a product suited to his needs. This same knowledge could be applied to the development of a visualization system.

To summarize this section, the motivation of this work could be resumed as follows. The increasing desire to quantify every aspect of the self and the advancements in digital fabrication open the field for a new kind of visualizations residing in physical space out of the constraints of the screen. This is a challenge for the data visualization field that can be addressed through co-creation production techniques and best practices to develop a software tool that includes the user in the process of achieving a visualization that is aesthetically and functionally meaningful.

1.2 Goals

The main goal of this work is to develop a system that can guides intuitively the user in each process of the visualization of his activity data. This all includes importing the activity data of the user and processing it in order to be visualized in a sculpture which will be further manipulated to users preferences and exporting it for 3D print. The aim of the web configurator is to perform all these tasks providing the user the best experience possible. For this the development of interaction concepts, that guide users through each step of the configuration process, plays an important role in the achievement of an enjoyable platform. Another goal is to ensure the interaction concepts in the prototype are understandable and easy to grasp. In order to achieve this goal users feedback was taken into account through user studies and questionnaires. The diversity of users chosen for the studies was made possible through local testers and through an online demo of the prototype. Furthermore the design of an activity sculpture that shows high variability in the configuration possibilities was an objective kept in mind throughout the prototyping phase. In order for the system to respond fast to user input a special set of technologies was needed. This work aims to take advantage of current edge technologies by implementing them in the prototype.

1.3 Content overview

The presented work takes the following structure. Chapter 2 presents current configurators in different fields of the industry and academic research. Further on current projects related to activity sculptures will be discussed. The final section of the chapter presents an analysis of activity data sources and current implementation of available fitness tracker APIs. In Chapter 3 the prototype design process will be presented. For this sketches and concepts for both sculptures and the configurator will be explained concluding with final thoughts about the final decision making. Chapter

4 deals with the development and implementation of the prototype. In this chapter the prototype's architecture and special features will be discussed. Chapter 5 is focused on the design and execution of the user study concluding with a discussion about the results and findings of the study. Chapter 6 concludes this work and chapter 7 states the ways on which this work can be further developed.

2 Related Work

In this chapter projects related to product configurators and activity sculptures will be presented. Each work presents a unique solution to the addressed problem, the approach each author took will be discussed and the adaptation of useful knowledge to this work will be explored. To conclude the chapter an overview of available vendor API for data import will be presented.

2.1 Web-based Interactive Product Visualization

This work has a particular interest in product configurators that make use of 3D computer graphics to visualize the product. The majority of modern web configurators are image based and make use of well designed backgrounds to place the product in well perceived environment. For example the UNU electric scooter configurator puts the scooter on a street background that changes as the user moves to the next step of the configuration (fig.2.1). Other systems may opt for a more minimalistic look, and will try to isolate the product and place it in a white background as seen on figure 2.2. Although this might work for some products the user still misses some of the benefits of interacting with a spatial representation the products[50]. One of the main challenges of developing configurator systems is the modeling of the relation between the product configuration and its visual representation and the correct rendering of the visual representation in real time[12]. The advantage of a 3D visualization system over an image based one, is that the different configurations can be generated on the fly instead of using complex logic systems to retrieve the correct image combination from an image database. On the following section, three product configurators will be presented that use novel 3D visualization technologies to offer users a robust interactive tools for designing unique products.




Figure 2.1: UNU electric scooter web configurator[14]




Figure 2.2: Timbuk2 bag web configurator[47]

2.1.1 Gates 3D Configurator

As part of an action-research project from Living Lab[35] Rolland et al.[42] developed a gate configurator for the French company Groupe Maine's gates. The objective of the authors was to showcase the possibilities of 3D Web technologies in e-commerce applications. The developed tool was build with the Unity3D[46] game engine, a flexible tool principally build for game development but it has proved to be also useful for architectural visualization and graphic intense web applications. After a user has logged in to the configurator, the platform allows customers to select from a variety of gate styles visualized as 3D models placed on the right side controls (see fig.2.3). The user has also the option of setting the environment in which the gate is being placed (left side controls). This can happen by either selecting a predefined environment or by uploading a picture of the user's home or place where the gate shall be installed later. Customers can position the gates in the uploaded photograph by operating dedicated slider controls. The main advantage of allowing customers to upload their own images is that this allows them to have a better idea

of how the selected gates will look in the final environment making them feel more comfortable about their decision. The authors state that they preferred the superimposition of a custom image rather than letting the user customize the environment with threes or buildings to make it look as close as possible because of the possible frame rate drop produced of handling many models and generating and because it is quite rare that somebody has a 3D model of his home.

One of the main aspects of the gates configurator in respect to the research purposes the authors had, was that of developing a tool that improved the visualization of products with the end of encouraging the purchasing of the product in an on-line medium. To validate the design ideas behind the gate configurator and analyze the impact it had on customers, the authors performed an empirical evaluation. The results of the 27 evaluated participants showed that the manipulation of objects in 3D space seem naturally and was also confirmed to be important to the participants to have this option. This shows that having a realistic view of the product improves the chances of sale.



Figure 2.3: Groupe Maine’s gates configurator[42]

The gates configurator is a great example of how companies can make use of 3D visualization technologies to present their product to customers in a more convincing way. The authors of made a great choice of working with the Unity3D game engine as it allows them to port to other platforms as well, in this way developed software tools could be very easily ported to other mobile platforms like tablets or smartphones with bigger screens without the need of starting from scratch. This technology also offers desktop like frame rate performance in the web. The configurator has not many configuration possibilities which makes it easier for customers to understand but it excels at providing different visualization environments which in this case takes advantage of navigating in 3D space. One key statement of the authors was that tools like the configurator promote customer’s participation in the developing of products. It was a shame there is no actual configurator in the Groupe Main’s webpage for testing and it is unknown if the configurator was ever implemented in their website. The authors of the gates configurate see a great potential of 3D visualization technologies in fields such as e-learning, simulation and education.

2.1.2 The MakerVis Fabrication Tool

The MakerVis fabrication software is, in the words of its creators: “*a prototype tool that integrates the entire process of creating physical visualizations, from data filtering to physical fabrication*”[44]. If somebody attempts to visualize their information they will have to use a wide range of tools to achieve this. This is cumbersome and impractical as it requires a great amount of effort and in general it is a very conflict prone way of working with data. This motivated Swami-

nathan et. al to develop MakerVis as an attempt to offer a platform that unifies the needed tools to extract data, filter it and visualize it. Although the focus of the MakerVis is not the implementation of a complex tool but more the exploration of the different challenges encountered in the process of visualization.

The work-flow provided by MakerVis is composed of six steps all displayed in the user interface seen on figure 2.4. First users need to upload a CSV file containing the data to visualize. After that users can select between several visualization styles. Once a visualization is selected the data the user can begin mapping the data to the visualization by selecting data variables. Further on users can manipulate the visualization's geometry through an array of sliders and controls. In order to setup fabrication parameters and selecting the machine users can make use of the lower right section where the visualization is deconstructed layer by layer. Finally the STL file of the model can be exported for fabrication. A helpful functionality the authors implemented was the specification of printing materials through a JSON file. It is worth mentioning that MakerVis does not provide true 3D visualizations. The produced designs are indeed physical objects but the final result is a pseudo 3D visualization. In order to achieve this the authors use principally 2D fabrication methods employing laser cutting and CNC machines, only basic 3D printing support is provided. The visualizations users can choose from are more directed to traditional charts and bar graphs and not so much geared towards more artistic representations. Due to the modular engineering of tool, the visualizations can be expanded. The available tools for data manipulation is also limited and advanced manipulation should be better performed in an external tool. MakerVis was build with modern web technologies based on the JavaScript programming language like Node.js[18], Three.js[6], D3.js[4] and jQuery[27]. As some of this technologies were also used in the Activity Sculpture Configurator they will be explained in depth in Chapter 4.

Although the authors conducted a relative small user study, the results provided valuable information about what areas can be further improved. The user study showed that users wanted more detailed control about the decorative aspects of visualization. Providing tools for personalize text labels and scales increases would allow users to further customize their visualization. Another challenge encountered was that of material representation. It was difficult for users to decide on which materials to use and expressed the desire to physically interact with the available materials. Also the correct scale representation of the object was estimated wrongly by most users. The need of the ability to save and load visualizations was also expressed to be needed. This findings might sound as failures but they only make clear the limitations of the screen as a medium to transmit haptic properties of materials and that unifying every tool needed for data visualization in a tool is an immense challenge.




Figure 2.4: The MakerVis fabrication tool[44]

The MakerVis fabrication tool approximates closely the aim of the work discussed in this thesis. This work shares the same mission of building a tool were the whole process of visualizing a 3D object is contained. The MakerVis focuses more on data manipulation and fabrication as it basically dedicates two thirds of the whole screen to data filtering and fabrication parameters. None the less the interaction concepts and design layout served as a reference point for the activity sculpture configurator.

2.1.3 Twikit

The 3D printing market is a fast growing market estimated to reach US\$16.2 billion dollars in value by 2018[41]. Many see the potential to offer services to facilitate the design and production of 3D printing goods. An interesting example is Twikit[48] a company located in Belgium that offers innovative software, fabrication and shipping solutions for brands and retailers looking to easily implement product customization to their product portfolio. The Twikit website[48] states that their goal is to “allow end-to-end 3D product customization, in the easiest way possible” and they see 3D product customization as “key in the future of products and experiences”.

The range of services the belgian company offers covers every step in the development of a 3D configurable product. If needed Twikit can aid brands in the development of their 3D product through collaboration with existing design teams. On the software side, Twikit offers a complex engine for 3D visualization, customization and fabrication called Twikbot. This engine allows companies to integrate customization tools into their current e-shop or application. Due to the modular nature of the engine, retailers can choose what kind of interface controls they need for the customization process and integrate them with the assurance that the design specifications and constraints will be met. The Twikbot also offers material configuration functionality for a variety of 3D printing techniques. Another integral component of the Twikbot is its Content-Management-System (CMS). The Twikbot CMS is a backend tool that manages and tracks currently configured and sold products and through an API cloud-based service it links to logistics and 3D print fulfillment providers.

The Twikit website showcases several study cases from small and large businesses that have integrated their software to sell appealing customizable products. As much as it would be interesting to know how Twikit performs in all areas of their services, for the purposes of this thesis, only the configurators showcased will be evaluated. One interesting case study in the website is the 3D Trophy Factory[48] which is owned and run by the same Twikit people. This e-shop sells a variety of trophy models where the text can be customized (see figure 2.5). It is a very simple configurator that allows customers to interact the trophy in 3D space through click and drag. Depending on the model customers can input up to three different text lines. The configurator offers the possibility to save and load configured trophies. If users have a custom 3D model they would like to print as a trophy, the e-shop supports uploading 3D model files. In some designs users can also change some text properties like randomize the positioning.




Figure 2.5: Twikit powered 3D Trophy Factory web configurator[5]

Figure 2.6: Twikit powered MrMaria Studio lamp web configurator[30]

The next Twikit case study shows that the technology offered by Twikit can be easily used to enable brands no matter how big or small to start offering customizable products. Amsterdam based design studio Mr Maria[30] added a customizable toy lamp to their product line. The lamp configurator showcases the brand identity of the studio and allows customers to customize their lamp in a playful way. The lamp is composed by a model of an animal and a pedestal where a text is placed. Users can choose different animals to place over the pedestal and further customize it by adding different accessories like hats, different pedestal designs with different color themes and a text field for adding a custom text (see figure 2.6. The lamp is placed in a cartoon style background which can be changed to a dark view where the lamp glows simulating to be turned on.

The 3D Trophy Factory and the Mr Maria lamp configurator were both very appealing and fun to work with. Twikit does not say much about the technologies used in the framework but a view into both e-shop's source code showed that it makes use of the Three.js[6] graphics library. In summary, the toolkit offered by Twikit seems to make quality visualizations with good performance as the interaction with the products is always fluid. It would be interesting to see how much does Twikit charge customers for their service but the website only offers a contact form to get information.

2.2 Activity Sculptures

The advancements in digital fabrication technologies have allowed the development of new visualization metaphors transitioning from the screen to physical space. Activity sculptures or data sculptures are a fairly new concept in the data visualization field and its usefulness is still largely misunderstood. Much work has been done trying to give activity sculptures its place comparing them to other physical visualizations like ambient and casual information visualizations[24]. A understandable to differentiated activity sculptures from other visualizations by highlighting their perceived physical qualities[50, 57]. Data sculptures are per se, the embodiment of the data in a tangible and visible form[57]. This gives activity sculpture a more broader representation space making it difficult to find a metaphor where the influence of the data on the object's form can still be related producing, as Vande Moere called it, a metaphoric distance[50]. Activity sculptures can communicate also through the affordance of an object which is the perceived potential to perform an action through the object. This property calls users to interact with the sculpture in an explorative manner[24, 49], which could be take advantage of haptic qualities of objects and materials to communicate information through more sensory channels[3].

In the following sections current work on the use of activity sculptures to visualize physically different kinds of activity data will be presented.

2.2.1 Sweat Atoms

SweatAtoms is a visualization system developed in a research project by Koht et al.[28]. The authors aimed to better understand how the representation of physical activity data though material artifacts can be used to reflect on physical activity. In this work the authors concentrated in visualizing heart-rate data through 5 different sculptures each one emphasizing a different aspect of the data (see figure 2.7. For visualizing heartbeats per minute an extruded graph was used. Higher fluctuation in the heart-beat values were visualized as a flower mapping the heart-rate value and duration to the length and width of the petal. The amount of the performed activity in a day was mapped to the size of a frog. The time spent in each of the six different heart-rate zones (resting, recovery, aerobic, anaerobic, speed and alarming) was mapped to each side of a dice. And lastly a ring depicts through circles the number of active hours in a day, the diameter of these added circles is affected by the increment of the heart-rate.

The authors conducted a two week field study with 7 participants with different demographics and exercise habits. Each participant received a 3D printer, a heart-rate sensor and an iPod




Figure 2.7: SweatAtmos activity sculptures[28]

touch. Participants were required to wear the hear-rate sensor every day. The sensor was paired via bluetooth to the iPod and automatically loaded the data to the SweatAtoms system when the monitoring stopped. SweatAtoms then generated the 5 sculptures from the data. The models were then send to the authors for STL export. Once converted the participants received the STL via email. Participants then proceeded to print the 5 sculptures with the provided 3D printers at home, a procedure that took around two hours. Users kept a diary reflecting on the sculptures and their activity every day.

The study showed the participants engaged differently with each sculpture. The favorite sculpture was the frog sculpture. The graph was described by a participant as “not very exciting as we can see the same on a virtual screen”. On the other hand a very active participant liked to see its graph sculpture as he could see how active he had been. For the flower participants expressed different ideas as they could interact with it. A female participant saw the flower suitable for wearing it as earrings. The utility of the rings was often questioned, and was regarded as the least appealing sculpture of the 5. Some users started grouping and assembling the sculptures to form a bigger sculpture. Some users expressed that the dice made them reflect on their lifestyle by analyzing the time they spent on each heart-rate area. The sculptures were also subject of conversations with work colleagues and friends. Users also stated that the value of their heart-rate had gained more significance as the sculptures provided allowed them to “touch and feel” their data, this made the sculptures more valuable to participants than screen based visualization. The uniqueness of the objects was repeatedly mentioned by users to be very appealing and the fact of being able to constantly reflect on their activity motivated them to exercise with more intensity.

The SweatAtoms study is a great example of how through activity sculptures motivated users to reflect more about their activity and made them take action. It is surprising to see how participants did not have any trouble at all with the fabrication of the sculptures at their home. The different technologies integrated seamlessly providing a solid set of tools to visualize and easily construct the sculptures. The metaphors utilized to map the data were varied and showed that visualizations that are useful in virtual space not are not necessarily appealing as objects. On the other hand sculptures that were not extremely abstract but rather communicated the data through a playful metaphor, like the frog, were the ones that users liked the most. Overall the SweatAtoms was a very successful project that produced interesting findings regarding activity sculptures and their influence on users.

2.2.2 Mental Fabrications

Mental Fabrications is an art project from artist Ion Popian[40] that aims to visualize brain activity produced in response to different types of stimuli in the form of a 3D printed landscape where the intensity of the activity creates valleys and hills (see figure 2.8). Popian states normally architects design spaces and buildings and study how these spaces are perceived by people. This motivated him to develop a concept where the design of environments is originated by the perception of people about a space. Through a NeuroSky MindWave Headset[33] electroencephalogram (EEG) Popian is able to measure the brain activity while users are wandering through different environments for a prolonged time frame. In this way it is possible to study how users perceive their environment through their . By analyzing the way the brain reacts he attempts to design a space or environment that provokes a certain stimulation to users.

The Mental Fabrications project was produced in collaboration with programmers that developed a software in Max/Msp[1] that translated the EEG data from the headset to produce hills and valleys in a plane and exported for 3D printing. For a series of exhibitions of the work, Popian developed a film that was presented to visitors wearing the headset. The brain activity was then measured and visualized in the landscape. Visitors could then self reflect on how calm they were at certain scenes of the film or what sequences provoked hills in the landscape as a consequence of high brain activity. With the collaboration of enthusiastic participants the exhibit produced several landscape visualizations enabled by the usage of sound, textures and imagery in the film, showing visitors the process of generating visualizations from data. To expand the sculpture a second set of data was being generated in the exhibition, namely a camera was filming the movement and proximity of the visitors and was later visualized as a second landscape in a wire-frame style which was then interposed to the landscape generated by the brain activity of the viewers.

Even though this project is more art oriented it proposes interesting ideas of designing environments. Technology is at a point where even EEG devices are easily obtainable allowing designers, or architects in this case, to use data to create new design concepts. Among the flood of quantified self applications Mental Fabrications offers a fresh approach to activity data exploring brain activity which can be viewed as strongly linked to emotions and thoughts. The produced sculptures are really elaborated and as seen in other studies provoked participants to analyze how their brain reacted to the imagery. This work It will be interesting to see how technology enables the visualization of different forms of activity through new sensors.




Figure 2.8: Mental Fabrication's brain activity landscapes[40]

2.3 Fitness Trackers

An integral part of the activity sculpture configurator developed in this work was the gathering of the activity data as it is basically the first step in the visualization pipeline. As shown in many

examples[28, 44, 40] through fitness trackers we have the possibility to gather information in an non obtrusive way, facilitating the task immensely. Added to these tracking devices many of the manufacturers also provide a set services for developers to encourage the development of third party applications that can take advantage of their fitness tracking product. In order to make the gathering and exporting of data as simple as possible for users, the author decided to use a wearable fitness tracker in the form of a wristband or clip and make the data available to the web configurator through a web Application Programming Interface (API). By doing this, the user does not need to export the data through USB sticks or handle CSV files. Working with web APIs ensures that the configurator will always read the data in the same format because of the standardization and organization an API provides. Further details of web API implementation and functionalities will be addressed in chapter 4. Even though there are many applications for smartphone the user experience design goals explained before narrowed the options down to dedicated fitness trackers. In the next section an overview of considered fitness trackers and their accompanying API will be presented.

Nike+ FuelBand SE

The Nike+ FuelBand SE[20] is a wristband equipped with sensors providing information for daily step count, burned calories and Nike Fuel, a unit introduced by Nike to measure daily activity. The wristband does not provide that much information by its own, but when used with the accompanying iPhone and Android applications which makes use of the device GPS sensor to provide positioning data and routes from running sessions. This product was first considered because of the author's previous experience with the Nike+ Running App[21]. Nike provides a web API and several Software Developer Kits (SDKs) for different platforms in their developer portal[19]. The web API provides only basic documentation and most of the features of the wristband and the app like GPS data and activity data are supported, although in comparison with the other APIs reviewed it is very limited. The major drawback of the Nike+ environment is that its only available to selected partners. A contact form is available but it is unknown what selection process has to be undergone and most importantly how long does it take to receive an answer from Nike. This was the main reason of why the Nike+ FuelBand SE was discarded to be used for this work.

Jawbone UP 3

The Jawbone UP 3[25] is a really well designed, both aesthetically and functionality wise, fitness tracker. It tracks steps, exercise, calories burned, sleep and heart-rate. Jawbone also provides a smartphone application where users can also track meals and set activity goals. The Jawbone API[26] offers a great documentation with example code and detailed explanations. It provides developers access to users information about any measure the tracker and the app can perform. It even offers information about marketing strategies for developers seeking to develop a third party product for Jawbone products. The API is available to the public in general. The only point of consideration about using the UP 3 for this work was the high price tag of around €180.

Misfit Shine

The flagship product of Misfit is the Shine tracker[52]. The tracking possibilities is limited to steps, calories and distance but the Shine compensates this with extreme robust materials, up to 50m waterproof and it does not need to be charged. The Misfit API[51] had not been released at the time of researching available options which was the main reason for discarding the tracker. As of today, the API provides a short and concise documentation and is openly available.

Fitbit Flex

The Flex fitness tracker from Fitbit[17] measures steps, distance, calories burned, active minutes and sleep monitoring. All in all the flex is a very complete tracker with an affordable price tag. At the time of performing the research Fitbit had announced two new trackers with heart-rate and GPS support which are now both available. The API offered to developers[16] would serve the purposes of the activity sculpture configurator well as it provided access to all tracked data and it was well documented. One aspect that caused interactivity about its usefulness was that at the time of researching available options it did not support heart-rate data. The API is also available to everyone with a Fitbit account.

Withings Pulse Ox

Thw Withings Pulse Ox[54] is a compact tracker that enables users to keep track of steps, distance, elevation, calories burned, activity time, sleep, heart-rate and saturation of peripheral oxygen (SPO2). Out of all available trackers in the price range of €100 to €150 the Pulse Ox tracks the most types of activity data. This was a very attractive feature as the budget for this work was limited and having many variables for visualization was highly sought after. Withings provides also an app for smartphones that offers an overview of all the activity tracked by the device. The Withings API[53] has decent documentation, but just enough to get started but all the tracked information is available. Because of the affordable price of the device and the openly available API the Pulse Ox was chosen to gather the activity data for this work.



Figure 2.9: Fitness Tracker Wristbands. From left to right: Nike+ Fuel Band SE[20], Misfit Shine[52], Jawbone UP 3[25], Fitbit Flex[17] and the Withings Pulse Ox[54]

Summary

In general all available fitness trackers in the market offer good functionality for monitoring daily activity and would serve well any quantified self enthusiast. For more advanced users that are looking to develop their own tools the provided APIs depend in large to the functionality offered by the sensor and the mobile app. For the purposes of this work the decision was narrowed down to the Wihtings Pulse Ox, the Fitbit Flex and the Jawbone UP 3 as these brands showed more presence in tech and quantified self blogs. The Withings Pulse Ox was chosen because it offers a wide range of activity data, its affordability and well supported API. The authors experience actually working with the fitness tracker and the API will be further discussed in chapter 4.

3 Prototype Design

This chapter presents the process of developing the designs for the activity sculpture and the web configurator. In the first section the requirements for the activity sculpture are presented and four different designs that attempt to fulfill the requirements are presented. Finally the validation process for the sculpture to be designed will be discussed. The second section is devoted to the design process of the customization system. This comprehends not only the user interface but also the user experience while operating the system. After a process where three different concepts were ideated, through the validation of the design the final prototype is chosen.

3.1 Activity Sculpture Design

The activity sculpture and the configurator are strongly interconnected as depending of the sculpture design, the sculpture will influence the quantity of controls to be taken into consideration for the design of the configurator giving users greater or lesser freedom for manipulating the the sculpture. As we discussed in section 2.2, activity sculptures portray different attributes inherit from their physical nature. This why a different approach for designing physical data visualizations is needed. For this purpose the design taxonomy proposed by Vande Moere et al.[50] was used as a guide to better categorize the qualities of the developed designs. This taxonomy is has two dimensions which describe the design space of activity sculptures: *representational fidelity* and *narrative formulation*.

The representational fidelity attempts to explain the decision made for the embodiment of the data in form. This includes the chosen metaphor for mapping the data to the object and the resulting metaphorical distance, this is the level of abstraction used to represent the data through the metaphor. In order to better explain the abstraction level Vande Moere's taxonomy uses concepts from semiotic studies. According to C.K. Ogden et al.[36] semiotic signs can be explained through their three major concepts: the signified, the signifier and the sense. The signified is an object that represents a physical thing or and idea. The signified is represented by the signifier who tries to bring the same experience an observer would have with the signified. The sense is the experience brought by the signified. Furthermore signs can be categorized into iconic, indexical and symbolic. Iconic representation occurs when the signifier resembles the signified, like a picture or a diagram. Activity sculptures are iconic when they resemble the metaphor they are interpreting. Examples of this could be the heart-beat extruded graph sculpture in discussed in section 2.2.1 or the MakerVis visualizations in 2.4. An indexical sign has a sensory feature that correlates directly to the signified. The signifier points to the signified through an actual connection, like dark clouds point to a forthcoming rain or smoke points to fire. Activity sculptures can be classified as indexical when through the use of a property directly related to the data. An example of such a sculpture would be the SweatAtoms frog in section 2.2.1 or the . The most complex kind of sing is the symbol, as it does not bear any resemblance to the signified. The relationship between the signified and the signifier has to be taught by convention in order to be understood. Activity sculptures making use of symbolic representation are the hardest to understand as the relationship to the data has to be learned as it is not apparently displayed. Example of symbolic sculptures would be the landscapes in the Mental Fabrications project discussed in section 2.2.2. Through the definition of iconic, indexical and symbolic representation we can derive their metaphorical distance resulting in indexical having the closest distance, symbolic the furthest and iconic a medium distance[44].

The narrative formulation of activity sculptures is a product of the physical form and the affordance of the object which influences the user's ability to discover information through interaction and perception. This quality is strongly interconnected to the representational fidelity as the level of abstraction in which the data is presented will form the properties in which the sculpture communicates. As discussed in section 2.2 the affordance of an object describes to the viewer the object's potential to perform an action. The level of abstraction of the sculpture will influence how

inviting the object is to the viewer depending on the user's level of familiarity with the metaphor used.

Computer aided design systems offer almost endless possibilities in the design of activity sculptures, allowing designers to create complex structure designs that with manual methods it would be almost impossible to conceive. Even though this might be the case in the digital realm, translating the virtual object into a physical object may be still a challenge. An important aspect to be considered while developing activity sculptures is the manufacturability of the sculpture[44]. 3D printing machines still are challenged by certain types of structures depending on the technology that is being used to manufacture (granular vs extrusion methods). Therefore it is important to take into account how challenging the manufacturability of the sculpture will be.

The the aforementioned design considerations of activity sculptures the requirements for the activity sculpture were formulated as follows.

- The sculpture has to be aesthetically appealing to users
- Motivate users to self reflection
- Because of the wide range of activity data types obtained through the fitness tracker, the sculpture has to be able to visualize as many variables as possible
- In order to provide users a relatively high level of freedom while customizing the sculpture, the sculpture has to offer multiple configuration options
- The sculpture has to be extended to new interaction forms
- The sculpture has to be 3D printable by current 3D printing technologies

With the defined requirements the author formulated four designs exploring different possible approaches. Due to space and layout considerations, the sketches drawn for the prototypes will not be displayed in this chapter only fragments. Due to the large sizes of the sketches all prototype sketches were placed in their entirety in the appendix of this work. For the sculpture prototypes sketches please refer to section A.1, for configurator prototypes sketches refer to section A.2.

3.1.1 3D Graph

The first prototype is based on a line chart but augmented to describe more data variables. The idea was inspired by multiple exposure images of Olympic athletes in the middle of their performance. The multi exposure technique allows photographers to take a snapshot of the athlete at a specific point in time. The resulting image shows a group of athletes in different positions completing a cycle of a movement (see figure 3.1). The concept of presenting snapshots of the athlete's position over time is actually a parallel concept to standard charts and charts where the value of a variable is presented at a specific point in time. Only transferring the line-chart to a physical space would have been not appealing enough and very limited as it would have been only possible to visualize one variable over time. The first modification made in order to improve the aesthetic of the sculpture was to give the chart-line volume and a triangulated or low polygon count (lowpoly) aesthetic, two properties that can be explored thanks to physical space. With this modification the sculpture gained the ability to visualize one more variable. The first variable influences the hight changes in the Y axis of the chart-line over time and by adding the volume to the line we can change the radius of the line according to the value changes of the variable over time.

Up until this point the 3D graph would look as shown in figure 3.2. It visualizes up 2 variables over time. Even though the data is being visualized as an abstract triangulated body with hight and radius changes the sculpture could take advantage of the depth dimension not only to display volume but to steer the body also in this dimension. Through this realization, the 3D graph now



Figure 3.1: Athlete's movements captured in a multiple exposure image[9]

can map 3 variables. To further enhance the aesthetic of the sculpture the concept of the athlete's snapshot in specific points of time was explored. For this a set of avatars performing different sports were developed. These avatars would intersect the graph body in specified intervals by the user. By adding different avatars performing a variety of sports users can chose the avatar that represents best the sport or activity the user did to generate the data. The sculpture could be expanded to support different decoration styles. For example apart from the triangulated look of the graph body, other visualization like a wire-frame option or a smoothed look could be offered. As shown in figure 3.2, the whole structure looks as if it would float in the air with the help of a support structure, which could be manufactured separately from transparent acrylic so that they fade away centering the attention in the sculpture. This support structure would be inserted into a wooden or acrylic plate. The author explored the idea of engraving a summary of the data the sculpture represents. In this way users have both the abstract visualization and the actual data in the same place close enough to analyze. This might be useful while showing it to others, as it can help them better grasp how the sculpture was generated. By adding a plate to the sculpture we open a new set of configuration possibilities for users to edit in the configurator.

The 3D graph embodies activity data through iconic and indexical representations. Indexical because as stated before, the concept emerged from an expanded line-chart and the graph body points to the path line-chart would have but abstracted and stylized and with the avatars in different positions point to movement in activity. The avatars are a strong icon of a human body in motion. The 3D graph shows a somewhat short metaphorical distance as the sculpture points strongly to the a line-chart metaphor used to embody the data. In the narrative formulation of the sculpture again the chart-graph resemblance and the plate tell the user this object is to be analyzed or at least admired as the plate does not allow grabbing the sculpture. Self reflection is highly encouraged as the metaphor motivates comparison of values over time.




Figure 3.2: 3D Graph sketch

In summary, the 3D Graph prototype is a highly aesthetic activity sculpture that is also functional as the both the sculpture and the data could be analyzed in the same object. The sculpture can visualize data generated on a large time span. it has a rather low capability of mapping several variables because of the constraints of the line-chart metaphor. This could be improved by adding more graph bodies representing each 3 variables over time. The 3D graph offers a wide range of configuration options that would make it a rather interesting object to customize in the configurator. The manufacturability of the sculpture is attainable but also complicated as the sculpture, the plate and the supporting elements have to be fabricated not to mention the engravings on the plate.

3.1.2 Activity Landscape

The activity landscape is an activity sculpture that embodies the data generated in a single day's activity by utilizing the data to generate a terrain (see figure 3.4). This concept of this sculpture came from the idea of generating a ground path from the GPS location points recollected while a user was jogging or riding his bike. After the workout other activity information like heart rate or elevation change would be mapped to the GPS locations. The user would then select in the configurator which variables he wants to map to different aspects of the terrain like and experiment with different variables for terrain elevation or map other variables to the radius of hills for instance. The activity landscape would also feature a plate for showcasing the sculpture. This plate as in the 3D Graph would feature engraved information about the work out like variables visualized, duration of the workout and calories burned. Because the terrain is based mostly on GPS information, the plate could also have an picture or engraving of a map where the workout was performed. As seen in section 2.2.1 were some users stacked sculptures to form a bigger sculpture, several activity landscapes could be printed to form a bigger landscape. This could be used as a motivation to users to explore new parts of their city, it would be interesting to see how the landscape would look like after a year running or biking. This concept could also be applied to users who maybe travel constantly or like to ride their bikes in national parks around the world. After each travel they could bring the memories of their adventure in an activity landscape and put them together at their homes.



Figure 3.3: Procedurally generated landscape [37]




Figure 3.4: Activity Landscape sketch

The inspiration of this idea was taken from the game development were with advances in processing power terrains for games are not being loaded from the assets library as 3D models but rather generated in real time even with complex erosion simulations[37] (see figure 3.3). After looking at several generated terrains the concept of utilizing activity data to manipulate the generation of a terrain emerged. The configuration process would have been interesting to see as every time the user selected a different variable to manipulate the terrain, new sceneries would have emerged.

The activity landscape embodies the activity data through iconic representation as some of the terrain resembles some characteristics of the data like elevation and geographical position for

example thus exhibiting a medium metaphorical distance. The level of affordance is low as it only invites the user to contemplate and self reflect.

To summarize, the activity terrain provides an interesting approach to activity visualization and maybe also to procedural terrain generation in games. The level of customization in the configurator is high. It has to be clarified that the complexity of designing terrains was not studied in depth by the author, therefore it remains unknown how many variables are possible to visualize through the terrain. The added plate with the map can give users a stronger sense of belonging to their city. The idea of a personalized souvenir from adventure rides would be also interesting to explore. The sculpture does not exhibit any properties that could be proved difficult to manufacture. Same as with the 3D Graph the plate could only make the fabrication process somewhat longer.

3.1.3 Activity Flora

The activity flora is an activity sculpture that utilizes activity data as input parameters for the generation of a sculpture resembling a leaf. The concept for this prototype is to take the data generated in a single day or during a single workout and materialize it in a leaf like structure. In the sketch showed in figure 3.5 activity data variables can be mapped to properties of the leaf. For example the size of the leaf could be affected by the traversed distance during that day, the contour shape could be mapped to elevation changes. The main branch in the middle of the leaf could be manipulated by the velocity changes, furthermore the characteristic branch structure inside the leaf could be influenced by the average heart-rate value (see figure 3.5). For the inner structure of the leave a generative system could be implemented to simulate better the leaf structure. In the configurator users could select which variable to map to each leaf generation parameter to generate a series of leafs. The customization possibilities could be further expanded with the addition of leaf tails and material options. To further explore the concept of grouping sculptures, a sketch with a stand that holds several leafs was drawn like a very stylized flower pot. The leaf stand or pot would also be able to be customizable in the configurator.




Figure 3.5: Activity Flora sketch

The idea was inspired by the works of New York based generative design studio Nervous System[23] who since 2007 have been pioneering the design of generative objects for 3D printing. The majority of their designs is based in the simulation of natural structures or patterns through algorithms (see figure 3.6). The concept of generating an object from activity data with an aesthetic inspired by nature was very appealing to the author. It would be interesting to see how users engage and perceive an object that was generated by their own activity but that also looks like something

that lived, like a petrified leaf. Maybe in the future when 3D printing is also possible to do with biologic materials some kind of bacteria culture could be utilized to print the leaf alive for real.




Figure 3.6: Sculptures made with generative algorithms based on hyphae growth as seen on leave and coral structures[22]

The activity flora embodies the data mostly iconic representation as the sculpture resembles a leaf but some information is abstracted completely because of the generative system resulting in a high medium metaphorical distance. The leaf prototype invites the user to contemplate the sculpture and due to the metaphor of the leaf self reflection will be harder for the viewer as the data is mapped not entirely to the sculpture but also to the system generating the leaf's structure.

To conclude this prototype, the activity leaf showcases a mixed approach to activity sculpture design, mapping some variables to physical properties of the leaf and using activity data as input for a generative system. The configuration possibilities are rather scarce and focus more on secondary elements of the sculpture like the stand or the leaf tail. The concept of metaphorically giving an object natural characteristics would be interesting to explore in the context of activity sculptures.

3.1.4 Activity Vase

The last developed prototype is the activity vase, a sculpture where the structure is conformed of a stacked radial chart with smoothly connected the axes. Every stacked radial chart represents a day's worth of activity. The user can choose in the configurator how many variables he wants to add to the vase by populating the radial chart. The height of the vase would be then configured by choosing the time span to be visualized which translates in the number of stacked radial charts (see figure 3.8). In this way we can offer the user different outputs from one sculpture. Users could gain different usages of the sculpture depending on the visualized time span. For short time spans the sculpture could be expanded or adapted to be used as earrings or as a key-chain, longer time spans could be then used to make a pen holder or even a mug. Users could print each day the visualized data and maybe stack them in a pole. As the sculpture better visualizes larger time spans from at least a day to weeks or months a sculpture representing two months in a year could be visualized, for example at the beginning and at the end of an intense workout plan an inner solid sculpture would represent the first month and an outer sculpture enclosing the first would represent the last month as it is expected that the activity performed will contain higher values in some variables, as the user reaches longer distances in their trainings for example. The sculpture could be further customized in the configurator through 3D printing material options and maybe even a simple plate where the labels of the variables are engraved.

The concept of the activity vase was inspired by a 3D printed sculpture that maps two or more facial profiles to the sides of a vase and then unites them through extrusion. The final product

is called Fhaz (see figure 3.7), which is basically an expansion of Rubin's vase[43] to visualize more than to profiles in a 3D printed object. In order to transfer the concept of Rubin's vase to an activity sculpture the idea of utilizing a stacked radial chart proved to be a suitable solution.

Using Vande Moere's taxonomy, the activity vase embodies the activity data through a symbolic representation as the visualization has no resemblance to the metaphor. As the abstraction of the represented data in the sculpture is high the metaphorical distance is also high. The activity vase offers viewers the freedom to explore the sculpture through touch and self-reflection because of the viewer's low familiarity with the object. The narrative has to be figured out through exploration and interaction with the object.

The activity vase is a very flexible sculpture in terms of data mapping. Through the radial chart metaphor the visualized amount of variables is only limited by the users decisions in the configurator. Due to its abstract representation the sculpture could be adapted to be used as everyday accessories and not only limited to standing in a shelf. The configurability of the sculpture is not very high but this could be addressed through the addition of different rendering styles like wire-frame to the configurator. The manufacturability of the sculpture is attainable as the solid structure of the vase does not challenge current fabrication methods.



Figure 3.7: Fhaz: Procedurally generated vase based on facial profiles[34]




Figure 3.8: Activity Vase sketch

3.1.5 Prototype Validation

After an extensive development process it was time to decide what prototype would be chosen to implement in for the web configurator. The decision was made by the author and the tutor through an iterative evaluation process. During the design process the prototypes were analyzed and discussed in order to discuss possible challenges or interesting concepts. Table 3.1 offers an overview of how each prototype compares to each other. For the analysis Vande Moere's taxonomy, the estimated complexity of the implementation of the sculpture and the customization capacity of the sculpture were considered. Estimating the implementation of the sculpture was vital, as the time of developing for the configurator and the sculpture were limited. The customization possibilities offered by the sculpture were also important as it was important to offer users an appealing sculpture that can be customized to their liking and more configuration options mean more unique sculptures.

With this considerations in mind the activity vase fitted best the criteria. It is a very dynamic sculpture that offers a high variable mapping capability due to the radial chart metaphor, making it possible to visualize a high number of variables in the same sculpture. Unlike all other sculptures that are limited to 4 variables. The implementation complexity was estimated as medium because it can be achieved through common geometry construction algorithms. In comparison both the activity terrain and the activity leaf would have demanded a great amount of research on terrain

generation and natural structure simulation. An important factor for choosing the activity vase was that it does not rely on a specific property of the data to be generated. For example the activity landscape depends heavily on GPS data to be generated. After analyzing the fitness-tracker that were intended to be used in this work, none of them supported GPS data. Due to the high cost of fitness-tracker that supported GPS and to the complexity of using a smartphone to address this issue, the activity terrain was discarded. The abstract nature of the activity vase, even though not familiar to most users it provides a representation that can be expanded to use in wearables or other artifacts that appeal to both genders, reaching in this way a wider audience. And finally it offers also a reasonable customization capacity that can be later expanded if needed.

The final implementation of the sculpture and the possible control features will be discussed in Chapter 4 in section 4.4.2. Following the design process of the configurator will be discussed.

Sculpture Name	Metaphor	Semiotic Representation	Variable Mapping Capacity	Estimated Implementation Complexity	Customization Capacity
3D Graph	Line Chary	Indexical /Avatar Iconic	4	Medium high	Medium high
Activity Landscape	Terrain	Iconic	min. 2	High	High
Activity Flora	Leaf	Iconic	4	High	Low
Activity Vase	Vase/ Cylinder	Symbolic	Unlimited	Medium	Medium

Table 3.1: Activity Sculpture Prototype Comparison

3.2 Configurator Design

The configurator's main goal is to guide a user through decision making, while keeping consistency with design constraints[2]. The design of a user friendly web configurator is not an easy task as it involves thoughtful design of the configuration process, the controls with which the user will manipulate the object and the constraints that will ensure that the chosen configuration fulfills the design restrictions. Abbasi et al. made an in depth study of 111 web configurators[2] providing helpful insight of most used techniques. In their research Abbasi et al. divided the functionality of a configurator in three areas: *configuration options*, *constraints* and *the configuration process*.

Configuration options comprehend the user interface widgets that are used to change values, choose options and manipulate the object in general. The most common widgets are combo box items (drop-down lists), images, radio buttons, check boxes and text boxes. It was found that 83% of the analyzed configurators preloaded their controls with default values and if the user did not input a value in a control it continued with a default value. If users miss filling in values in specific controls or input fields the configurator can notify the user if he has left any mandatory field empty or when continuing to the next section the user will be notified that he left an empty field.

Constraints can be used to proof the correctness of user input values or also to hide functionality from novice users. In order to achieve ensure the correctness of the input data several checks can be performed. Type correctness ensures the value's type matches the expected type: integer, strings etc. Range correctness tests if the value resides in the lower and upper bounds. Value formatting specifies an expected format and case sensitiveness for dates, colors or email addresses. 62% of the studied configurators performed these checks in a prevention pattern where the configurator notifies the user of a mistake before he submits the input value. It is common to hide constrain the visibility of certain controls if not activated.

Configuration processes can take mainly three forms. A single step configurator displays all controls in a single view. Basic multi-step configurators display the options in graphical containers that can be displayed successively or in a single view. Hierarchical multi-step configurators divide the controls are similar to basic multi-step configurators but allow the subgrouping of controls in a graphical container. Multi-step configurators can activate their controls in a step-by-step manner or they can make all controls available at any moment. For the design of multi-step configurators is important to keep in mind that some kind of decision propagation system has to be implemented in order to keep the decisions made in a previous step available and display their impact to the product.

Another important guideline for the design of the configurator was the ISO 9241-110:2006 standard for the ergonomics of human-system interaction[10]. The standard offers a series of recommendations for user interface designers and developers of interactive systems. The Volkswagen web configurator made use if the guidelines in the standard and they proved to be useful in the design process[29]. The following recommendations were taken into consideration for the design and prototype phase of this work.

Suitability for the task expresses the interaction should be suitable for the user's task and skill level. Meaning the user is given meaningful aids to accomplish his task and the interface supports functionality for different kinds of users e.g. "advanced" or "novice".

Self-descriptiveness attempts to make clear to the user what tasks should be performed next. Descriptions have to be reached easily by the user and several different views of the product.

Controllability. The user should be able to control the speed and order of the interaction as well as other navigation aids.

Conformity with user expectations. This consistency of the interface is important to meet the user's expectations. In order to achieve this the design process has to be logically understandable to the user. Fore example the user should know at all times in which step of the configuration process he is.

Error tolerance. The interface reacts reasonably to all user input and mechanisms that prevent the user to make mistakes should be implemented. If an error occurs the interface has to be forgiving and the error should be easily reversible.

With the obtained guidelines from both the extensive study of Abbasi et al.[2] and the ISO 9241-110:2006[10] the configurator prototypes took the following form.

3.2.1 Ideation Process

The configurator prototypes were ideated in an iterative process where different concepts were developed and discussed between the author and his tutor.

The first prototype was a multi-step based configurator where every steps presents a new set of visual controls. This first prototype welcomed the user with a home screen for the configurator. In this screen the user can login with his tracker account or he can scroll down and see a gallery of sculptures other users have made. If the user keep scrolling down a tutorial section is presented. This section is intended to be only a brief introduction of the workflow of the configurator. After logging in the user lands in the data dashboard. This is the first step of the configurator and serves to get the user acquainted with his data. In this step a line-chart with three tabs at the top displaying different data categories is shown from which the user can chose variables to visualize. The user knows in which step he is at all times with a navigation bar at the top of the screen. The current step number is highlighted. The user can further explore the data with zoom controls and also with an on hover radial chart displaying the value of the variables visualized for the given point in time. The next step is the sculpture selection menu. This step allows the user to select a specific object he can make out of the activity with a short description. Once the user has chosen a sculpture style the sculpture configurator is shown. In this step the user can customize the sculpture by selecting from a variety of materials and colors. The user can also chose between different connection modes,

which alters the way the vertices of the sculpture are connected. At the bottom of this view the selected variables are shown in both radial and line chart views. Thinking of the configurator as a commercial product it would be helpful to have an overview of the price and see how different configurations influence it. When the user is happy with the sculpture he may continue to the accessories configurator. In this step labels and other accessories or secondary elements can be customized. In the final step a summary of the used materials and visual styles is offered and the sculpture can be then printed.




Figure 3.9: Sketch of the step based configurator prototype

In the second design iteration it was intended to simplify the interface and move from a multi-step based with step-by-step views to a basic multi-step design. The welcome screen first introduced in the first prototype would also remain for all the design iterations. After the user has logged in to the configurator the workspace view is shown. This view contains all the controls for the configurator. In the left side a panel contains several views that can be navigated. Each view has controls for a specific property. The panel shown in figure 3.11 has the variable catalog from which the user can chose variables to map to the sculpture. By selecting a variable the sculpture would be instantly updated. The geometry of the sculpture can be customized in another panel with sliders to manipulate hight and radius parameters. In this same panel a date field can be used to select the data range of the visualized data.




Figure 3.10: 3D modeling software Cinema 4D graphical user interface[8] Figure 3.11: Sketch of 3D modeling software inspired configurator prototype

At the right side a panel with material and color options is shown. Again at the bottom a

line- and radial-charts visualize the selected variables. After finishing the user is brought to a summary view of the selected materials and variables visualized. A strong inspiration for this concept were 3D modeling software packages like the one shown in figure 3.10. The normal layout of a modeling software offers users an overview of the scene in different angles and a series of navigation menus and panels with material and assets windows.

The final design iteration of the configurator was conceived with the goal of further simplify the interface by hiding all panels and instead focus the users attention to the sculpture (see figure 3.12). After logging in the user is taken to the configurator. The sculpture will be surrounded by a circle with floating labels of the selected variables. To edit the visualized variables a button with a plus symbol is placed in the circle around the sculpture. If the user presses this button a panel pop ups displaying the variable list. After selecting a variable the sculpture will update instantly. This prototype has three more buttons. Floating on the right a calendar button can be used to display a slider with which the user can set the data range to be visualized. The other two buttons are used to manipulate geometry and material options.

In the following section the comparison of the 3 prototypes will be discussed, closing with an argumentation about the chosen prototype.




Figure 3.12: Sketch of a simplified panel-free configurator prototype

3.2.2 Prototype Validation

The main difference of the 3 prototypes is how the user is guided through the configuration process. A welcome view in all prototypes will introduce the workflow to the user allowing him to get comfortable with the system. The first prototype simplifies the available visual controls by dividing the process in steps. Each step is specialized in a single aspect of the configuration process, this has the benefit of allowing the user to concentrate on a single task and move on. The downside of such an implementation is that it requires state persistence functionality to store the configurations made throughout the process. For the amount of controls available for the activity sculpture configurator this option might be an overkill due that the essential steps can be broken down to two steps.

On the other hand simplifying the interface so much as in prototype 3 where all controls are accessed through buttons could offer not enough information about how they can achieve their goals. Although this prototype encourages exploration as it is the only way the user can figure out how to customize the sculpture, this takes the configurator to a more sculpting like approach.

Prototype 2 sits somewhere in the middle between prototype 1 and 3. The step clutter is reduced to a single view but through the display of control panels with text the user has visual

queues as to what the available tasks are. Through the left panel that accommodates different controls through a cycling tab system the clutter of customization controls is avoided allowing the user to concentrate in the controls that are visible in the panel at the moment.

In summary the configuration developed configurator prototype offers a simplified workflow through a basic multi-step approach design with a simple layout that displays the controls in a logically organized manner thanks to a tab panel. The available controls will be reduced to buttons, toggles and sliders that easily configurated in the system and most importantly the user can not make any mistakes, liberating the user of frustrating experiences of correcting mistakes. By having only one view the configurator reduces the implementation complexity and does not require a persistence system.

Chapter 4 is devoted to the technical implementation of the configurator's prototype discussing technologies used, the overall architecture and the challenges encountered in the developing process.

4 Implementation

4.1 Requirements

4.2 Technology

4.3 Architecture

4.4 Configurator

4.4.1 Sculpture Manipulation

4.4.2 Sculpture Generation & Rendering

4.5 Backend

4.5.1 Withings API Integration

4.5.2 Data Processing

4.6 Challenges

5 User Study

5.1 Study Design

5.2 Questionnaire

5.3 Participants

5.4 Procedure

5.5 Results

5.6 Limitations

6 Conclusion

7 Future Work

List of Figures

2.1	UNU electric scooter web configurator[14]	4
2.2	Timbuk2 bag web configurator[47]	4
2.3	Groupe Maine's gates configurator[42]	5
2.4	The MakerVis fabrication tool[44]	6
2.5	Twikit powered 3D Trophy Factory web configurator[5]	7
2.6	Twikit powered MrMaria Studio lamp web configurator[30]	7
2.7	SweatAtmos activity sculptures[28]	9
2.8	Mental Fabrication's brain activity landscapes[40]	10
2.9	Fitness Tracker Wristbands. From left to right: Nike+ Fuel Band SE[20], Misfit Shine[52], Jawbone UP 3[25], Fitbit Flex[17] and the Withings Pulse Ox[54]	12
3.1	Athlete's movements captured in a multiple exposure image[9]	15
3.2	3D Graph sketch	15
3.3	Procedurally generated landscape [37]	16
3.4	Activity Landscape sketch	16
3.5	Activity Flora sketch	17
3.6	Sculptures made with generative algorithms based on hyphae growth as seen on leave and coral structures[22]	18
3.7	Fhaz: Procedurally generated vase based on facial profiles[34]	19
3.8	Activity Vase sketch	19
3.9	Sketch of the step based configurator prototype	22
3.10	3D modeling software Cinema 4D graphical user interface[8]	22
3.11	Sketch of 3D modeling software inspired configurator prototype	22
3.12	Sketch of a simplified panel-free configurator prototype	23

LIST OF FIGURES

LIST OF FIGURES

References

- [1] C. '74. 'Cycling '74: makers of max', 2015. last accessed 25-05-2015, <https://cycling74.com/>.
- [2] E. Abbasi, A. Hubaux, M. Acher, Q. Boucher, and P. Heymans. What's in a web configurator? empirical results from 111 cases. University of Belgium, 2013.
- [3] F. Bara, E. Gentaz, P. Colé, and L. Sprenger-Charolles. The visuo-haptic and haptic exploration of letters increases the kindergarten children's understanding of the alphabetic principle. *Cognitive development*, 19(3):433–449, 2004.
- [4] M. Bostock. D3 data driven documents, 2013. last accessed 22-05-2015, <http://d3js.org/>.
- [5] T. bvba. 3d trophy factory, 2015. last accessed 22-05-2015, http://www.3dtrophyfactory.com/en/start-creating/tr_texttotem_large.
- [6] R. Cabello. Three.js, 2010. last accessed 22-05-2015, <http://threejs.org/>.
- [7] S. K. Card, J. D. Mackinlay, and B. Shneiderman, editors. *Readings in Information Visualization: Using Vision to Think*. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, 1999.
- [8] M. Computer. Maxon 3d for the real world, 2015. last accessed 27-05-2015, <http://www.maxon.net/de/products/cinema-4d-studio.html>.
- [9] D. Coulter. Multiple exposure 28, 2015. last accessed 27-05-2015, <http://www.dylancoulter.com/Multiple-Exposure/28>.
- [10] I. FDIS. 9241-110: 2006. ergonomics of human system interaction-part 110: Dialogue principles. *International Organization for Standardization (ISO). Switzerland*, 2006.
- [11] A. Felferding, L. Hotz, C. Bagley, and J. Tiuhonen. *Knowledge-based configuration: From research to business cases*. Newnes, 2014.
- [12] M. C. Felice, J. B. Ferreira Filho, M. Acher, A. Blouin, and O. Barais. Interactive visualisation of products in online configurators. *17th International Software Product Line Conference co-located workshops*, 2013.
- [13] J. Gantz and D. Reinsel. The digital universe in 2020: Big data, bigger digital shadows, and biggest growth in the far east. *IDC iView: IDC Analyze the Future*, 2007:1–16, 2012.
- [14] U. GmbH. Unu embrace urban life, 2014. last accessed 20-05-2015, <https://unumotors.com/get-your-unu.html>.
- [15] G. Hedin, L. Ohlsson, and J. McKenna. Product configuration using object oriented grammars. In *System Configuration Management*, pages 107–126. Springer, 1998.
- [16] F. Inc. Fitbit, 2015. last accessed 26-05-2015, <https://www.fitbit.com/de/flex>.
- [17] F. Inc. Fitbit flex wireless activity & sleep wristband, 2015. last accessed 26-05-2015, <https://www.fitbit.com/de/flex>.
- [18] J. Inc. Node.js, 2012. last accessed 22-05-2015, <http://nodejs.org/>.

- [19] N. Inc. Nike+ developer portal, 2014. last accessed 26-05-2015, https://developer.nike.com/content/nike-developer-cq/us/en_us/index/documentation/api-docs.html.
- [20] N. Inc. Nike+, 2015. last accessed 26-05-2015, <https://secure-nikeplus.nike.com/plus/products/>.
- [21] N. Inc. Nike+ running gps app, 2015. last accessed 26-05-2015, http://www.nike.com/us/en_us/c/running/nikeplus/gps-app.
- [22] N. S. Inc. hyphae: surface growth, 2010. last accessed 27-05-2015, <http://n-e-r-v-o-u-s.com/projects/albums/networks-sketches/content/hyphae-surface-growth-1/>.
- [23] N. S. Inc. Nervous system, 2015. last accessed 27-05-2015, <http://n-e-r-v-o-u-s.com/>.
- [24] Y. Jansen, P. Dragicevic, and J.-D. Fekete. Evaluating the efficiency of physical visualizations. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pages 2593–2602. ACM, 2013.
- [25] Jawbone. Buy up3 by jawbone the most advanced tracker known to man, 2015. last accessed 26-05-2015, <https://jawbone.com/store/buy/up3>.
- [26] Jawbone. Up for developers, 2015. last accessed 26-05-2015, <https://jawbone.com/up/developer>.
- [27] T. jQuery Foundation. jquery write less, do more, 2015. last accessed 22-05-2015, <https://jquery.com/>.
- [28] R. A. Khot, L. Hjorth, and F. Mueller. Understanding physical activity through 3d printed material artifacts. In *Proceedings of the 32nd annual ACM conference on Human factors in computing systems*, pages 3835–3844. ACM, 2014.
- [29] R. Konstanzer, D. Koenig, and I. Andrei. Volkswagen car configurator. Mar 2007.
- [30] M. Maria. Mr maria shop all sweetness and light, 2015. last accessed 22-05-2015, <http://mrmaria.com/customizable/>.
- [31] V. Mayer-Schönberger and K. Cukier. *Big data: A revolution that will transform how we live, work, and think*. Houghton Mifflin Harcourt, 2013.
- [32] R. McCarney, J. Warner, S. Iliffe, R. van Haselen, M. Griffin, and P. Fisher. The hawthorne effect: a randomised, controlled trial. *BMC medical research methodology*, 7(1):30, 2007.
- [33] NeuroSky. Biosensors & algorithms ,ecg, eeg, neursky, 2015. last accessed 25-05-2015, <http://neurosky.com/biosensors/eeg-sensor/biosensors/>.
- [34] Nicholas and M. Desbiens. Fahz, it's your face in a vace, 2015. last accessed 27-05-2015, <http://www.fahzface.com/>.
- [35] E. N. of Living Labs. European network of living labs, 2014. last accessed 21-05-2015, <http://www.openlivinglabs.eu/aboutus>.
- [36] C. K. Ogden, I. A. Richards, B. Malinowski, and F. G. Crookshank. *The meaning of meaning*. Harcourt, Brace & World New York, 1946.

- [37] J. Olsen. Realtime procedural terrain generation. 2004.
- [38] F. T. Piller. User innovation: Der kunde als initiator und beteiligter im innovationsprozess. *Drossou, O., Krempel, S.(Hg.): Open Innovation. Freier Austausch von Wissen als soziales, politisches und wirtschaftliches Erfolgsmodell. Hannover*, pages 85–97, 2006.
- [39] B. J. Pine. *Mass customization: the new frontier in business competition*. Harvard Business Press, 1999.
- [40] I. Popian. Mental fabrications, 2015. last accessed 25-05-2015, http://www.3dtrophyfactory.com/en/start-creating/tr_texttotem_large.
- [41] C. P. Release. 3d printing market to grow to us\$16.2 billion in 2018, 2014.
- [42] R. Rolland, E. Yvain, O. Christmann, E. Loup-Escande, and S. Richir. E-commerce and web 3d for involving the customer in the design process: the case of a gates 3d configurator. In *Proceedings of the 2012 Virtual Reality International Conference*, page 25. ACM, 2012.
- [43] E. Rubin. *Visuell wahrgenommene figuren*. Ripol Classic, 1921.
- [44] S. Swaminathan, C. Shi, Y. Jansen, P. Dragicevic, L. A. Oehlberg, and J.-D. Fekete. Supporting the design and fabrication of physical visualizations. In *Proceedings of the 32nd annual ACM conference on Human factors in computing systems*, pages 3845–3854. ACM, 2014.
- [45] M. Swan. The quantified self: fundamental disruption in big data science and biological discovery. *Big Data*, 1(2):85–99, 2013.
- [46] U. Technologies. Unity game engine, 2015. last accessed 21-05-2015, <http://www.unity3d.com>.
- [47] Timbuk2. Timbuk2 custom classic messenger bag, 2014. last accessed 20-05-2015, <http://www.timbuk2.com/customizer#/product/18-custom-classic-messenger-bag/size/2/customize>.
- [48] Twikit. Twikit, tweak it, make it! 3d customization, 2015. last accessed 22-05-2015, <https://www.twikit.com/>.
- [49] A. Vande Moere. Beyond the tyranny of the pixel: Exploring the physicality of information visualization. In *Information Visualisation, 2008. IV'08. 12th International Conference*, pages 469–474. IEEE, 2008.
- [50] A. Vande Moere and S. Patel. The physical visualization of information: Designing data sculptures in an educational context. *Visual Information Communications International (VINCI'09)*, 2009.
- [51] M. Wearables. Build misfit, 2015. last accessed 26-05-2015, <https://build.misfit.com/docs/start>.
- [52] M. Wearables. Misfit shine premium fitness + sleep monitor, 2015. last accessed 26-05-2015, <http://misfit.com/products/shine#shine-trackitall>.
- [53] Withings. Withings documentation, 2015. last accessed 26-05-2015, <http://oauth.withings.com/api>.
- [54] Withings. Withings pulse ox, 2015. last accessed 26-05-2015, <http://www.withings.com/de/withings-pulse.html>.

- [55] G. Wolf. Know thyself: Tracking every facet of life, from sleep to mood to pain. *Wired Magazine*, 24(7):365, 2009. http://archive.wired.com/medtech/health/magazine/17-07/lbnp_knowthyself?currentPage=all.
- [56] G. Wolf. The quantified self, self knowledge through numbers, May 2012. last accessed 19-05-2015, <http://www.quantifiedself.com/>.
- [57] J. Zhao and A. V. Moere. Embodiment in data sculpture: a model of the physical visualization of information. In *Proceedings of the 3rd international conference on Digital Interactive Media in Entertainment and Arts*, pages 343–350. ACM, 2008.

Appendix


A Prototype Sketches


A.1 Sculpture Prototypes

3D Graph Sculpture Prototype (continues in next page)

Visualization Prototype 1 // 3D-Graph


Visualization suitable for mapping two variables. More suitable for performance analysis over time.
 - Variable 1: A given time period.
 - Variable 2: Daily average heart rate, daily avg. max. speed, daily distance.






Variation for 3 mapping variables


3/4 View



Top View



Side View

Variable
mapping:

Av. heart rate.



Activity Flora

Visualization Prototype 3 // Activity Flora


Visualization suitable for several variables. More suitable for short to mid term performance analysis.

The idea: use data to influence leaves growth


Base for the leaves



Put as many holes as days analyzed



For every leave:
(Variable mapping)



Variations:

Smaller size = Wearables



more geometric approach:



Activity Landscape


Visualization Prototype 2 // Activity Landscape

Visualization suitable for mapping two variables. More suitable for performance analysis using localization

- Variable 1: GPS Localization points.
- Variable 2: hear rate, speed, altitude.

Idea:

- User goes for a run.
- Generates GPS data



- While running several kinds of data is being generated.




- Map GPS and running data to sculpture




= get funky!

Visualization detail:



Layered texture




Activity Vase (continues in next page)


Visualization Prototype 4 // Activity Vase

Visualization suitable for several variables. Suitable for visualizing activity data from one day or from longer time spans: a week or a month.

Inspiration: Star glyph




Visualizing 1 Day




Visualizing Several Days





Stackable sculpture




Solid sculpture



Possible objects out of the visualizations:




Comparing two points in time




A.2 Web Configurator Prototypes

Configurator Prototype No.1 Welcome Screen

Welcome Screen



Configurator Prototype No.1 Dashboard View




Configurator Prototype No.1 Sculpture Selection View

Sculpture Selection Menu

Sculpture Selection Menu

1 — 2 — 3 — 4 — 5



You think water moves fast? You should see ice. It moves like it has a mind. Like it knows it killed the world once and got a taste for murder. After the avalanche, it took us a week to climb out. Now, I don't know exactly when we turned on each other, but I know that seven of us survived the slide... and only five made it out. Now we took an oath, that I'm breaking now. We said we'd say it was the snow that killed the other two, but it wasn't. Nature is lethal but it doesn't hold a candle to man.

SELECT



You think water moves fast? You should see ice. It moves like it has a mind. Like it knows it killed the world once and got a taste for murder. After the avalanche, it took us a week to climb out. Now, I don't know exactly when we turned on each other, but I know that seven of us survived the slide... and only five made it out. Now we took an oath, that I'm breaking now. We said we'd say it was the snow that killed the other two, but it wasn't. Nature is lethal but it doesn't hold a candle to man.


SELECT




You think water moves fast? You should see ice. It moves like it has a mind. Like it knows it killed the world once and got a taste for murder. After the avalanche, it took us a week to climb out. Now, I don't know exactly when we turned on each other, but I know that seven of us survived the slide... and only five made it out. Now we took an oath, that I'm breaking now. We said we'd say it was the snow that killed the other two, but it wasn't. Nature is lethal but it doesn't hold a candle to man.

SELECT

Configurator Prototype No.1 Sculpture Configurator View




Configurator Prototype No.1 Accessories View



Configurator Prototype No.1 Summary View

Summary

1 — 2 — 3 — 4 — 5



Vitur ultrices, diam non ullamcorper blandit, nunc lacus ornare nisi, egestas rutrum magna est id nunc. Pellentesque imperdiet malesuada quam, et rhoncus eros auctor eu. Nullam vehicula metus ac lacus rutrum nec fermentum urna congue. Vestibulum et risus at mi ultricies sagittis quis nec ligula. Suspendisse dignissim dignissim luctus. Duis ac dictum nibh. Etiam id massa magna. Morbi molestie posuere posuere. ultrices, diam non ullamcorper blandit, nunc lacus ornare nisi, egestas rutrum magna est id nunc. Pellentesque imperdiet malesuada quam, et rhoncus eros auctor eu. Nullam vehicula metus ac lacus rutrum nec fermentum urna congue. Vestibulum et risus at mi ultricies sagittis quis nec ligula. Suspendisse dignissim dignissim luctus. Duis ac dictum nibh. Etiam id massa magna. Morbi molestie posuere posuere. Etiam aliquam sem ac velit teugiat elementum. Nunc eu elit velit, nec vestibulum nibh. Curabitur Etiam aliquam sam ac velit feugiat elementum. Nunc eu elit velit, nec vestibulum nibh. Curabitur ultrices, diam non ullamcorper blandit, nunc lacus ornare nisi, egestas rutrum magna est id nunc. Pellentesque imperdiet malesuada quam, et rhoncus eros auctor eu. Nullam vehicula metus ac lacus rutrum nec fermentum urna congue. Vestibulum et risus at mi ultricies sagittis quis nec ligula. Suspendisse dignissim dignissim luctus. Duis ac dictum nibh. Etiam id massa magna. Morbi molestie posuere posuere. ultrices, diam non ullamcorper blandit, nunc lacus ornare nisi, egestas rutrum magna est id nunc. Pellentesque imperdiet malesuada quam, et rhoncus eros auctor eu. Nullam vehicula metus ac lacus rutrum nec fermentum urna congue. Vestibulum et risus at mi ultricies sagittis quis nec ligula. Suspendisse dignissim dignissim luctus. Duis ac dictum nibh. Etiam id massa magna. Morbi molestie posuere posuere.

PRINT

Configurator Prototype No.2 Configurator View

Workspace

< Data Overview >

Date From: 12.03.2014 To: 7.09.2015

Activity	Var	Var	Var	Var	Var	Var
Activity	Var	Var	Var	Var	Var	Var
Sleep	Var	Var	Var	Var	Var	Var

Body Metrics	Var	Var	Var	Var	Var	Var
Body Metrics	Var	Var	Var	Var	Var	Var

Sculpture

Color

Union shape


- Triangles
- Organic
- Wireframe

Checkout

Configurator Prototype No.2 Summary View

Summary

Data Info



Sculpture Info


Vitur ultrices, diam non ullamcorper blandit, nunc lacus ornare nisi, egestas rutrum magna est id nunc. Pellentesque imperdiet malesuada quam, et rhoncus eros auctor eu. Nullam vehicula metus ac lacus rutrum nec fermentum urna congue. Vestibulum et risus at mi ultricies sagittis quis nec ligula. Suspendisse dignissim dignissim luctus. Duis ac dictum nibh. Etiam id massa magna. Morbi molestie posuere posuere.

molestie posuere posuere, ultrices, diam non ullamcorper blandit, nunc lacus ornare nisi, egestas rutrum magna est id nunc. Pellentesque imperdiet malesuada quam, et rhoncus eros auctor eu. Nullam vehicula metus ac lacus rutrum nec fermentum urna congue. Vestibulum et risus at mi ultricies sagittis quis nec ligula. Suspendisse dignissim dignissim luctus. Duis ac dictum nibh. Etiam id massa magna. Morbi molestie posuere posuere.

Etim aliquam sem ac velit feugiat elementum. Nunc eu elit velit, nec vestibulum nibh. Curabitur Etiam aliquam sem ac velit feugiat elementum. Nunc eu elit velit, nec vestibulum rutrum magna est id nunc. Pellentesque imperdiet malesuada quam, et rhoncus eros auctor eu. Nullam vehicula metus ac lacus rutrum nec fermentum urna congue. Vestibulum et risus at mi ultricies sagittis quis nec ligula. Suspendisse dignissim dignissim luctus. Duis ac dictum nibh. Etiam id massa magna. Morbi molestie posuere posuere, ultrices, diam non ullamcorper blandit, nunc

Print/Order

Configurator Prototype No.3



B User Study & Questionnaire

B.1 Questionnaire

5/26/2015

Activity Sculpture Web-Configurator

Activity Sculpture Web-Configurator

This questionnaire helps us to better understand your experience while using the configurator.

* Erforderlich

1. Gender *

Markieren Sie nur ein Oval.

- Male
- Female

2. Age *

Web Configurators

3. Describe the type of experience you have with 3D modelling software *

Markieren Sie nur ein Oval.

- None
- Low
- Intermediate
- Advanced
- Pro

4. Have you ever used a web configurator before? *

Markieren Sie nur ein Oval.

- Yes Weiter mit Frage 5
- No Weiter mit Frage 6

Weiter mit Frage 6

Configurators in E-shops

5. What describes best your experience while using web configurators? *

Markieren Sie nur ein Oval.

- Frustrating
- Complicated
- Neutral
- Interesting
- Enjoyable

5/26/2015

Activity Sculpture Web-Configurator

Product Value

6. Do you think customising your product adds more value to it?

Markieren Sie nur ein Oval.

- Yes
- No

7. Do you think products that can be customised tend to be more expensive? *

Markieren Sie nur ein Oval.

- Yes
- No

Tracking Devices

8. Are you mindful/aware of your daily activity, i.e. have exercise goals like the recommended 10000 daily steps *

Markieren Sie nur ein Oval.

- I've never thought about it
- From time to time, and try to do some excersie
- Yes, I exercise a few times a week
- It is really important to me, I exercise daily

9. Do you use a tracking device? *

Markieren Sie nur ein Oval.

- Yes Weiter mit Frage 10
- No Weiter mit Frage 12

10. What tracking device do you use? *

Markieren Sie nur ein Oval.

- Jawbone Up-2/3/4
- Fitbit Flex/Cahrge
- Withings Pulse X/Activité
- Polar A3000
- Sonstiges:

11. Has the tracking device influenced your activity? *

Markieren Sie nur ein Oval.

- Yes
- No

Weiter mit Frage 13

5/26/2015

Activity Sculpture Web-Configurator

12. Have you considered using a tracking device **Markieren Sie nur ein Oval.*

- Yes
 No

Activity Sculptures**13. Which style did you find the most attractive? ****Markieren Sie nur ein Oval.*

- Normal
 Interpolated
 Wire-frame
 Wire-frame + Interpolated

14. The sculpture was aesthetically appealing **Markieren Sie nur ein Oval.*

1	2	3	4	5
I strongly agree				
I strongly disagree				

15. I felt attached to the sculpture in some way **Markieren Sie nur ein Oval.*

1	2	3	4	5
I strongly agree				
I strongly disagree				

16. It was interesting to see my activity data visualized in a sculpture **Markieren Sie nur ein Oval.*

1	2	3	4	5
I strongly agree				
I strongly disagree				

17. I would use it regularly to visualize my data **Markieren Sie nur ein Oval.*

1	2	3	4	5
I strongly agree				
I strongly disagree				

5/26/2015

Activity Sculpture Web-Configurator

18. If available, I would order a 3D printed sculpture of my activity **Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**19. I would wear my sculpture if it could be adapted to earrings, necklaces, rings, smart-phone cases, key chains, ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**20. I would show my sculpture to friends and relatives***Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**Configurator Usability****21. The configurator's interface was aesthetically appealing ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**22. The configurator was easy to use ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**23. The configurator was easy to learn ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree

5/26/2015

Activity Sculpture Web-Configurator

24. I found it helpful to see a summary of all my activity in the dashboard **Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**25. A gallery of my sculptures is helpful as it allows me to collect my sculptures over time ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**26. Each label clearly described the functionality of the slider or toggle control ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**27. It was always clear how each slider and toggle button manipulated the sculpture ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**28. The available configuration options were enough for me ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**29. It was helpful to see the sculpture update instantly after changing a slider or toggle value ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**30. I would have liked to see a visualization that represented the data more accurately ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree

5/26/2015

Activity Sculpture Web-Configurator

31. I would have liked to have different sculptures to choose from **Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**Final Remarks****32. I find the configurator's functionality useful ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**33. I would use a configurator like this again ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**34. I am pleased with the sculpture I configured ****Markieren Sie nur ein Oval.*

1 2 3 4 5

I strongly agree I strongly disagree**35. Any final thoughts you want to share?**

.....

B.2 Questionnaire Results

Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49

w.rempeningd@gmail.com
Dieses Formular bearbeiten

9 Antworten

[Alle Antworten ansehen](#) [Analytics veröffentlichen](#)

Zusammenfassung

Gender




Age

- 35
- 22
- 23
- 24
- 26
- 28
- 19

Web Configurators

Describe the type of experience you have with 3D modelling software




<https://docs.google.com/forms/d/1Jwrh-L0MJhsMLtiCU8OWnaSNjcjb8PWFMe7yG27eOkE/viewanalytics>

Page 1 of 15


Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49

None	7	77.8 %
Low	1	11.1 %
Intermediate	1	11.1 %
Advanced	0	0 %
Pro	0	0 %

Have you ever used a web configurator before?

Yes	1	11.1 %
No	8	88.9 %

Configurators in E-shops**What describes best your experience while using web configurators?**

Frustrating	0	0 %
Complicated	0	0 %
Neutral	1	100 %
Interesting	0	0 %
Enjoyable	0	0 %

Product Value**Do you think customising your product adds more value to it?**<https://docs.google.com/forms/d/1Jwrh-L0MJhsMLtiCU8OWnaSNjcjb8PWFMe7yG27eOkE/viewanalytics>

Page 2 of 15


Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49



Yes **9** 100 %
No **0** 0 %


Do you think products that can be customised tend to be more expensive?



Yes **6** 66.7 %
No **3** 33.3 %

Tracking Devices

Are you mindful/aware of your daily activity, i.e. have exercise goals like the recommended 10000 daily steps





I've never thought about it	4	44.4 %
From time to time, and try to do some excersie	2	22.2 %
Yes, I exercise a few times a week	3	33.3 %
It is really important to me, I exercise daily	0	0 %

Do you use a tracking device?


Yes **1** 11.1 %
No **8** 88.9 %

Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49

**What tracking device do you use?**

Jawbone Up-2/3/4	0	0 %
Fitbit Flex/Cahrgue	0	0 %
Withings Pulse X/Activité	0	0 %
Polar A3000	0	0 %
Sonstige	1	100 %

Has the tracking device influenced your activity



Yes	1	100 %
No	0	0 %

Have you considered using a tracking device


Yes	7	87.5 %
No	1	12.5 %

Activity Sculpture Web-Configurator - Google Formulare



26/05/15 14:49


**Which style did you find the most attractive?**

Normal	5	55.6 %
Interpolated	1	11.1 %
Wire-frame	1	11.1 %
Wire-frame + Interpolated	0	0 %

The sculpture was aesthetically appealing


I strongly agree:	1	22.2 %
2	4	44.4 %
3	2	22.2 %
4	1	11.1 %
I strongly disagree:	5	0 %

I felt attached to the sculpture in some wayI strongly agree: 1 **1** 11.1 %2 **2** 22.2 %3 **5** 55.6 %4 **1** 11.1 %I strongly disagree: 5 **0** 0 %**It was interesting to see my activity data visualized in a sculpture**I strongly agree: 1 **4** 44.4 %2 **2** 22.2 %3 **2** 22.2 %4 **1** 11.1 %I strongly disagree: 5 **0** 0 %**I would use it regularly to visualize my data**



I strongly disagree: 5 1 11.1 %

If available, I would order a 3D printed sculpture of my activity





I strongly agree: 1 2 22.2 %
 2 1 11.1 %
 3 4 44.4 %
 4 2 22.2 %
 I strongly disagree: 5 0 0 %

I would wear my sculpture if it could be adapted to earrings, necklaces, rings, smart-phone cases, key chains,

Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49



**I would show my sculpture to friends and relatives**

I strongly agree: 1 3 33.3 %
 2 4 44.4 %
 3 2 22.2 %
 4 0 0 %
 I strongly disagree: 5 0 0 %


Configurator Usability**The configurator's interface was aesthetically appealing**

Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49

**The configurator was easy to use**


I strongly agree: 1 **6** 66.7 %
 2 **2** 22.2 %
 3 **1** 11.1 %
 4 **0** 0 %
I strongly disagree: 5 **0** 0 %

The configurator was easy to learn


Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49

I strongly agree: 1 **4** 44.4 %
 2 **3** 33.3 %
 3 **2** 22.2 %
 4 **0** 0 %
 I strongly disagree: 5 **0** 0 %

I found it helpful to see a summary of all my activity in the dashboard

I strongly agree: 1 **3** 33.3 %
 2 **5** 55.6 %
 3 **0** 0 %
 4 **1** 11.1 %
 I strongly disagree: 5 **0** 0 %

A gallery of my sculptures is helpful as it allows me to collect my sculptures over time


I strongly agree: 1 **5** 55.6 %
 2 **2** 22.2 %
 3 **2** 22.2 %

Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49


4 0 0 %
 I strongly disagree: 5 0 0 %

Each label clearly described the functionality of the slider or toggle control




I strongly agree: 1 4 44.4 %
 2 3 33.3 %
 3 1 11.1 %
 4 1 11.1 %
 I strongly disagree: 5 0 0 %

It was always clear how each slider and toggle button manipulated the sculpture



I strongly agree: 1 5 55.6 %
 2 3 33.3 %
 3 1 11.1 %
 4 0 0 %
 I strongly disagree: 5 0 0 %

The available configuration options were enough for me


I strongly agree: 1 5 55.6 %

2 3 33.3 %

3 1 11.1 %

4 0 0 %

I strongly disagree: 5 0 0 %

It was helpful to see the sculpture update instantly after changing a slider or toggle value

I strongly agree: 1 8 88.9 %

2 0 0 %

3 1 11.1 %


4 0 0 %

I strongly disagree: 5 0 0 %

I would have liked to see a visualization that represented the data more accurately

Activity Sculpture Web-Configurator - Google Formulare

26/05/15 14:49




I strongly agree: 1 1 11.1 %

2 1 11.1 %

3 5 55.6 %

4 2 22.2 %

I strongly disagree: 5 0 0 %

I would have liked to have different sculptures to choose from

I strongly agree: 1 2 22.2 %


2 4 44.4 %

3 1 11.1 %

4 2 22.2 %

I strongly disagree: 5 0 0 %

Final Remarks**I find the configurator's functionality useful**



I strongly agree: 1 2 22.2 %


2 6 66.7 %

3 1 11.1 %

4 0 0 %

I strongly disagree: 5 0 0 %

I would use a configurator like this again



I strongly agree: 1 2 22.2 %

2 7 77.8 %


3 0 0 %

4 0 0 %

I strongly disagree: 5 0 0 %

I am pleased with the sculpture I configured

Activity Sculpture Web-Configurator - Google Formulare 26/05/15 14:49



Any final thoughts you want to share?

In ther diagramm you should not show the intensity on the same level as the burned calories.

Anzahl der täglichen Antworten




B.3 User Study Results


User Nr.	Missed Features	Widgets Problems	Remarks	Comments
1	Geometry Tab, Wireframe, turn off labels	Couldn't operate toggle button, tried to slide it as if it would be a touch gesture	-Intuitively navigated the sculpture -Not many comments about the dashboard	
2	Turn off labels	Couldn't operate toggle button, tried to slide it as if it would be a touch gesture	-Didn't understand SPO2 -Intuitively navigated the sculpture -Understood the idea of the stacked radar chart -Not many comments about the dashboard	-Obvious to make a new sculpture with the button grouped: remove calories -Interesting for comparing the relationship between variables -Found the normalization of the values illogical -It's illogical that values equally increase or decrease evenly -What tangible benefit has the sculpture? Dataviz should be precise -Didn't like the interpolation visualization
3	Interpolated view with several variables, turn off labels		-Wanted to enter values, didn't quite get the idea of viewing data from your tracker -Not many comments about the dashboard	-What is this shape supposed to tell me? -Understood that the data is visualized over time
4	turn off labels	-Navigation in space was later discovered -Not many comments about the dashboard	-I can add an axis to the sculpture -Don't quite understand the interpolated mode -For the date range slider day 1 is the first day	
5	Wireframe toggle	-Kind of made a story out of the data, "this day I made a lot of intense activity" -Found the interpolation slider step bug	-Surprised of how much data one can gather about one self -Don't get the difference of adding more variables to the axis -I don't know what my heart rate is -I add the values to the sculpture -My data was already tracked and it is visualized differently -With many variables it is difficult to see what difference it made -Really liked to see the different days -Don't understand what interpolated does	

B.4 Heat Map Images

Click Heatmap



Eye-tracking Heatmap



Contents of the enclosed CD

Thesis

- L^AT_EX Document
- PDF File

Presentations

- Initial presentation
- Final presentation

Activity Sculpture Web Configurator

- Prototype sketches
- Source code
- Gitlab and Github mirrors
- Instructions for deployment
- Login Data

Sculptures

- Prototype sketches
- .stl 3D print ready example files

User Study

- Questionnaire
- Results
- Heat map images