# Aurora Workflow Orchestration – Method Specification v1.2.1

Shawn C. Wright, Aurora Research Initiative / Waveframe Labs Division

October 2025

## Aurora Workflow Orchestration (AWO)

Method Specification — v1.2.1 (Scaffold)

Maintainer: Waveframe Labs

License: CC BY 4.0 (docs), Apache 2.0 (code)

\_\_\_\_\_

#### **Preface**

This document defines the **normative specification** for Aurora Workflow Orchestration (AWO).

It replaces descriptive or philosophical language with enforceable procedural logic.

All future automation layers (e.g., CRI-CORE) must validate conformance against these requirements.

#### Interpretation of Compliance Language

- MUST absolute requirement for AWO-compliant repositories.
- ${\bf SHOULD}$  strong recommendation; deviations must be justified in documentation.
- $\mathbf{MAY}$  optional behavior permitted for flexibility.

1. Introduction

### 1.1 Purpose

Aurora Workflow Orchestration (AWO) establishes a formal, falsifiable framework for conducting reproducible AI-assisted research.

It defines the structural and procedural rules by which reasoning processes—whether human, synthetic, or hybrid—are documented, attested, and version-controlled.

This specification is **methodological**, not philosophical.

It governs the organization, validation, and archival of reasoning artifacts so that every claim produced under AWO can be independently verified.

### 1.2 Scope

This document applies to all research workflows that:

- Integrate AI or automated reasoning systems as active participants in the research process.
- Produce verifiable artifacts such as manifests, runs, and audit logs.
- Intend for those artifacts to be reproducible, falsifiable, and citable.

It defines the **minimum structural and procedural requirements** for an AWO-compliant repository, including file hierarchy, provenance recording, versioning, and attestation rules.

AWO does **not** specify runtime behavior or enforcement mechanisms. Those are defined in successor frameworks such as **CRI-CORE**, which must implement this specification as their normative foundation.

\_\_\_\_\_

### 1.3 Objectives

The objectives of the AWO standard are to:

- 1. Encode the **scientific method** as a verifiable workflow rather than a descriptive ideal.
- 2. Replace subjective credibility with **objective auditability**.
- 3. Ensure that every reasoning artifact—data, model, or decision—can be traced to its origin.
- 4. Provide a foundation for automated reproducibility enforcement systems.
- 5. Support both manual and fully automated orchestration without altering compliance semantics.

#### 1.4 Relationship to Other Documents

The AWO Whitepaper provides conceptual background and philosophical rationale.

- The AWO Adoption Guide describes practical implementation and onboarding.
- This **Method Specification** defines the normative requirements that all AWO artifacts must satisfy.

Where discrepancies occur, this specification takes precedence.

#### 1.5 Normative References

- AWO Whitepaper v1.1 (Waveframe Labs)
- Aurora Workflow Orchestration Adoption Guide v1.2.1
- Architecture Decision Records (ADR-0001 ADR-0017) authoritative design decisions underlying AWO's structural, governance, and lifecycle model.
- CRI-CORE Design Notes (draft, forthcoming)
- ISO/IEC Directives Part 2 interpretation of compliance terms ("shall," "should," "may")

\_\_\_\_

#### 1.6 Status of This Version

Version 1.2.1 represents the **finalized methodological form** of AWO under Waveframe Labs governance.

Future revisions may clarify or extend definitions for CRI-CORE compatibility but will not alter the normative logic without an explicit version increment.

\_\_\_\_\_

#### 2. Definitions

This section defines the key entities and concepts used throughout the Aurora Workflow Orchestration (AWO) standard.

All terms are **normative** unless otherwise specified.

Wherever applicable, definitions align with terminology used in the AWO Whitepaper and will later be cross-referenced to CRI-CORE schema identifiers.

#### 2.1 Core Entities

#### Run

A discrete, traceable research execution instance.

Each Run represents a bounded reasoning process that produces one or more verifiable artifacts and is identified by a unique timestamp or run ID.

All Runs must be immutable once attested.

#### Provenance

The complete, chronological lineage of data, logic, parameters, and decisions leading to a result.

Provenance includes all intermediate steps, transformations, and validations necessary to reproduce a Run.

In CRI-CORE, this concept maps to the provenance-ledger schema.

#### Artifact

Any persistent output generated within an AWO process.

Artifacts include reports, manifests, ADRs, checksums, datasets, logs, or schema validation results.

Artifacts must be versioned, hashable, and linkable to a Run.

#### Attestation

A confirmation—human, automated, or hybrid—that artifacts produced during a Run are complete, correct, and verified against defined falsifiability criteria. Attestations are recorded in approval.json and form the evidentiary basis for repository integrity.

#### ADR (Architecture Decision Record)

A structured document that records a significant reasoning or design choice, the context in which it was made, and its consequences.

ADRs form the canonical log of epistemic evolution and are numbered sequentially (ADR-0001 to ADR-NNNN).

Each Run must reference at least one ADR.

#### Manifest (Falsifiability Manifest)

A declaration of the hypothesis, predicted outcomes, and explicit disproof conditions for a Run.

The Manifest defines what constitutes falsification before execution.

It serves as the precondition for attestation and must be stored under /docs/.

### 2.2 Secondary Concepts

#### Repository

The complete version-controlled environment in which all AWO artifacts are stored

Every AWO-compliant Repository must maintain a standard directory structure defined in Section 4.

#### Role

A functional agent—human or synthetic—responsible for a specific epistemic operation within the reasoning lifecycle (see Section 3). Roles are procedural, not hierarchical.

#### Conformance

The degree to which an AWO repository satisfies all mandatory requirements defined in this specification.

Conformance is binary (pass/fail) for each clause but may include graded compliance levels ("Minimum," "Standard," "Full") as defined in the Adoption Guide.

#### Attestation Record

The recorded output of a completed review or validation step, stored as a structured file (approval.json) under the corresponding Run directory.

It includes participant identity, timestamp, and signature or digital hash.

### 2.3 Future Schema Alignment

All defined entities in this section will be mapped to corresponding CRI-CORE schema classes in later versions.

Cross-references will be introduced once the enforcement layer is finalized.

**TODO:** Refine definitions list and cross-link to CRI-CORE schema references after CRI draft publication.

### 3. Roles and Responsibilities

#### 3.1 Overview

AWO defines **roles** as functional agents within a reasoning workflow, not as human job titles.

Each role represents a discrete epistemic operation necessary to ensure falsifiability, reproducibility, and integrity.

Roles may be embodied by humans, AI systems, or hybrid arrangements, but the **responsibility and accountability structure** must remain explicit and verifiable.

Every AWO-compliant Run MUST declare the roles involved and the corresponding participants (human or synthetic).

Multiple roles MAY be fulfilled by a single agent if traceability and attestation integrity are preserved.

#### 3.2 Canonical Roles

Role	Core Function	Description	Typical Implementation
Orchest	r <b>ator</b> ernance and context management	Governs execution order, maintains reasoning context, and determines when to fork, merge, or conclude runs. Responsible for continuity, documentation, and decision routing.	Human-in-the-loop controller or primary model agent (e.g., lead researcher, workflow coordinator).
Voter / Eval- uator	Comparative validation	Compares multiple reasoning paths or outputs, ranks them by internal consistency and falsifiability, and selects the candidate most aligned with predefined criteria.	Model ensemble, peer review, or statistical evaluator.
Auditor	Verification and compliance	Independently checks reasoning validity, schema adherence, falsifiability, and traceability to prior evidence. Approves or rejects attestation claims.	Dedicated verification model, CI validator, or human reviewer.

Role	Core Function	Description	Typical Implementation
Synthes / Con- sen- sus	si <b>Res</b> ult consolidation	Merges validated reasoning threads into a coherent, singular artifact. Produces the final report or output from attested inputs.	Aggregation model, summarizer, or post-processing layer.
Critic / Red Team (op- tional)	Adversarial robustness testing	Generates counterargu- ments or adversarial reasoning challenges to expose weaknesses in claims before attestation.	Adversarial model, external reviewer, or dedicated counterfactual analysis agent.

### 3.3 Role Interactions

- Sequential Integrity: Roles SHOULD execute in a reproducible order— Orchestrator → Evaluator → Auditor → Synthesizer.
   Optional Critic roles MAY interject between Evaluator and Synthesizer stages.
- Non-Circular Validation: The same agent MUST NOT serve as both Orchestrator and Auditor within the same Run unless explicitly justified and recorded in the attestation log.
- Attestation Requirements: Each Run MUST include a record of which roles were fulfilled, by whom, and under what authority.
- Traceability Obligation: Artifacts and logs MUST explicitly reference the roles responsible for their generation or validation.

### 3.4 Role Attribution and Record-Keeping

• Every approval.json file MUST list all participating roles and their associated agent identifiers (human name, model ID, or process hash).

- When multiple roles are automated, their decision boundaries MUST be defined in the workflow manifest or configuration file.
- Manual overrides or deviations from standard AWO behavior MUST be documented under /logs/overrides/ and cross-referenced to the applicable ADR

### 3.5 Compliance and Auditing

- AWO-compliant repositories MUST demonstrate separation of governance (Orchestrator) and verification (Auditor).
- Each role's output MUST be traceable to an ADR or manifest entry.
- Automated systems fulfilling these roles MUST log model versions, prompt contexts, and decision justifications to ensure reproducibility.
- Failure to document role interactions constitutes a **non-conformance** condition under this specification.

### 3.6 Future Role Extensions

Future AWO or CRI-CORE revisions MAY extend the canonical role set (e.g., **Planner**, **Historian**, **Meta-Auditor**) as automated reasoning matures. Any such extensions MUST maintain backward compatibility with this role schema and preserve attestation semantics.

**TODO:** Cross-link these roles to CRI-CORE validation modules (e.g., orchestrator-agent, auditor-module, consensus-engine) once defined.

### 4. Repository Requirements

#### 4.1 Purpose and Scope

This section defines the mandatory and recommended structural requirements for an AWO-compliant repository.

These requirements ensure that every research artifact is **traceable**, **auditable**, and **reproducible** without external dependencies.

All provisions in this section are **normative** unless explicitly labeled "informative."

## 4.2 Core Directory Structure

An AWO-compliant repository  $\mathbf{MUST}$  include the following top-level directories:

Directory	Purpose	Requirement
/docs/	Contains all formal documents (Whitepaper, Method Spec, Adoption Guide, PDFs, and audit summaries).	MUST
/decisions/	Contains all Architecture Decision Records (ADRs). Each ADR MUST be timestamped and sequentially numbered.	MUST
/logs/	Houses all workflow, audit, and override logs (see ADR-0004).	MUST
/schemas/	Stores validation schemas and structure definitions for manifests, runs, and audits.	SHOULD
/templates/	Contains boilerplate forms for manifests, audit reports, and ADRs.	SHOULD
/runs/	Contains attested execution outputs, including manifests, reports, approvals, and checksums.	MUST
/figures/	Contains diagrams, charts, and other non-textual documentation.	SHOULD

Directory	Purpose	Requirement
/workflows/	Contains procedural examples or reproducible automation steps (optional, pre-CRI).	MAY

The repository root MUST contain: - README.md — entry point and index. - CHANGELOG.md — lifecycle record of repository evolution. - SHA256SUMS.txt — integrity registry for all signed artifacts. - LICENSE and LICENSE-CC-BY-4.0.md — primary and documentation licenses. - .github/workflows/ — automated build and PDF pipelines.

### 4.3 Log Directory Specification

Each AWO-compliant repository  $\mathbf{MUST}$  implement the following substructure within /logs/:

Subfolder	Description	Reference
/logs/workflow/	Chronological records of human and agent activity, covering decisions, forks, merges, and context.	ADR-0004
/logs/audits/	Independent audit results, rejection events, or revalidation findings.	ADR-0003
/logs/overrides/	Manual interventions, rationale, and signatures for non-automated overrides.	ADR-0004, ADR-0012

Log entries **MUST** follow the schema outlined in ADR-0004, including timestamps, participant IDs, impacted artifacts, and outcome codes. Each log file **MUST NOT** be modified retroactively after attestation.

#### 4.4 ADR Requirements

• ADRs MUST follow sequential numbering (ADR-0001 through ADR-NNNN) and reside in /decisions/.

- $\bullet~$  Each ADR  $\mathbf{MUST}$  contain:
  - Title, Status, Context, Decision, Consequences, and References.
  - Date and author or originating role (Orchestrator, Auditor, etc.).
- ADRs MUST reference corresponding workflow or audit logs when applicable.
- Superseded ADRs **MUST** be marked **Deprecated** but retained for historical integrity.
- ADRs **SHOULD** be linked from the Method Spec or README where directly relevant.

### 4.5 Manifest and Run Directory Requirements

Each repository MUST include a /runs/ directory containing subfolders for every attested execution.

Each Run folder  $\mathbf{MUST}$  contain:

File	Description	Requirement
manifest.json or .md	Falsifiability declaration and preconditions for the run.	MUST
report.md	Primary human-readable research output.	MUST
approval.json	Attestation record confirming verification or rejection.	MUST
hash.txt or inclusion in SHA256SUMS.txt	Integrity signature of run artifacts.	MUST
metadata.json	Contextual parameters, participants, and timestamps.	SHOULD

All files within a Run folder  ${f MUST}$  be immutable once signed and referenced in SHA256SUMS.txt.

### 4.6 Integrity and Attestation

• The repository MUST maintain a single authoritative checksum file (SHA256SUMS.txt) in the root directory.

- Every attested artifact (PDF, manifest, run report, ADR, etc.) MUST be listed with its SHA-256 digest.
- Attestation signatures MUST follow the cryptographic signing policy defined in ADR-0015.
- Human signoffs **MUST** reference ADR-0012 and be recorded in /logs/overrides/ if manual validation was required.

4.7 Documentation & PDF Builds

- All core documents (AWO\_Method\_Spec, AWO\_Whitepaper, AWO\_Adoption\_Guide) MUST be compiled via automated workflows.
- The build system MUST ensure reproducibility and checksum verification per ADR-0016.
- Generated PDFs MUST reside in /docs/ and be referenced in the release assets.

\_\_\_\_\_

#### 4.8 Governance and Continuity

- The repository **MUST** include a governance note or **README** section referencing ADR-0017, confirming oversight under the Aurora Research Initiative (ARI).
- Any repository transfer, rename, or fork **MUST** preserve ADR continuity and integrity hashes.
- The repository's README.md MUST declare the canonical DOI (see ADR-0010).

\_\_\_\_\_

### 4.9 Compliance Tiers (Informative)

AWO compliance operates in three tiers, as detailed in the Adoption Guide: - Minimum Compliance — manual logging and attestation only.

- ${\bf Standard\ Compliance}$  includes structured manifests, checksums, and ADR linking.
- Full Compliance includes automated builds, schema validation, and cryptographic attestation.

#### 4.10 Future Integration

When CRI-CORE enforcement becomes active: - Validation schemas in /schemas/ WILL become executable policies. - Manual override logs in /logs/overrides/ WILL trigger runtime verification events. - Repository audits WILL be automatically generated from SHA256SUMS.txt diffs.

**TODO:** Link this section to CRI enforcement spec once published.

### 5. Lifecycle and Run Phases

Each research cycle proceeds through four canonical phases:

- 1. Fan-out (Planning) Define hypotheses, manifests, ADRs.
- 2. Consensus (Execution) Perform runs and collect data.
- Attestation (Verification) Approve or reject based on falsifiability criteria.
- 4. **Archival (Publication)** Freeze results, compute checksums, tag releases.

**TODO:** Create table describing inputs/outputs for each phase.

### 6. Artifacts and File Rules

Every run MUST produce a verifiable set of artifacts:

File	Description	Required
workflow_froz	eCajzomes executed parameters and inputs.	Yes
report.md	Describes outcomes, metrics, and observations.	Yes
approval.json	Signed validation record by human reviewer.	Yes
SHA256SUMS.tx	tHash registry for all outputs.	Yes
manifest.json	Defines falsifiability boundaries.	Yes
or		
manifest.md		

**TODO:** Add versioning, format validation (JSON schema references), and CRICORE integration hooks.

### 7. Compliance Language

This section defines the mandatory, recommended, and optional behaviors for implementers.

Level	Definition	Enforcement
MUST SHOULD MAY	Required for compliance. Recommended unless documented exception. Optional feature.	Hard validation Warning No enforcement

**TODO:** Map existing AWO clauses to each compliance level.

\_\_\_\_\_

### 8. Governance and Attestation

Each run requires human or automated attestation of validity and completeness.

Core Requirements: - Runs MUST include approval.json with reviewer signature and timestamp.

- Attestation MAY include checksum verification and peer confirmation.
- Failed attestations MUST be logged under /logs/attestation\_failures/.

**TODO:** Specify acceptable digital signature methods and verification workflows.

### 9. Release and Versioning

AWO-compliant repositories MUST version all outputs and preserve immutability.

**Release Requirements:** - Each release corresponds to a reproducible state of the repository.

- Tags MUST follow semantic versioning (e.g., v1.2.1).
- Releases MUST attach PDF artifacts, SHA256SUMS, and ADR references.
- Released runs MUST NOT be altered post-publication.

**TODO:** Add instructions for checksum regeneration and Zenodo linkage.

### 10. Licensing and Attribution

AWO uses dual licensing to separate executable and textual components.

- Code: Licensed under Apache 2.0.
- Documentation: Licensed under CC BY 4.0.
- Attribution MUST include author, ORCID, and concept DOI in derivative works.

**TODO:** Add structured attribution metadata schema reference.

\_\_\_\_\_

### 11. Falsifiability Manifests

Each experiment MUST include a falsifiability manifest before execution.

Manifest Contents: - Hypothesis statement

- Predicted outcomes
- Disproof criteria
- Experimental plan
- Acceptance thresholds
- Known risks

**TODO:** Formalize manifest schema for CRI-CORE parsing.

ODO. Tormanze manness schema for Orti Oorti parsin

### 12. Conformance Checklist

Each repository MUST pass the following before claiming AWO compliance:
$\Box$ Standard directory structure present.
$\square$ At least one signed run in /runs/.
$\square$ ADRs and falsifiability manifests linked.
$\Box$ SHA256SUMS.txt present at root.
$\hfill\Box$ PDF artifacts built successfully.
$\hfill\Box$ CHANGELOG includes version reference.
☐ README links to Whitepaper, Method Spec, Adoption Guide.

15

**TODO:** Add automated compliance script references (future CRI module).

## 13. Appendix C — Rationale Summary (Reserved)

**TODO:** When the Method Spec text is finalized, reintroduce Appendix C summarizing why each rule exists in concise bullet form. (Placeholder retained for structural continuity.)

End of Specification — Aurora Workflow Orchestration (AWO) v1.2.1 Scaffold