

- **News**
- **Landscaping Las Vegas**
- **landscape designers Las Vegas**
- **Landscaping Services in Las Vegas**
- **Las Vegas landscaping**

- **More**

landscape design Las Vegas xeriscape Las Vegas landscaping companies Las Vegas Las Vegas landscape contractors desert landscaping Las Vegas backyard landscaping Las Vegas front yard landscaping Las Vegas landscape installation Las Vegas landscape maintenance Las Vegas Landscaping Las Vegas Nevada Las Vegas garden design outdoor living Las Vegas patio design Las Vegas pool landscaping Las Vegas artificial grass Las Vegas pavers Las Vegas retaining walls Las Vegas irrigation systems Las Vegas landscape lighting Las Vegas Las Vegas landscape architecture landscape renovation Las Vegas residential landscaping Las Vegas commercial landscaping Las Vegas landscape services Las Vegas landscape construction Las Vegas landscape planning Las Vegas landscape features Las Vegas landscape elements Las Vegas landscape materials Las Vegas landscape plants Las Vegas drought tolerant landscaping Las Vegas sustainable landscaping Las Vegas eco-friendly landscaping Las Vegas low water landscaping Las Vegas rock landscaping Las Vegas gravel landscaping Las Vegas desert plants Las Vegas cactus garden Las Vegas succulent garden Las Vegas outdoor kitchen Las Vegas fire pit Las Vegas water features Las Vegas landscape edging Las Vegas landscape curbing Las Vegas landscape drainage Las Vegas landscape grading Las Vegas landscape soil Las Vegas landscape mulch Las Vegas landscape rocks Las Vegas landscape boulders Las Vegas landscape trees Las Vegas landscape shrubs Las Vegas landscape flowers Las Vegas landscape turf Las Vegas landscape lawn care Las Vegas landscape pest control Las Vegas landscape fertilization Las Vegas landscape trimming Las Vegas landscape pruning Las Vegas landscape clean up Las Vegas landscape debris removal Las Vegas landscape design ideas Las Vegas landscape inspiration Las Vegas landscape gallery Las Vegas landscape portfolio Las Vegas landscape estimates Las Vegas landscape quotes Las Vegas landscape pricing Las Vegas landscape cost Las Vegas landscape budget Las Vegas landscape project Las Vegas landscape development Las Vegas landscape improvement

Las Vegaslandscape enhancement Las Vegaslandscape transformation Las Vegaslandscape makeover Las Vegaslandscape upgrade Las Vegas landscape solutions Las Vegaslandscape challenges Las Vegaslandscape advice Las Vegaslandscape consultation Las Vegaslandscape expert Las Vegaslandscape specialist Las Vegaslandscape professionals Las Vegas landscape team Las Vegaslandscape crew Las Vegaslandscape equipment Las Vegaslandscape tools Las Vegaslandscape supplies Las Vegas landscape permits Las Vegaslandscape regulations Las Vegaslandscape codes Las Vegas

- **About Us**

- **Contact Us**



Nevada. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape lawn care Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape pest control Las Vegas", "Explore a new dimension of landscape pest control Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Expert Landscaping Services in Las Vegas Nevada. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the

surrounding desert environment. Our proven expertise in landscape pest control Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape fertilization Las Vegas", "Achieve remarkable results with landscape fertilization Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape fertilization Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

residential landscaping Las Vegas —

- [landscape team Las Vegas](#)
- [residential landscaping Las Vegas](#)
- [desert plants Las Vegas](#)
- [landscape curbing Las Vegas](#)
- [succulent garden Las Vegas](#)
- [landscape construction Las Vegas](#)
- [patio design Las Vegas](#)

"landscape trimming Las Vegas", "Immerse yourself in landscape trimming Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Top [Landscaping in Las Vegas](#) Nevada. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape trimming Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape pruning Las Vegas", "Embrace the possibilities with landscape pruning Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish

a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape pruning Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape clean up Las Vegas", "Explore a new dimension of landscape clean up Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep.

Landscape lighting Las Vegas - Google search results

1. Meta tags optimization
2. Google search results

Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape clean up Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

Landscaping Las Vegas, NV

Useful Links

Blogs

Facebook Post

desert plants Las Vegas

"landscape debris removal Las Vegas", "Unleash the full beauty of landscape debris removal Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape debris removal Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape design ideas Las Vegas", "Combine style and function in landscape design ideas Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Best Landscaping Nevada USA. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape design ideas Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape inspiration Las Vegas", "Reinvent your exterior with landscape inspiration Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape inspiration Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."



ROCK N BLOCK
TURF N HARDSCAPES

WATER-WISE BACKYARD LANDSCAPE



ARTIFICIAL TURF

Las Vegas • San Diego • Denver • Utah

www.rocknblocklandscape.com



ROCK N BLOCK
TURF N HARDSCAPES

THE IMPORTANCE OF PRO LANDSCAPING SER



ARTIFICIAL TURF

Las Vegas • San Diego • Denver • Utah

www.rocknblocklandscape.com

landscape curbing Las Vegas

"landscape gallery Las Vegas", "Achieve remarkable results with landscape gallery Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to

desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Nevada Las Vegas Landscaping Services. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape gallery Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape portfolio Las Vegas", "Optimize your property through landscape portfolio Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape portfolio Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape estimates Las Vegas", "Reach new heights of design with landscape estimates Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape estimates Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

succulent garden Las Vegas

"landscape quotes Las Vegas", "Combine style and function in landscape quotes Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to

desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape quotes Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape pricing Las Vegas", "Unleash the full beauty of landscape pricing Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep.

Landscape lighting Las Vegas - Meta tags optimization

- Featured snippets
- Googles mobile-first approach
- Organic traffic

Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape pricing Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape cost Las Vegas", "Embrace the possibilities with landscape cost Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape cost Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."





ROCK N BLOCK
TURF N HARDSCAPES

LANDSCAPING LAS VEGAS LANDSCAPING IN THE DESERT



ARTIFICIAL TURF

Las Vegas • San Diego • Denver • Utah

www.rocknblocklandscape.com

landscape construction Las Vegas

"landscape budget Las Vegas", "Optimize your property through landscape budget Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape budget Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape project Las Vegas", "Maximize every square foot with landscape project Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape project Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape development Las Vegas", "Infuse creativity into landscape development Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape development Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

patio design Las Vegas

"landscape improvement Las Vegas", "Enhance curb appeal via landscape improvement Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape improvement Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape enhancement Las Vegas", "Reinvent your exterior with landscape enhancement Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape enhancement Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape transformation Las Vegas", "Reinvent your exterior with landscape transformation Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific

materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape transformation Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."



**ROCK N BLOCK**
TURF N HARDSCAPES

THE CHALLENGE LANDSCAPING IN LAS

ARTIFICIAL TURF
Las Vegas • San Diego • Denver • Utah
www.rocknblocklandscape.com


About concrete

This article is about the construction material. For other uses, see [Concrete \(disambiguation\)](#). Not to be confused with [cement](#), [grout](#), [mortar](#), or [plaster](#).



This article **needs additional citations for verification**. Please help **improve this article** by **adding citations to reliable sources**. Unsourced material may be challenged and removed.

Find sources: "Concrete" – news · newspapers · books · scholar · JSTOR (July 2022) (Learn how and when to remove this message)



A single **concrete block**, as used for construction

Concrete is a **composite material** composed of **aggregate** bonded together with a fluid **cement** that cures to a solid over time. Concrete is the second-most-used substance in the world after **water**,^[1] and is the most widely used building material.^[2] Concrete is the most manufactured material on Earth.^[3]

When aggregate is mixed with dry **Portland cement** and **water**, the mixture forms a fluid **slurry** that can be poured and molded into shape. The cement reacts with the water through a process called hydration^[4] that hardens it over several hours to form a solid matrix that binds the materials together into a durable stone-like material that has many uses.^[5] This time allows concrete to not only be cast in forms, but also to have a variety of tooled processes performed. The hydration process is **exothermic**, which means that ambient temperature plays a significant role in how long it takes concrete to set. Often, additives (such as **pozzolans** or **superplasticizers**) are included in the mixture to improve the physical properties of the wet mix, delay or accelerate the curing time, or otherwise modify the finished material. Most structural concrete is poured with reinforcing materials (such as steel **rebar**) embedded to provide **tensile strength**, yielding **reinforced concrete**.

Before the invention of Portland cement in the early 1800s, **lime**-based cement binders, such as lime putty, were often used. The overwhelming majority of concretes are produced using Portland cement, but sometimes with other **hydraulic cements**, such as **calcium aluminate cement**.^[6]^[7] Many other non-cementitious **types of concrete** exist with other methods of binding aggregate together, including **asphalt concrete** with a **bitumen** binder, which is frequently used for **road surfaces**, and **polymer concretes** that use polymers as a binder.

Concrete is distinct from **mortar**.^[8] Whereas concrete is itself a building material, and contains both coarse (large) and fine (small) aggregate particles, mortar contains only fine aggregates and is mainly used as a bonding agent to hold **bricks**, **tiles** and other masonry units together.^[9] **Grout** is another material associated with concrete and cement. It also does not contain coarse aggregates and is usually either pourable or **thixotropic**, and is used to fill gaps between masonry

components or coarse aggregate which has already been put in place. Some methods of concrete manufacture and repair involve pumping grout into the gaps to make up a solid mass *in situ*.

Etymology

[[edit](#)]

The word concrete comes from the [Latin](#) word "*concretus*" (meaning compact or condensed),^[10] the perfect passive participle of "*concrecere*", from "*con-*" (together) and "*crescere*" (to grow).

History

[[edit](#)]

Ancient times

[[edit](#)]

Concrete floors were found in the royal palace of [Tiryns](#), Greece, which dates roughly to 1400 to 1200 BC.^{[11][12]} Lime mortars were used in Greece, such as in Crete and Cyprus, in 800 BC. The [Assyrian](#) Jerwan Aqueduct (688 BC) made use of [waterproof concrete](#).^[13] Concrete was used for construction in many ancient structures.^[14]


Mayan concrete at the ruins of [Uxmal](#) (AD 850–925) is referenced in *Incidents of Travel in the Yucatán* by [John L. Stephens](#). "The roof is flat and had been covered with cement". "The floors were cement, in some places hard, but, by long exposure, broken, and now crumbling under the feet." "But throughout the wall was solid, and consisting of large stones imbedded in mortar, almost as hard as rock."

Small-scale production of concrete-like materials was pioneered by the [Nabatean](#) traders who occupied and controlled a series of oases and developed a small empire in the regions of southern Syria and northern Jordan from the 4th century BC. They discovered the advantages of [hydraulic lime](#), with some self-cementing properties, by 700 BC. They built [kilns](#) to supply mortar for the construction of [rubble masonry](#) houses, concrete floors, and underground waterproof [cisterns](#). They kept the cisterns secret as these enabled the Nabataeans to thrive in the desert.^[15]] Some of these structures survive to this day.^[15]


In the [Ancient Egyptian](#) and later [Roman](#) eras, builders discovered that adding [volcanic ash](#) to [lime](#) allowed the mix to set underwater. They discovered the [pozzolanic reaction](#).^[16]

Classical era


[[edit](#)]



Exterior of the [Roman Pantheon](#), finished 128 AD, the largest unreinforced concrete [dome](#) in the world.^[17]



Interior of the Pantheon dome, seen from beneath. The concrete for the [coffered](#) dome was laid on moulds, mounted on temporary scaffolding.



[Opus caementicium](#) exposed in a characteristic Roman arch. In contrast to modern concrete structures, the concrete used in Roman buildings was usually covered with

brick or stone.

The Romans used concrete extensively from 300 BC to AD 476.[18] During the Roman Empire, Roman concrete (or *opus caementicium*) was made from quicklime, pozzolana and an aggregate of pumice.[19] Its widespread use in many Roman structures, a key event in the history of architecture termed the Roman architectural revolution, freed Roman construction from the restrictions of stone and brick materials. It enabled revolutionary new designs in terms of both structural complexity and dimension.[20] The Colosseum in Rome was built largely of concrete, and the Pantheon has the world's largest unreinforced concrete dome.[21]

Concrete, as the Romans knew it, was a new and revolutionary material. Laid in the shape of arches, vaults and domes, it quickly hardened into a rigid mass, free from many of the internal thrusts and strains that troubled the builders of similar structures in stone or brick.[22]

Modern tests show that *opus caementicium* had a similar compressive strength to modern Portland-cement concrete (c. 200 kg/cm² [20 MPa; 2,800 psi]).[23] However, due to the absence of reinforcement, its tensile strength was far lower than modern reinforced concrete, and its mode of application also differed:[24]

Modern structural concrete differs from Roman concrete in two important details. First, its mix consistency is fluid and homogeneous, allowing it to be poured into forms rather than requiring hand-layering together with the placement of aggregate, which, in Roman practice, often consisted of rubble. Second, integral reinforcing steel gives modern concrete assemblies great strength in tension, whereas Roman concrete could depend only upon the strength of the concrete bonding to resist tension.[25]

The long-term durability of Roman concrete structures has been found to be due to its use of pyroclastic (volcanic) rock and ash, whereby the crystallization of strätlingite (a complex calcium aluminosilicate hydrate)[26] and the coalescence of this and similar calcium–aluminium–silicate–hydrate cementing binders helped give the concrete a greater degree of fracture resistance even in seismically active environments.[27] Roman concrete is significantly more resistant to erosion by seawater than modern concrete; it used pyroclastic materials which react with seawater to form Al-tobermorite crystals over time.[28][29] The use of hot mixing and the presence of lime clasts have been proposed to give the concrete a self-healing ability, where cracks that form become filled with calcite that prevents the crack from spreading.[30][31]

The widespread use of concrete in many Roman structures ensured that many survive to the present day. The Baths of Caracalla in Rome are just one example. Many Roman aqueducts and bridges, such as the magnificent Pont du Gard in southern France, have masonry cladding on a concrete core, as does the dome of the Pantheon.

Middle Ages


[[edit](#)]

After the Roman Empire, the use of burned lime and pozzolana was greatly reduced. Low kiln temperatures in the burning of lime, lack of pozzolana, and poor mixing all contributed to a decline in the quality of concrete and mortar. From the 11th century, the increased use of stone in church and **castle** construction led to an increased demand for mortar. Quality began to improve in the 12th century through better grinding and sieving. Medieval lime mortars and concretes were non-hydraulic and were used for binding masonry, "hearting" (binding **rubble masonry** cores) and foundations. **Bartholomaeus Anglicus** in his *De proprietatibus rerum* (1240) describes the making of mortar. In an English translation from 1397, it reads "lyme ... is a stone brent; by medlynge thereof with sonde and water sement is made". From the 14th century, the quality of mortar was again excellent, but only from the 17th century was pozzolana commonly added.[32]

The **Canal du Midi** was built using concrete in 1670.[33]

Industrial era

[[edit](#)]



Smeaton's Tower in **Devon**, England

Perhaps the greatest step forward in the modern use of concrete was **Smeaton's Tower**, built by British engineer **John Smeaton** in **Devon**, England, between 1756 and 1759. This third **Eddystone Lighthouse** pioneered the use of **hydraulic lime** in concrete, using pebbles and powdered brick as aggregate.[34]

A method for producing **Portland cement** was developed in England and patented by **Joseph Aspdin** in 1824.[35] Aspdin chose the name for its similarity to **Portland stone**, which was quarried on the **Isle of Portland** in **Dorset**, England. His son **William** continued developments into the 1840s, earning him recognition for the development of "modern" Portland cement.[36]


Reinforced concrete was invented in 1849 by **Joseph Monier**.[37] and the first reinforced concrete house was built by François Coignet[38] in 1853. The first concrete reinforced bridge was designed and built by **Joseph Monier** in 1875.[39]

Prestressed concrete and **post-tensioned concrete** were pioneered by **Eugène Freyssinet**, a French **structural** and **civil engineer**. Concrete components or structures are compressed by tendon cables during, or after, their fabrication in order to strengthen them against **tensile** forces developing when put in service. Freyssinet **patented** the technique on 2 October 1928.[40]

Composition

[edit]

Concrete is an artificial **composite material**, comprising a matrix of cementitious binder (typically **Portland cement** paste or **asphalt**) and a dispersed phase or "filler" of **aggregate** (typically a rocky material, loose stones, and sand). The binder "glues" the filler together to form a synthetic **conglomerate**.[41] Many **types of concrete** are available, determined by the formulations of binders and the types of aggregate used to suit the application of the engineered material. These variables determine strength and density, as well as chemical and thermal resistance of the finished product.



Cross section of a concrete **railway sleeper** below a rail

Construction aggregates consist of large chunks of material in a concrete mix, generally a coarse **gravel** or crushed rocks such as **limestone**, or **granite**, along with finer materials such as **sand**.

Cement paste, most commonly made of **Portland cement**, is the most prevalent kind of concrete binder. For cementitious binders, **water** is mixed with the dry cement powder and aggregate, which produces a semi-liquid slurry (paste) that can be shaped, typically by pouring it into a form. The concrete solidifies and hardens through a **chemical process** called **hydration**. The water

reacts with the cement, which bonds the other components together, creating a robust, stone-like material. Other cementitious materials, such as [fly ash](#) and [slag cement](#), are sometimes added—either pre-blended with the cement or directly as a concrete component—and become a part of the binder for the aggregate.^[42] Fly ash and slag can enhance some properties of concrete such as fresh properties and durability.^[42] Alternatively, other materials can also be used as a concrete binder: the most prevalent substitute is [asphalt](#), which is used as the binder in [asphalt concrete](#).

Admixtures are added to modify the cure rate or properties of the material. [Mineral admixtures](#) use recycled materials as concrete ingredients. Conspicuous materials include [fly ash](#), a by-product of [coal-fired power plants](#); [ground granulated blast furnace slag](#), a by-product of [steelmaking](#); and [silica fume](#), a by-product of industrial [electric arc furnaces](#).


Structures employing Portland cement concrete usually include [steel reinforcement](#) because this type of concrete can be formulated with high [compressive strength](#), but always has lower [tensile strength](#). Therefore, it is usually reinforced with materials that are strong in tension, typically [steel rebar](#).

The [mix design](#) depends on the type of structure being built, how the concrete is mixed and delivered, and how it is placed to form the structure.

Cement

[\[edit\]](#)

Main article: [Cement](#)



Several tons of bagged cement, about two minutes of output from a 10,000 ton per day [cement kiln](#)

Portland cement is the most common type of cement in general usage. It is a basic ingredient of concrete, [mortar](#), and many [plasters](#).^[43] It consists of a mixture of calcium silicates ([alite](#), [belite](#)), [aluminates](#) and [ferrites](#)—compounds, which will react with water. Portland cement and similar materials are made by heating [limestone](#) (a source of calcium) with clay or shale (a source of silicon, aluminium and iron) and grinding this product (called [clinker](#)) with a source of [sulfate](#) (most commonly [gypsum](#)).

Cement kilns are extremely large, complex, and inherently dusty industrial installations. Of the various ingredients used to produce a given quantity of concrete, the cement is the most energetically expensive. Even complex and efficient kilns require 3.3 to 3.6 gigajoules of energy to produce a ton of clinker and then **grind it into cement**. Many kilns can be fueled with difficult-to-dispose-of wastes, the most common being used tires. The extremely high temperatures and long periods of time at those temperatures allows cement kilns to efficiently and completely burn even difficult-to-use fuels.[44] The five major compounds of calcium silicates and aluminates comprising Portland cement range from 5 to 50% in weight.

Curing

[edit]

Combining **water** with a cementitious material forms a cement paste by the process of hydration. The cement paste glues the aggregate together, fills voids within it, and makes it flow more freely. [45]

As stated by **Abrams' law**, a lower water-to-cement ratio yields a stronger, more **durable** concrete, whereas more water gives a freer-flowing concrete with a higher **slump**. [46] The hydration of cement involves many concurrent reactions. The process involves **polymerization**, the interlinking of the silicates and aluminate components as well as their bonding to sand and gravel particles to form a solid mass. [47] One illustrative conversion is the hydration of tricalcium silicate:

Cement chemist notation: $C_3S + H \rightarrow C-S-H + CH + \text{heat}$

Standard notation: $Ca_3SiO_5 + H_2O \rightarrow$

$CaO \cdot \frac{1}{2} Al_2O_3 \cdot \frac{1}{2} SiO_2 \cdot \frac{1}{2} H_2O \rightarrow SiO_2 \cdot \frac{1}{2} Al_2O_3 \cdot \frac{1}{2} H_2O + Ca(OH)_2 + \text{heat}$

Balanced: $2 Ca_3SiO_5 + 7 H_2O \rightarrow 3$

$CaO \cdot \frac{1}{2} Al_2O_3 \cdot \frac{1}{2} SiO_2 \cdot \frac{1}{2} H_2O \rightarrow SiO_2 \cdot \frac{1}{2} Al_2O_3 \cdot \frac{1}{2} H_2O + 4 H_2O$

$O \text{ (gel)} + 3 Ca(OH)_2 + \text{heat}$

(approximately as the exact ratios of CaO , SiO_2 and H_2O in C-


S-H can vary) [47]

The hydration (curing) of cement is irreversible. [48]

Aggregates

[edit]

Main article: [Construction aggregate](#)



Crushed stone [aggregates](#)

Fine and coarse aggregates make up the bulk of a concrete mixture. [Sand](#), natural gravel, and [crushed stone](#) are used mainly for this purpose. Recycled aggregates (from construction, demolition, and excavation waste) are increasingly used as partial replacements for natural aggregates, while a number of manufactured aggregates, including air-cooled [blast furnace](#) slag and [bottom ash](#) are also permitted.

The size distribution of the aggregate determines how much binder is required. Aggregate with a very even size distribution has the biggest gaps whereas adding aggregate with smaller particles tends to fill these gaps. The binder must fill the gaps between the aggregate as well as paste the surfaces of the aggregate together, and is typically the most expensive component. Thus, variation in sizes of the aggregate reduces the cost of concrete.^[49] The aggregate is nearly always stronger than the binder, so its use does not negatively affect the strength of the concrete.

Redistribution of aggregates after compaction often creates non-homogeneity due to the influence of vibration. This can lead to strength gradients.^[50]

Decorative stones such as [quartzite](#), small river stones or crushed glass are sometimes added to the surface of concrete for a decorative "exposed aggregate" finish, popular among landscape designers.

Admixtures

[\[edit\]](#)

Admixtures are materials in the form of powder or fluids that are added to the concrete to give it certain characteristics not obtainable with plain concrete mixes. Admixtures are defined as additions "made as the concrete mix is being prepared".^[51] The most common admixtures are retarders and accelerators. In normal use, admixture dosages are less than 5% by mass of cement and are added to the concrete at the time of batching/mixing.^[52] (See [§ Production](#) below.) The common types of admixtures^[53] are as follows:

- **Accelerators** speed up the hydration (hardening) of the concrete. Typical materials used are **calcium chloride**, **calcium nitrate** and **sodium nitrate**. However, use of chlorides may cause corrosion in steel reinforcing and is prohibited in some countries, so that nitrates may be favored, even though they are less effective than the chloride salt. Accelerating admixtures are especially useful for modifying the properties of concrete in cold weather.
- **Air entraining agents** add and entrain tiny air bubbles in the concrete, which reduces damage during **freeze-thaw** cycles, increasing **durability**. However, entrained air entails a tradeoff with strength, as each 1% of air may decrease compressive strength by 5%.^[54] If too much air becomes trapped in the concrete as a result of the mixing process, **defoamers** can be used to encourage the air bubble to agglomerate, rise to the surface of the wet concrete and then disperse.
- Bonding agents are used to create a bond between old and new concrete (typically a type of polymer) with wide temperature tolerance and corrosion resistance.
- **Corrosion inhibitors** are used to minimize the corrosion of steel and steel bars in concrete.
- Crystalline admixtures are typically added during batching of the concrete to lower permeability. The reaction takes place when exposed to water and un-hydrated cement particles to form insoluble needle-shaped crystals, which fill capillary pores and micro-cracks in the concrete to block pathways for water and waterborne contaminants. Concrete with crystalline admixture can expect to self-seal as constant exposure to water will continuously initiate crystallization to ensure permanent waterproof protection.
- **Pigments** can be used to change the color of concrete, for aesthetics.
- **Plasticizers** increase the workability of plastic, or "fresh", concrete, allowing it to be placed more easily, with less consolidating effort. A typical plasticizer is lignosulfonate. Plasticizers can be used to reduce the water content of a concrete while maintaining workability and are sometimes called water-reducers due to this use. Such treatment improves its strength and durability characteristics.
- **Superplasticizers** (also called high-range water-reducers) are a class of plasticizers that have fewer deleterious effects and can be used to increase workability more than is practical with traditional plasticizers. Superplasticizers are used to increase compressive strength. It increases the **workability** of the concrete and lowers the need for water content by 15–30%.
- Pumping aids improve pumpability, thicken the paste and reduce separation and bleeding.
- **Retarders** slow the hydration of concrete and are used in large or difficult pours where partial setting is undesirable before completion of the pour. Typical retarders include **sugar**, **sodium gluconate**, **citric acid**, and **tartaric acid**.^[55]

Mineral admixtures and blended cements

[\[edit\]](#)

Components of cement:
comparison of chemical and physical characteristics[\[a\]](#)^[56]^[57]^[58]

Property	Portland cement	Siliceous [b] fly ash	Calcareous [c] fly ash	Slag cement	Silica fume	
Proportion by mass (%)	SiO ₂	21.9	52	35	35	85–97
	Al ₂ O ₃	6.9	23	18	12	—
	Fe ₂ O ₃	3	11	6	1	—
	CaO	63	5	21	40	< 1
	MgO	2.5	—	—	—	—
	SO ₃	1.7	—	—	—	—
Specific surface (m ² /kg) [d]	370	420	420	400	15,000 – 30,000	
Specific gravity	3.15	2.38	2.65	2.94	2.22	
General purpose	Primary binder	Cement replacement	Cement replacement	Cement replacement	Property enhancer	

1. ^ Values shown are approximate: those of a specific material may vary.
2. ^ ASTM C618 Class F
3. ^ ASTM C618 Class C
4. ^ Specific surface measurements for silica fume by nitrogen adsorption (BET) method, others by **air permeability** method (Blaine).


Inorganic materials that have **pozzolanic** or latent hydraulic properties, these very **fine-grained** materials are added to the concrete mix to improve the properties of concrete (mineral admixtures),[52] or as a replacement for **Portland cement** (blended cements).[59] Products which incorporate **limestone**, **fly ash**, **blast furnace slag**, and other useful materials with **pozzolanic properties** into the mix, are being tested and used. These developments are ever growing in relevance to minimize the impacts caused by cement use, notorious for being one of the largest producers (at about 5 to 10%) of global **greenhouse gas emissions**. [60] The use of alternative materials also is capable of lowering costs, improving concrete properties, and recycling wastes, the latest being relevant for **circular economy** aspects of the **construction industry**, whose demand is ever growing with greater impacts on raw material extraction, waste generation and **landfill** practices.

- o **Fly ash**: A by-product of coal-fired **electric generating plants**, it is used to partially replace Portland cement (by up to 60% by mass). The properties of fly ash depend on the type of coal burnt. In general, siliceous fly ash is **pozzolanic**, while **calcareous** fly ash has latent hydraulic properties.[61]


- **Ground granulated blast furnace slag** (GGBFS or GGBS): A by-product of **steel production** is used to partially replace **Portland cement** (by up to 80% by mass). It has latent hydraulic properties.[62]
- **Silica fume**: A by-product of the production of **silicon** and **ferrosilicon alloys**. Silica fume is similar to fly ash, but has a particle size 100 times smaller. This results in a higher surface-to-volume ratio and a much faster **pozzolanic reaction**. Silica fume is used to increase strength and **durability** of concrete, but generally requires the use of superplasticizers for workability.[63]
- High reactivity **metakaolin** (HRM): Metakaolin produces concrete with **strength** and **durability** similar to concrete made with silica fume. While silica fume is usually dark gray or black in color, high-reactivity metakaolin is usually bright white in color, making it the preferred choice for architectural concrete where appearance is important.
- **Carbon nanofibers** can be added to concrete to enhance compressive strength and gain a higher **Young's modulus**, and also to improve the electrical properties required for strain monitoring, damage evaluation and self-health monitoring of concrete. Carbon fiber has many advantages in terms of mechanical and electrical properties (e.g., higher strength) and self-monitoring behavior due to the high **tensile strength** and high **electrical conductivity**.[64]
- Carbon products have been added to make concrete electrically conductive, for deicing purposes.[65]
- New research from Japan's **University of Kitakyushu** shows that a washed and dried recycled mix of used diapers can be an environmental solution to producing less landfill and using less sand in concrete production. A model home was built in Indonesia to test the strength and durability of the new diaper-cement composite.[66]

Production

[edit]



Concrete plant showing a **concrete mixer** being filled from ingredient silos



Concrete mixing plant in **Birmingham, Alabama**, in 1936

Concrete production is the process of mixing together the various ingredients—water, aggregate, cement, and any additives—to produce concrete. Concrete production is time-sensitive. Once the ingredients are mixed, workers must put the concrete in place before it hardens. In modern usage, most concrete production takes place in a large type of industrial facility called a **concrete plant**, or often a batch plant. The usual method of placement is casting in **formwork**, which holds the mix in shape until it has set enough to hold its shape unaided.

Concrete plants come in two main types, ready-mix plants and central mix plants. A ready-mix plant blends all of the solid ingredients, while a central mix does the same but adds water. A central-mix plant offers more precise control of the concrete quality. Central mix plants must be close to the work site where the concrete will be used, since hydration begins at the plant.

A concrete plant consists of large hoppers for storage of various ingredients like cement, storage for bulk ingredients like aggregate and water, mechanisms for the addition of various additives and amendments, machinery to accurately weigh, move, and mix some or all of those ingredients, and facilities to dispense the mixed concrete, often to a **concrete mixer** truck.

Modern concrete is usually prepared as a viscous fluid, so that it may be poured into forms. The forms are containers that define the desired shape. Concrete **formwork** can be prepared in several ways, such as **slip forming** and **steel plate construction**. Alternatively, concrete can be mixed into dryer, non-fluid forms and used in factory settings to manufacture **precast concrete** products.

Interruption in pouring the concrete can cause the initially placed material to begin to set before the next batch is added on top. This creates a horizontal plane of weakness called a *cold joint* between the two batches.^[67] Once the mix is where it should be, the curing process must be controlled to ensure that the concrete attains the desired attributes. During concrete preparation, various technical details may affect the quality and nature of the product.

Design mix

[\[edit\]](#)

Design mix ratios are decided by an engineer after analyzing the properties of the specific ingredients being used. Instead of using a 'nominal mix' of 1 part cement, 2 parts sand, and 4 parts aggregate, a civil engineer will custom-design a concrete mix to exactly meet the requirements of the site and conditions, setting material ratios and often designing an admixture package to fine-tune the properties or increase the performance envelope of the mix. Design-mix concrete can have very broad specifications that cannot be met with more basic nominal mixes, but the involvement of the engineer often increases the cost of the concrete mix.

Concrete mixes are primarily divided into nominal mix, standard mix and design mix.

Nominal mix ratios are given in volume of $\text{Cement} : \text{Sand} : \text{Aggregate}$ and are a simple, fast way of getting a basic idea of the properties of the finished concrete without having to perform testing in advance.

Various governing bodies (such as [British Standards](#)) define nominal mix ratios into a number of grades, usually ranging from lower [compressive strength](#) to higher compressive strength. The grades usually indicate the 28-day cure strength.^[68]

Mixing

[\[edit\]](#)

See also: [Volumetric concrete mixer](#) and [Concrete mixer](#)

Thorough mixing is essential to produce uniform, high-quality concrete.


Separate paste mixing has shown that the mixing of cement and water into a paste before combining these materials with [aggregates](#) can increase the [compressive strength](#) of the resulting concrete.^[69] The paste is generally mixed in a *high-speed*, shear-type mixer at a [w/c](#) (water to cement ratio) of 0.30 to 0.45 by mass. The cement paste premix may include admixtures such as accelerators or retarders, [superplasticizers](#), [pigments](#), or [silica fume](#). The premixed paste is then blended with aggregates and any remaining batch water and final mixing is completed in conventional concrete mixing equipment.^[70]

Resonant acoustic mixing has also been found effective in producing ultra-high performance cementitious materials, as it produces a dense matrix with low porosity.^[71]


Sample analysis—workability

[\[edit\]](#)

Main article: [Concrete slump test](#)



Concrete floor of a [parking garage](#) being placed



Pouring and smoothing out concrete at Palisades Park in Washington, DC

Workability is the ability of a fresh (plastic) concrete mix to fill the form/mold properly with the desired work (pouring, pumping, spreading, tamping, vibration) and without reducing the concrete's quality. Workability depends on water content, aggregate (shape and size distribution), cementitious content and age (level of **hydration**) and can be modified by adding chemical admixtures, like superplasticizer. Raising the water content or adding chemical admixtures increases concrete workability. Excessive water leads to increased bleeding or **segregation of aggregates** (when the cement and aggregates start to separate), with the resulting concrete having reduced quality. Changes in gradation can also affect workability of the concrete, although a wide range of gradation can be used for various applications.[72][73] An undesirable gradation can mean using a large aggregate that is too large for the size of the formwork, or which has too few smaller aggregate grades to serve to fill the gaps between the larger grades, or using too little or too much sand for the same reason, or using too little water, or too much cement, or even using jagged crushed stone instead of smoother round aggregate such as pebbles. Any combination of these factors and others may result in a mix which is too harsh, i.e., which does not flow or spread out smoothly, is difficult to get into the formwork, and which is difficult to surface finish.[74]

Workability can be measured by the **concrete slump test**, a simple measure of the plasticity of a fresh batch of concrete following the **ASTM C 143** or **EN 12350-2** test standards. Slump is normally measured by filling an "**Abrams cone**" with a sample from a fresh batch of concrete. The cone is placed with the wide end down onto a level, non-absorptive surface. It is then filled in three layers of equal volume, with each layer being tamped with a steel rod to consolidate the layer. When the cone is carefully lifted off, the enclosed material slumps a certain amount, owing to gravity. A relatively dry sample slumps very little, having a slump value of one or two inches (25 or 50 mm) out of one foot (300 mm). A relatively wet concrete sample may slump as much as eight inches. Workability can also be measured by the **flow table test**.


Slump can be increased by addition of chemical admixtures such as plasticizer or **superplasticizer** without changing the **water-cement ratio**. [75] Some other admixtures, especially air-entraining admixture, can increase the slump of a mix.

High-flow concrete, like **self-consolidating concrete**, is tested by other flow-measuring methods. One of these methods includes placing the cone on the narrow end and observing how the mix flows through the cone while it is gradually lifted.

After mixing, concrete is a fluid and can be pumped to the location where needed.

Curing

[[edit](#)]



A concrete slab being kept hydrated during water curing by submersion (ponding)

Maintaining optimal conditions for cement hydration

[[edit](#)]

Concrete must be kept moist during curing in order to achieve optimal strength and [durability](#).^[76] During curing [hydration](#) occurs, allowing calcium-silicate hydrate (C-S-H) to form. Over 90% of a mix's final strength is typically reached within four weeks, with the remaining 10% achieved over years or even decades.^[77] The conversion of [calcium hydroxide](#) in the concrete into [calcium carbonate](#) from absorption of CO_2 over several decades further strengthens the concrete and makes it more resistant to damage. This [carbonation](#) reaction, however, lowers the pH of the cement pore solution and can corrode the reinforcement bars.

Hydration and hardening of concrete during the first three days is critical. Abnormally fast drying and shrinkage due to factors such as evaporation from wind during placement may lead to increased tensile stresses at a time when it has not yet gained sufficient strength, resulting in greater shrinkage cracking. The early strength of the concrete can be increased if it is kept damp during the curing process. Minimizing stress prior to curing minimizes cracking. High-early-strength concrete is designed to hydrate faster, often by increased use of cement that increases shrinkage and cracking. The strength of concrete changes (increases) for up to three years. It depends on cross-section dimension of elements and conditions of structure exploitation.^[50] Addition of short-cut polymer fibers can improve (reduce) shrinkage-induced stresses during curing and increase early and ultimate compression strength.^[78]

Properly curing concrete leads to increased strength and lower permeability and avoids cracking where the surface dries out prematurely. Care must also be taken to avoid freezing or overheating due to the [exothermic](#) setting of cement. Improper curing can cause [spalling](#), reduced strength, poor [abrasion](#) resistance and [cracking](#).

Curing techniques avoiding water loss by evaporation

[[edit](#)]

During the curing period, concrete is ideally maintained at controlled temperature and humidity. To ensure full hydration during curing, concrete slabs are often sprayed with "curing compounds" that create a water-retaining film over the concrete. Typical films are made of wax or related hydrophobic compounds. After the concrete is sufficiently cured, the film is allowed to abrade from the concrete through normal use.^[79]

Traditional conditions for curing involve spraying or ponding the concrete surface with water. The adjacent picture shows one of many ways to achieve this, ponding—submerging setting concrete in water and wrapping in plastic to prevent dehydration. Additional common curing methods include wet burlap and plastic sheeting covering the fresh concrete.

For higher-strength applications, [accelerated curing](#) techniques may be applied to the concrete. A common technique involves heating the poured concrete with steam, which serves to both keep it damp and raise the temperature so that the hydration process proceeds more quickly and more thoroughly.

Alternative types

[[edit](#)]

Main article: [Types of concrete](#)

Asphalt

[[edit](#)]

Main article: [Asphalt concrete](#)

Asphalt concrete (commonly called *asphalt*,^[80] *blacktop*, or *pavement* in North America, and *tarmac*, *bitumen macadam*, or *rolled asphalt* in the [United Kingdom](#) and [Ireland](#)) is a [composite material](#) commonly used to surface [roads](#), [parking lots](#), [airports](#), as well as the core of [embankment dams](#).^[81] Asphalt mixtures have been used in pavement construction since the beginning of the twentieth century.^[82] It consists of [mineral aggregate bound](#) together with [asphalt](#), laid in layers, and compacted. The process was refined and enhanced by Belgian inventor and U.S. immigrant [Edward De Smedt](#).^[83]

The terms *asphalt* (or *asphaltic*) *concrete*, *bituminous asphalt concrete*, and *bituminous mixture* are typically used only in [engineering](#) and construction documents, which define concrete as any composite material composed of mineral aggregate adhered with a binder. The abbreviation, AC, is sometimes used for *asphalt concrete* but can also denote *asphalt content* or *asphalt cement*, referring to the liquid asphalt portion of the composite material.

Graphene enhanced concrete

[[edit](#)]

Graphene enhanced concretes are standard designs of concrete mixes, except that during the cement-mixing or production process, a small amount of chemically engineered [graphene](#) (typically < 0.5% by weight) is added.[\[84\]](#)[\[85\]](#) These enhanced graphene concretes are designed around the concrete application.


Microbial

[[edit](#)]

Bacteria such as [Bacillus pasteurii](#), [Bacillus pseudofirmus](#), [Bacillus cohnii](#), [Sporosarcina pasteurii](#), and [Arthrobacter crystallopoietes](#) increase the compression strength of concrete through their biomass. However some forms of bacteria can also be concrete-destroying.[\[86\]](#) [Bacillus](#) sp. CT-5. can reduce corrosion of reinforcement in reinforced concrete by up to four times. [Sporosarcina pasteurii](#) reduces water and chloride permeability. [B. pasteurii](#) increases resistance to acid.[\[87\]](#) [Bacillus pasteurii](#) and [B. sphaericus](#) can induce calcium carbonate precipitation in the surface of cracks, adding compression strength.[\[88\]](#)

Nanoconcrete

[[edit](#)]



Decorative plate made of Nano concrete with High-Energy Mixing (HEM)

Nanoconcrete (also spelled "nano concrete" or "nano-concrete") is a class of materials that contains Portland cement particles that are no greater than 100 μm [\[89\]](#) and particles of silica no greater than 500 μm , which fill voids that would otherwise occur in normal concrete, thereby

substantially increasing the material's strength.^[90] It is widely used in foot and highway bridges where high flexural and compressive strength are indicated.^[88]

Pervious

[\[edit\]](#)

Main article: [Pervious concrete](#)

Pervious concrete is a mix of specially graded coarse aggregate, cement, water, and little-to-no fine aggregates. This concrete is also known as "no-fines" or porous concrete. Mixing the ingredients in a carefully controlled process creates a paste that coats and bonds the aggregate particles. The hardened concrete contains interconnected air voids totaling approximately 15 to 25 percent. Water runs through the voids in the pavement to the soil underneath. Air entrainment admixtures are often used in freeze-thaw climates to minimize the possibility of frost damage. Pervious concrete also permits rainwater to filter through roads and parking lots, to recharge aquifers, instead of contributing to runoff and flooding.^[91]

Polymer

[\[edit\]](#)

Main article: [Polymer concrete](#)

Polymer concretes are mixtures of aggregate and any of various polymers and may be reinforced. The cement is costlier than lime-based cements, but polymer concretes nevertheless have advantages; they have significant tensile strength even without reinforcement, and they are largely impervious to water. Polymer concretes are frequently used for the repair and construction of other applications, such as drains.

Plant fibers

[\[edit\]](#)

Plant fibers and particles can be used in a concrete mix or as a reinforcement.^{[92][93][94]} These materials can increase ductility but the lignocellulosic particles hydrolyze during concrete curing as a result of alkaline environment and elevated temperatures^{[95][96][97]} Such process, that is difficult to measure,^[98] can affect the properties of the resulting concrete.

Sulfur concrete

[[edit](#)]

Main article: [Sulfur concrete](#)

Sulfur concrete is a special concrete that uses sulfur as a binder and does not require cement or water.

Volcanic

[[edit](#)]

Volcanic concrete substitutes volcanic rock for the limestone that is burned to form clinker. It consumes a similar amount of energy, but does not directly emit carbon as a byproduct.^[99] Volcanic rock/ash are used as supplementary cementitious materials in concrete to improve the resistance to sulfate, chloride and alkali silica reaction due to pore refinement.^[100] Also, they are generally cost effective in comparison to other aggregates,^[101] good for semi and light weight concretes,^[101] and good for thermal and acoustic insulation.^[101]

Pyroclastic materials, such as pumice, scoria, and ashes are formed from cooling magma during explosive volcanic eruptions. They are used as supplementary cementitious materials (SCM) or as aggregates for cements and concretes.^[102] They have been extensively used since ancient times to produce materials for building applications. For example, pumice and other volcanic glasses were added as a natural pozzolanic material for mortars and plasters during the construction of the Villa San Marco in the Roman period (89 BC – 79 AD), which remain one of the best-preserved otium villae of the Bay of Naples in Italy.^[103]

Waste light

[[edit](#)]

Main article: [Waste light concrete](#)

Waste light is a form of polymer modified concrete. The specific polymer admixture allows the replacement of all the traditional aggregates (gravel, sand, stone) by any mixture of solid waste materials in the grain size of 3–10 mm to form a low-compressive-strength ($3\text{--}20\text{ N/mm}^2$) product^[104] for road and building construction. One cubic meter of waste light concrete contains $1.1\text{--}1.3\text{ m}^3$ of shredded waste and no other aggregates.

Recycled Aggregate Concrete (RAC)

[[edit](#)]



This section **does not cite any sources**. Please help [improve this section](#) by [adding citations to reliable sources](#). Unsourced material may be challenged and [removed](#). (October 2024) ([Learn how and when to remove this message](#))

Recycled aggregate concretes are standard concrete mixes with the addition or substitution of natural aggregates with recycled aggregates sourced from construction and demolition wastes, disused pre-cast concretes or masonry. In most cases, recycled aggregate concrete results in higher water absorption levels by capillary action and permeation, which are the prominent determiners of the strength and durability of the resulting concrete. The increase in water absorption levels is mainly caused by the porous adhered mortar that exists in the recycled aggregates. Accordingly, recycled concrete aggregates that have been washed to reduce the quantity of mortar adhered to aggregates show lower water absorption levels compared to untreated recycled aggregates.

The quality of the recycled aggregate concrete is determined by several factors, including the size, the number of replacement cycles, and the moisture levels of the recycled aggregates. When the recycled concrete aggregates are crushed into coarser fractures, the mixed concrete shows better permeability levels, resulting in an overall increase in strength. In contrast, recycled masonry aggregates provide better qualities when crushed in finer fractures. With each generation of recycled concrete, the resulting compressive strength decreases.


Properties

[[edit](#)]

Main article: [Properties of concrete](#)

Concrete has relatively high [compressive strength](#), but much lower [tensile strength](#).^[105] Therefore, it is usually [reinforced](#) with materials that are strong in tension (often steel). The elasticity of concrete is relatively constant at low stress levels but starts decreasing at higher stress levels as matrix cracking develops. Concrete has a very low [coefficient of thermal expansion](#) and shrinks as it matures. All concrete structures crack to some extent, due to shrinkage and tension. Concrete that is subjected to long-duration forces is prone to [creep](#).

Tests can be performed to ensure that the properties of concrete correspond to specifications for the application.



Compression testing of a concrete cylinder

The ingredients affect the strengths of the material. Concrete strength values are usually specified as the lower-bound compressive strength of either a cylindrical or cubic specimen as determined by standard test procedures.

The strengths of concrete is dictated by its function. Very low-strength—14 MPa (2,000 psi) or less—concrete may be used when the concrete must be lightweight.^[106] Lightweight concrete is often achieved by adding air, foams, or lightweight aggregates, with the side effect that the strength is reduced. For most routine uses, 20 to 32 MPa (2,900 to 4,600 psi) concrete is often used. 40 MPa (5,800 psi) concrete is readily commercially available as a more durable, although more expensive, option. Higher-strength concrete is often used for larger civil projects.^[107] Strengths above 40 MPa (5,800 psi) are often used for specific building elements. For example, the lower floor columns of high-rise concrete buildings may use concrete of 80 MPa (11,600 psi) or more, to keep the size of the columns small. Bridges may use long beams of high-strength concrete to lower the number of spans required.^{[108][109]} Occasionally, other structural needs may require high-strength concrete. If a structure must be very rigid, concrete of very high strength may be specified, even much stronger than is required to bear the service loads. Strengths as high as 130 MPa (18,900 psi) have been used commercially for these reasons.^[108]

Energy efficiency

^[edit]


The cement produced for making concrete accounts for about 8% of worldwide CO₂ emissions per year (compared to, e.g., global aviation at 1.9%).^{[110][111]} The two **largest sources** of CO₂ are produced by the cement manufacturing process, arising from (1) the decarbonation reaction of **limestone** in the **cement kiln** (T ? 950 °C), and (2) from the combustion of **fossil fuel** to reach the **sintering** temperature (T ? 1450 °C) of **cement clinker** in the kiln. The energy required for extracting, crushing, and mixing the raw materials (**construction aggregates** used in the concrete production, and also **limestone** and **clay** feeding the **cement kiln**) is lower. Energy requirement for transportation of **ready-mix concrete** is also lower because it is produced nearby the construction site from local resources, typically manufactured within 100 kilometers of the job site.^[112] The overall **embodied energy** of concrete at roughly 1 to 1.5 megajoules per kilogram is therefore lower than for many structural and construction materials.^[113]

Once in place, concrete offers a great energy efficiency over the lifetime of a building.^[114] Concrete walls leak air far less than those made of wood frames.^[115] Air leakage accounts for a large percentage of energy loss from a home. The thermal mass properties of concrete increase the efficiency of both residential and commercial buildings. By storing and releasing the energy needed for heating or cooling, concrete's thermal mass delivers year-round benefits by reducing temperature swings inside and minimizing heating and cooling costs.^[116] While insulation reduces energy loss through the building envelope, thermal mass uses walls to store and release

energy. Modern concrete wall systems use both external insulation and thermal mass to create an energy-efficient building. Insulating concrete forms (ICFs) are hollow blocks or panels made of either insulating foam or **rastra** that are stacked to form the shape of the walls of a building and then filled with reinforced concrete to create the structure.

Fire safety

[**edit**]



Boston City Hall (1968) is a **Brutalist** design constructed largely of precast and poured in place concrete.

Concrete buildings are more resistant to fire than those constructed using steel frames, since concrete has lower heat conductivity than steel and can thus last longer under the same fire conditions. Concrete is sometimes used as a fire protection for steel frames, for the same effect as above. Concrete as a fire shield, for example **Fondu fyre**, can also be used in extreme environments like a missile launch pad.

Options for non-combustible construction include floors, ceilings and roofs made of cast-in-place and hollow-core precast concrete. For walls, concrete masonry technology and **Insulating Concrete Forms** (ICFs) are additional options. ICFs are hollow blocks or panels made of fireproof insulating foam that are stacked to form the shape of the walls of a building and then filled with reinforced concrete to create the structure.

Concrete also provides good resistance against externally applied forces such as high winds, hurricanes, and tornadoes owing to its lateral stiffness, which results in minimal horizontal movement. However, this stiffness can work against certain types of concrete structures, particularly where a relatively higher flexing structure is required to resist more extreme forces.


Earthquake safety

[**edit**]

As discussed above, concrete is very strong in compression, but weak in tension. Larger earthquakes can generate very large shear loads on structures. These shear loads subject the structure to both tensile and compressional loads. Concrete structures without reinforcement, like other unreinforced masonry structures, can fail during severe earthquake shaking. Unreinforced masonry structures constitute one of the largest earthquake risks globally.^[117] These risks can be reduced through seismic retrofitting of at-risk buildings, (e.g. school buildings in Istanbul, Turkey).^[118]

Construction

[\[edit\]](#)




The [City Court Building](#) in [Buffalo, New York](#)

Concrete is one of the most durable building materials. It provides superior fire resistance compared with wooden construction and gains strength over time. Structures made of concrete can have a long service life.^[119] Concrete is used more than any other artificial material in the world.^[120] As of 2006, about 7.5 billion cubic meters of concrete are made each year, more than one cubic meter for every person on Earth.^[121]

Reinforced

[\[edit\]](#)

Main article: [Reinforced concrete](#)



Christ the Redeemer statue in **Rio de Janeiro**, Brazil. It is made of reinforced concrete clad in a mosaic of thousands of triangular **soapstone** tiles.^[122]

The use of reinforcement, in the form of iron was introduced in the 1850s by French industrialist François Coignet, and it was not until the 1880s that German civil engineer G. A. Wayss used steel as reinforcement. Concrete is a relatively brittle material that is strong under compression but less in tension. Plain, unreinforced concrete is unsuitable for many structures as it is relatively poor at withstanding stresses induced by vibrations, wind loading, and so on. Hence, to increase its overall strength, steel rods, wires, mesh or cables can be embedded in concrete before it is set. This reinforcement, often known as rebar, resists tensile forces.^[123]

Reinforced concrete (RC) is a versatile composite and one of the most widely used materials in modern construction. It is made up of different constituent materials with very different properties that complement each other. In the case of reinforced concrete, the component materials are almost always concrete and steel. These two materials form a strong bond together and are able to resist a variety of applied forces, effectively acting as a single structural element.^[124]

Reinforced concrete can be precast or cast-in-place (in situ) concrete, and is used in a wide range of applications such as; slab, wall, beam, column, foundation, and frame construction. Reinforcement is generally placed in areas of the concrete that are likely to be subject to tension, such as the lower portion of beams. Usually, there is a minimum of 50 mm cover, both above and below the steel reinforcement, to resist spalling and corrosion which can lead to structural instability.^[123] Other types of non-steel reinforcement, such as **Fibre-reinforced concretes** are used for specialized applications, predominately as a means of controlling cracking.^[124]

Precast

^[edit]

Main article: **Precast concrete**

Precast concrete is concrete which is cast in one place for use elsewhere and is a mobile material. The largest part of precast production is carried out in the works of specialist suppliers, although in some instances, due to economic and geographical factors, scale of product or difficulty of access, the elements are cast on or adjacent to the construction site.^[125] Precasting offers considerable advantages because it is carried out in a controlled environment, protected from the elements, but the downside of this is the contribution to greenhouse gas emission from transportation to the construction site.^[124]

Advantages to be achieved by employing precast concrete:^[125]

- Preferred dimension schemes exist, with elements of tried and tested designs available from a catalogue.
- Major savings in time result from manufacture of structural elements apart from the series of events which determine overall duration of the construction, known by planning engineers as


the 'critical path'.

- Availability of Laboratory facilities capable of the required control tests, many being certified for specific testing in accordance with National Standards.
- Equipment with capability suited to specific types of production such as stressing beds with appropriate capacity, moulds and machinery dedicated to particular products.
- High-quality finishes achieved direct from the mould eliminate the need for interior decoration and ensure low maintenance costs.

Mass structures

[[edit](#)]

Main article: [Mass concrete](#)



Aerial photo of reconstruction at [Taum Sauk](#) (Missouri) pumped storage facility in late November 2009. After the original reservoir failed, the new reservoir was made of roller-compacted concrete.


Due to cement's [exothermic](#) chemical reaction while setting up, large concrete structures such as [dams](#), [navigation locks](#), large mat foundations, and large [breakwaters](#) generate excessive heat during hydration and associated expansion. To mitigate these effects, *post-cooling*^[126] is commonly applied during construction. An early example at Hoover Dam used a network of pipes between vertical concrete placements to circulate cooling water during the curing process to avoid damaging overheating. Similar systems are still used; depending on volume of the pour, the concrete mix used, and ambient air temperature, the cooling process may last for many months after the concrete is placed. Various methods also are used to pre-cool the concrete mix in mass concrete structures.^[126]

Another approach to mass concrete structures that minimizes cement's thermal by-product is the use of [roller-compacted concrete](#), which uses a dry mix which has a much lower cooling requirement than conventional wet placement. It is deposited in thick layers as a semi-dry material then roller [compacted](#) into a dense, strong mass.

Surface finishes

[[edit](#)]

Main article: [Decorative concrete](#)



Black basalt polished concrete floor

Raw concrete surfaces tend to be porous and have a relatively uninteresting appearance. Many finishes can be applied to improve the appearance and preserve the surface against staining, water penetration, and freezing.

Examples of improved appearance include [stamped concrete](#) where the wet concrete has a pattern impressed on the surface, to give a paved, cobbled or brick-like effect, and may be accompanied with coloration. Another popular effect for flooring and table tops is [polished concrete](#) where the concrete is polished optically flat with diamond abrasives and sealed with polymers or other sealants.


Other finishes can be achieved with chiseling, or more conventional techniques such as painting or covering it with other materials.

The proper treatment of the surface of concrete, and therefore its characteristics, is an important stage in the construction and renovation of architectural structures.^[127]

Prestressed

[[edit](#)]

Main article: [Prestressed concrete](#)



Stylized cacti decorate a sound/retaining wall in [Scottsdale, Arizona](#)

Prestressed concrete is a form of reinforced concrete that builds in **compressive stresses** during construction to oppose tensile stresses experienced in use. This can greatly reduce the weight of beams or slabs, by better distributing the stresses in the structure to make optimal use of the reinforcement. For example, a horizontal beam tends to sag. Prestressed reinforcement along the bottom of the beam counteracts this. In pre-tensioned concrete, the prestressing is achieved by using steel or polymer tendons or bars that are subjected to a tensile force prior to casting, or for post-tensioned concrete, after casting.

There are two different systems being used:[\[124\]](#)

- **Pretensioned concrete** is almost always precast, and contains steel wires (tendons) that are held in tension while the concrete is placed and sets around them.
- **Post-tensioned concrete** has ducts through it. After the concrete has gained strength, tendons are pulled through the ducts and stressed. The ducts are then filled with grout. Bridges built in this way have experienced considerable corrosion of the tendons, so external post-tensioning may now be used in which the tendons run along the outer surface of the concrete.

More than 55,000 miles (89,000 km) of highways in the United States are paved with this material. **Reinforced concrete**, **prestressed concrete** and **precast concrete** are the most widely used **types of concrete** functional extensions in modern days. For more information see [Brutalist architecture](#).


Placement

[\[edit\]](#)

Once mixed, concrete is typically transported to the place where it is intended to become a structural item. Various methods of transportation and placement are used depending on the distances involved, quantity needed, and other details of application. Large amounts are often transported by truck, poured free under gravity or through a **tremie**, or **pumped** through a pipe. Smaller amounts may be carried in a skip (a metal container which can be tilted or opened to release the contents, usually transported by crane or hoist), or wheelbarrow, or carried in toggle bags for manual placement underwater.

Cold weather placement

[\[edit\]](#)



Pohjolatalo, an office building made of concrete in the city center of **Kouvola** in **Kymenlaakso**, Finland

Extreme weather conditions (extreme heat or cold; windy conditions, and humidity variations) can significantly alter the quality of concrete. Many precautions are observed in cold weather placement.^[128] Low temperatures significantly slow the chemical reactions involved in hydration of cement, thus affecting the strength development. Preventing freezing is the most important precaution, as formation of ice crystals can cause damage to the crystalline structure of the hydrated cement paste. If the surface of the concrete pour is insulated from the outside temperatures, the heat of hydration will prevent freezing.

The **American Concrete Institute** (ACI) definition of cold weather placement, ACI 306,^[129] is:

- A period when for more than three successive days the average daily air temperature drops below 40 °F (~ 4.5 °C), and
- Temperature stays below 50 °F (10 °C) for more than one-half of any 24-hour period.

In **Canada**, where temperatures tend to be much lower during the cold season, the following criteria are used by **CSA A23.1**:


- When the air temperature is ≤ 5 °C, and
- When there is a probability that the temperature may fall below 5 °C within 24 hours of placing the concrete.

The minimum strength before exposing concrete to extreme cold is 500 psi (3.4 MPa). CSA A 23.1 specified a compressive strength of 7.0 MPa to be considered safe for exposure to freezing.

Underwater placement

[\[edit\]](#)

See also: **Underwater construction**



Assembled tremie placing concrete underwater

Concrete may be placed and cured underwater. Care must be taken in the placement method to prevent washing out the cement. Underwater placement methods include the **tremie**, pumping, skip placement, manual placement using toggle bags, and bagwork.^[130]

A tremie is a vertical, or near-vertical, pipe with a hopper at the top used to pour concrete underwater in a way that avoids washout of cement from the mix due to turbulent water contact with the concrete while it is flowing. This produces a more reliable strength of the product. The toggle bag method is generally used for placing small quantities and for repairs. Wet concrete is loaded into a reusable canvas bag and squeezed out at the required place by the diver. Care must be taken to avoid washout of the cement and fines.

Underwater bagwork is the manual placement by divers of woven cloth bags containing dry mix, followed by piercing the bags with steel rebar pins to tie the bags together after every two or three layers, and create a path for hydration to induce curing, which can typically take about 6 to 12 hours for initial hardening and full hardening by the next day. Bagwork concrete will generally reach full strength within 28 days. Each bag must be pierced by at least one, and preferably up to four pins. Bagwork is a simple and convenient method of underwater concrete placement which does not require pumps, plant, or formwork, and which can minimise environmental effects from dispersing cement in the water. Prefilled bags are available, which are sealed to prevent premature hydration if stored in suitable dry conditions. The bags may be biodegradable.^[131]

Grouted aggregate is an alternative method of forming a concrete mass underwater, where the forms are filled with coarse aggregate and the voids then completely filled from the bottom by displacing the water with pumped **grout**.^[130]

Roads

^[edit]

Concrete roads are more fuel efficient to drive on,^[132] more reflective and last significantly longer than other paving surfaces, yet have a much smaller market share than other paving solutions. Modern-paving methods and design practices have changed the economics of concrete paving, so that a well-designed and placed concrete pavement will be less expensive on initial costs and significantly less expensive over the life cycle. Another major benefit is that **pervious concrete** can be used, which eliminates the need to place **storm drains** near the road, and reducing the need for slightly sloped roadway to help rainwater to run off. No longer requiring discarding rainwater

through use of drains also means that less electricity is needed (more pumping is otherwise needed in the water-distribution system), and no rainwater gets polluted as it no longer mixes with polluted water. Rather, it is immediately absorbed by the ground.^[*citation needed*]

Tube forest

[*edit*]

Cement molded into a forest of tubular structures can be 5.6 times more resistant to cracking/failure than standard concrete. The approach mimics mammalian **cortical bone** that features elliptical, hollow **osteons** suspended in an organic matrix, connected by relatively weak "cement lines". Cement lines provide a preferable in-plane crack path. This design fails via a "stepwise toughening mechanism". Cracks are contained within the tube, reducing spreading, by dissipating energy at each tube/step.^[133]

Environment, health and safety

[*edit*]

Main article: **Environmental impact of concrete**



This section may be **unbalanced towards certain viewpoints.** Please **improve the article** or discuss the issue on the **talk page**. *(January 2024)*


The manufacture and use of concrete produce a wide range of environmental, economic and social impacts.

Health and safety

[*edit*]

See also: **Occupational dust exposure § Construction**

Concrete dust emission from the use of power tool



Recycled crushed concrete, to be reused as granular fill, is loaded into a semi-dump truck

Grinding of concrete can produce **hazardous dust**. Exposure to cement dust can lead to issues such as **silicosis**, kidney disease, skin irritation and similar effects. The U.S. **National Institute for Occupational Safety and Health** in the United States recommends attaching local exhaust ventilation shrouds to electric concrete grinders to control the spread of this dust. In addition, the **Occupational Safety and Health Administration** (OSHA) has placed more stringent regulations on companies whose workers regularly come into contact with silica dust. An updated silica rule, which OSHA put into effect 23 September 2017 for construction companies, restricted the amount of breathable crystalline silica workers could legally come into contact with to 50 micro grams per cubic meter of air per 8-hour workday. That same rule went into effect 23 June 2018 for general industry, **hydraulic fracturing** and maritime. That deadline was extended to 23 June 2021 for engineering controls in the hydraulic fracturing industry. Companies which fail to meet the tightened safety regulations can face financial charges and extensive penalties. The presence of some substances in concrete, including useful and unwanted additives, can cause health concerns due to toxicity and radioactivity. Fresh concrete (before curing is complete) is highly alkaline and must be handled with proper protective equipment.

Cement

[[edit](#)]

A major component of concrete is **cement**, a fine powder used mainly to bind sand and coarser aggregates together in concrete. Although a variety of cement types exist, the most common is "**Portland cement**", which is produced by mixing clinker with smaller quantities of other additives such as gypsum and ground limestone. The production of clinker, the main constituent of cement, is responsible for the bulk of the sector's greenhouse gas emissions, including both energy intensity and process emissions.^[134]

The cement industry is one of the three primary producers of carbon dioxide, a major greenhouse gas – the other two being energy production and transportation industries. On average, every tonne of cement produced releases one tonne of CO₂ into the atmosphere. Pioneer cement manufacturers have claimed to reach lower carbon intensities, with 590 kg of CO₂eq per tonne of cement produced.^[135] The emissions are due to combustion and calcination processes,^[136] which roughly account for 40% and 60% of the greenhouse gases, respectively. Considering that cement is only a fraction of the constituents of concrete, it is estimated that a tonne of concrete is responsible for emitting about 100–200 kg of CO₂.^{[137][138]} Every year more than 10 billion tonnes of concrete are used worldwide.^[138] In the coming years, large quantities of concrete will continue to be used, and the mitigation of CO₂ emissions from the sector will be even more critical.

Concrete is used to create hard surfaces that contribute to **surface runoff**, which can cause heavy soil erosion, water pollution, and flooding, but conversely can be used to divert, dam, and control flooding. **Concrete dust** released by building **demolition** and natural disasters can be a major source of dangerous **air pollution**. Concrete is a contributor to the **urban heat island** effect, though less so than **asphalt**.

Climate change mitigation

[[edit](#)]

Reducing the cement clinker content might have positive effects on the environmental life-cycle assessment of concrete. Some research work on reducing the cement clinker content in concrete has already been carried out. However, there exist different research strategies. Often replacement of some clinker for large amounts of slag or fly ash was investigated based on conventional concrete technology. This could lead to a waste of scarce raw materials such as slag and fly ash. The aim of other research activities is the efficient use of cement and reactive materials like slag and fly ash in concrete based on a modified mix design approach.^[139]

The embodied carbon of a precast concrete facade can be reduced by 50% when using the presented fiber reinforced high performance concrete in place of typical reinforced concrete cladding.^[140] Studies have been conducted about commercialization of low-carbon concretes. **Life cycle assessment** (LCA) of low-carbon concrete was investigated according to the ground granulated blast-furnace slag (GGBS) and fly ash (FA) replacement ratios. Global warming potential (GWP) of GGBS decreased by 1.1 kg CO₂ eq/m³, while FA decreased by 17.3 kg CO₂ eq/m³ when the mineral admixture replacement ratio was increased by 10%. This study also compared the compressive strength properties of binary blended low-carbon concrete according to the replacement ratios, and the applicable range of mixing proportions was derived.^[141]


Climate change adaptation

[[edit](#)]

High-performance building materials will be particularly important for enhancing resilience, including for flood defenses and critical-infrastructure protection.^[142] Risks to infrastructure and cities posed by extreme weather events are especially serious for those places exposed to flood and hurricane damage, but also where residents need protection from extreme summer temperatures. Traditional concrete can come under strain when exposed to humidity and higher concentrations of atmospheric CO₂. While concrete is likely to remain important in applications where the environment is challenging, novel, smarter and more adaptable materials are also needed.^{[138][143]}

End-of-life: degradation and waste

[[edit](#)]



The [Tunkhannock Viaduct](#) in northeastern Pennsylvania opened in 1915 and is still in regular use today

This paragraph is an excerpt from [Concrete degradation](#). [[edit](#)]

[Concrete degradation](#) may have many different causes. Concrete is mostly damaged by the [corrosion](#) of [reinforcement bars](#) due to the [carbonatation](#) of hardened [cement](#) paste or chloride attack under wet conditions. Chemical damage is caused by the formation of expansive products produced by chemical reactions (from [carbonatation](#), chlorides, sulfates and distillate water), by aggressive chemical species present in [groundwater](#) and [seawater](#) (chlorides, sulfates, magnesium ions), or by microorganisms ([bacteria](#), [fungi](#)...) Other damaging processes can also involve calcium leaching by water infiltration, physical phenomena initiating cracks formation and propagation, fire or radiant heat, aggregate expansion, sea water effects, leaching, and erosion by fast-flowing water. ^[144]

Recycling

[[edit](#)]

This paragraph is an excerpt from [Concrete recycling](#). [[edit](#)]

[Concrete recycling](#) is the use of rubble from demolished concrete structures. [Recycling](#) is cheaper and more ecological than trucking rubble to a [landfill](#). ^[145] Crushed rubble can be used for road gravel, [revetments](#), retaining walls, landscaping gravel, or raw material for new concrete. Large pieces can be used as bricks or slabs, or incorporated with new concrete into structures, a material called urbanite. ^{[146][147]}

There have been concerns about the recycling of painted concrete due to possible lead content. Studies have indicated that recycled concrete exhibits lower strength and durability compared to

concrete produced using natural aggregates.[148][149][150][151] This deficiency can be addressed by incorporating supplementary materials such as fly ash into the mixture.[152]

World records

[edit]

The world record for the largest concrete pour in a single project is the **Three Gorges Dam** in Hubei Province, China by the Three Gorges Corporation. The amount of concrete used in the construction of the dam is estimated at 16 million cubic meters over 17 years. The previous record was 12.3 million cubic meters held by **Itaipu hydropower station** in Brazil.[153][154][155]

The world record for concrete pumping was set on 7 August 2009 during the construction of the **Parbati** Hydroelectric Project, near the village of Suind, **Himachal Pradesh**, India, when the concrete mix was pumped through a vertical height of 715 m (2,346 ft).[156][157]

The **Polavaram dam** works in **Andhra Pradesh** on 6 January 2019 entered the **Guinness World Records** by pouring 32,100 cubic metres of concrete in 24 hours.[158] The world record for the largest continuously poured concrete raft was achieved in August 2007 in Abu Dhabi by contracting firm Al Habtoor-CCC Joint Venture and the concrete supplier is Unibeton Ready Mix.[159][160] The pour (a part of the foundation for the Abu Dhabi's **Landmark Tower**) was 16,000 cubic meters of concrete poured within a two-day period.[161] The previous record, 13,200 cubic meters poured in 54 hours despite a severe tropical storm requiring the site to be covered with **tarpaulins** to allow work to continue, was achieved in 1992 by joint Japanese and South Korean consortiums **Hazama Corporation** and the **Samsung C&T Corporation** for the construction of the **Petronas Towers** in **Kuala Lumpur**, Malaysia.[162]

The world record for largest continuously poured concrete floor was completed 8 November 1997, in **Louisville**, Kentucky by design-build firm EXXCEL Project Management. The monolithic placement consisted of 225,000 square feet (20,900 m²) of concrete placed in 30 hours, finished to a flatness tolerance of F_F 54.60 and a levelness tolerance of F_L 43.83. This surpassed the previous record by 50% in total volume and 7.5% in total area.[163][164]

The record for the largest continuously placed underwater concrete pour was completed 18 October 2010, in New Orleans, Louisiana by contractor C. J. Mahan Construction Company, LLC of Grove City, Ohio. The placement consisted of 10,251 cubic yards of concrete placed in 58.5 hours using two concrete pumps and two dedicated concrete batch plants. Upon curing, this placement allows the 50,180-square-foot (4,662 m²) cofferdam to be dewatered approximately 26 feet (7.9 m) below sea level to allow the construction of the **Inner Harbor Navigation Canal Sill & Monolith Project** to be completed in the dry.[165]

Art

[edit]

Concrete is used as an artistic medium.^[*citation needed*] Its appearance is also imitated in other media: for example Congolese artist **Sardoine Mia** creates canvases that look like concrete surfaces.^[166]

See also

[*edit*]

- **Concrete leveling** – Process to level concrete by levelling its underlying foundation
- **Concrete mixer** – Device that combines cement, aggregate, and water to form concrete
- **Concrete masonry unit** – Standard-sized block used in construction
- **Concrete plant** – Equipment that combines various ingredients to form concrete
- **Eurocode 2: Design of concrete structures**
- **Heavy metals** – Loosely defined subset of elements that exhibit metallic properties
- **Hempcrete** – Biocomposite material used for construction and insulation
- **Particulates** – Microscopic solid or liquid matter suspended in the Earth's atmosphere
- **Schmidt hammer** – Type of measuring instrument
- **Syncrete** – Synthetic form of concrete
- **Thermal integrity profiling** – Method used to test concrete

References

[*edit*]

- ¹ [^] Gagg, Colin R. (May 2014). "Cement and concrete as an engineering material: An historic appraisal and case study analysis". *Engineering Failure Analysis*. **40**: 114–140. doi: 10.1016/j.engfailanal.2014.02.004.
- ² [^] Crow, James Mitchell (March 2008). "**The concrete conundrum**" (PDF). *Chemistry World*: 62–66. Archived (PDF) from the original on 9 October 2022.
- ³ [^] "**Cement Statistics and Information**". USGS.gov. United States Geological Survey. Retrieved 21 March 2025.
- ⁴ [^] "**Scientific Principles**". matse1.matse.illinois.edu. Retrieved 24 May 2023.
- ⁵ [^] Li, Zongjin (2011). *Advanced concrete technology*. John Wiley & Sons. ISBN 978-0-470-90243-1.
- ⁶ [^] Industrial Resources Council (2008). "**Portland Cement Concrete**". www.industrialresourcescouncil.org. Retrieved 15 June 2018.
- ⁷ [^] National Highway Institute. "**Portland Cement Concrete Materials**" (PDF). *Federal Highway Administration*. Archived (PDF) from the original on 9 October 2022.
- ⁸ [^] Limbachiya, Mukesh C.; Kew, Hsein Y. (3 September 2008). *Excellence in Concrete Construction through Innovation: Proceedings of the conference held at the Kingston University, United Kingdom, 9 - 10 September 2008*. CRC Press. p. 115. ISBN 978-0-203-88344-0.
- ⁹ [^] Allen, Edward; Iano, Joseph (2013). *Fundamentals of building construction: materials and methods* (Sixth ed.). Hoboken: John Wiley & Sons. p. 314. ISBN 978-1-118-42086-7. OCLC 835621943.

10. ^ "concretus". Latin Lookup. Archived from [the original](#) on 12 May 2013. Retrieved 1 October 2012.
11. ^ Heinrich Schliemann; Wilhelm Dörpfeld; Felix Adler (1885). *Tiryns: The Prehistoric Palace of the Kings of Tiryns, the Results of the Latest Excavations*. New York: Charles Scribner's Sons. pp. 190, 203–204, 215.
12. ^ Sparavigna, Amelia Carolina (2011). "Ancient concrete works". [arXiv:1110.5230 \[physics.pop-ph\]](#).
13. ^ Jacobsen T and Lloyd S, (1935) "Sennacherib's Aqueduct at Jerwan," *Oriental Institute Publications* 24, Chicago University Press
14. ^ Stella L. Marusin (1 January 1996). "[Ancient Concrete Structures](#)". *Concrete International*. **18** (1): 56–58.
15. ^ **a b** Gromicko, Nick; Shepard, Kenton (2016). "[The History of Concrete](#)". International Association of Certified Home Inspectors, Inc. Retrieved 27 December 2018.
16. ^ "[Riddle solved: Why was Roman concrete so durable?](#)". MIT News | Massachusetts Institute of Technology. 6 January 2023. Retrieved 25 October 2024.
17. ^ Moore, David (6 October 2014). "[Roman Concrete Research](#)". *Romanconcrete.com*. Archived from the original on 6 October 2014. Retrieved 13 August 2022.
18. ^ "[The History of Concrete](#)". Dept. of Materials Science and Engineering, University of Illinois, Urbana-Champaign. Archived from the original on 27 November 2012. Retrieved 8 January 2013.
19. ^ Chiu, Y. C. (2010). *An Introduction to the History of Project Management: From the Earliest Times to A.D. 1900*. Eburon Uitgeverij B.V. p. 50. ISBN 978-90-5972-437-2.
20. ^ Lancaster, Lynne (2005). *Concrete Vaulted Construction in Imperial Rome. Innovations in Context*. Cambridge University Press. ISBN 978-0-511-16068-4.
21. ^ Moore, David (1999). "[The Pantheon](#)". *romanconcrete.com*. Archived from the original on 1 October 2011. Retrieved 26 September 2011.
22. ^ D.S. Robertson (1969). *Greek and Roman Architecture*, Cambridge, p. 233
23. ^ Cowan, Henry J. (1977). *The master builders: a history of structural and environmental design from ancient Egypt to the nineteenth century*. New York: Wiley. ISBN 0-471-02740-5. OCLC 2896326.
24. ^ "[CIVL 1101](#)". *www.ce.memphis.edu*. Archived from [the original](#) on 27 February 2017.
25. ^ Robert Mark, Paul Hutchinson: "On the Structure of the Roman Pantheon", *Art Bulletin*, Vol. 68, No. 1 (1986), p. 26, fn. 5
26. ^ Kwan, Stephen; Larosa, Judith; Grutzeck, Michael W. (1995). "29Si and 27Al MASNMR Study of Stratlingite". *Journal of the American Ceramic Society*. **78** (7): 1921–1926. doi:10.1111/j.1151-2916.1995.tb08910.x.
27. ^ Jackson, Marie D.; Landis, Eric N.; Brune, Philip F.; Vitti, Massimo; Chen, Heng; Li, Qinfei; Kunz, Martin; Wenk, Hans-Rudolf; Monteiro, Paulo J. M.; Ingraffea, Anthony R. (30 December 2014). "[Mechanical resilience and cementitious processes in Imperial Roman architectural mortar](#)". *PNAS*. **111** (52): 18484–18489. Bibcode:2014PNAS..11118484J. doi:10.1073/pnas.1417456111. PMC 4284584. PMID 25512521.
28. ^ Marie D. Jackson; Sean R. Mulcahy; Heng Chen; Yao Li; Qinfei Li; Piergiulio Cappelletti; Hans-Rudolf Wenk (3 July 2017). "[Phillipsite and Al-tobermorite mineral cements produced through low-temperature water-rock reactions in Roman marine concrete](#)". *American Mineralogist*. **102** (7): 1435–1450. Bibcode:2017AmMin.102.1435J. doi:10.2138/am-2017-

5993CCBY. S2CID 53452767.

29. ^ Knapton, Sarah (3 July 2017). "Secret of how Roman concrete survived tidal battering for 2,000 years revealed". The Telegraph. Archived from the original on 4 July 2017.
30. ^ Seymour, Linda M.; Maragh, Janille; Sabatini, Paolo; Di Tommaso, Michel; Weaver, James C.; Masic, Admir (6 January 2023). "Hot mixing: Mechanistic insights into the durability of ancient Roman concrete". Science Advances. **9** (1): eadd1602. Bibcode: 2023SciA....9D1602S. doi:10.1126/sciadv.add1602. PMC 9821858. PMID 36608117.
31. ^ Starr, Michelle (1 February 2024). "We Finally Know How Ancient Roman Concrete Was Able to Last Thousands of Years". ScienceAlert. Retrieved 1 February 2024.
32. ^ Peter Hewlett and Martin Liska (eds.), Lea's Chemistry of Cement and Concrete, 5th ed. (Butterworth-Heinemann, 2019), pp. 3–4.
33. ^ Rassia, Stamatina Th; Pardalos, Panos M. (15 August 2013). Cities for Smart Environmental and Energy Futures: Impacts on Architecture and Technology. Springer Science & Business Media. p. 58. ISBN 978-3-642-37661-0.
34. ^ Nick Gromicko & Kenton Shepard. "the History of Concrete". The International Association of Certified Home Inspectors (InterNACHI). Archived from the original on 15 January 2013. Retrieved 8 January 2013.
35. ^ Herring, Benjamin. "The Secrets of Roman Concrete" (PDF). Romanconcrete.com. Archived (PDF) from the original on 15 September 2012. Retrieved 1 October 2012.
36. ^ Courland, Robert (2011). Concrete planet: the strange and fascinating story of the world's most common man-made material. Amherst, NY: Prometheus Books. ISBN 978-1-61614-481-4. Archived from the original on 4 November 2015. Retrieved 28 August 2015.
37. ^ "The History of Concrete and Cement". ThoughtCo. 9 April 2012. Retrieved 13 August 2022.
38. ^ "Francois Coignet – French house builder". Retrieved 23 December 2016.
39. ^ « Château de Chazelet » [archive], notice no PA00097319, base Mérimée, ministère français de la Culture.
40. ^ Billington, David (1985). The Tower and the Bridge. Princeton: Princeton University Press. ISBN 0-691-02393-X.
41. ^ "Concrete: Scientific Principles". matse1.matse.illinois.edu. Retrieved 6 October 2021.
42. ^ a b Askarian, Mahya; Fakhretaha Aval, Siavash; Joshaghani, Alireza (22 January 2019). "A comprehensive experimental study on the performance of pumice powder in self-compacting concrete (SCC)". Journal of Sustainable Cement-Based Materials. **7** (6): 340–356. doi:10.1080/21650373.2018.1511486. S2CID 139554392.
43. ^ Melander, John M.; Farny, James A.; Isberner, Albert W. Jr. (2003). "Portland Cement Plaster/Stucco Manual" (PDF). Portland Cement Association. Archived (PDF) from the original on 12 April 2021. Retrieved 13 July 2021.
44. ^ Evelien Cochez; Wouter Nijs; Giorgio Simbolotti & Giancarlo Tosato. "Cement Production" (PDF). IEA ETSAP – Energy Technology Systems Analysis Programme. Archived from the original (PDF) on 24 January 2013. Retrieved 9 January 2013.
45. ^ Gibbons, Jack (7 January 2008). "Measuring Water in Concrete". Concrete Construction. Archived from the original on 11 May 2013. Retrieved 1 October 2012.
46. ^ "Chapter 9: Designing and Proportioning Normal Concrete Mixtures" (PDF). PCA manual. Portland Concrete Association. Archived (PDF) from the original on 26 May 2012. Retrieved 1 October 2012.

47. ^ **a b** "Cement hydration". Understanding Cement. Archived from the original on 17 October 2012. Retrieved 1 October 2012.
48. ^ Beaudoin, James; Odler, Ivan (2019). "Hydration, Setting and Hardening of Portland Cement". *Lea's Chemistry of Cement and Concrete*. pp. 157–250. doi:10.1016/B978-0-08-100773-0.00005-8. ISBN 978-0-08-100773-0.
49. ^ "The Effect of Aggregate Properties on Concrete". www.engr.psu.edu. Engr.psu.edu. 25 December 2012. Archived from the original on 25 December 2012. Retrieved 13 August 2022.
50. ^ **a b** Veretennykov, Vitaliy I.; Yugov, Anatoliy M.; Dolmatov, Andriy O.; Bulavytskyi, Maksym S.; Kukharev, Dmytro I.; Bulavytskyi, Artem S. (2008). "Concrete Inhomogeneity of Vertical Cast-in-Place Elements in Skeleton-Type Buildings". *AEI* 2008. pp. 1–10. doi:10.1061/41002(328)17. ISBN 978-0-7844-1002-8.
51. ^ Gerry Bye; Paul Livesey; Leslie Struble (2011). "Admixtures and Special Cements". *Portland Cement: Third edition*. doi:10.1680/pc.36116.185 (inactive 1 November 2024). ISBN 978-0-7277-3611-6.cite book: CS1 maint: DOI inactive as of November 2024 (link)
52. ^ **a b** U.S. Federal Highway Administration (14 June 1999). "Admixtures". Archived from the original on 27 January 2007. Retrieved 25 January 2007.
53. ^ Cement Admixture Association. "Admixture Types". Archived from the original on 3 September 2011. Retrieved 25 December 2010.
54. ^ Hamakareem, Madeh Izat (14 November 2013). "Effect of Air Entrainment on Concrete Strength". *The Constructor*. Retrieved 13 November 2020.
55. ^ Bensted, John (1 January 1998), Hewlett, Peter C. (ed.), "14 - Special Cements", *Lea's Chemistry of Cement and Concrete (Fourth Edition)*, Oxford: Butterworth-Heinemann, pp. 783–840, doi:10.1016/b978-075066256-7/50026-6, ISBN 978-0-7506-6256-7, retrieved 3 November 2024
56. ^ Holland, Terence C. (2005). "Silica Fume User's Manual" (PDF). *Silica Fume Association and United States Department of Transportation Federal Highway Administration Technical Report FHWA-IF-05-016*. Retrieved 31 October 2014.
57. ^ Kosmatka, S.; Kerkhoff, B.; Panerese, W. (2002). *Design and Control of Concrete Mixtures* (14 ed.). Portland Cement Association, Skokie, Illinois.
58. ^ Gamble, William. "Cement, Mortar, and Concrete". In Baumeister; Avallone; Baumeister (eds.). *Mark's Handbook for Mechanical Engineers* (Eighth ed.). McGraw Hill. Section 6, page 177.
59. ^ Kosmatka, S.H.; Panarese, W.C. (1988). *Design and Control of Concrete Mixtures*. Skokie, IL: *Portland Cement Association*. pp. 17, 42, 70, 184. ISBN 978-0-89312-087-0.
60. ^ "Paving the way to greenhouse gas reductions". MIT News | Massachusetts Institute of Technology. 28 August 2011. Archived from the original on 31 October 2012. Retrieved 13 August 2022.
61. ^ U.S. Federal Highway Administration (14 June 1999). "Fly Ash". Archived from the original on 21 June 2007. Retrieved 24 January 2007.
62. ^ U.S. Federal Highway Administration. "Ground Granulated Blast-Furnace Slag". Archived from the original on 22 January 2007. Retrieved 24 January 2007.
63. ^ U.S. Federal Highway Administration. "Silica Fume". Archived from the original on 22 January 2007. Retrieved 24 January 2007.

64. ^ Mullapudi, Taraka Ravi Shankar; Gao, Di; Ayoub, Ashraf (September 2013). "Non-destructive evaluation of carbon nanofibre concrete". *Magazine of Concrete Research*. **65** (18): 1081–1091. doi:10.1680/mac.12.00187.
65. ^ Tuan, Christopher; Yehia, Sherif (1 July 2004). "Evaluation of Electrically Conductive Concrete Containing Carbon Products for Deicing". *ACI Materials Journal*. **101** (4): 287–293.
66. ^ Kloosterman, Karin (23 May 2023). "Tiny house built from diapers and concrete". *Green Prophet*. Retrieved 6 October 2024.
67. ^ "Cold Joints". www.concrete.org.uk. *The Concrete Society*. Archived from the original on 4 March 2016. Retrieved 30 December 2015.
68. ^ "Grades of Concrete with Proportion (Mix Ratio)". 26 March 2018.
69. ^ "Concrete International". concrete.org. 1 November 1989. Archived from the original on 28 September 2007. Retrieved 13 August 2022.
70. ^ "ACI 304R-00: Guide for Measuring, Mixing, Transporting, and Placing Concrete (Reapproved 2009)".
71. ^ Vandenberg, Aileen; Wille, Kay (2 June 2019). "The Effects of Resonant Acoustic Mixing on the Microstructure of UHPC". *International Interactive Symposium on Ultra-High Performance Concrete*. **2** (1). doi:10.21838/uhpc.9636. ISSN 0000-0000.
72. ^ Sarviel, Ed (1993). *Construction Estimating Reference Data*. Craftsman Book Company. p. 74. ISBN 978-0-934041-84-3.
73. ^ Cook, Marllon Daniel; Ghaeezadah, Ashkan; Ley, M. Tyler (1 February 2018). "Impacts of Coarse-Aggregate Gradation on the Workability of Slip-Formed Concrete". *Journal of Materials in Civil Engineering*. **30** (2). doi:10.1061/(ASCE)MT.1943-5533.0002126.
74. ^ "Aggregate in Concrete – the Concrete Network". Archived from the original on 2 February 2017. Retrieved 15 January 2017.
75. ^ Ferrari, L.; Kaufmann, J.; Winnefeld, F.; Plank, J. (October 2011). "Multi-method approach to study influence of superplasticizers on cement suspensions". *Cement and Concrete Research*. **41** (10): 1058–1066. doi:10.1016/j.cemconres.2011.06.010.
76. ^ "Curing Concrete" Peter C. Taylor CRC Press 2013. ISBN 978-0-415-77952-4. eBook ISBN 978-0-203-86613-9
77. ^ "Concrete Testing". Archived from the original on 24 October 2008. Retrieved 10 November 2008.
78. ^ ""Admixtures for Cementitious Applications."" (PDF). Archived from the original (PDF) on 17 October 2016.
79. ^ "Home" (PDF). Archived (PDF) from the original on 8 December 2015. Retrieved 12 November 2015.
80. ^ *The American Heritage Dictionary of the English Language*. Boston: Houghton Mifflin Harcourt. 2011. p. 106. ISBN 978-0-547-04101-8.
81. ^ "Asphalt concrete cores for embankment dams". *International Water Power and Dam Construction*. Archived from the original on 7 July 2012. Retrieved 3 April 2011.
82. ^ Polaczyk, Pawel; Huang, Baoshan; Shu, Xiang; Gong, Hongren (September 2019). "Investigation into Locking Point of Asphalt Mixtures Utilizing Superpave and Marshall Compactors". *Journal of Materials in Civil Engineering*. **31** (9). doi:10.1061/(ASCE)MT.1943-5533.0002839. S2CID 197635732.
83. ^ Reid, Carlton (2015). *Roads Were Not Built for Cars: How Cyclists Were the First to Push for Good Roads & Became the Pioneers of Motoring*. Island Press. p. 120. ISBN 978-1-

61091-689-9.

84. ^ Dalal, Sejal P.; Dalal, Purvang (March 2021). "Experimental Investigation on Strength and Durability of Graphene Nanoengineered Concrete". *Construction and Building Materials*. **276** : 122236. doi:10.1016/j.conbuildmat.2020.122236. S2CID 233663658.
85. ^ Dalal, Sejal P.; Desai, Kandarp; Shah, Dhairya; Prajapati, Sanjay; Dalal, Purvang; Gandhi, Vimal; Shukla, Atindra; Vithlani, Ravi (January 2022). "Strength and feasibility aspects of concrete mixes induced with low-cost surfactant functionalized graphene powder". *Asian Journal of Civil Engineering*. **23** (1): 39–52. doi:10.1007/s42107-021-00407-7. S2CID 257110774.
86. ^ Falkow, Stanley; Rosenberg, Eugene; Schleifer, Karl-Heinz; Stackebrandt, Erko (13 July 2006). *The Prokaryotes: Vol. 2: Ecophysiology and Biochemistry*. Springer Science & Business Media. p. 1005. ISBN 978-0-387-25492-0.
87. ^ Metwally, Gehad A. M.; Mahdy, Mohamed; Abd El-Raheem, Ahmed El-Raheem H. (August 2020). "Performance of Bio Concrete by Using *Bacillus Pasteurii* Bacteria". *Civil Engineering Journal*. **6** (8): 1443–1456. doi:10.28991/cej-2020-03091559.
88. ^ a b Raju, N. Krishna (2018). *Prestressed Concrete*, 6e. McGraw-Hill Education. p. 1131. ISBN 978-93-87886-25-4.
89. ^ Tiwari, AK; Chowdhury, Subrato (2013). "An over view of the application of nanotechnology in construction materials". *Proceedings of the International Symposium on Engineering under Uncertainty: Safety Assessment and Management (ISEUSAM-2012)*. CakrabartĀfĀĒĀ†â€™ĀfĀĉĀĉâ€šĀĀ...Ā¾ĀfĀĒĀĉâĀĵĀfĀĉâ€šĀĀ, Subrata; Bhattacharya, Gautam. New Delhi: Springer India. p. 485. ISBN 978-81-322-0757-3. OCLC 831413888.
90. ^ Thanmanaselvi, M; Ramasamy, V (2023). "A study on durability characteristics of nano-concrete". *Materials Today: Proceedings*. **80**: 2360–2365. doi:10.1016/j.matpr.2021.06.349. ISSN 2214-7853.
91. ^ "Ground Water Recharging Through Pervious Concrete Pavement". ResearchGate. Retrieved 26 January 2021.
92. ^ Onuaguluchi, Obinna; Banthia, Nemkumar (1 April 2016). "Plant-based natural fibre reinforced cement composites: A review". *Cement and Concrete Composites*. **68**: 96–108. doi:10.1016/j.cemconcomp.2016.02.014. ISSN 0958-9465.
93. ^ Wu, Hansong; Shen, Aiqin; Cheng, Qianqian; Cai, Yanxia; Ren, Guiping; Pan, Hongmei; Deng, Shiyi (20 September 2023). "A review of recent developments in application of plant fibers as reinforcements in concrete". *Journal of Cleaner Production*. **419**: 138265. Bibcode: 2023JCPro.41938265W. doi:10.1016/j.jclepro.2023.138265. ISSN 0959-6526.
94. ^ Yan, Libo; Kasal, Bohumil; Huang, Liang (1 May 2016). "A review of recent research on the use of cellulosic fibres, their fibre fabric reinforced cementitious, geo-polymer and polymer composites in civil engineering". *Composites Part B: Engineering*. **92**: 94–132. doi:10.1016/j.compositesb.2016.02.002. ISSN 1359-8368.
95. ^ Li, Juan; Kasal, Bohumil (July 2023). "Degradation Mechanism of the Wood-Cell Wall Surface in a Cement Environment Measured by Atomic Force Microscopy". *Journal of Materials in Civil Engineering*. **35** (7). doi:10.1061/JMCEE7.MTENG-14910. ISSN 0899-1561.
96. ^ Li, Juan; Kasal, Bohumil (10 August 2022). "The immediate and short-term degradation of the wood surface in a cement environment measured by AFM". *Materials and Structures*. **55**

- (7): 179. doi:10.1617/s11527-022-01988-8. ISSN 1871-6873.
97. ^ Li, Juan; Kasal, Bohumil (11 April 2022). "Effects of Thermal Aging on the Adhesion Forces of Biopolymers of Wood Cell Walls". *Biomacromolecules*. **23** (4): 1601–1609. doi:10.1021/acs.biomac.1c01397. ISSN 1525-7797. PMC 9006222. PMID 35303409.
 98. ^ Li, Juan; Bohumil, Kasal (5 February 2021). "Repeatability of Adhesion Force Measurement on Wood Longitudinal Cut Cell Wall Using Atomic Force Microscopy". *Wood and Fiber Science*. **53** (1): 3–16. doi:10.22382/wfs-2021-02. ISSN 0735-6161.
 99. ^ Lavars, Nick (10 June 2021). "Stanford's low-carbon cement swaps limestone for volcanic rock". *New Atlas*. Archived from the original on 10 June 2021. Retrieved 11 June 2021.
 100. ^ Celik, K.; Jackson, M.D.; Mancio, M.; Meral, C.; Emwas, A.-H.; Mehta, P.K.; Monteiro, P.J.M. (January 2014). "High-volume natural volcanic pozzolan and limestone powder as partial replacements for portland cement in self-compacting and sustainable concrete". *Cement and Concrete Composites*. **45**: 136–147. doi:10.1016/j.cemconcomp.2013.09.003. hdl:11511/37244. S2CID 138740924.
 101. ^ **a b c** Lemougna, Patrick N.; Wang, Kai-tuo; Tang, Qing; Nzeukou, A.N.; Billong, N.; Melo, U. Chinje; Cui, Xue-min (October 2018). "Review on the use of volcanic ashes for engineering applications". *Resources, Conservation and Recycling*. **137**: 177–190. Bibcode: 2018RCR...137..177L. doi:10.1016/j.resconrec.2018.05.031. S2CID 117442866.
 102. ^ Brown, R.J.; Calder, E.S. (2005). "Pyroclastics". *Encyclopedia of Geology*. pp. 386–397. doi:10.1016/b0-12-369396-9/00153-2. ISBN 978-0-12-369396-9.
 103. ^ Izzo, Francesco; Arizzi, Anna; Cappelletti, Piergiulio; Cultrone, Giuseppe; De Bonis, Alberto; Germinario, Chiara; Graziano, Sossio Fabio; Grifa, Celestino; Guarino, Vincenza; Mercurio, Mariano; Morra, Vincenzo; Langella, Alessio (August 2016). "The art of building in the Roman period (89 B.C. – 79 A.D.): Mortars, plasters and mosaic floors from ancient Stabiae (Naples, Italy)". *Construction and Building Materials*. **117**: 129–143. doi:10.1016/j.conbuildmat.2016.04.101.
 104. ^ "MASUKO light concrete". Archived from the original on 15 November 2020. Retrieved 13 November 2020.
 105. ^ "Relation Between Compressive and Tensile Strength of Concrete". Archived from the original on 6 January 2019. Retrieved 6 January 2019.
 106. ^ "Structural lightweight concrete" (PDF). *Concrete Construction*. The Aberdeen Group. March 1981. Archived from the original (PDF) on 11 May 2013.
 107. ^ "Ordering Concrete by PSI". *American Concrete*. Archived from the original on 11 May 2013. Retrieved 10 January 2013.
 108. ^ **a b** Henry G. Russel, PE. "Why Use High Performance Concrete?" (PDF). *Technical Talk*. Archived (PDF) from the original on 15 May 2013. Retrieved 10 January 2013.
 109. ^ "Concrete in Practice: What, Why, and How?" (PDF). *NRMCA-National Ready Mixed Concrete Association*. Archived (PDF) from the original on 4 August 2012. Retrieved 10 January 2013.
 110. ^ Ritchie, Hannah; Roser, Max; Rosado, Pablo (11 May 2020). "CO₂ emissions from cement production and greenhouse gas emissions". *Our World in Data* – via ourworldindata.org.
 111. ^ "Making Concrete Change: Innovation in Low-carbon Cement and Concrete". *Chatham House*. 13 June 2018. Archived from the original on 19 December 2018. Retrieved 17 December 2018.

112. ^ Rubenstein, Madeleine (9 May 2012). *"Emissions from the Cement Industry"*. State of the Planet. Earth Institute, Columbia University. Archived from the original on 22 December 2016. Retrieved 13 December 2016.
113. ^ *"Concrete and Embodied Energy – Can using concrete be carbon neutral"*. 22 February 2013. Archived from the original on 16 January 2017. Retrieved 15 January 2017.
114. ^ Gajda, John (2001). *"Energy Use of Single-Family Houses with Various Exterior Walls"* (PDF). Archived (PDF) from the original on 9 October 2022.
115. ^ *Green Building with Concrete*. Taylor & Francis Group. 2015. ISBN 978-1-4987-0411-3.[page needed]
116. ^ *"Features and Usage of Foam Concrete"*. Archived from the original on 29 November 2012.
117. ^ *"Unreinforced Masonry Buildings and Earthquakes: Developing Successful Risk Reduction Programs FEMA P-774"*. Archived from the original on 12 September 2011.
118. ^ Simsir, C.C.; Jain, A.; Hart, G.C.; Levy, M.P. (12–17 October 2008). *Seismic Retrofit Design Of Historic Century-Old School Buildings In Istanbul, Turkey* (PDF). 14th World Conference on Earthquake Engineering. Archived from the original (PDF) on 11 January 2012.
119. ^ Nawy, Edward G. (2008). *Concrete Construction Engineering Handbook*. CRC Press. ISBN 978-1-4200-0765-7.
120. ^ Lomborg, Bjørn (2001). *The Skeptical Environmentalist: Measuring the Real State of the World*. Cambridge University Press. p. 138. ISBN 978-0-521-80447-9.
121. ^ *"Minerals commodity summary – cement – 2007"*. US United States Geological Survey. 1 June 2007. Archived from the original on 13 December 2007. Retrieved 16 January 2008.
122. ^ Murray, Lorraine. *"Christ the Redeemer (last updated 13 January 2014)"*. *Encyclopædia Britannica*. Retrieved 5 November 2022.
123. ^ **a b** *"Reinforced concrete"*. www.designingbuildings.co.uk.
124. ^ **a b c d** Claisse, Peter A. (2016), *"Composites"*, *Civil Engineering Materials*, Elsevier, pp. 431–435, doi:10.1016/b978-0-08-100275-9.00038-3, ISBN 978-0-08-100275-9, retrieved 5 October 2021
125. ^ **a b** Richardson, John (2003). *"Precast concrete structural elements"*. *Advanced Concrete Technology*. pp. 3–46. doi:10.1016/B978-075065686-3/50307-4. ISBN 978-0-7506-5686-3.
126. ^ **a b** *"Mass Concret"* (PDF). Archived from the original (PDF) on 27 September 2011.
127. ^ Sadowski, ĄfÆ'Ą†â€™ĄfĄçĄçâ€šĄ–Ą,Ą'ĄfÆ'ĄçĄ,–ĄĵĄfâ€šĄ,Ą•ukasz; Mathia, Thomas (2016). *"Multi-scale Metrology of Concrete Surface Morphology: Fundamentals and specificity"*. *Construction and Building Materials*. **113**: 613–621. doi:10.1016/j.conbuildmat.2016.03.099.
128. ^ *"Winter is Coming! Precautions for Cold Weather Concreting"*. FPrimeC Solutions. 14 November 2016. Archived from the original on 13 January 2017. Retrieved 11 January 2017.
129. ^ *"306R-16 Guide to Cold Weather Concreting"*. Archived from the original on 15 September 2017.
130. ^ **a b** Larn, Richard; Whistler, Rex (1993). *"17 – Underwater concreting"*. *Commercial Diving Manual (3rd ed.)*. Newton Abbott, UK: David and Charles. pp. 297–308. ISBN 0-7153-0100-4.
131. ^ *Prefilled lined underwater hand-placed bagwork product datasheet* (PDF). www.soluform.co.uk (Report). Soluform. Retrieved 8 September 2024.
132. ^ *"Mapping of Excess Fuel Consumption"*. Archived from the original on 2 January 2015.

133. ^ Paul, Andrew (17 September 2024). *"Bone-like, hollow concrete design makes it 5.6 times stronger"*. Popular Science. Retrieved 11 October 2024.
134. ^ Akerman, Patrick; Cazzola, Pierpaolo; Christiansen, Emma Skov; Heusden, Renée Van; Iperen, Joanna Kolomanska-van; Christensen, Johannah; Crone, Kilian; Dawe, Keith; Smedt, Guillaume De; Keynes, Alex; Laporte, Anaïs; Gonsolin, Florie; Mensink, Marko; Hebebrand, Charlotte; Hoenig, Volker; Malins, Chris; Neuenhahn, Thomas; Pyc, Ireneusz; Purvis, Andrew; Saygin, Deger; Xiao, Carol; Yang, Yufeng (1 September 2020). *"Reaching Zero with Renewables"*.
135. ^ *"Leading the way to carbon neutrality"* (PDF). HeidelbergCement. 24 September 2020. *Archived* (PDF) from the original on 9 October 2022.
136. ^ *"Cement Clinker Calcination in Cement Production Process"*. AGICO Cement Plant Supplier. 4 April 2019.
137. ^ *"Carbon footprint"* (PDF). Portland Cement Association. *Archived* (PDF) from the original on 9 October 2022.
138. ^ **a b c** Lehne, Johanna; Preston, Felix (13 June 2018). *"Making Concrete Change: Innovation in Low-carbon Cement and Concrete"*.
139. ^ Proske, Tilo; Hainer, Stefan; Rezvani, Moien; Graubner, Carl-Alexander (September 2013). "Eco-friendly concretes with reduced water and cement contents – Mix design principles and laboratory tests". *Cement and Concrete Research*. **51**: 38–46. doi:[10.1016/j.cemconres.2013.04.011](https://doi.org/10.1016/j.cemconres.2013.04.011).
140. ^ O'Hegarty, Richard; Kinnane, Oliver; Newell, John; West, Roger (November 2021). "High performance, low carbon concrete for building cladding applications". *Journal of Building Engineering*. **43**: 102566. doi:[10.1016/j.job.2021.102566](https://doi.org/10.1016/j.job.2021.102566).
141. ^ Lee, Jaehyun; Lee, Taegyu; Jeong, Jaewook; Jeong, Jaemin (January 2021). "Sustainability and performance assessment of binary blended low-carbon concrete using supplementary cementitious materials". *Journal of Cleaner Production*. **280**: 124373. Bibcode:2021JCPro.28024373L. doi:[10.1016/j.jclepro.2020.124373](https://doi.org/10.1016/j.jclepro.2020.124373). S2CID 224849505.
142. ^ Sabry, Fouad (17 January 2022). *Translucent Concrete: How-to see-through walls? Using nano optics and mixing fine concrete and optical fibers for illumination during day and night time*. One Billion Knowledgeable.
143. ^ Mehta, P. Kumar (1 February 2009). *"Global Concrete Industry Sustainability"*. *Concrete International*. **31** (2): 45–48.
144. ^ Luis Emilio Rendon Diaz Miron; Dessi A. Koleva (2017). *Concrete Durability: Cementitious Materials and Reinforced Concrete Properties, Behavior and Corrosion Resistance*. Springer. pp. 2–. ISBN 978-3319554631.
145. ^ *"Home"*. ConcreteRecycling.org. Archived from *the original* on 12 April 2010. Retrieved 5 April 2010.
146. ^ *"Urbanite - Reusing Old Concrete - The Concrete Network"*. ConcreteNetwork.com. Retrieved 24 May 2020.
147. ^ *"Urbanite Construction"*. www.ecodesignarchitects.co.za. Archived from *the original* on 7 May 2021. Retrieved 24 May 2020.
148. ^ Abdo, Ayman; El-Zohairy, Ayman; Alashker, Yasser; Badran, Mohamed Abd El-Aziz; Ahmed, Sayed (1 January 2024). *"Effect of Treated/Untreated Recycled Aggregate Concrete: Structural Behavior of RC Beams"*. *Sustainability*. **16** (10): 4039. Bibcode: 2024Sust...16.4039A. doi:[10.3390/su16104039](https://doi.org/10.3390/su16104039). ISSN 2071-1050.

149. ^ "Khoan CÃfÆ'Ã†â€™Ãfâ€šÃ,Ã;ÃfÆ'Ãøâ,¬Ã;Ãfâ€šÃ,Â°ÃfÆ'Ãøâ,¬Ã;Ãfâ€šÃ,Ã¬t Bê Tông". Retrieved 25 October 2024.
150. ^ Abdelfatah, Akmal S.; Tabsh, Sami W. (2011). "Review of Research on and Implementation of Recycled Concrete Aggregate in the GCC". *Advances in Civil Engineering* . **2011**: 1–6. doi:10.1155/2011/567924. ISSN 1687-8086.
151. ^ Lu, Linfeng (July 2024). "Optimal Replacement Ratio of Recycled Concrete Aggregate Balancing Mechanical Performance with Sustainability: A Review". *Buildings*. **14** (7): 2204. doi:10.3390/buildings14072204. ISSN 2075-5309.
152. ^ Rao, Akash; Jha, Kumar N.; Misra, Sudhir (1 March 2007). "Use of aggregates from recycled construction and demolition waste in concrete". *Resources, Conservation and Recycling*. **50** (1): 71–81. Bibcode:2007RCR....50...71R. doi:10.1016/j.resconrec.2006.05.010. ISSN 0921-3449.
153. ^ "Itaipu Web-site". 2 January 2012. Archived from the original on 9 February 2012. Retrieved 2 January 2012.
154. ^ Sources, Other News (14 July 2009). "China's Three Gorges Dam, by the Numbers". Probe International. Archived from the original on 29 March 2017. Retrieved 13 August 2022 .
155. ^ "Concrete Pouring of Three Gorges Project Sets World Record". *People's Daily*. 4 January 2001. Archived from the original on 27 May 2010. Retrieved 24 August 2009.
156. ^ "Concrete Pumping to 715 m Vertical – A New World Record Parbati Hydroelectric Project Inclined Pressure Shaft Himachal Pradesh – A case Study". *The Masterbuilder*. Archived from the original on 21 July 2011. Retrieved 21 October 2010.
157. ^ "SCHWING Stetter Launches New Truck mounted Concrete Pump S-36". *NBM&CW (New Building Materials and Construction World)*. October 2009. Archived from the original on 14 July 2011. Retrieved 21 October 2010.
158. ^ Janyala, Sreenivas (7 January 2019). "Andhra Pradesh: Polavaram project enters Guinness Book of World Record for concrete pouring". *The India Express*. Retrieved 7 January 2020.
159. ^ "Concrete Supplier for Landmark Tower". *Construction Week Online*. 19 April 2011. Archived from the original on 15 May 2013.
160. ^ "The world record Concrete Supplier for Landmark Tower Unibeton Ready Mix". Archived from the original on 24 November 2012.
161. ^ "Abu Dhabi – Landmark Tower has a record-breaking pour" (PDF). *Al Habtoor Engineering*. September–October 2007. p. 7. Archived from the original (PDF) on 8 March 2011.
162. ^ National Geographic Channel International / Caroline Anstey (2005), *Megastructures: Petronas Twin Towers*
163. ^ "Continuous cast: Exxcel Contract Management oversees record concrete pour". *concreteproducts.com*. 1 March 1998. Archived from the original on 26 May 2010. Retrieved 25 August 2009.
164. ^ Exxcel Project Management – Design Build, General Contractors Archived 28 August 2009 at the Wayback Machine. Exxcel.com. Retrieved 19 February 2013.
165. ^ "Contractors Prepare to Set Gates to Close New Orleans Storm Surge Barrier". *www.construction.com*. 12 May 2011. Archived from the original on 13 January 2013. Retrieved 13 August 2022.

166. ^ *"Distinction : Sardoine Mia, lauréate du prix « Faces of peace and art » | Le Courrier de Kinshasa"*. www.lecourrierdekinshasa.com. Retrieved 16 February 2025.

Further reading

[[edit](#)]

- *"The world's growing problem with concrete, the world's most destructive material"* (Video). *BBC Reel*. 6 March 2023.

External links

[[edit](#)]



Wikimedia Commons has media related to **Concrete**.

- [Advantage and Disadvantage of Concrete](#)
- *Dunning, Brian* (4 January 2022). *"Skeptoid #813: Why You Need to Care About Concrete"*. *Skeptoid*. Retrieved 14 May 2022.
- [Getting Buried in Concrete to Explain How It Works](#) on YouTube
- [Release of ultrafine particles from three simulated building processes](#)
- [Concrete: The Quest for Greener Alternatives](#)

- **v**
- **t**
- **e**

[Road hierarchy](#)

Types of road	Limited-access	<ul style="list-style-type: none"> ○ Bicycle highway ○ Freeway / Motorway ○ Dual carriageway / Divided highway / Expressway ○ Elevated highway
	By country	<ul style="list-style-type: none"> ○ Australia ○ Belgium ○ Brazil ○ Canada ○ China ○ Croatia ○ Czech Republic ○ Germany ○ Greece ○ Hong Kong ○ India ○ Ireland ○ Italy ○ Nepal ○ Pakistan ○ Poland ○ Portugal ○ Spain ○ Taiwan ○ United Kingdom ○ United States
	Main roads	<ul style="list-style-type: none"> ○ Arterial road ○ Collector road ○ County highway ○ Express–collector setup ○ Farm-to-market road ○ Highway ○ Link road ○ Two-lane expressway ○ 2+1 road ○ 2+2 road ○ Parkway ○ Ring road ○ Trunk road ○ Highway systems by country
		<ul style="list-style-type: none"> ○ Alley ○ Avenue ○ Back road ○ Bicycle boulevard

**Interchanges
(grade-separated)**

- Cloverleaf
- Diamond
- Free-flow
- Directional T
- Diverging diamond
- Parclo
- Raindrop
- Roundabout
- Single-point urban (SPUI)
- Stack
- Three-level diamond
- Trumpet

Road junctions

**Intersections
(at-grade)**

- 3-way junction
- Bowtie
- Box junction
- Channelization
- Continuous flow
- Hook turn
- Jughandle
- Michigan left
- Offset T-intersection
- Protected intersection
- Quadrant roadway
- Right-in/right-out (RIRO)
- Roundabout
- Seagull intersection
- Split intersection
- Superstreet
- Texas U-turn
- Turnaround

Surfaces

- Asphalt concrete
- Bioasphalt
- Brick
- Chipseal
- Cobblestone
- Concrete
 - Reinforced concrete
- Corduroy
- Crocodile cracking
- Crushed stone
- Diamond grinding of pavement
- Dirt
- Full depth recycling
- Glassphalt
- Gravel
- Ice
- Macadam
- Pavement milling
- Permeable
- Plank
- Plastic
- Rubberized asphalt
- Sealcoat
- Sett
- Stamped asphalt
- Tarmac
- Texture



**Space and
time allocation**

- Barrier transfer machine
- Bike lane
- Climbing lane
- Complete streets
- Contraflow lane
- Contraflow lane reversal
- High-occupancy toll lane
- High-occupancy vehicle lane
- Lane
- Living street
- Managed lane
- Median / Central reservation
- Motorcycle lane
- Passing lane
- Pedestrian crossing
- Pedestrian zone
- Refuge island
- Reversible lane
- Road diet
- Road verge
- Runaway truck ramp
- Shared space
- Sidewalk / Pavement
- Shoulder
- Street-running railway
- Traffic calming
- Traffic directionality
- Traffic island
- Traffic lanes
- Traffic signal preemption
- Truck bypass
- Unused highway
- Wide outside lane
- Woonerf

Demarcation	<ul style="list-style-type: none"> ○ Bollard ○ Botts' dots ○ Cable barrier ○ Cat's eye (road) ○ Concrete step barrier ○ Constant-slope barrier ○ Curb ○ F-shape barrier ○ Guard rail ○ Jersey barrier ○ Kassel kerb ○ Noise barrier ○ Raised pavement marker ○ Road surface marking ○ Rumble strip ○ Traffic barrier ○ Traffic cone
Structures	<ul style="list-style-type: none"> ○ Bridge ○ Causeway ○ Overpass / Flyover ○ Underpass / Tunnel
Performance indicators	<ul style="list-style-type: none"> ○ Pavement condition index ○ International roughness index ○ Present serviceability index ○ Pavement performance modeling ○ Granular base equivalency

- Glossary of road transport terms
- Road types by features
- Template:Traffic signs

- **v**
- **t**
- **e**

Stonemasonry

Types

- Ashlar
- Rustication
- Carving
- Dry stone
- Letter cutting
- Masonry
- Post-tensioned stone
- Massive precut stone
- Monumental
- Rubble
- Sculpture
- Slipform
- Snecked

Materials

- Artificial stone
- Brick
- Cast stone
- Decorative stones
- Dimension stone
- Fieldstone
- Flagstone
- Gabion
- Granite
- Grout
- Lime mortar
- Limestone
- Marble
 - Types
- Mortar
- Sandstone
 - List
- Slate
- Stone veneer

Tools

- Angle grinder
- Bush hammer
- Ceramic tile cutter
- Chisel
- Diamond blade
- Lewis (lifting appliance)
- Trowel
- Non-explosive demolition agents
- Plug and feather
- Stonemason's hammer
- Straightedge

Techniques

- Flaming
- Flushwork
- Knapping
- Polygonal masonry
- Repointing
- Scabbling
- Tuckpointing
- Veneer
- Brickwork
 - Wythe

Products

- Castle
- Hardstone carving
- Headstone (Footstone)
- Mosaic
- Sculpture
- Stone wall
- Machicolation

Organizations

- International Union of Bricklayers and Allied Craftworkers
- Master of Work to the Crown of Scotland
- Mason Contractors Association of America
- Operative Plasterers' and Cement Masons' International Association
- Worshipful Company of Masons

- v
- t
- e

Concrete

History

- Ancient Roman architecture
- Roman architectural revolution
- Roman concrete
- Roman engineering
- Roman technology

Composition

- Cement
 - Calcium aluminate
 - Energetically modified
 - Portland
 - Rosendale
- Water
- Water–cement ratio
- Aggregate
- Reinforcement
- Fly ash
- Ground granulated blast-furnace slag
- Silica fume
- Metakaolin

Production

- Plant
- Concrete mixer
- Volumetric mixer
- Reversing drum mixer
- Slump test
- Flow table test
- Curing
- Concrete cover
- Cover meter
- Rebar

Construction

- Precast
- Cast-in-place
- Formwork
- Climbing formwork
- Slip forming
- Screed
- Power screed
- Finisher
- Grinder
- Power trowel
- Pump
- Float
- Sealer
- Tremie

Science

- Properties
- Durability
- Degradation
- Environmental impact
- Recycling
- Segregation
- Alkali–silica reaction

Types

- AstroCrete
- Fiber-reinforced
- Filigree
- Foam
- Lunarcrete
- Mass
- Nanoconcrete
- Pervious
- Polished
- Polymer
- Prestressed
- Ready-mix
- Reinforced
- Roller-compacting
- Self-consolidating
- Self-leveling
- Sulfur
- Tabby
- Translucent
- Waste light
- Aerated
 - AAC
 - RAAC

Applications

- Slab
 - waffle
 - hollow-core
 - voided biaxial
 - slab on grade
- Concrete block
- Step barrier
- Roads
- Columns
- Structures

Organizations

- American Concrete Institute
- Concrete Society
- Institution of Structural Engineers
- Indian Concrete Institute
- Nanocem
- Portland Cement Association
- International Federation for Structural Concrete

Standards

- Eurocode 2
- EN 197-1
- EN 206-1
- EN 10080

- ## Standards
- Eurocode 2
 - EN 197-1
 - EN 206-1
 - EN 10080

See also

- [Hempcrete](#)

- See also**
- [Hempcrete](#)

-  Category: Concrete

Authority control databases Image not found or type unknown
 Edit this at Wikidata

National


- Germany
- United States
- France
- BnF data
- Japan
- Czech Republic
- Israel

Other


- NARA

About swimming pool

For other uses, see [Swimming pool \(disambiguation\)](#).



Backyard swimming pool



Olympic-size swimming pool and starting blocks at Melbourne Sports and Aquatic Centre used for the 2006 Commonwealth Games in Melbourne, Australia

A **swimming pool**, **swimming bath**, **wading pool**, **paddling pool**, or simply **pool**, is a structure designed to hold water to enable **swimming** and associated activities. Pools can be built into the ground (in-ground pools) or built above ground (as a freestanding construction or as part of a building or other larger structure), and may be found as a feature aboard ships. In-ground pools are most commonly constructed from materials such as **concrete**, natural stone, metal, plastic, composite or **fiberglass**, and may follow a standardized size, the largest of which is the **Olympic-size swimming pool**, or be of a custom shape.


Many **health clubs**, **fitness centers**, and private clubs have pools for their members, often used for exercise. In much of the world, local governments provide publicly-run pools for their citizens. Many of these are outdoors; indoor pools are typically part of a **leisure centre**. Many hotels have a pool for the use of their guests. Pools as a feature in hotels are more common in tourist areas or near **convention centers**. Many universities and other institutional communities provide pools for their members., often as part of an institution-specific athletic or recreational complex. Apartment complexes and residential subdivisions may provide a pool for the use of their residents. Private residences, particularly in areas with warm climates, may have their own pools.

Educational facilities such as high schools and universities often have pools for physical education classes, recreational activities, leisure, and competitive athletics such as swimming teams. **Hot tubs** and **spas** are small heated pools used for **relaxation** or **hydrotherapy**. Specialised pools are also used for **diving**, water sports, and **physical therapy**, as well as for training of **lifeguards** and **astronauts**. Swimming pools most commonly use chlorinated water, or salt water, and may be heated or unheated.

History

[[edit](#)]

See also: [History of water supply and sanitation](#)



Ancient Roman baths in **Bath**, England

Pre-modern

[[edit](#)]

The "[Great Bath](#)" at the site of [Mohenjo-Daro](#) in modern-day Pakistan was most likely the first swimming pool, dug during the 3rd millennium BC. This pool is 12 by 7 metres (39 by 23 feet), is lined with bricks, and was covered with a tar-based sealant.^[1]

[Ancient Greeks](#) and [Romans](#) built artificial pools for athletic training in the [palaestras](#), for nautical games and for military exercises. Roman emperors had private swimming pools in which fish were also kept, hence one of the [Latin](#) words for a pool was *piscina*. The first heated swimming pool was built by [Gaius Maecenas](#) in [his gardens](#) on the [Esquiline Hill](#) of [Rome](#), likely sometime between 38 and 8 BC.^[2] Gaius Maecenas was a wealthy imperial advisor to [Augustus](#) and considered one of the first patrons of arts.^[3]

Ancient [Sinhalese](#) built a pair of pools called "[Kuttam Pokuna](#)" in the kingdom of [Anuradhapura](#), Sri Lanka, in the 6th century AD. They were decorated with flights of steps, punkalas or pots of abundance, and scroll design.^{[4][5]}


19th and 20th centuries

[[edit](#)]

Swimming pools became popular in Britain in the mid-19th century. As early as 1837, six indoor pools with diving boards existed in London, England.^[6] The Maidstone Swimming Club in [Maidstone](#), [Kent](#) is believed to be the oldest surviving swimming club in Britain. It was formed in 1844, in response to concerns over drownings in the [River Medway](#), especially since would-be rescuers would often drown because they themselves could not swim to safety. The club used to swim in the River Medway, and would hold races, diving competitions and [water polo](#) matches. *The South East Gazette* July 1844 reported an aquatic breakfast party: coffee and biscuits were served on a floating raft in the river. The coffee was kept hot over a fire; club members had to tread water and drink coffee at the same time. The last swimmers managed to overturn the raft, to the amusement of 150 spectators.^[7]

The [Amateur Swimming Association](#) was founded in 1869 in England,^{[[citation needed](#)]} and the Oxford Swimming Club in 1909.^[8] The presence of indoor baths in the cobbled area of [Merton Street](#) might have persuaded the less hardy of the aquatic brigade to join. So, bathers gradually became swimmers, and bathing pools became swimming pools.^{[[citation needed](#)]} In 1939, [Oxford](#) created its first major public indoor pool at Temple Cowley.

The modern **Olympic Games** started in 1896 and included swimming races, after which the popularity of swimming pools began to spread. In the US, the **Racquet Club of Philadelphia** clubhouse (1907) boasts one of the world's first modern above-ground swimming pools. The first swimming pool to go to sea on an ocean liner was installed on the **White Star Line's Adriatic** in 1906.[9] The oldest known public swimming pool in the U.S., Underwood Pool, is located in **Belmont, Massachusetts**.[10]



The **Yrjönkatu Swimming Hall**, the oldest swimming hall in Finland, photographed on its opening day on 4 June 1928 in **Kamppi, Helsinki**[11]


Interest in competitive swimming grew following **World War I**. Standards improved and training became essential. Home swimming pools became popular in the United States after **World War II** and the publicity given to swimming sports by Hollywood films such as **Esther Williams' Million Dollar Mermaid** made a home pool a desirable status symbol. More than 50 years later, the home or residential swimming pool is a common sight. Some small nations enjoy a thriving swimming pool industry (e.g., New Zealand pop. 4,116,900 – holds the record in pools per capita with 65,000 home swimming pools and 125,000 spa pools).[12]

A two-storey, white concrete swimming pool building composed of horizontal cubic volumes built in 1959 at the **Royal Roads Military College** is on the **Canadian Register of Historic Places**.[13]

World records

[[edit](#)]

Further information: [List of largest swimming pools](#)



Moskva Pool, at one time the largest swimming pool in the world (1980)

According to the [Guinness World Records](#), the largest swimming pool in the world is [San Alfonso del Mar Seawater pool](#) in [Algarrobo, Chile](#). It is 1,013 m (3,323 ft) long and has an area of 8 ha (20 acres). At its deepest, it is 3.5 m (11 ft) deep.^[14] It was completed in December 2006.^[15]

The largest indoor [wave pool](#) in the world is at [DreamWorks Water Park](#) within the [American Dream](#) shopping and entertainment complex at the [Meadowlands Sports Complex](#) in [East Rutherford, New Jersey](#), United States, and the largest indoor pool in North America is at the [Neutral Buoyancy Lab](#) in the [Sonny Carter Training Facility](#) at [NASA JSC](#) in Houston.^{[16][17]}

In 2021, [Deep Dive Dubai](#), located in Dubai, UAE, was certified by the [Guinness Book of World Records](#) as the world's deepest swimming pool reaching 60 metres (200 ft).^{[18][19]} The [Y-40](#) swimming pool at the [Hotel Terme Millepini](#) in [Padua](#), Italy, previously held the record, 42.15 m (138.3 ft), from 2014 until 2021.^[20]

The [Fleishhacker Pool](#) in San Francisco was the largest heated outdoor swimming pool in the United States. Opened on 23 April 1925, it measured 1,000 by 150 ft (300 by 50 m) and was so large that the lifeguards required [kayaks](#) for patrol. It was closed in 1971 due to low patronage.^[21]

In Europe, the largest swimming pool opened in 1934 in [Elbląg](#) (Poland), providing a water area of 33,500 square metres (361,000 sq ft).^[22]


One of the largest swimming pools ever built was reputedly created in [Moscow](#) after the [Palace of Soviets](#) remained uncompleted. The foundations of the palace were converted into the [Moskva Pool](#) open-air swimming pool after the process of [de-Stalinisation](#).^[23] However, after the fall of communism, [Christ the Saviour Cathedral](#) was re-built on the site between 1995 and 2000; the cathedral had originally been located there.^[*citation needed*]

The highest swimming pool is believed to be in [Yangbajain](#) (Tibet, China). This resort is located at 4,200 m (13,800 ft) AMSL and has two indoor swimming pools and one outdoor swimming pool, all filled with water from [hot springs](#).^[24]


Dimensions

^{[[edit](#)]}

Further information: [§ Competition pools](#)



Cairns Lagoon, a public swimming pool in Australia



Rooftop pool in **Manhattan**

Length: Most pools in the world are measured in metres, but in the United States pools are often measured in feet and yards. In the UK most pools are calibrated in metres, but older pools measured in yards still exist. In the US, pools tend to either be 25 yards (**SCY-short course** yards), 25 metres (**SCM-short course metres**) or 50 metres (**LCM - long course meters**). US high schools and the **NCAA** conduct short course (25 yards) competition. There are also many pools 33+1?3 m long, so that 3 lengths = 100 m. This pool dimension is commonly used to accommodate water polo. *[citation needed]*


USA Swimming (USA-S) swims in both metric and non-metric pools. However, the international standard is metres, and world records are only recognized when swum in 50 m pools (or 25 m for short course) but 25-yard pools are very common in the US. In general, the shorter the pool, the faster the time for the same distance, since the swimmer gains speed from pushing off the wall after each turn at the end of the pool.

Width: The width of the pool depends on the number of swimming lanes and the width of each individual lane. In an **Olympic swimming pool** each lane is 2.5 meters wide ^[25] and contains 10 lanes, thus making the pool 25 meters wide.

Depth: The depth of a swimming pool depends on the purpose of the pool, and whether it is open to the public or strictly for private use. If it is a private casual, relaxing pool, it may go from 1.0 to 2.0 m (3.3 to 6.6 ft) deep. If it is a public pool designed for diving, it may slope from 3.0 to 5.5 m (10 to 18 ft) in the deep end. A children's play pool may be from 0.3 to 1.2 m (1 to 4 ft) deep. Most public pools have differing depths to accommodate different swimmer requirements. In many jurisdictions, it is a requirement to show the water depth with clearly marked depths affixed to the pool walls, ^{[26][27]} although this may not be the case for private pools in some jurisdictions. ^[28]

Types

^[edit]




A swimming pool on the deck of the *Celebrity Silhouette*

Pools can be either indoors or outdoors. They can be of any size and shape, and inground or above ground. Most pools are permanent fixtures, while others are temporary, collapsible structures.

Private pools

[[edit](#)]



A collapsible above-ground swimming pool

Private pools are usually smaller than public pools, on average 3.7 m × 7.3 m (12 ft × 24 ft) to 6.1 m × 12.2 m (20 ft × 40 ft) whereas public pools usually start at 20 m (66 ft).^{[[citation needed](#)]} Home pools can be permanently built-in, or be assembled above ground and disassembled after summer. Privately owned outdoor pools in backyards or gardens started to proliferate in the 1950s in regions with warm summer climates, particularly in the United States with [desegregation](#).^{[[29](#)]} A *plunge pool* is a smaller, permanently installed swimming pool, with a maximum size of approximately 3 m × 6 m (10 ft × 20 ft).^{[[30](#)][[31](#)][[32](#)]}

Construction methods for private pools vary greatly. The main types of in-ground pools are gunite [shotcrete](#), concrete, [vinyl](#)-lined, and one-piece fiberglass shells.

Many countries now have strict [pool fencing](#) requirements for private swimming pools, which require pool areas to be isolated so that unauthorized children younger than six years cannot enter. Many countries require a similar level of protection for the children residing in or visiting the house, although many pool owners prefer the visual aspect of the pool in close proximity to their living areas, and will not provide this level of protection. There is no consensus between states or countries on the requirements to fence private swimming pools, and in many places they are not required at all, particularly in rural settings.^{[[33](#)]}

Children's pools

[[edit](#)]

"Children's pool" redirects here. For the beach in La Jolla, San Diego, see [Children's Pool Beach](#).

Inexpensive temporary [polyvinyl chloride](#) pools can be bought in supermarkets and taken down after summer. They are used mostly outdoors in yards, are typically shallow, and often their sides are inflated with air to stay rigid. When finished, the water and air can be let out and this type of pool can be folded up for convenient storage. They are regarded in the swimming pool industry as "splasher" pools intended for cooling off and amusing toddlers and children, not for swimming, hence the alternate name of "kiddie" pools.^{[*[citation needed](#)*]}

Toys are available for children and other people to play with in pool water. They are often blown up with air so they are soft but still reasonably rugged, and can float in water.

[A black Labrador Retriever bathing in a kiddie pool](#)

○

Image not found or type unknown

A black [Labrador Retriever](#)
bathing in a kiddie pool
[Children playing in an inflatable pool](#)


○

Image not found or type unknown


Children playing in an inflatable
pool

Public pools


[[edit](#)]



A hotel swimming pool in Miami



A spa at Hotel Fra Mare in Estonia




Tooting Bec Lido, in South London

Public pools are often part of a larger **leisure center** or recreational complex. These centres often have more than one pool, such as an indoor heated pool, an outdoor (**chlorinated**, **saltwater** or **ozonated**) pool which may be heated or unheated, a shallower children's pool, and a paddling pool for toddlers and infants. There may also be a **sauna** and one or more **hot tubs** or **spa** pools ("jacuzzis").

Many upscale hotels and holiday resorts have a swimming pool for use by their guests. If a pool is in a separate building, the building may be called a **natatorium**. The building may sometimes also have facilities for related activities, such as a diving tank. Larger pools sometimes have a **diving board** affixed at one edge above the water.

Many public swimming pools are **rectangles** 25 m or 50 m long, but they can be any size and shape. There are also elaborate pools with **artificial waterfalls**, fountains, **splash pads**, wave machines, varying depths of water, bridges, and island bars.



Children's pool at the SaiGaau Swimming Pool

Some swimming facilities have **lockers** for clothing and other belongings. The lockers can require a coin to be inserted in a slot, either as deposit or payment. There are usually showers – sometimes mandatory – before and/or after swimming. There are often also lifeguards to ensure


the safety of users.

Wading or paddling pools are shallow bodies of water intended for use by small children, usually in parks. Concrete wading pools come in many shapes, traditionally rectangle, square or circle. Some are filled and drained daily due to lack of a filter system. Staff chlorinate the water to ensure health and safety standards.^[*citation needed*]


Competition pools

[*edit*]

See: *#Dimensions* (above) and *Swimming (sport)#Competition pools*



Racing pool at the University of Minnesota



A simplified diagram of the FINA long course swimming pool standard, used at the World Championships and Summer Olympics


The Fédération Internationale de la Natation (FINA, International Swimming Federation) sets standards for competition pools: 25 or 50 m (82 or 164 ft) long and at least 1.35 m (4.4 ft) deep. Competition pools are generally indoors and heated to enable their use all year round, and to

more easily comply with the regulations regarding temperature, lighting, and automatic officiating equipment.

An **Olympic-size swimming pool** (first used at the **1924 Olympics**) is a pool that meets FINA's additional standards for the Olympic Games and for world championship events. It must be 50 by 25 m (164 by 82 ft) wide, divided into eight lanes of 2.5 m (8.2 ft) each, plus two areas of 2.5 m (8.2 ft) at each side of the pool. Depth must be at least 2 m (6.6 ft).^[34]

The water must be kept at 25–28 °C (77–82 °F) and the lighting level at greater than 1500 **lux**. There are also regulations for color of lane rope, positioning of **backstroke flags** (5 metres from each wall), and so on.^[34] Pools claimed to be "Olympic pools" do not always meet these regulations, as FINA cannot police use of the term. **Touchpads** are mounted on both walls for long course meets and each end for short course.

A pool may be referred to as fast or slow, depending on its physical layout.^[35] Some design considerations allow the reduction of swimming **resistance** making the pool faster: namely, proper pool depth, elimination of currents, increased lane width, energy absorbing racing lane lines and gutters, and the use of other innovative hydraulic, acoustic and illumination designs.



Pool tiles' longer rectangular edges may be parallel to the pool's long sides to help swimmers orient themselves.

Exercise pools

^[edit]

In the last two decades, a new style of pool has gained popularity. These consist of a small vessel (usually about 2.5 × 5 m) in which the swimmer swims in place, either against the push of an artificially generated water current or against the pull of restraining devices. These pools have several names, such as *swim spas*, **swimming machines**, or *swim systems*. They are all examples of different modes of **resistance swimming**.


Hot tubs and spa pools

^[edit]

Further information: **Hot tub**




This section **does not cite any sources**. Please help **improve this section** by adding **citations to reliable sources**. Unsourced material may be challenged and **removed**. (January 2018) (*Learn how and when to remove this message*)



A home spa

Hot tubs and spa pools are common heated pools used for relaxation and sometimes for therapy. Commercial spas are common in the swimming pool area or sauna area of a **health club** or fitness center, in men's clubs, women's clubs, motels and exclusive five-star hotel suites. Spa clubs may have very large pools, some segmented into increasing temperatures. In Japan, men's clubs with many spas of different size and temperature are common.

Commercial spas are generally made of concrete, with a **mosaic** tiled interior. More recently^[*when?*] with the innovation of the pre-form composite method where mosaic tiles are bonded to the shell this enables commercial spas to be completely factory manufactured to specification and delivered in one piece. Hot tubs are typically made somewhat like a **wine barrel** with straight sides, from wood such as **Californian redwood** held in place by metal hoops. Immersion of the head is not recommended in spas or hot tubs due to a potential risk of underwater entrapment from the pump suction forces. However, commercial installations in many countries must comply with various safety standards which reduce this risk considerably.



A boy relaxing in a hot tub

Home spas are a worldwide retail item in western countries since the 1980s, and are sold in dedicated spa stores, pool shops, **department stores**, the Internet, and catalog sales books. They are almost always made from heat-extruded **acrylic** sheet **Perspex**, often colored in **marble** look-alike patterns. They rarely exceed 6 m² (65 sq ft) and are typically 1 m (3 ft 3 in) deep, restricted by the availability of the raw sheet sizes (typically manufactured in Japan). There is often a mid-

depth seating or lounging system, and contoured lounge style reclining seats are common.


Upmarket spas often include a drinks tray, lights, **LCD** flat-screen TV sets and other features that make the pool a recreation center. Due to their family-oriented nature, home spas are normally operated from 36 to 39 °C (97 to 102 °F). Many pools are incorporated in a **redwood** or simulated wood surround, and are termed "portable" as they may be placed on a **patio** rather than sunken into a permanent location. Some portable spas are shallow and narrow enough to fit sideways through a standard door and be used inside a room. Low power electric immersion heaters are common with home spas.

Whirlpool tubs first became popular in the U.S. during the 1960s and 1970s. A spa is also called a "jacuzzi" there, as the word became a generic after-plumbing component manufacturer; **Jacuzzi** introduced the "spa whirlpool" in 1968. Air bubbles may be introduced into the **nozzles** via an air-bleed **venturi pump** that combines cooler air with the incoming heated water to cool the pool if the temperature rises uncomfortably high. Some spas have a constant stream of bubbles fed via the seating area of the pool, or a footwell area. This is more common as a temperature control device where the heated water comes from a natural (uncontrolled heat) **geothermal** source, rather than artificially heated.

Water temperature is usually very warm to hot – 38 to 42 °C (100 to 108 °F) – so bathers usually stay in for only 20 to 30 minutes. **Bromine** or **mineral sanitizers** are often recommended as sanitizers for spas because **chlorine** dissipates at a high temperature, thereby heightening its strong chemical smell. **Ozone** is an effective bactericide and is commonly included in the circulation system with cartridge filtration, but not with sand media filtration due to clogging problems with turbid body fats.

Ocean pools

[**edit**]



An ocean pool at **Coogee** in Sydney, Australia

In the early 20th century, especially in Australia, **ocean pools** were built, typically on headlands by enclosing part of the rock shelf, with water circulated through the pools by flooding from tidal tanks or by regular flooding over the side of the pools at high tide. This continued a pre-European



tradition of bathing in rockpools with many of the current sites being expanded from sites used by **Aboriginal Australians** or early European settlers. Bathing in these pools provided security against both rough surf and sea life. There were often separate pools for women and men, or the pool was open to the sexes at different times with a break for bathers to climb in without fear of observation by the other sex.^[36] These were the forerunners of modern "Olympic" pools. A variation was the later development of sea- or harbour-side pools that circulated sea water using pumps. A pool of this type was the training ground for Australian Olympian **Dawn Fraser**.

There are currently about 100 ocean baths in **New South Wales**, which can range from small pools roughly 25 metres long and "Olympic Sized" (50m) to the very large, such as the 50 × 100 m baths in **Newcastle**. While most are free, a number charge fees, such as the **Bondi Icebergs Club** pool at **Bondi Beach**. Despite the development of chlorinated and heated pools, ocean baths remain a popular form of recreation in New South Wales.

A semi-natural ocean pool exists on the central coast of New South Wales; it is called The **Bogey Hole**.

Infinity pools

[\[edit\]](#)



The **Marina Bay Sands** SkyPark Infinity Pool in **Singapore**, viewed from the poolside (left) and near the edge (right)

An **infinity pool** (also named *negative edge* or *vanishing edge pool*) is a swimming pool which produces a visual effect of water extending to the horizon, vanishing, or extending to "infinity". Often, the water appears to fall into an ocean, lake, bay, or other similar body of water. The illusion is most effective whenever there is a significant change in elevation, though having a natural body of water on the horizon is not a limiting factor.^{[\[citation needed\]](#)}

Natural pools and ponds


[[edit](#)]

Natural pools were developed in central and western Europe in the early and mid-1980s by designers and landscape architects with environmental concerns. They have recently been growing in popularity as an alternative to traditional swimming pools.^{[37][38]} Natural pools are constructed bodies of water in which no chemicals or devices that disinfect or sterilize water are used, and all the cleaning of the pool is achieved purely with the motion of the water through biological filters and plants rooted hydroponically in the system. In essence, natural pools seek to recreate swimming holes and swimmable lakes, the environment where people feel safe swimming in a non-polluted, healthy, and ecologically balanced body of water.

Water in natural pools has many desirable characteristics. For example, red eyes, dried-out skin and hair, and bleached **swimsuits** associated with overly chlorinated water are naturally absent in natural pools.^[*citation needed*] Natural pools, by requiring a water garden to be a part of the system, offer different aesthetic options and can support amphibious wildlife such as snails, frogs, and salamanders, and even small fish if desired.

Zero-entry swimming pools

[[edit](#)]




Zero-depth entry at the **Centennial Beach** aquatic park in **Naperville, Illinois**, United States

A *zero-entry swimming pool*, also called a *beach entry swimming pool*, has an edge or entry that gradually slopes from the deck into the water, becoming deeper with each step, in the manner of a natural beach. As there are no stairs or ladders to navigate, this type of entry assists older people, young children and people with **accessibility** problems (e.g., people with a physical disability) where gradual entry is useful.

Indoor pools

[[edit](#)]



Indoor swimming pool

Indoor pools are located inside a building with a roof and are insulated by at least three walls. Built for year-round swimming or training, they are found in all climate types. Since the buildings around indoor pools are insulated, heat escapes much less, making it less expensive to heat indoor pools than outdoor pools (all of whose heat escapes).^[39]

Architecturally, an indoor pool may look like the rest of the building, but extra heating and ventilation and other [engineering](#) solutions are required to ensure comfortable humidity levels. In addition to drainage and automatic pool covers, there are a number of ways to remove the humidity present in the air in any wet indoor environment. Efficient [dehumidification](#) in the indoor pool environment prevents structural damage, lowers energy costs for cooling or heating, and improves the indoor climate to provide a comfortable swimming environment.^{*[citation needed]*}

Some colleges, universities, and high schools have buildings that use the term "natatorium" in their names, especially when the building houses more than just a swimming pool, for example a [diving](#) well or facilities for [water polo](#). The word *natatorium* was borrowed from [Late Latin](#) "place for swimming" into English in New England in 1890.^{[40][41]}


Suspended swimming pool

[[edit](#)]


This type of swimming pool is suspended high above the ground. A prominent example is the [Sky Pool](#) in London's [Embassy Gardens](#), the world's first floating pool.^[42]

Other uses

[[edit](#)]



Singapore Aviation Academy training pool for rescuing people on board aircraft in case of ditching




An astronaut prepares to descend into a swimming pool as part of a training exercise.

Swimming pools are also used for events such as **synchronized swimming**, **water polo**, **canoe polo** and **underwater sports** such as **underwater hockey**, **underwater rugby**, **finswimming** and **sport diving** as well as for teaching **diving**, **lifesaving** and **scuba diving** techniques. They have also been used for specialist tasks such as teaching water-**ditching** survival techniques for aircraft and submarine crews and **astronaut** training. Round-cornered, irregular swimming pools, such as the **Nude Bowl**, were drained of water and used for vertical **skateboarding**.

Sanitation

[**edit**]

Main articles: **Swimming pool sanitation** and **Swimming pool bacteria**



Automated pool cleaner

Levels of bacteria and viruses in swimming pool water must be kept low to prevent the spread of diseases and pathogens. Bacteria, **algae** and insect **larvae** can breed in the pool if water is not properly sanitized. Pumps, mechanical **sand filters**, and disinfectants are often used to sanitise the water.

Chemical disinfectants, such as **chlorine** (usually as a **hypochlorite** salt, such as **calcium hypochlorite**) and **bromine**, are commonly used to kill pathogens. If not properly maintained, chemical sanitation can produce high levels of **disinfection byproducts**. Sanitized swimming pool water can theoretically appear green if a certain amount of iron salts or **copper chloride** are present in the water.^[43]

Acesulfame potassium has been used to estimate how much urine is discharged by swimmers into a pool.^[44] A Canadian study estimated that swimmers had released 75 litres of urine into a large pool that had about 830,000 litres of water and was a third of the size of an **olympic pool**. **Hot tubs** were found to have higher readings of the marker. While urine itself is relatively harmless, its degradation products may lead to asthma.^[44]

Covers

^[edit]

Swimming pool heating costs can be significantly reduced by using a pool cover. Use of a pool cover also can help reduce the amount of chemicals (chlorine, etc.) required by the pool. Outdoor pools gain heat from the sun, absorbing 75–85% of the solar energy striking the pool surface. Though a cover decreases the total amount of solar heat absorbed by the pool, the cover eliminates heat loss due to evaporation and reduces heat loss at night through its insulating properties. Most swimming pool heat loss is through evaporation.^[45]


Winterization

^[edit]

In areas which reach freezing temperature, it is important to close a pool properly. This varies greatly between in-ground and above-ground pools. By taking steps to properly secure the pool, it lessens the likelihood that the superstructure will be damaged or compromised by freezing water. ^[46]

Closing vinyl and fibreglass pools

^[edit]



A rolled up pool cover, used to reduce water loss from evaporation and heat loss from the pool


In preparation for freezing temperatures, an in-ground swimming pool's pipes must be emptied. An above-ground pool should also be closed, so that ice does not drag down the pool wall, collapsing its structure. The plumbing is sealed with air, typically with rubber plugs, to prevent cracking from freezing water. The pool is typically covered to prevent leaves and other debris from falling in. The cover is attached to the pool typically using a stretch cord, similar to a [bungee cord](#), and hooks fitted into the pool surround. The skimmer is closed off or a floating device is placed into it to prevent it from completely freezing and cracking.

Floating objects such as life rings or [basketballs](#) can be placed in the pool to avoid its freezing under the cover. Sand or DE filters must be backwashed, with the main drain plug removed and all water drained out. Drain plugs on the [pool filter](#) are removed after the filter has been cleaned. The pool pump motor is taken under cover. Winter chemicals are added to keep the pool clean. The innovation of a composite construction of fiberglass, with an epoxy coating and porcelain ceramic tiles has led to the pre-form, composite-type with significant advantages over older methods; however, it also has increased sensitivity to metal staining.^{[\[citation needed\]](#)}

In climates where there is no risk of freezing, closing down the pool for winter is not so important. Typically, the thermal cover is removed and stored. Winter sunlight can create an algae mess when a cover that has been left on all winter is removed. The pool is correctly [pH](#)-balanced and super-chlorinated. One part algaecide for every 50,000 parts of pool water should be added, and topped up each month. The pool should be filtered for one to two hours daily to keep the automated chlorination system active.^{[\[citation needed\]](#)}

Safety

[\[edit\]](#)



Lifeguard at a [Hong Kong](#) swimming pool

Pools pose a risk of [drowning](#), which may be significant for swimmers who are inexperienced, suffer from [seizures](#), or are susceptible to a heart or respiratory condition. [Lifeguards](#) are employed at most pools to execute water rescues and administer [first aid](#) as needed in order to reduce this risk.

Diving in shallow areas of a pool may also lead to significant head and neck injuries; diving, especially head-first diving, should be done in the deepest point of the pool, minimally 2.4 m (7 ft 10 in), but desirably 3.7 m (12 ft), deeper if the distance between the water and the board is great.

Pools present a risk of death due to drowning particularly in young children. In regions where residential pools are common, drowning is a major cause of childhood death. As a precaution, many jurisdictions require that residential pools be enclosed with [fencing](#) to restrict unauthorized access. Many products exist, such as removable baby fences. The evidence for floating alarms and window/door alarms to reduce the risk of drowning is poor.^[47] Some pools are equipped with computer-aided [drowning prevention](#) or other forms of electronic safety and security systems.

Suspended ceilings in indoor swimming pools are safety-relevant components. The selection of materials under tension should be done with care. Especially the selection of unsuitable stainless steels can cause problems with [stress corrosion cracking](#).^[48]

Dress code

[\[edit\]](#)

Further information: [Mixed bathing](#)

In public swimming pools, dress code may be stricter than on public beaches, and in indoor pools stricter than outdoor pools. For example, in countries where women can be topless on the beach, this is often not allowed in a swimming pool, and a swimsuit must be worn. For men, wearing ordinary shorts and a T-shirt to go in the water at a beach may be considered acceptable, but pools usually require real [swimsuits](#) or other dedicated water wear as swimming with regular clothes can potentially weigh a swimmer down should they need to be rescued. In France and some other European countries, [board shorts](#) are usually not allowed for "hygienic" reasons. In [Nordic countries](#), in particular [Iceland](#), rules about clothing and hygiene are especially strict.^[49] When diving from a high board, swimsuits are sometimes worn doubled up (one brief inside another) in case the outer suit tears on impact with the water.

See also

[\[edit\]](#)

- [Automated pool cleaner](#)
- [Bather load](#)
- [Lido](#)
- [List of water games](#)

- Neutral buoyancy pool
- Pool fence
- Pool noodle
- Respiratory risks of indoor swimming pools
- Swimming pool service technician
- Uniform Swimming Pool, Spa and Hot Tub Code
- Urine-indicator dye

References

[edit]

1. ^ "Great Bath, Mohenjo-daro". *harappa.com*.
2. ^ Wiseman, T.P. (20 September 2016). "Maecenas and the Stage". *Papers of the British School at Rome*. **84**: 131–155. doi:10.1017/S0068246216000040. S2CID 193579486.
3. ^ "Gaius Maecenas, or Gaius Cilnius Maecenas (Roman diplomat and patron)". *Britannica Online Encyclopedia*. Archived from the original on 13 October 2007.
4. ^ "WWW Virtual Library: ANURADHAPURA". *www.lankalibrary.com*.
5. ^ Kuttam Pokuna by Lanka Pradeepa, 3 November 2020, retrieved 8 July 2022.
6. ^ "Lidos: Links and References". Archived from the original on 23 February 2015. Retrieved 19 April 2015.
7. ^ "Historical Titbits". Maidstone Swimming Club. Archived from the original on 25 January 2012. Retrieved 26 October 2011.
8. ^ The City of Oxford Swimming Club, History Archived 23 June 2018 at the Wayback Machine
9. ^ "TGOL – Adriatic". Archived from the original on 11 June 2015.
10. ^ Belmont Historical Society; et al. (2000). *Belmont*. Charleston, SC: Arcadia Publishing. p. 8. ISBN 978-0-7385-0466-7. Retrieved 15 November 2016.
11. ^ "Yrjönkatu Swimming Hall". My Helsinki.
12. ^ NZ Census, 7 March 2006.
13. ^ "HistoricPlaces.ca – Recherche". Archived from the original on 24 February 2009.
14. ^ Berlin, Jeremy. "Big Dipper: The World's Largest Pool". *National Geographic Magazine blog central*. Archived from the original on 15 January 2011. Retrieved 16 January 2011.
15. ^ "World's Largest Swimming Pool". Guinness World Records. Archived from the original on 13 January 2008. Retrieved 24 January 2008.
16. ^ Katzban, Nicholas (12 November 2018). "See the progress on the American Dream water park, now taking shape". *NorthJersey.com*. Retrieved 9 March 2019.
17. ^ NASA, Behind the Scenes: Training. Retrieved 7 May 2007
18. ^ "Deep Dive Dubai - The world's deepest pool". Deep Dive Dubai. Retrieved 2 August 2021.
19. ^ Kaddoura, Mohamad (21 July 2021). "Explore the world's deepest diving pool that holds a sunken city". Guinness World Records. Retrieved 2 August 2021.
20. ^ "Dive into the world's deepest swimming pool at 130ft". *The Telegraph*. Archived from the original on 23 September 2014.

21. ^ "San Francisco Zoological Society – About the Zoo – Historic Sites". The San Francisco Zoo. Archived from [the original](#) on 9 January 2012. Retrieved 10 March 2008.
22. ^ "KąfÆ'Āĵâ€™ĀfĀçĀçâ€šĀ-Ā...Ā¼ĀfÆ'Ā,ĀçĀfĀçĀçâ,-ĀĵĀ,Ā-Āfâ€šĀ,Āĵielisko miejskie – ElblĀfÆ'Āĵâ€™ĀfĀçĀçâ€šĀ-Ā...Ā¼ĀfÆ'Ā,ĀçĀfĀçĀçâ,-ĀĵĀ,Ā-Āfâ€šĀ,Āĵg" (in Polish). MOSiR ElblĀfÆ'Āĵâ€™ĀfĀçĀçâ€šĀ-Ā...Ā¼ĀfÆ'Ā,ĀçĀfĀçĀçâ,-ĀĵĀ,Ā-Āfâ€šĀ,Āĵg. Archived from [the original](#) on 26 June 2010. Retrieved 13 November 2012.
23. ^ "DESTRUCTION (1931–1990)". Archived from [the original](#) on 1 April 2015. Retrieved 19 April 2015.
24. ^ ĀfÆ'Āĵâ€™Āfâ€šĀ,ĀĵĀfÆ'Āçâ,-ĀĵĀfâ€šĀ,Ā®ĀfÆ'Ā,ĀçĀfĀçĀçâ,-ĀĵĀ,Ā-Āfâ€šĀ,Ā°ĀfÆ'Āĵâ€™Āfâ€šĀ,Āĵ (2003). *Travel guide to Tibet of China*. China Intercontinental Press. p. 28. ISBN 978-7-5085-0374-5. Retrieved 30 November 2010.
25. ^ Swimming 101 (13 September 2022). "How Big Is an Olympic-Sized Swimming Pool?". SwimSwam. Retrieved 12 October 2023.cite web: CS1 maint: numeric names: authors list (link)
26. ^ "Section XXIV-701 - Depth Markers [formerly paragraph 24:013-13], La. Admin. Code tit. 51 § XXIV-701 | Casetext Search + Citator". casetext.com. Retrieved 9 March 2025.
27. ^ "CHAPTER 4 PUBLIC SWIMMING POOLS - 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE (ISPSC)". codes.iccsafe.org. Retrieved 9 March 2025.
28. ^ "SEC. 43A-6. DEPTH AND SLOPE; DEPTH MARKINGS". American Legal Publishing. Retrieved 9 March 2025.
29. ^ Applebaum, Yoni (8 June 2015). "McKinney, Texas, and the Racial History of American Swimming Pools". *The Atlantic*. Retrieved 8 June 2015.
30. ^ Picard, Lia (2 August 2022). "Don't Call It a Swimming Pool". *The New York Times*. ISSN 0362-4331. Retrieved 5 August 2022.
31. ^ Pavlidis, Savas (9 October 2024). "Plunge Pool vs Swimming Pool Installation". S & L. Retrieved 8 March 2025.
32. ^ Yang, Sarah (27 October 2023). "Emily Henderson Designed Her Portland Farm's Garden Around a Plunge Pool—Here's Why". *Sunset Magazine*. Retrieved 9 March 2025.
33. ^ "Pool Safety Guidelines". Archived from [the original](#) on 25 September 2011. Retrieved 19 April 2015.
34. ^ **a b** "FR 3 swimming pools for Olympic Games and world championships". *Federation Internationale de la Natation*. Archived from [the original](#) on 10 December 2015. Retrieved 30 January 2018.
35. ^ "Zesiger pool design", Zesiger sports and fitness center, MIT. Retrieved 4 February 2007
36. ^ "Stories from the Yamba ocean pool". *ABC News*. 1 December 2005. Archived from [the original](#) on 30 May 2006. Retrieved 28 December 2006.
37. ^ Kurutz, Steven (5 April 2007). "From Europe, a No-Chlorine Backyard Pool". *The New York Times*. Retrieved 22 May 2009.
38. ^ Picard, Lia (25 May 2024). "Come On Over, I Just Installed a Pond". *The New York Times*. Retrieved 29 May 2024. "Backyards that feature natural pools trade chlorine for plants, don't need to be closed for winter and may feature kois with names like Cutie."
39. ^ "Get Inspired: Swimming Pools: Types, Designs, and Styles". *The Spruce*. Retrieved 25 August 2017.

40. ^ *"The American Heritage Dictionary entry: Natatorium"*.
41. ^ *"Natatorium | Etymology, origin and meaning of natatorium by etymonline"*.
42. ^ Cherner, Jessica (30 April 2021). *"Suspended 115 Feet in the Air, the World's First Floating Pool Is Unveiled in London"*. Architectural Digest. Retrieved 19 April 2023.
43. ^ sahatchaiw.com. *"The theory of colors of water in the swimming pool"* (PDF) by Sahatchai Wanawongsawad
44. ^ **a b** Jmaiff Blackstock, Lindsay K.; Wang, Wei; Vemula, Sai; Jaeger, Benjamin T.; Li, Xing-Fang (1 March 2017). *"Sweetened Swimming Pools and Hot Tubs"*. Environmental Science & Technology Letters. **4** (4): 149. Bibcode:2017EnSTL...4..149J. doi: 10.1021/acs.estlett.7b00043.
 - Hannah Devlin (1 March 2017). *"How much pee is in our swimming pools? New urine test reveals the truth"*. The Guardian.
45. ^ *"Department of Energy: Conserving Energy and Heating your Swimming Pool with Solar Energy (PDF)"* (PDF).
46. ^ *"Closing Your Pool"*. Archived from *the original* on 24 September 2011. Retrieved 19 April 2015.
47. ^ Mott, TF; Latimer, KM (1 April 2016). *"Prevention and Treatment of Drowning"*. American Family Physician. **93** (7): 576–82. PMID 27035042.
48. ^ M. Faller and P. Richner: "Material selection of safety-relevant components in indoor swimming pools", *Materials and Corrosion* 54 (2003) pp. 331–338. (only online in German (3.6 MB) Archived 27 March 2016 at the Wayback Machine) (ask for a copy of the English version)
49. ^ *"Thermal Pools"*. Visit Reykjavík – The official tourist website of Reykjavik. Archived from *the original* on 1 December 2010. Retrieved 24 December 2009.

External links

[[edit](#)]

-  Media related to **Swimming pools** at Wikimedia Commons

- **v**
- **t**
- **e**

Rooms and spaces of a **house**

- Bonus room
- Common room
- Den
- Dining room
- Family room
- Garret
- Great room
- Home cinema
- Keeping room
- Kitchen
 - dirty kitchen
 - kitchenette
- Living room
- Gynaecium
 - harem
- Andron
 - man cave
- Recreation room
 - billiard room
- Shrine
- Study
- Sunroom

Shared rooms

- Bathroom
 - toilet
- Bedroom / Guest room
 - closet
- Bedsit / Miniflat
- Boudoir
- Cabinet
- Nursery

Private rooms

Spaces

- Atrium
- Balcony
- Breezeway
- Conversation pit
- Cubby-hole
- Deck
- Elevator
 - dumbwaiter
- Entryway/Genkan
- Fireplace
 - hearth
- Foyer
- Hall
- Hallway
- Inglenook
- Lanai
- Loft
- Loggia
- Overhang
- Patio
- Porch
 - screened
 - sleeping
- Ramp
- Secret passage
- Stairs/Staircase
- Terrace
- Veranda
- Vestibule

**Technical, utility
and storage**

- Attic
- Basement
- Carport
- Cloakroom
- Closet
- Crawl space
- Electrical room
- Equipment room
- Furnace room / Boiler room
- Garage
- Janitorial closet
- Larder
- Laundry room / Utility room / Storage room
- Mechanical room / floor
- Pantry
- Root cellar
- Semi-basement
- Storm cellar / Safe room
- Studio
- Wardrobe
- Wine cellar
- Wiring closet
- Workshop

Great house areas

- Antechamber
- Ballroom
- Kitchen-related
 - butler's pantry
 - buttery
 - saucery
 - scullery
 - spicery
 - still room
- Conservatory / Orangery
- Courtyard
- Drawing room
- Great chamber
- Great hall
- Library
- Long gallery
- Lumber room
- Parlour
- Sauna
- Servants' hall
- Servants' quarters
- Smoking room
- Solar
- State room
- Swimming pool
- Turret
- Undercroft

Other

- Furniture
- Hidden room
- House
 - house plan
 - styles
 - types
- Multi-family residential
- Secondary suite
- Duplex
- Terraced
- Detached
- Semi-detached
- Townhouse
- Studio apartment

**Architectural
elements**

- Arch
- Balconet
- Baluster
- Belt course
- Bressummer
- Ceiling
- Chimney
- Colonnade / Portico
- Column
- Cornice / Eaves
- Dome
- Door
- Ell
- Floor
- Foundation
- Gable
- Gate
 - Portal
- Lighting
- Ornament
- Plumbing
- Quoins
- Roof
 - shingles
- Roof lantern
- Sill plate
- Style
 - list
- Skylight
- Threshold
- Transom
- Vault
- Wall
- Window

Related

- Backyard
- Driveway
- Front yard
- Garden
 - roof garden
- Home
- Home improvement
- Home repair
- Shed
- Tree house


-  Category: Rooms

- **v**
- **t**
- **e**

Ponds, pools, and puddles

Ponds

- Ash pond
- Balancing lake
- Ballast pond
- Beel
- Cooling pond
- Detention pond
- Dew pond
- Evaporation pond
- Facultative lagoon
- Garden pond
- Ice pond
- Immersion pond
- Infiltration basin
- Kettle pond
- Log pond
- Melt pond
- Mill pond
- Polishing pond
- Raceway pond
- Retention pond
- Sag pond
- Salt evaporation pond
- Sediment pond
- Settling pond
- Solar pond
- Stepwell
- Stew pond
- Tailings
- Tarn
- Waste pond
- Waste stabilization pond



Pools

- Anchialine pool
- Brine pool
- Infinity pool
- Natural pool
- Ocean pool
- Plunge pool
- Reflecting pool
- Spent fuel pool
- Stream pool
- Swimming pool
- Tide pool
- Vernal pool

Puddles

- Bird bath
- Coffee ring effect
- Puddle
- Puddles on a surface
- Seep puddle

Biome

- Beaver dam
- Duck pond
- Fish pond
- Goldfish pond
- Koi pond

Ecosystems

- Aquatic ecosystem
- Freshwater ecosystem
- Lake ecosystem

Related

- Aerated lagoon
- Bakki shower
- Big fish–little pond
- Body of water
- Constructed wetland
- Full pond
- Hydric soil
- Phytotelma
- Pond of Abundance
- Pond liner
- Ponding
- *Puddle* (M C Escher)
- Spring
- Swimming hole
- Water aeration
- Water garden
- *Water Lilies* (Monet)
- Well

Authority control databases Image not found or type unknown **Edit this at Wikidata**

International

- FAST

National

- United States
- France
- BnF data
- Japan
- Czech Republic
 - 2
- Spain
- Latvia
- Israel

Other

- NARA

About Rock N Block - Turf N Hardscapes

[Photo](#)

Image not found or type unknown

[Photo](#)

Image not found or type unknown

[Photo](#)

Image not found or type unknown

[Photo](#)

Image not found or type unknown

[Photo](#)

Image not found or type unknown

[Photo](#)

Image not found or type unknown

[Photo](#)

Image not found or type unknown

[Photo](#)

Image not found or type unknown

Photo

Image not found or type unknown

Things To Do in Clark County

Photo

Image not found or type unknown

Clark County Historical Museum

4.6 (147)

Driving Directions in Clark County

Driving Directions From Field 2 to

Driving Directions From Rock N Block - Turf N Hardscapes to

Driving Directions From Universal Turf Equipment to

Driving Directions From Rhino's Turf Equipment – A part of United Rentals to

Driving Directions From Festival Turf Las Vegas to

Driving Directions From Everything Turf Pros to

Driving Directions From Turf Trimmers Landscaping, Inc. to

Driving Directions From VS Turf Supply to

Driving Directions From Kellogg Zaher Soccer Complex to

Driving Directions From TURFIT LAS VEGAS to

https://www.google.com/maps/dir/Festival+Turf+Las+Vegas/Rock+N+Block+-+Turf+N+Hardscapes/@36.2180061,-115.196022,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJvwlh8l7FyIAR4ZH5QYzhrNA!2m2!1d-115.196022!2d36.2180061!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Turf+Trimmers+Landscaping%2C+Inc./Rock+N+Block+-+Turf+N+Hardscapes/@36.2394358,-115.22352,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJg9qheBGVylAR1szPW9-2Ndgl!2m2!1d-115.22352!2d36.2394358!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/TURFIT+LAS+VEGAS/Rock+N+Block+-+Turf+N+Hardscapes/@36.2188079,-115.1514675,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ8dpqpdvPylARF95DuffUO3Q!2m2!1d-115.1514675!2d36.2188079!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Rhino%27s+Turf+Equipment+%E2%80%93+A+part+of+United+Rentals/Rock+N+Hardscapes/@36.223257,-115.2185026,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJJoSu8lnLqylARhGSLfxjLoDE!2m2!1d-115.2185026!2d36.223257!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

<https://www.google.com/maps/dir/VS+Turf+Supply/Rock+N+Block+-+Turf+N+Hardscapes/@36.1807913,-115.2343937,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ8dpqpdvPylARF95DuffUO3Q!2m2!1d-115.2343937!2d36.2187971!3e0>

115.1415303,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJq6qGEwjDylARKNQXy-uFMCc!2m2!1d-

115.1415303!2d36.1807913!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

[https://www.google.com/maps/dir/Kellogg+Zaher+Soccer+Complex/Rock+N+Block++Turf+N+Hardscapes/@36.1807918,-](https://www.google.com/maps/dir/Kellogg+Zaher+Soccer+Complex/Rock+N+Block++Turf+N+Hardscapes/@36.1807918,-115.2753952,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJb3t8BGrAylARwSImp3Tv3s!2m2!1d-115.2753952!2d36.1807918!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3)

[115.2753952,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJb3t8BGrAylARwSImp3Tv3s!2m2!1d-115.2753952!2d36.1807918!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3](https://www.google.com/maps/dir/Kellogg+Zaher+Soccer+Complex/Rock+N+Block++Turf+N+Hardscapes/@36.1807918,-115.2753952,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJb3t8BGrAylARwSImp3Tv3s!2m2!1d-115.2753952!2d36.1807918!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3)

[https://www.google.com/maps/dir/Rock+N+Block++Turf+N+Hardscapes/Rock+N+Block++Turf+N+Hardscapes/@36.2187971,-](https://www.google.com/maps/dir/Rock+N+Block++Turf+N+Hardscapes/Rock+N+Block++Turf+N+Hardscapes/@36.2187971,-115.2343937,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0)

[115.2343937,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0](https://www.google.com/maps/dir/Rock+N+Block++Turf+N+Hardscapes/Rock+N+Block++Turf+N+Hardscapes/@36.2187971,-115.2343937,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0)

[https://www.google.com/maps/dir/Everything+Turf+Pros/Rock+N+Block++Turf+N+Hardscapes/@36.2392645,-](https://www.google.com/maps/dir/Everything+Turf+Pros/Rock+N+Block++Turf+N+Hardscapes/@36.2392645,-115.2036328,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ6_igdT3qylARp0Ffmtry4oY!2m2!1d-115.2036328!2d36.2392645!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3)

[115.2036328,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ6_igdT3qylARp0Ffmtry4oY!2m2!1d-115.2036328!2d36.2392645!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3](https://www.google.com/maps/dir/Everything+Turf+Pros/Rock+N+Block++Turf+N+Hardscapes/@36.2392645,-115.2036328,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ6_igdT3qylARp0Ffmtry4oY!2m2!1d-115.2036328!2d36.2392645!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3)

[https://www.google.com/maps/dir/Field+2/Rock+N+Block++Turf+N+Hardscapes/@36.1791542,-](https://www.google.com/maps/dir/Field+2/Rock+N+Block++Turf+N+Hardscapes/@36.1791542,-115.2729854,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJyaKTdQDBylARddDuin9iUoA!2m2!1d-115.2729854!2d36.1791542!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0)

[115.2729854,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJyaKTdQDBylARddDuin9iUoA!2m2!1d-115.2729854!2d36.1791542!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0](https://www.google.com/maps/dir/Field+2/Rock+N+Block++Turf+N+Hardscapes/@36.1791542,-115.2729854,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJyaKTdQDBylARddDuin9iUoA!2m2!1d-115.2729854!2d36.1791542!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0)

[https://www.google.com/maps/dir/Universal+Turf+Equipment/Rock+N+Block++Turf+N+Hardscapes/@36.1769424,-](https://www.google.com/maps/dir/Universal+Turf+Equipment/Rock+N+Block++Turf+N+Hardscapes/@36.1769424,-115.1623367,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJT_TTgrfDylARbkvYUoPD2W4!2m2!1d-115.1623367!2d36.1769424!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3)


[115.1623367,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJT_TTgrfDylARbkvYUoPD2W4!2m2!1d-115.1623367!2d36.1769424!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3](https://www.google.com/maps/dir/Universal+Turf+Equipment/Rock+N+Block++Turf+N+Hardscapes/@36.1769424,-115.1623367,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJT_TTgrfDylARbkvYUoPD2W4!2m2!1d-115.1623367!2d36.1769424!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3)

Driving Directions From Clark County Historical Museum to

[https://www.google.com/maps/dir/Clark+County+Historical+Museum/Rock+N+Block++Turf+N+Hardscapes/@45.6331783,-](https://www.google.com/maps/dir/Clark+County+Historical+Museum/Rock+N+Block++Turf+N+Hardscapes/@45.6331783,-122.6712852,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-122.6712852!2d45.6331783!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0)

[122.6712852,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-122.6712852!2d45.6331783!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0](https://www.google.com/maps/dir/Clark+County+Historical+Museum/Rock+N+Block++Turf+N+Hardscapes/@45.6331783,-122.6712852,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-122.6712852!2d45.6331783!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0)


Reviews for Rock N Block - Turf N Hardscapes



Terry lewis

(5)


Workers were great, no problem they did what was required, but the representative of your company mislead me on what was to be done, I showed pictures from a competitor landscaper, representative stated he could bet there , , . price, but since it wasn't in contract, I was left with uncomplicated backyard , working with owner at present, so he's been outstanding working on this situation, as amount of rock was way off and the owner did increase the amount substantially to finish the front yard. another landscaper under contract to finish the backyard. Would like to add a comment the manger/owner of Las Vegas yard n block stands behind his words and helped me tremendously on finishing up the backyard,



Josh Bodell

(5)


Eric and team did an amazing job. They worked with me for months while I got HOA approval for the project. Once they began working they were great, going over everything in detail and making sure things were perfect. This project included wall repair, stucco and paint repair, paver and turf installation. Extremely satisfied with this experience.



Shana Shapiro

(5)

Chris, the design consultant, Dave the production manager, along with their install team Opulent were affordable, upfront with costs, efficient and professional. Attached are some before and after pictures. Highly recommend their services.



Dawna OgleYohe

(5)

My initial contact was with Ray, whom did an excellent job giving me an estimate on what I wanted done in my small yard and walkway., the guys that came out and did the work were superior. They did an excellent job. I'm very pleased with this company. I will highly recommend them to family and friends, and I will be using them in the near future for other little projects.

()

()

()

()

()

()

About Rock N Block - Turf N Hardscapes

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Things To Do in Clark County

Photo

Image not found or type unknown

Clark County Historical Museum

4.6 (147)

Driving Directions in Clark County

Driving Directions From NV Landscapes LLC to

Driving Directions From Ugarte Landscapes & Irrigation Repair to

Driving Directions From New horizon landscapes to

Driving Directions From Custom Touch Landscape to

Driving Directions From A and L Desert Landscapes Tree Company to

Driving Directions From Paradise Landscaping Las Vegas to

Driving Directions From Las Vegas Backyards to

Driving Directions From Delfino Maintenance & Landscaping Inc. to

Driving Directions From Rock N Block - Turf N Hardscapes to

Driving Directions From Las Vegas Tree & Landscaping to

Driving Directions From Living Water Lawn & Garden to

https://www.google.com/maps/dir/NV+Landscapes+LLC/Rock+N+Block+-+Turf+N+Hardscapes/@36.2744428,-115.2594486,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJRaTYGHfryIAR_gGJaUYDMrA!2m2!1d-115.2594486!2d36.2744428!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Living+Water+Lawn+%26+Garden/Rock+N+Block+-+Turf+N+Hardscapes/@36.2469425,-115.2228834,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ38-Qx1OTyIARIBhxZg_a2MI!2m2!1d-115.2228834!2d36.2469425!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Ugarte+Landscapes+%26+Irrigation+Repair/Rock+N+Block+-+Turf+N+Hardscapes/@36.1746065,-115.2002383,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJJaX5N0I_ByIARB2QM HARUVeE!2m2!1d-115.2002383!2d36.1746065!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Delfino+Maintenance+%26+Landscaping+Inc./Rock+N+Block+-+Turf+N+Hardscapes/@36.1899485,-115.1723193,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJQWumXDHCylAR69ymISK0Ry0!2m2!1d-115.1723193!2d36.1899485!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/New+horizon+landscapes/Rock+N+Block+-+Turf+N+Hardscapes/@36.1745125,-115.200876,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJLw0DIMrByIARsuhGkXqIH-0!2m2!1d-115.200876!2d36.1745125!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Las+Vegas+Backyards/Rock+N+Block+-+Turf+N+Hardscapes/@36.1427352,-115.2821379,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJl2KHq77ByIARdtdpHslhCgc!2m2!1d-115.2821379!2d36.1427352!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Custom+Touch+Landscape/Rock+N+Block+-+Turf+N+Hardscapes/@36.2735914,-115.2565364,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJk51a35HryIARBrxGF-i8E7w!2m2!1d-115.2565364!2d36.2735914!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/D%26G+LANDSCAPING+LLC/Rock+N+Block+-+Turf+N+Hardscapes/@36.2034364,-115.2186268,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJW9CmNyfByIAROtBNNi2fTZg!2m2!1d-115.2186268!2d36.2034364!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Cacti+Landscapes+Las+Vegas/Rock+N+Block+-+Turf+N+Hardscapes/@36.2600756,-115.257249,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJcZlQGoHAylARBIG7rLHidpw!2m2!1d-115.257249!2d36.2600756!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Paradise+Landscaping+Las+Vegas/Rock+N+Block+-+Turf+N+Hardscapes/@36.2046007,-115.2534055,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJz_u3C0TBylARizuVOrp1bWQ!2m2!1d-115.2534055!2d36.2046007!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Rock+N+Block+-+Turf+N+Hardscapes/Rock+N+Block+-+Turf+N+Hardscapes/@36.2187971,-115.2343937,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Las+Vegas+Tree+%26+Landscaping/Rock+N+Block+-+Turf+N+Hardscapes/@36.218785,-115.3142996,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ38TW2w8l0YwRvEi8VDL7RaY!2m2!1d-115.3142996!2d36.218785!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/LandTeck+Inc.+Landscape+%26+Irrigation+Contractor/Rock+N+Block+-+Turf+N+Hardscapes/@36.1607535,-115.3170748,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJtaSNXBHOylARuSve8FwjBg0!2m2!1d-115.3170748!2d36.1607535!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/A+and+L+Desert+Landscapes+Tree+Company/Rock+N+Block+-+Turf+N+Hardscapes/@36.2175857,-115.2409139,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJEclfJMbqylAR24BVXFZEr_Y!2m2!1d-115.2409139!2d36.2175857!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Visualized+Landscape/Rock+N+Block+-+Turf+N+Hardscapes/@36.2163856,-115.1757729,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ__jNtzCylARYimxY5MT6tk!2m2!1d-115.1757729!2d36.2163856!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

Driving Directions From Clark County Historical Museum to

https://www.google.com/maps/dir/Clark+County+Historical+Museum/Rock+N+Block+-+Turf+N+Hardscapes/@45.6331783,-122.6712852,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-122.6712852!2d45.6331783!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-

Reviews for Rock N Block - Turf N Hardscapes



found or type unknown

D. Lopez

(5)

We recently had a very positive experience with Rock N Block for our fence replacement. The entire process went smoothly and exceeded our expectations. Harvey and his team were incredibly professional and communicative throughout the project providing much-needed assurance and peace of mind. The crew was punctual and maintained a diligent and respectful attitude that made the experience pleasant. The crew finished the project ahead of schedule, and the quality of their work is impressive; our new wall looks great! We recommend Rock N Block for any fencing needs and look forward to working with them again. Thank you, Harvey and crew, for a job well done!



found or type unknown

Terry lewis

(5)

Workers were great, no problem they did what was required, but the representative of your company mislead me on what was to be done, I showed pictures from a competitor landscaper, representative stated he could bet there , , . price, but since it wasn't in contract, I was left with uncomplicated backyard , working with owner at present, so he's been outstanding working on this situation, as amount of rock was way off and the owner did increase the amount substantially to finish the front yard. another landscaper under contract to finish the backyard. Would like to add a comment the manger/owner of Las Vegas yard n block stands behind his words and helped me tremendously on finishing up the backyard,



found or type unknown

Dawna OgleYohe

(5)

My initial contact was with Ray, whom did an excellent job giving me an estimate on what I wanted done in my small yard and walkway., the guys that came out and did the work were superior. They did an excellent job. I'm very pleased with this company. I will highly recommend them to family and friends, and I will be using them in the near future for other little projects.




found or type unknown

Shana Shapiro

(5)

Chris, the design consultant, Dave the production manager, along with their install team Opulent were affordable, upfront with costs, efficient and professional. Attached are some before and after pictures. Highly recommend their services.



Josh Bodell

(5)

Eric and team did an amazing job. They worked with me for months while I got HOA approval for the project. Once they began working they were great, going over everything in detail and making sure things were perfect. This project included wall repair, stucco and paint repair, paver and turf installation. Extremely satisfied with this experience.

()

()

landscape lighting Las Vegas[View GBP](#)

Check our other pages :

- [cactus garden Las Vegas](#)
- [Landscaping Las Vegas Nevada](#)
- [landscape services Las Vegas](#)
- [landscape portfolio Las Vegas](#)
- [Las Vegas garden design](#)
- [landscape construction Las Vegas](#)

Frequently Asked Questions

What makes Las Vegas landscaping different from other regions?

Las Vegas landscaping is shaped by the Mojave Desert's extreme climate, with scorching summer heat and minimal rainfall. Traditional lawns demand high water usage, so residents often use xeriscaping techniques that require little irrigation. Designers focus on selecting native or desert-adapted plants—such as succulents, cacti, and ornamental grasses—and pairing them with gravel, boulders, and rock mulch. This approach not only conserves water but also cuts down on labor-intensive maintenance. Additionally, many yards incorporate shade structures, drip irrigation systems, and nighttime lighting to boost usability after sunset. Together, these elements create low-water, visually appealing outdoor spaces that celebrate Las Vegas' desert character.

In which locations does Rock N Block operate?

They operate in Las Vegas, NV; San Diego, CA; Denver, CO; and Utah.

Which outdoor features can a Las Vegas landscaping designer add to my yard?

A skilled designer can incorporate a variety of features that suit desert living. Paver patios or stamped concrete decks handle intense heat and offer comfortable gathering spots. Shade structures, like pergolas or sail canopies, keep daytime temperatures more bearable. Fire pits and seating walls turn cool evenings into social retreats. Decorative rock beds highlight succulents or cacti, adding texture and a modern edge. Small water features—like bubblers or pondless fountains—introduce soothing sounds while reusing water. Low-voltage lighting extends outdoor enjoyment after sunset. The designer tailors each element to your preferences, climate constraints, and overall aesthetic for a balanced, livable yard.

How does Rock N Block ensure quality in artificial grass installation?

They follow a meticulous process, including site preparation, proper base construction, and use of high-quality materials to ensure a durable and aesthetically pleasing result.

What is xeriscaping, and why is it popular in Las Vegas?

Xeriscaping involves designing landscapes that demand minimal water, making it an ideal approach in desert cities like Las Vegas. By favoring native or drought-tolerant plants, gravel-based groundcovers, and drip irrigation, xeriscapes thrive under intense sun with reduced upkeep. This method often replaces large, thirsty lawns, cutting back substantially on irrigation and maintenance costs. Beyond practicality, xeriscapes can be quite striking—mixing textures of succulents, cacti, and rock accents for visual intrigue. Local water authorities frequently offer rebates for removing turf in favor of xeriscape. Ultimately, the popularity arises from combining **water conservation**, aesthetic charm, and simpler routine care, perfectly matching Las Vegas' arid environment.

landscape lighting Las Vegas

Landscaping Designer Las Vegas

Phone : 888 894 2486

City : Las Vegas

State : Nevada

Zip : 89108

Address : 3267 N Torrey Pines Dr

[Google Business Profile](#)

[Google Business Website](#)

Company Website : <https://rocknblocklandscape.com/artificial-turf/landscaping/>

USEFUL LINKS

[landscaping designer](#)

[Landscape Stylist](#)

[Garden Designer](#)

[Landscape Contractor](#)

[Landscape Architect](#)

[Landscape Specialist](#)

LATEST BLOGPOSTS

[landscaping las vegas](#)

[landscaping](#)

[backyard landscaping](#)

[landscaping LinkedIn](#)

[landscape designers](#)

[Sitemap](#)

[Privacy Policy](#)

[About Us](#)

[Landscaping Las Vegas](#) | [Landscaping Henderson](#) | [Landscaping North Las Vegas](#) | [Landscaping Pahrump](#) | [Landscaping Paradise](#) | [Landscaping Summerline](#) | [Landscaping Mesquite](#) | [Landscaping Spring valley](#)

Follow us