

- **News**
- **Landscaping Las Vegas**
- **landscape designers Las Vegas**
- **Landscaping Services in Las Vegas**
- **Las Vegas landscaping**

- **More**

landscape design Las Vegas xeriscape Las Vegas landscaping companies Las Vegas Las Vegas landscape contractors desert landscaping Las Vegas backyard landscaping Las Vegas front yard landscaping Las Vegas landscape installation Las Vegas landscape maintenance Las Vegas Landscaping Las Vegas Nevada Las Vegas garden design outdoor living Las Vegas patio design Las Vegas pool landscaping Las Vegas artificial grass Las Vegas pavers Las Vegas retaining walls Las Vegas irrigation systems Las Vegas landscape lighting Las Vegas Las Vegas landscape architecture landscape renovation Las Vegas residential landscaping Las Vegas commercial landscaping Las Vegas landscape services Las Vegas landscape construction Las Vegas landscape planning Las Vegas landscape features Las Vegas landscape elements Las Vegas landscape materials Las Vegas landscape plants Las Vegas drought tolerant landscaping Las Vegas sustainable landscaping Las Vegas eco-friendly landscaping Las Vegas low water landscaping Las Vegas rock landscaping Las Vegas gravel landscaping Las Vegas desert plants Las Vegas cactus garden Las Vegas succulent garden Las Vegas outdoor kitchen Las Vegas fire pit Las Vegas water features Las Vegas landscape edging Las Vegas landscape curbing Las Vegas landscape drainage Las Vegas landscape grading Las Vegas landscape soil Las Vegas landscape mulch Las Vegas landscape rocks Las Vegas landscape boulders Las Vegas landscape trees Las Vegas landscape shrubs Las Vegas landscape flowers Las Vegas landscape turf Las Vegas landscape lawn care Las Vegas landscape pest control Las Vegas landscape fertilization Las Vegas landscape trimming Las Vegas landscape pruning Las Vegas landscape clean up Las Vegas landscape debris removal Las Vegas landscape design ideas Las Vegas landscape inspiration Las Vegas landscape gallery Las Vegas landscape portfolio Las Vegas landscape estimates Las Vegas landscape quotes Las Vegas landscape pricing Las Vegas landscape cost Las Vegas landscape budget Las Vegas landscape project Las Vegas landscape development Las Vegas landscape improvement Las Vegas landscape enhancement Las Vegas landscape transformation Las Vegas landscape makeover Las Vegas landscape upgrade

Las Vegaslandscape solutions Las Vegaslandscape challenges Las Vegas landscape advice Las Vegaslandscape consultation Las Vegaslandscape expert Las Vegaslandscape specialist Las Vegaslandscape professionals Las Vegaslandscape team Las Vegaslandscape crew Las Vegaslandscape equipment Las Vegaslandscape tools Las Vegaslandscape supplies Las Vegaslandscape permits Las Vegaslandscape regulations Las Vegas landscape codes Las Vegas

- **About Us**

- **Contact Us**



welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape improvement Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape enhancement Las Vegas", "Reinvent your exterior with landscape enhancement Las Vegas. Expert Landscaping Services in Las Vegas Nevada. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape enhancement Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape transformation Las Vegas", "Reinvent your exterior with landscape transformation Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape transformation Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

landscape regulations Las Vegas —

- [pool landscaping Las Vegas](#)
- [landscape regulations Las Vegas](#)
- [landscape enhancement Las Vegas](#)
- [landscape portfolio Las Vegas](#)
- [landscape team Las Vegas](#)
- [Las Vegas garden design](#)
- [landscape equipment Las Vegas](#)

"landscape makeover Las Vegas", "Reach new heights of design with landscape makeover Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape makeover Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape upgrade Las Vegas", "Unlock sustainable benefits through landscape upgrade Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens.

Landscape edging Las Vegas - Search engine indexing guidelines

- Search intent signals
- Search volume

Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape upgrade Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations." Top Landscaping in Las Vegas Nevada.

Landscaping Las Vegas, NV

Useful Links

Blogs

Facebook Post

landscape enhancement Las Vegas

"Landscaping Las Vegas", "Elevate your surroundings through Landscaping Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in Landscaping Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"Landscaping Services in Las Vegas", "Embrace the possibilities with Landscaping Services in Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste."

Landscape edging Las Vegas - Search engine indexing guidelines

- Search engine indexing guidelines
- Backlinks

Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in Landscaping Services in Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"Las Vegas landscaping", "Infuse creativity into Las Vegas landscaping. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Best Landscaping Nevada USA. Simple additions, like seating areas or

decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in Las Vegas landscaping ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations. Moreover, incredibly, furthermore, ultimately, incredibly."



WATER-WISE BACKYARD LANDSCAPE



ARTIFICIAL TURF

Las Vegas • San Diego • Denver • Utah

www.rocknblocklandscape.com

THE IMPORTANCE OF PRO LANDSCAPING SER



ARTIFICIAL TURF

Las Vegas • San Diego • Denver • Utah

www.rocknblocklandscape.com

landscape portfolio Las Vegas

"landscape design Las Vegas", "Discover the potential of landscape design Las Vegas. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat."

Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape design Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"xeriscape Las Vegas", "Achieve remarkable results with xeriscape Las Vegas. Nevada Las Vegas Landscaping Services. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in xeriscape Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscaping companies Las Vegas", "Discover the potential of landscaping companies Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscaping companies Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

landscape team Las Vegas

"Las Vegas landscape contractors", "Maximize every square foot with Las Vegas landscape contractors. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in Las Vegas landscape contractors ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"desert landscaping Las Vegas", "Reinvent your exterior with desert landscaping Las Vegas. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in desert landscaping Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"backyard landscaping Las Vegas", "Experience unparalleled value in backyard landscaping Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment."

Landscape edging Las Vegas - Backlinks

- Google search algorithm updates
- Mobile search optimization
- SEO-friendly content

Our proven expertise in backyard landscaping Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."





ROCK N BLOCK
TURF N HARDSCAPES

LANDSCAPING LAS VEGAS LANDSCAPING IN THE DESERT



ARTIFICIAL TURF

Las Vegas • San Diego • Denver • Utah

www.rocknblocklandscape.com

Las Vegas garden design

"front yard landscaping Las Vegas", "Enhance curb appeal via front yard landscaping Las Vegas. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in front yard landscaping Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape installation Las Vegas", "Experience the advantage of landscape installation Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape installation Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"landscape maintenance Las Vegas", "Explore a new dimension of landscape maintenance Las Vegas. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in landscape maintenance Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

landscape equipment Las Vegas

"Landscaping Las Vegas Nevada", "Reinvent your exterior with Landscaping Las Vegas Nevada. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in Landscaping Las Vegas Nevada ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"Las Vegas garden design", "Unleash the full beauty of Las Vegas garden design. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in Las Vegas garden design ensures that each project receives a tailored approach. Ultimately, careful planning and professional expertise guarantee outstanding outdoor transformations."

"outdoor living Las Vegas", "Combine style and function in outdoor living Las Vegas. Many companies focus on resource-saving techniques, including drip irrigation and drought-resistant plants. Customers can enjoy sustainable, vibrant spaces that also reduce water usage and routine upkeep. Professionals in this region craft visually appealing, water-conscious environments well-suited to desert conditions. By blending native plants, rock formations, and efficient irrigation, you can establish a long-lasting outdoor retreat. Simple additions, like seating areas or decorative pavers, can turn unused corners into welcoming havens. Whether you prefer minimalistic rock gardens or lush greenery, skilled experts can tailor designs to your taste. Thoughtful lighting and smart controllers help create an appealing ambiance while maximizing efficiency. Incorporating region-specific materials leads to seamless integration with the surrounding desert environment. Our proven expertise in outdoor living Las Vegas ensures that each project receives a tailored approach. Ultimately, careful planning and professional

expertise guarantee outstanding outdoor transformations."



ROCK N BLOCK
TURF N HARDSCAPES

THE CHALLENGE LANDSCAPING IN LAS



ARTIFICIAL TURF

Las Vegas • San Diego • Denver • Utah

www.rocknblocklandscape.com

About landscape architecture

Image not found or type unknown




Stourhead in Wiltshire, England, designed by Henry Hoare (1705–1785), "the first landscape gardener, who showed in a single work, genius of the highest order"[1]

Landscape architecture is the design of outdoor areas, landmarks, and structures to achieve environmental, social-behavioural, or aesthetic outcomes.[2] It involves the systematic design and general engineering of various structures for construction and human use, investigation of existing social, ecological, and soil conditions and processes in the landscape, and the design of other interventions that will produce desired outcomes.


The scope of the profession is broad and can be subdivided into several sub-categories including professional or licensed landscape architects who are regulated by governmental agencies and possess the expertise to design a wide range of structures and landforms for human use; landscape design which is not a licensed profession; site planning; stormwater management; erosion control; environmental restoration; public realm, parks, recreation and urban planning; visual resource management; green infrastructure planning and provision; and private estate and residence landscape master planning and design; all at varying scales of design, planning and management. A practitioner in the profession of landscape architecture may be called a landscape architect; however, in jurisdictions where professional licenses are required it is often only those who possess a landscape architect license who can be called a landscape architect.

Definition of landscape architecture

[edit]



A canal design focused on esthetical landscape architecture in Stockholm, Sweden.



A river with concrete walls like those of a flood control channel, a historic flood-control measure using

landscape engineering

in [Houston](#), Texas.


Such channelling, intended to be strictly functional, may make flooding worse, by speeding the flow instead of spreading the pulse of floodwater.^[3]^[4]^[5]

Modern landscape architecture is a multi-disciplinary field, incorporating aspects of [urban design](#), [architecture](#), [geography](#), [ecology](#), [civil engineering](#), [structural engineering](#), [horticulture](#), [environmental psychology](#), [industrial design](#), [soil sciences](#), [botany](#), and [fine arts](#). The activities of a landscape architect can range from the creation of public parks and parkways to site planning for campuses and corporate office parks; from the design of residential estates to the design of civil [infrastructure](#); and from the management of large [wilderness](#) areas to [reclamation](#) of degraded landscapes such as mines or [landfills](#). Landscape architects work on structures and external spaces in the landscape aspect of the design – large or small, [urban](#), [suburban](#) and [rural](#), and with "hard" (built) and "soft" (planted) materials, while integrating ecological [sustainability](#).

The most valuable contribution can be made at the first stage of a project to generate ideas with technical understanding and creative flair for the design, organization, and use of spaces. The landscape architect can conceive the overall concept and prepare the master plan, from which detailed design drawings and technical specifications are prepared. They can also review proposals to authorize and supervise contracts for the construction work. Other skills include preparing design impact assessments, conducting environmental assessments and audits, and serving as an expert witness at inquiries on [land use](#) issues. The majority of their time will most likely be spent inside an office building designing and preparing models for clients.^[*citation needed*]

History

[\[edit\]](#)



Orangery at the Palace of Versailles, outside Paris

Main article: [History of landscape architecture](#)

For the period before 1800, the history of landscape gardening (later called landscape architecture) is largely that of master planning and [garden design](#) for [manor houses](#), [palaces](#) and royal properties. An example is the extensive work by [André Le Nôtre](#) for King [Louis XIV of France](#) on the [Gardens of Versailles](#). The first person to write of *making* a landscape was [Joseph Addison](#) in 1712. The term landscape architecture was invented by [Gilbert Laing Meason](#) in 1828, and [John Claudius Loudon](#) (1783–1843) was instrumental in the adoption of the term landscape architecture by the modern profession. He took up the term from Meason and gave it publicity in his Encyclopedias and in his 1840 book on the *Landscape Gardening and Landscape Architecture of the Late Humphry Repton*.^[6]


[John Claudius Loudon](#) was an established and influential [horticultural](#) journalist and Scottish landscape architect whose writings were instrumental in shaping [Victorian](#) taste in gardens, public parks, and [architecture](#).^[7] In the *Landscape Gardening and Landscape Architecture of the Late Humphry Repton*, [Loudon](#) describes two distinct styles of landscape gardening existing at the beginning of the 19th century: geometric and natural.^[6] [Loudon](#) wrote that each style reflected a different stage of society. The geometric style was “most striking and pleasing,” displaying wealth and taste in an “early state of society” and in “countries where the general scenery was wild, irregular, and natural, and man, comparatively, uncultivated and unrefined.”^[6] The natural style was used in “modern times” and in countries where “society is in a higher state of cultivation,” displaying wealth and taste through the sacrifice of profitable lands to make room for such designs. ^[6]

The prominent English landscape designer [Humphry Repton](#) (1752-1818) echoed similar ideas in his work and design ideas. In his writings on the use of delineated spaces (e.g. [courtyards](#), [terrace walls](#), fences), [Repton](#) states that while the motive for defense no longer exists, the features are still useful in separating "the gardens, which belong to man, and the forest, or desert, which belongs to the wild denizens."^[6] [Repton](#) refers to Indigenous peoples as "uncivilized human beings, against whom some decided line of defense was absolutely necessary."^[6]

The practice of landscape architecture spread from the Old to the New World. The term "landscape architect" was used as a professional title by [Frederick Law Olmsted](#) in the United States in 1863^[citation needed] and [Andrew Jackson Downing](#), another early American [landscape designer](#), was editor of *The Horticulturist* magazine (1846–52). In 1841 his first book, *A Treatise on the Theory and Practice of Landscape Gardening, Adapted to North America*, was published to a great success; it was the first book of its kind published in the United States.^[8] During the latter 19th century, the term landscape architect began to be used by professional landscapes designers, and was firmly established after [Frederick Law Olmsted Jr.](#) and [Beatrix Jones \(later Farrand\)](#) with others founded the [American Society of Landscape Architects](#) (ASLA) in 1899. IFLA was founded at [Cambridge, England](#), in 1948 with [Sir Geoffrey Jellicoe](#) as its first president, representing 15 countries from [Europe](#) and North America. Later, in 1978, IFLA's Headquarters were established in [Versailles](#).^{[9][10][11]}


Fields of activity

[[edit](#)]



[Royal Botanic Gardens, Kew](#), London, established 1759

The [Palm House, Kew](#), built 1844–1848 by [Richard Turner](#) to [Decimus Burton's](#) designs



Urban design in city squares. Water feature in London, by [Tadao Ando](#) who also works with landscapes and gardens

The variety of the professional tasks that landscape architects collaborate on is very broad, but some examples of project types include:[\[12\]](#)

- Parks of general design and [public infrastructure](#)
- [Sustainable development](#)
- [Stormwater management](#) including [rain gardens](#), [green roofs](#), [groundwater recharge](#), [green infrastructure](#), and [constructed wetlands](#).
- Landscape design for educational function and site design for public institutions and government facilities
- [Parks](#), [botanical gardens](#), [arboretums](#), greenways, and [nature preserves](#)
- Recreation facilities, such as playgrounds, [golf courses](#), [theme parks](#) and sports facilities
- Housing areas, industrial parks and commercial developments
- [Estate](#) and [residence landscape planning](#) and design
- Landscaping and accents on [highways](#), transportation structures, [bridges](#), and [transit corridors](#)
- Contributions to [urban design](#), town and city squares, waterfronts, pedestrian schemes
- Natural park, tourist destination, and recreating historical landscapes, and [historic garden](#) appraisal and conservation studies
- [Reservoirs](#), [dams](#), [power stations](#), reclamation of [extractive industry](#) applications or major industrial projects and [mitigation](#)

- **Environmental assessment** and **landscape assessment**, planning advice and land management proposals.
- Coastal and offshore developments and **mitigation**
- **Ecological design** (any aspect of design that minimizes environmentally destructive impacts by integrating itself with natural processes and **sustainability**)

Landscape managers use their knowledge of landscape processes to advise on the long-term care and development of the landscape. They often work in **forestry**, nature **conservation** and **agriculture**.^[citation needed]


Landscape scientists have specialist skills such as **soil science**, **hydrology**, **geomorphology** or **botany** that they relate to the practical problems of landscape work. Their projects can range from site surveys to the ecological assessment of broad areas for planning or management purposes. They may also report on the impact of development or the importance of particular **species** in a given area.^[citation needed]

Landscape planners are concerned with **landscape planning** for the location, scenic, **ecological** and recreational aspects of urban, rural, and coastal land use. Their work is embodied in written statements of policy and strategy, and their remit includes **master planning** for new developments, landscape evaluations and assessments, and preparing countryside management or policy plans. Some may also apply an additional specialism such as **landscape archaeology** or law to the process of landscape planning.^[citation needed]

Green roof (or more specifically, vegetative roof) designers design extensive and intensive **roof gardens** for **stormwater** management, evapo-transpirative cooling, **sustainable architecture**, aesthetics, and habitat creation.^[13]

Relation to urban planning

^[edit]



The combination of the traditional landscape gardening and the emerging city planning combined gave landscape architecture its unique focus. **Frederick Law Olmsted** used the term 'landscape architecture' using the word as a profession for the first time when designing the **Central Park**.

Through the 19th century, **urban planning** became a focal point and central issue in cities. The combination of the tradition of **landscape gardening** and the emerging field of urban planning offered landscape architecture an opportunity to serve these needs.^[14] In the second half of the century, **Frederick Law Olmsted** completed a series of parks that continue to have a significant

influence on the practices of landscape architecture today. Among these were **Central Park** in **New York City**, **Prospect Park** in **Brooklyn, New York** and Boston's **Emerald Necklace** park system. **Jens Jensen** designed sophisticated and naturalistic urban and regional parks for **Chicago, Illinois**, and private estates for the Ford family including **Fair Lane** and **Gaukler Point**. One of the original eleven founding members of the **American Society of Landscape Architects (ASLA)**, and the only woman, was **Beatrix Farrand**. She was design consultant for over a dozen universities including: **Princeton** in **Princeton, New Jersey**; **Yale** in **New Haven, Connecticut**; and the **Arnold Arboretum** for **Harvard** in **Boston, Massachusetts**. Her numerous private estate projects include the landmark **Dumbarton Oaks** in the **Georgetown** neighborhood of **Washington, D.C.**[15] Since that time, other architects – most notably Ruth Havey and Alden Hopkins – changed certain elements of the Farrand design.[citation needed]

Since this period urban planning has developed into a separate independent profession that has incorporated important contributions from other fields such as **civil engineering**, **architecture** and **public administration**. Urban Planners are qualified to perform tasks independent of landscape architects, and in general, the curriculum of landscape architecture programs do not prepare students to become urban planners.[16]

Landscape architecture continues to develop as a design discipline and to respond to the various movements in architecture and design throughout the 20th and 21st centuries. **Thomas Church** was a mid-century landscape architect significant in the profession. **Roberto Burle Marx** in **Brazil** combined the **International style** and native Brazilian plants and culture for a new aesthetic. Innovation continues today solving challenging problems with contemporary design solutions for **master planning**, landscapes, and **gardens**. [citation needed]

Ian McHarg was known for introducing environmental concerns in landscape architecture.[17][18] He popularized a system of analyzing the layers of a site in order to compile a complete understanding of the qualitative attributes of a place. This system became the foundation of today's **Geographic Information Systems (GIS)**. McHarg would give every qualitative aspect of the site a layer, such as the history, hydrology, topography, vegetation, etc. GIS software is ubiquitously used in the landscape architecture profession today to analyze materials in and on the Earth's surface and is similarly used by **urban planners**, **geographers**, **forestry** and natural resources professionals, etc.[citation needed]

European nations enabled the widespread circulation of urban planning strategies by transferring landscaping ideas and practices to overseas colonies. The **green belt** was a popular landscape practice exported by Britain onto colonial territories such as **Haifa** (1918-1948).[19] Spatial mechanisms like the green belt, implemented through the Haifa Bay Plan and the British "Grand Model," were used to enforce political control and civic order and extend western ideas of progress and development.[19] The Greater London Regional Planning Committee accepted the **green belt** concept which formed the basis of the 1938 **Green Belt Act**. The planning **prototype** demarcated open spaces, distinguished between city and countryside, limited **urban growth**, and created **zoning divisions**. [19] It was used extensively in the British colonies to facilitate British rule through the organized division of landscape and populations. [19]

Relation to Indigenous practices

[[edit](#)]

Indigenous land management practices create constantly changing landscapes through the use of [vegetation](#) and natural systems, contrasting with western epistemologies of the discipline that separate ornament from function.[20] The discipline of landscape architecture favors western designs made from structured materials and geometric forms.[20] Landscape architecture history books tend to include projects that contain constructed architectural elements that persist over time, excluding many Indigenous landscape-based designs.[20]

Landscape architecture textbooks often place Indigenous peoples as a prefix to the official start of the discipline. The widely read landscape history text *The Landscape of Man* (1964) offers a global history of the designed landscape from past to present, featuring [African](#) and other Indigenous peoples in its discussions of [Paleolithic](#) man between 500,000 and 8,000 BCE in relation to [human migration](#). [20] Indigenous land-management practices are described as archaeological rather than a part of contemporary practice. *Gardens in Time* (1980) also places Indigenous practice as prehistory at the beginning of the landscape architecture timeline. Authors [John](#) and Ray Oldham describe [Aborigines of Australia](#) as “survivors of an ancient way of life” who provide an opportunity to examine western Australia as a “meeting place of a prehistoric man.”[20]

In the late 18th century, the landscapes created by [aboriginal land and fire management practices](#) appealed to English settlers in [Australia](#). [20] Journals from the period of early white settlement note the landscape resembling parks and popular designs in [English landscape gardens](#) of the same period.[20] In England, these designs were considered sophisticated and celebrated for the intentional sacrifice of usable land. In Australia, the park-like condition was used to justify British control, citing its emptiness and lack of productive use as a basis for the dispossession of Aboriginal people. [20]

Education

[[edit](#)]

Landscape Architects are generally required to have university or graduate education from an accredited landscape architecture degree program, which can vary in length and degree title. They learn how to create projects from scratch, such as [residential](#) or [commercial](#) planting and designing outdoor living spaces[21] they are willing to work with others to get a better outcome for the customers when doing a project; they will have to learn the basics of how to create a project on a manner of time and will require to get your license in a certain state to be allowed to work; students of Landscape Architects will learn how to interact with clients and will learn how to explain a design from scratch when giving the final project.[22]

Landscape architecture has been taught in the [University of Manchester](#) since the 1950s. The course in the [Manchester School of Architecture](#) enables students to gain various bachelor's and

master's degrees, including MLPM(Hons) which is accredited by the [Landscape Institute](#) and by the [Royal Town Planning Institute](#).^[23]

Profession

[\[edit\]](#)

Main article: [Landscape architect](#)

In many countries, a professional [institute](#), comprising members of the professional community, exists in order to protect the standing of the profession and promote its interests, and sometimes also regulate the practice of landscape architecture. The standard and strength of legal regulations governing landscape architecture practice varies from nation to nation, with some requiring licensure in order to practice; and some having little or no regulation. In [Europe](#), [North America](#), parts of [South America](#), [Australia](#), [India](#), and [New Zealand](#), landscape architecture is a regulated profession.^[24]

Argentina

[\[edit\]](#)

Since 1889, with the arrival of the French architect and urbanist landscaper [Carlos Thays](#), recommended to recreate the National Capital's parks and public gardens, it was consolidated an apprentice and training program in landscaping that eventually became a regulated profession, currently the leading academic institution is the [UBA University of Buenos Aires](#) "*UBA Facultad de Arquitectura, Diseño y Urbanismo*" (Faculty of Architecture, Design and Urbanism) offering a Bachelor's degree in Urban Landscaping Design and Planning, the profession itself is regulated by the National Ministry of Urban Planning of Argentina and the Institute of the [Buenos Aires Botanical Garden](#).^{*[citation needed]*}

Australia

[\[edit\]](#)

The [Australian Institute of Landscape Architects](#) (AILA) provides accreditation of university degrees and non-statutory professional registration for landscape architects. Once recognized by AILA, landscape architects use the title 'Registered Landscape Architect' across the six states and territories within Australia.^{*[citation needed]*}

AILA's system of professional recognition is a national system overseen by the AILA National Office in Canberra. To apply for AILA Registration, an applicant usually needs to satisfy a number of pre-requisites, including university qualification, a minimum number years of practice and a record of professional experience.^[25]

Landscape Architecture within Australia covers a broad spectrum of planning, design, management, and research. From specialist design services for government and private sector developments through to specialist professional advice as an expert witness.^[*citation needed*]

Canada

[*edit*]

In Canada, landscape architecture, like law and medicine, is a self-regulating profession pursuant to provincial statute. For example, Ontario's profession is governed by the Ontario Association of Landscape Architects pursuant to the *Ontario Association of Landscape Architects Act*. Landscape architects in Ontario, British Columbia, and Alberta must complete the specified components of L.A.R.E (Landscape Architecture Registration Examination) as a prerequisite to full professional standing.

Provincial regulatory bodies are members of a national organization, the *Canadian Society of Landscape Architects / L'Association des Architectes Paysagistes du Canada* (CSLA-AAPC), and individual membership in the CSLA-AAPC is obtained through joining one of the provincial or territorial components.^[26]

Indonesia

[*edit*]

ISLA (Indonesia Society of Landscape Architects) is the Indonesian society for professional landscape architects formed on 4 February 1978 and is a member of IFLA APR and IFLA World. The main aim is to increase the dignity of the professional members of landscape architects by increasing their activity role in community service, national and international development. The management of IALI consists of National Administrators who are supported by 20 Regional Administrators (Provincial level) and 3 Branch Managers at city level throughout Indonesia.^[*citation needed*]

Landscape architecture education in Indonesia was held in 18 universities, which graduated D3, Bachelor and Magister graduates. The landscape architecture education incorporate in Association of Indonesian Landscape Architecture Education.^[*citation needed*]

Italy

[*edit*]



This section does not cite any sources. Please help *improve this section* by *adding citations to reliable sources*. Unsourced material may be challenged and *removed*. (January 2021) (*Learn how and when to remove this message*)

AIAPP (Associazione Italiana Architettura del Paesaggio) is the Italian association of professional landscape architects formed in 1950 and is a member of IFLA and IFLA Europe

(formerly known as EFLA). AIAPP is in the process of contesting this new law which has given the Architects' Association the new title of Architects, Landscape Architects, Planners and Conservationists whether or not they have had any training or experience in any of these fields other than Architecture. In Italy, there are several different professions involved in landscape architecture:

- Architects
- Landscape designers
- Doctor landscape agronomists and Doctor landscape foresters, often called Landscape agronomists.
- Agrarian Experts and Graduated Agrarian experts.

New Zealand

[[edit](#)]

The [New Zealand Institute of Landscape Architects](#) (NZILA) is the professional body for Landscape Architects in NZ.^[27]

In April 2013, NZILA jointly with AILA, hosted the 50th International Federation of Landscape Architects (IFLA) World Congress in Auckland, New Zealand. The World Congress is an international conference where Landscape Architects from all around the globe meet to share ideas around a particular topic.^{[[citation needed](#)]}

Within NZ, Members of NZILA when they achieve their professional standing, can use the title Registered Landscape Architect NZILA.^{[[citation needed](#)]}

NZILA provides an education policy and an accreditation process to review education programme providers; currently there are three accredited undergraduate Landscape Architecture programmes in New Zealand. Lincoln University also has an accredited masters programme in landscape architecture.^{[[citation needed](#)]}

Norway

[[edit](#)]

Landscape architecture in Norway was established in 1919 at the Norwegian University of Life Sciences (NMBU) at Ås. The Norwegian School of Landscape Architecture at the Faculty of Landscape and Society is responsible for Europe's oldest landscape architecture education on an academic level. The departments areas include design and design of cities and places, garden art history, landscape engineering, greenery, zone planning, site development, place making and place keeping.^{[[citation needed](#)]}

South Africa

[[edit](#)]

In May 1962, [Joane Pim](#), Ann Sutton, Peter Leutscher and Roelf Botha (considered the forefathers of the profession in South Africa) established the Institute for Landscape Architects, now known as the Institute for Landscape Architecture in South Africa (ILASA).^[28] ILASA is a voluntary organisation registered with the South African Council for the Landscape Architectural Profession (SACLAP).^[29] It consists of three regional bodies, namely, Gauteng, KwaZulu-Natal and the Western Cape. ILASA's mission is to advance the profession of landscape architecture and uphold high standards of professional service to its members, and to represent the profession of landscape architecture in any matter which may affect the interests of the members of the institute. ILASA holds the country's membership with The [International Federation of Landscape Architects](#) (IFLA).^[30]

In South Africa, the profession is regulated by SACLAP, established as a statutory council in terms of Section 2 of the South African Council for the Landscape Architectural Profession Act – Act 45 of 2000. The Council evolved out of the Board of Control for Landscape Architects (BOCLASA), which functioned under the Council of Architects in terms of The Architectural Act, Act 73 of 1970. SACLAP's mission is to establish, direct, sustain and ensure a high level of professional responsibilities and ethical conduct within the art and science of landscape architecture with honesty, dignity and integrity in the broad interest of public health, safety and welfare of the community.^{[[citation needed](#)]}

After completion of an accredited under-graduate and/or post-graduate qualification in landscape architecture at either the [University of Cape Town](#) or the [University of Pretoria](#), or landscape technology at the [Cape Peninsula University of Technology](#), professional registration is attained via a mandatory mentored candidacy period (minimum of two years) and sitting of the professional registration exam. After successfully completing the exam, the individual is entitled to the status of Professional Landscape Architect or Professional Landscape Technologist.^{[[citation needed](#)]}

Sweden

[[edit](#)]

Architects Sweden, Sveriges Arkitekter, is the collective trade union and professional organisation for all architects, including landscape architects, in Sweden. The professional body is a member of IFLA ([International Federation of Landscape Architects](#)) as well as IFLA Europe.

As a landscape architect, anyone can become a member of Architects Sweden if they have a national or international university degree that is approved by the association. If the degree is from within the European Union, Architects Sweden approves Landscape architect educations listed by [IFLA Europe](#). For educations outside the EU, the association makes an assessment on a statement from the [Swedish Council for Higher Education](#) (UHR).

United Kingdom

[[edit](#)]

The UK's professional body is the [Landscape Institute](#) (LI). It is a [chartered](#) body that accredits landscape professionals and university courses. At present there are fifteen accredited programmes in the UK. Membership of the LI is available to students, academics and professionals, and there are over 3,000 professionally qualified members.^{[[citation needed](#)]}


The Institute provides services to assist members including support and promotion of the work of landscape architects; information and guidance to the public and industry about the specific expertise offered by those in the profession; and training and educational advice to students and professionals looking to build upon their experience.^{[[citation needed](#)]}

In 2008, the LI launched a major recruitment drive entitled "I want to be a Landscape Architect" to encourage the study of Landscape Architecture. The campaign aimed to raise the profile of landscape architecture and highlight its valuable role in building [sustainable communities](#) and fighting [climate change](#).^[31]

As of July 2018, the "I want to be a Landscape Architect" initiative was replaced by a brand new careers campaign entitled [#ChooseLandscape](#), which aims to raise awareness of landscape as a profession; improve and increase access to landscape education; and inspire young people to choose landscape as a career.^[32] This new campaign includes other landscape-related professions such as landscape management, landscape planning, landscape science and urban design.^[33]

United States

[[edit](#)]



The [National Mall](#) in [Washington, D.C.](#) includes many examples of landscape architecture based on historical memorials and monuments.

In the United States, landscape architecture is regulated by individual state governments. For a landscape architect, obtaining licensure requires advanced education and work experience, plus passage of the national examination called the Landscape Architect Registration Examination (L.A.R.E.). Licensing is overseen at the national level by the Council of Landscape Architectural

Registration Boards (CLARB). Several states require passage of a state exam as well.

Landscape architecture has been identified as an above-average growth profession by the US Bureau of Labor Statistics and was listed in *U.S. News & World Report's* list of Best Jobs to Have in 2006, 2007, 2008, 2009 and 2010.^[34] The national trade association for United States landscape architects is the **American Society of Landscape Architects**. **Frederick Law Olmsted**, who designed Central Park in New York City, is known as the "father of American landscape architecture".^[35]

Examples

[**edit**]

Potager in Dordogne, France

○

Image not found or type unknown

Potager in Dordogne, France

Japanese garden in ÅfÆ'Ä†â€™ÅfÂçÃçâ€šÂ-Ã,Â!ÅfÆ'Ãçâ,-Â!ÅfÂçÃçâ€šÂ-Ãçâ€žÂçtsu, Ja

○

Image not found or type unknown

Japanese garden in

ÅfÆ'Ä†â€™ÅfÂçÃçâ€šÂ-Ã,Â!ÅfÆ'Ãçâ,-Â!ÅfÂçÃçâ€šÂ-Ãçâ€žÂçtsu
, Japan

Classical Chinese garden

○

Image not found or type unknown

Classical Chinese garden Topiary in Helsingborg, Sweden

○

Image not found or type unknown

Topiary in Helsingborg, Sweden Asian sculpture garden in Texas, United States

○

Image not found or type unknown

Asian sculpture garden in Texas, United States

Vigeland sculpture garden in Oslo, Norway

○

Image not found or type unknown

Vigeland sculpture garden in Oslo, Norway Roof terrace garden (Ventimiglia, Italy)

○

Image not found or type unknown

Roof terrace garden (Ventimiglia, Italy) Escorial Formal palace garden in Madrid, Spain

○

Image not found or type unknown

Escorial Formal palace garden in Madrid, Spain

Mediterranean garden in Alpes-Maritimes, France

○

Image not found or type unknown

Mediterranean garden in
Alpes-Maritimes, France
Use of steps at Villa la Magia, in Quarrata, Italy

○

Image not found or type unknown

Use of steps at Villa la Magia,
in Quarrata, Italy
Lurie Garden in Chicago, United States, GGN & Piet Oudolf

○

Image not found or type unknown

Lurie Garden in Chicago,
United States, GGN & Piet
Oudolf

High Line (second section) A repurposed area in New York City, United States

○

Image not found or type unknown

High Line (second section) A
repurposed area in New York
City, United States
Parque Madrid Rio Formal use of water in Madrid, Spain

○

Image not found or type unknown

Parque Madrid Rio Formal use
of water in Madrid, Spain
Schouwburgplein Urban park in Rotterdam, Netherlands

○

Image not found or type unknown

Schouwburgplein Urban park
in Rotterdam, Netherlands

911 Memorial Park A memorial park in New York City United States

○

Image not found or type unknown

911 Memorial Park A memorial park in **New York City** United States

See also

[[edit](#)]

- [Energy-efficient landscape design](#)
- [Environmental graphic design](#)
- [Green roof](#)
- [Hard landscape materials](#)
- [Landscape architecture design competitions](#)
- [Landscape detailing](#)
- [Landscape painting](#)
- [Landscape engineering](#)
- [Landscape products](#)
- [Landscape urbanism](#)
- [List of landscape architects](#)
- [List of schools of landscape architecture](#)
- [Planting design](#)
- [Principles of intelligent urbanism](#)
- [Soft landscape materials](#)
- [Sustainable landscape architecture](#)
- [Topocide](#)
- [Urban forestry](#)
- [Urban reforestation](#)

References

[[edit](#)]

1. [▲] *Hyams, Edward (1971). A History of Gardens and Gardening. New York, Washington: Praeger Publishers. p. 239.*

2. ^ Sir Geoffrey Jellicoe, Susan Jellicoe, *The Landscape of Man: Shaping the Environment from Prehistory to the Present Day* ISBN 9780500274316
3. ^ Bolstad, Erika. *"Irony: Levees Could Make River Flooding Worse"*. Scientific American. E&E News. Retrieved 26 October 2024.
4. ^ Grabar, Henry. *"And the Waters Will Prevail"*. Pocket. Retrieved 26 October 2024.
5. ^ Boddington, Andy. *"Slowing the flow: managing water to reduce flooding"*. CPRE. Retrieved 26 October 2024.
6. ^ **a b c d e f** Repton, Humphry; Loudon, J. C. (John Claudius) (1840). *The landscape gardening and landscape architecture of the late Humphry Repton, esq., being his entire works on these subjects : ...with historical and scientific introduction, a systematic analysis, a biographical notice, notes, and copious alphabetical index*. Getty Research Institute. London : Printed for the editor, and sold by Longman.
7. ^ *"John Claudius Loudon | Scottish landscape architect | Britannica"*. www.britannica.com. Retrieved 9 March 2023.
8. ^ *"History of Horticulture"*. Ohio State University. Archived from *the original* on 16 July 2012 . Retrieved 24 July 2012.
9. ^ IFLA Past, Present, Future - A publication about the history of IFLA. ISBN 3-9522080-0-0
10. ^ UNESCO Documents and Publications
11. ^ *"Who we are"*. International Federation of Landscape Architects (IFLA).
12. ^ *"Landscape Architecture - Your Environment. Designed"*. Asla.org. Retrieved 6 April 2013 .
13. ^ *"Extensive Vegetative Roofs | Whole Building Design Guide"*. www.wbdg.org. Retrieved 28 December 2015.
14. ^ Van Assche, K., Beunen, R., Duineveld, M., & de Jong, H. (2013). Co-evolutions of planning and design: Risks and benefits of design perspectives in planning systems. *Planning Theory*, 12(2), 177–198.
15. ^ National Park Service (2000). *Cultural Landscape Report: Dumbarton Oaks Park, Rock Creek Park*. Washington, D.C.: U.S. Dept. of the Interior.
16. ^ *"Bulletin of Information for the AICP Comprehensive Planning Examination"* (PDF). www.planning.org. Retrieved 29 August 2016. "There are important distinctions between planners and allied professionals and between planning and related fields. Planners approach problems comprehensively, have a long-range perspective, and deal with unique place-based issues. Although people in related professions (e.g., law, architecture, landscape architecture, engineering, real estate development, etc.) and disciplines (humanities, psychology, etc.) often work with planners, they do not necessarily have the same knowledge base, skillset, and approach."
17. ^ Corbett, John. *"Ian McHarg: Overlay Maps and the Evaluation of Social and Environmental Costs of Land Use Change"*. Center for Spatially Integrated Social Science. Archived from *the original* on 3 January 2019. Retrieved 4 June 2014.
18. ^ Ozio, Ron (6 March 2001). *"Obituary: Ian McHarg Dies"*. Penn News. University of Pennsylvania. Archived from *the original* on 16 September 2015. Retrieved 4 June 2014.
19. ^ **a b c d** Kolodney, Ziva; Kallus, Rachel (2008). *"The Politics of Landscape (Re)Production: Haifa Between Colonialism and Nation Building"*. *Landscape Journal*. **27** (2): 173–189. doi:10.3368/lj.27.2.173. ISSN 0277-2426. JSTOR 43332447. S2CID 110446436.

20. ^ **a b c d e f g h** Brisbin, Chris; Thiessen, Myra, eds. (2018). *The Routledge Companion to Criticality in Art, Architecture, and Design*. doi:10.4324/9781315623412. ISBN 9781315623412. S2CID 207824118.
21. ^ "Landscape Architect Education Requirements". bestaccreditedcolleges.org.
22. ^ "What Do Landscape Architects Do? - Square One Landscape Architects - YouTube". www.youtube.com. Archived from the original on 14 November 2021.
23. ^ University of Manchester. *Prospectus 2005*; pp. 190-191
24. ^ "The Ontario Association of Landscape Architects". Oala.on.ca. Archived from the original on 11 October 2011. Retrieved 6 April 2013.
25. ^ "Join or Renew". www.aila.org.au.
26. ^ "CSLA AAPC | CSLA". www.csla-aapc.ca.
27. ^ "About Us". nzila.co.nz. nzila. Retrieved 12 January 2021.
28. ^ "ILASA | Institute For Landscape Architecture in South Africa".
29. ^ "The South African Council for the Landscape Architectural Profession (SACLAP) - Home". saclap.org.za. Retrieved 31 January 2019.
30. ^ "IFLA World · International Federation of Landscape Architects". Archived from the original on 2 May 2019. Retrieved 31 January 2019.
31. ^ "CC Position Statement". landscapeinstitute.org. 2011. Archived from the original on 13 June 2011. Retrieved 30 May 2011.
32. ^ Gosling, Ben. "#ChooseLandscape launches next month – here's how to get involved | Landscape Institute". Retrieved 31 January 2019.
33. ^ "Choose Your Career – Chooselandscape". Retrieved 31 January 2019.
34. ^ "Career Advice and Guide for Job Searches - US News Business". Money.usnews.com. Retrieved 6 April 2013.
35. ^ "Frederick Law Olmsted National Historic Site--Massachusetts Conservation: A Discover Our Shared Heritage Travel Itinerary". Archived from the original on 24 October 2019. Retrieved 24 October 2019.

External links

[[edit](#)]

-  Media related to **Landscape architecture** at Wikimedia Commons
- **International Federation of Landscape Architects**
- **v**
- **t**
- **e**

Horticulture and **gardening**

Gardening

- Allotment
- Arboretum
- Butterfly
- Climate-friendly gardening
- Community
- Forest
- Foodscaping
- French intensive
- Garden
- Garden design
 - computer-aided
- Groundskeeping
- Garden tool
- Green wall
- Guerrilla
- Historic conservation
- History
- Native
- Parterre
- Proplifting
- Raised bed
- Square foot
- Sustainable
- Xeriscaping

Types of gardens

- Alpine
- Ancient Egypt
- Australian
- Back
- Baroque
- Biblical
- Bog
- Botanical
- Bottle
- Butterfly
- Byzantine
- Cactus
- Colonial
- Color
- Communal
 - Garden square
- Community
- Container
- Cottage
- Dutch
- East Asian
 - Chinese
 - Cantonese
 - Japanese
 - Roji
 - Zen
 - Korean
 - Vietnamese
- English
 - Sharawadgi
- Fernery
- Floating
- Flower
- French
 - formal
 - landscape
 - Renaissance
- Front
- German
- Greek
- Greenhouse
- Hanging
- Islamic
- Italian
- Keyhole
- Kitchen
- Knot
- Market

Horticulture

- Agriculture
 - Permaculture
 - stock-free
 - sustainable
 - urban
- Arboriculture
- Bonsai
 - Saikei
- Botany
- Companion planting
- Crop
 - most valuable
- Cutting
- Flora
- Floriculture
 - Canada
 - Taiwan
- Hügelkultur
- Fruticulture
- Genetically modified tree
- Hydroculture
- Indigenous
- Intercropping
- Landscape architecture
- Olericulture
- Plant
 - breeding
 - cuttings
 - free-flowering
 - propagation
 - drought tolerance
 - hardiness
- Pomology
- Postharvest physiology
- Roguing
- Tropical
- Urban
 - agriculture
 - horticulture
 - forestry
 - reforestation
- Viticulture
- Monoculture

Organic

- [Biodynamic agriculture](#)
- [Grafting](#)
- [List of organic gardening and farming topics](#)
- [Vegan organic agriculture](#)

Plant protection

- [Fungicide](#)
- [Herbicide](#)
- [Index of pesticide articles](#)
- [List of fungicides](#)
- [List of insecticides](#)
- [Pesticide](#)
- [Plant disease forecasting](#)
- [Pruning](#)
- [Weed control](#)
 - [Aquamog weed remover](#)

Related articles

- [Community orchard](#)
- [Features](#)
- [Floral design](#)
 - [Floristry](#)
 - [Ikebana](#)
- [Groundskeeping](#)
- [Garden centre](#)
- [Garden tourism](#)
- [List of gardens](#)
- [Lists of plants](#)
- [Perennial](#)
- [Plant collecting](#)
- [Turf management](#)

- [Gardening portal](#)
- [Category](#)
- [Commons](#)
- [WikiProject](#)

- **v**
- **t**
- **e**

Environmental humanities

Art

- Crop art
- Environmental art
- Environmental sculpture
- Land art
- Landscape painting
- Photography
 - conservation
 - landscape
 - nature
 - wildlife
- Sculpture trail
- Site-specific art
- Sustainable art

Culture

- Cultural ecology
- Cultural landscape
- Ecolinguistics
- Ecological anthropology
- Ecosemiotics
- Environmental anthropology
- Ethnoecology
- Traditional ecological knowledge


Literature

- Ecomposition
- Ecocriticism
- Ecopoetry
- Geocriticism
- Nature writing
- Outdoor literature

Philosophy

- Aesthetics of nature
- Critical realism
- Deep ecology
- Ecofeminism
- Ecophenomenology
- Ecosophy
- Environmental ethics
- Environmental justice
- Environmental philosophy
- Predation problem
- Social ecology

Image not found or type unknown



- Ecotheology
- Environmental theology
- Religion and environmentalism
- Spiritual ecology
- Stewardship

- Anthrozoology
- Ecomusicology
- Environmental communication
- Environmental education
 - adult
 - arts-based
- Environmental history
- Environmental interpretation
- Environmental journalism
- Environmental law
- Outdoor education
- Political representation of nature
- Psychogeography
- Thematic interpretation

- Animal studies
- Bioethics
- Biophilia hypothesis
- Do it yourself (ethic)
- Natural history (museums)
- Popular science
- Property theory (common property)
- Sexecology
- Science, technology and society
 - science studies
- Simple living
- Slow food
- Spirit of place
- Sustainability studies

Applied

- Arts and Crafts movement
- Acoustic ecology
- Biomimicry
- Ecological design
- Ecomuseum
- Educational trail
- Environmental design
- Landscape architecture
 - assessment
 - planning
- Nature center
- New Urbanism
- Sustainable architecture
- Sustainable design
- Sustainable fashion
- Themed walk


-  Environment portal
-  Category
-  Commons
- Journals
- Degrees

- **v**
- **t**
- **e**

Environmental social science

Fields

- Ecological anthropology
- Ecological economics
- Environmental anthropology
- Environmental crime
- Environmental economics
- Environmental communication
- Environmental history
- Environmental politics
- Environmental psychology
- Environmental sociology
- Human ecology
- Human geography
- Political ecology
- Regional science



Related

- Agroecology
- Anthrozoology
- Behavioral geography
- Community studies
- Demography
- Design
 - ecological
 - environmental
- Ecological humanities
- Economics
 - energy
 - thermo
- Environmental
 - education
 - ethics
 - law
 - science
 - studies
 - justice
 - racism
- Ethnobiology
 - botany
 - ecology
 - zoology
- Forestry
- Industrial ecology
- Integrated geography
- Permaculture
- Political representation of nature
- Rural sociology
- Sexecology
- Science, technology and society
 - science studies
- Sustainability
 - science
 - studies
- Systems ecology
- Urban
 - ecology
 - geography
 - metabolism
 - studies

Applied

- Architecture
 - landscape
 - sustainable
- Ecopsychology
- Engineering
 - ecological
 - environmental
- Green criminology
- Health
 - environmental
 - epidemiology
 - occupational
 - public
- Management
 - environmental
 - fisheries
 - forest
 - natural resource
 - waste
- Planning
 - environmental
 - land use
 - regional
 - spatial
 - urban
- Policy
 - energy
 - environmental

○  Environment portal

○  Category

○ Concepts

○ Degrees

○ Journals

○ Research institutes

○ Scholars

○ v

○ t

○ e

Construction

Types

- Home construction
- Offshore construction
- Underground construction
 - Tunnel construction

History

- Architecture
- Construction
- Structural engineering
- Timeline of architecture
- Water supply and sanitation

Professions

- Architect
- Building engineer
- Building estimator
- Building officials
- Chartered Building Surveyor
- Civil engineer
- Civil estimator
- Clerk of works
- Project manager
- Quantity surveyor
- Site manager
- Structural engineer
- Superintendent

Trades workers (List)

- Banksman
- Boilermaker
- Bricklayer
- Carpenter
- Concrete finisher
- Construction foreman
- Construction worker
- Electrician
- Glazier
- Ironworker
- Millwright
- Plasterer
- Plumber
- Roofer
- Steel fixer
- Welder

Organizations	<ul style="list-style-type: none"> ○ American Institute of Constructors (AIC) ○ American Society of Civil Engineers (ASCE) ○ Asbestos Testing and Consultancy Association (ATAC) ○ Associated General Contractors of America (AGC) ○ Association of Plumbing and Heating Contractors (APHC) ○ Build UK ○ Construction History Society ○ Chartered Institution of Civil Engineering Surveyors (CICES) ○ Chartered Institute of Plumbing and Heating Engineering (CIPHE) ○ Civil Engineering Contractors Association (CECA) ○ The Concrete Society ○ Construction Management Association of America (CMAA) ○ Construction Specifications Institute (CSI) ○ FIDIC ○ Home Builders Federation (HBF) ○ Lighting Association ○ National Association of Home Builders (NAHB) ○ National Association of Women in Construction (NAWIC) ○ National Fire Protection Association (NFPA) ○ National Kitchen & Bath Association (NKBA) ○ National Railroad Construction and Maintenance Association (NRC) ○ National Tile Contractors Association (NTCA) ○ Railway Tie Association (RTA) ○ Royal Institution of Chartered Surveyors (RICS) ○ Scottish Building Federation (SBF) ○ Society of Construction Arbitrators
By country	<ul style="list-style-type: none"> ○ India ○ Iran ○ Japan ○ Romania ○ Turkey ○ United Kingdom ○ United States
Regulation	<ul style="list-style-type: none"> ○ Building code ○ Construction law ○ Site safety ○ Zoning

Architecture

- Style
 - List
- Industrial architecture
 - British
- Indigenous architecture
- Interior architecture
- Landscape architecture
- Vernacular architecture

Engineering

- Architectural engineering
- Building services engineering
- Civil engineering
 - Coastal engineering
 - Construction engineering
 - Structural engineering
- Earthquake engineering
- Environmental engineering
- Geotechnical engineering

Methods

- List
- Earthbag construction
- Modern methods of construction
- Monocrete construction
- Slip forming

- Building material
 - List of building materials
 - Millwork
- Construction bidding
- Construction delay
- Construction equipment theft
- Construction loan
- Construction management
- Construction waste
- Demolition
- Design–build
- Design–bid–build
- DfMA
- Heavy equipment
- Interior design
- Lists of buildings and structures
 - List of tallest buildings and structures
- Megaproject
- Megastructure
- Plasterwork
 - Damp
 - Proofing
 - Parge coat
 - Roughcast
 - Harling
- Real estate development
- Stonemasonry
- Sustainability in construction
- Unfinished building
- Urban design
- Urban planning

Other topics

Outline **Category**

Portal:

-   

Ice Gardening

Authority control databases              

Edit this at Wikidata

International

- FAST

National

- [Germany](#)
- [United States](#)
- [Japan](#)
- [Czech Republic](#)
 - [2](#)
- [Spain](#)
- [Latvia](#)
- [Israel](#)

Other

- [NARA](#)
- [Encyclopedia of Modern Ukraine](#)

About Garden

For other uses, see [Garden \(disambiguation\)](#).

[see caption](#)

Image not found or type unknown

A section of the [Brooklyn Botanic Garden](#) that has pink *Prunus 'Kanzan'* cherry trees

A **garden** is a planned space, usually outdoors, set aside for the cultivation, display, and enjoyment of plants and other forms of nature. The single feature identifying even the wildest [wild garden](#) is *control*. The garden can incorporate both natural and artificial materials.^[1]

Gardens often have design features including statuary, [follies](#), [pergolas](#), [trellises](#), [stumperies](#), dry creek beds, and [water features](#) such as [fountains](#), [ponds](#) (with or without [fish](#)), [waterfalls](#) or creeks. Some gardens are for ornamental purposes only, while others also produce food crops, sometimes in separate areas, or sometimes intermixed with the [ornamental plants](#). Food-producing gardens are distinguished from [farms](#) by their smaller scale, more labor-intensive methods, and their purpose (enjoyment of a pastime or self-sustenance rather than producing for sale, as in a [market garden](#)). [Flower gardens](#) combine plants of different heights, colors, textures, and fragrances to create interest and delight the senses.^[2]

The most common form today is a residential or public garden, but the term *garden* has traditionally been a more general one. **Zoos**, which display **wild animals** in simulated natural habitats, were formerly called zoological gardens.[3][4] Western gardens are almost universally based on plants, with *garden*, which etymologically implies *enclosure*, often signifying a shortened form of **botanical garden**. Some traditional types of eastern gardens, such as **Zen gardens**, however, use plants sparsely or not at all. Landscape gardens, on the other hand, such as the **English landscape gardens** first developed in the 18th century, may decide to omit flowers altogether.

Landscape architecture is a related professional activity with **landscape architects** tending to engage in design at many scales and working on both public and private projects.[5]

Etymology


[[edit](#)]

The etymology of the word **gardening** refers to **enclosure**: it is from Middle English *gardin*, from Anglo-French *gardin*, *jardin*, of Germanic origin; akin to Old High German *gard*, *gart*, an enclosure or compound, as in **Stuttgart**. See **Grad (Slavic settlement)** for more complete etymology.[6] The words *yard*, *court*, and Latin *hortus* (meaning "garden", hence horticulture and orchard), are cognates—all referring to a defined enclosed space.[7]

The term "garden" in **British English** refers to a small enclosed area of land, usually adjoining a building.[8] This would be referred to as a **yard** in **American English**.[9]

Uses

[[edit](#)]



Partial view from the **Botanical Garden of Curitiba (Southern Brazil)**: **parterres**, **flowers**, **fountains**, **sculptures**, **greenhouses** and **tracks** composes the place used for recreation and to study and protect the flora.

A garden can have **aesthetic**, functional, and recreational uses:

- Cooperation with nature
 - [Plant cultivation](#)
 - [Garden-based learning](#)
- Observation of nature
 - [Bird-](#) and [insect](#)-watching
 - Reflection on the changing [seasons](#)
- Relaxation
 - Placing down different types of [garden gnomes](#)
 - Family dinners on the terrace
 - Children playing in the garden
 - Reading and [relaxing](#) in a [hammock](#)
 - Maintaining the flowerbeds
 - Pottering in the [shed](#)
 - Basking in warm [sunshine](#)
 - Escaping oppressive sunlight and heat
- Growing useful produce
 - Flowers to cut and bring inside for indoor beauty
 - Fresh herbs and vegetables for cooking

History

[\[edit\]](#)


Main article: [History of gardening](#)

Asia

[\[edit\]](#)

China

[\[edit\]](#)



Naturalistic design of a Chinese garden incorporated into the landscape, including a pavilion

Main article: [Chinese garden](#)

The earliest recorded Chinese gardens were created in the valley of the **Yellow River**, during the **Shang dynasty** (1600–1046 BC). These gardens were large enclosed parks where the kings and nobles hunted game, or where fruit and vegetables were grown. Early inscriptions from this period, carved on tortoise shells, have three Chinese characters for garden, *you*, *pu* and *yuan*. *You* was a royal garden where birds and animals were kept, while *pu* was a garden for plants. During the **Qin dynasty** (221–206 BC), *yuan* became the character for all gardens.[10] The old character for *yuan* is a small picture of a garden; it is enclosed in a square which can represent a wall, and has symbols which can represent the plan of a structure, a small square which can represent a pond, and a symbol for a plantation or a pomegranate tree.[11]

A famous royal garden of the late Shang dynasty was the *Terrace, Pond and Park of the Spirit* (*Lingtai, Lingzhao Lingyou*) built by **King Wenwang** west of his capital city, **Yin**. The park was described in the *Classic of Poetry* this way:

The King makes his promenade in the Park of the Spirit,
The deer are kneeling on the grass, feeding their fawns,
The deer are beautiful and resplendent.
The immaculate cranes have plumes of a brilliant white.
The King makes his promenade to the Pond of the Spirit,
The water is full of fish, who wriggle.[12]

Another early royal garden was *Shaqui*, or the *Dunes of Sand*, built by the last Shang ruler, **King Zhou** (1075–1046 BC). It was composed of an earth terrace, or *tai*, which served as an observation platform in the center of a large square park. It was described in one of the early classics of Chinese literature, the *Records of the Grand Historian* (*Shiji*).[13] According to the *Shiji*, one of the most famous features of this garden was the *Wine Pool and Meat Forest* (ÀfÆ'†â€™Äfâ€šÄ,Â©ÄfÆ'Ä,Â¢ÄfÄ¢Ä¢â,-Ä¡Ä,Ä-Äfâ€šÄ,Ä!ÄfÆ'Ä,Â¢ÄfÄ¢Ä¢â,-Ä¡Ä,Ä-ÄfÄ¢Ä¢â). A large pool, big enough for several small boats, was constructed on the palace grounds, with inner linings of polished oval shaped stones from the seashore. The pool was then subsequently filled with wine. A small island was constructed in the middle of the pool, where trees were planted, which had skewers of roasted meat hanging from their branches. King Zhou and his friends and concubines drifted in their boats, drinking the wine with their hands and eating the roasted meat from the trees. Later Chinese philosophers and historians cited this garden as an example of decadence and bad taste.[14]

During the **Spring and Autumn period** (722–481 BC), in 535 BC, the *Terrace of Shanghua*, with lavishly decorated palaces, was built by **King Jing** of the **Zhou dynasty**. In 505 BC, an even more elaborate garden, the *Terrace of Gusu*, was begun. It was located on the side of a mountain, and included a series of terraces connected by galleries, along with a lake where boats in the form of blue dragons navigated. From the highest terrace, a view extended as far as **Lake Tai**, the Great Lake.[15]


India

[[edit](#)]

Manasollasa is a twelfth century **Sanskrit** text that offers details on garden design and a variety of other subjects.^[16] Both public parks and woodland gardens are described, with about 40 types of trees recommended for the park in the *Vana-krida* chapter.^[16]^[17] *Shilparatna*, a text from the sixteenth century, states that flower gardens or public parks should be located in the northern portion of a town.^[18]

Japan

[[edit](#)]



A **moss garden** at the **Saihō-ji** temple in **Kyoto**, started in 1339.

Main article: **Japanese garden**

The earliest recorded Japanese gardens were the **pleasure gardens** of the Emperors and nobles. They were mentioned in several brief passages of the *Nihon Shoki*, the first chronicle of Japanese history, published in 720 CE. In spring 74 CE, the chronicle recorded: "The **Emperor Keikō** put a few carp into a pond, and rejoiced to see them morning and evening". The following year, "The Emperor launched a double-hulled boat in the pond of Ijishi at Ihare, and went aboard with his imperial concubine, and they feasted sumptuously together". In 486, the chronicle recorded that "The **Emperor Kenzō** went into the garden and feasted at the edge of a winding stream".^[19]

Korea

[[edit](#)]


Main article: **Korean garden**

Korean gardens are a type of garden described as being natural, informal, simple and unforced, seeking to merge with the natural world.^[20] They have a history that goes back more than two thousand years,^[21] but are little known in the west. The oldest records date to the **Three Kingdoms** period (57 BC – 668 AD) when architecture and palace gardens showed a

development noted in the Korean *History of the Three Kingdoms*.

Europe

[edit]



Reconstruction of the garden at the *House of the Vettii* in *Pompeii*.

Gardening was not recognized as an art form in Europe until the mid 16th century when it entered the political discourse, as a symbol of the concept of the "ideal republic". Evoking utopian imagery of the *Garden of Eden*, a time of abundance and plenty where humans didn't know hunger or the conflicts that arose from property disputes. *John Evelyn* wrote in the early 17th century, "there is not a more laborious life then is that of a good Gard'ners; but a labour full of tranquility and satisfaction; Natural and Instructive, and such as (if any) contributes to Piety and Contemplation."^[22] During the era of *Enclosures*, the agrarian collectivism of the *feudal age* was idealized in literary "fantasies of liberating regression to garden and wilderness".^[23]

France

[edit]

Following his campaign in Italy in 1495, where he saw the gardens and castles of Naples, King *Charles VIII* brought Italian craftsmen and *garden designers*, such as *Pacello da Mercogliano*, from Naples and ordered the construction of Italian-style gardens at his residence at the *Château d'Amboise* and at *Château Gaillard*, another private résidence in Amboise. His successor *Henry II*, who had also travelled to Italy and had met *Leonardo da Vinci*, created an Italian garden nearby at the *Château de Blois*.^[24] Beginning in 1528, King *Francis I* created new gardens at the *Château de Fontainebleau*, which featured fountains, parterres, a forest of pine trees brought from *Provence*, and the first artificial grotto in France.^[25] The *Château de Chenonceau* had two gardens in the new style, one created for *Diane de Poitiers* in 1551, and a second for *Catherine de' Medici* in 1560.^[26] In 1536, the architect *Philibert de l'Orme*, upon his return from Rome, created the gardens of the *Château d'Anet* following the Italian rules of proportion. The carefully prepared harmony of Anet, with its parterres and surfaces of water integrated with sections of greenery, became one of the earliest and most influential examples of the classic French garden.^[27]

The **French formal garden** (**French**: *jardin à la française*) contrasted with the design principles of the English landscape garden (**French**: *jardin à l'anglaise*) namely, to "force nature" instead of leaving it undisturbed.[28] Typical French formal gardens had "parterres, geometrical shapes and neatly clipped topiary", in contrast to the English style of garden in which "plants and shrubs seem to grow naturally without artifice." [29] By the mid-17th century **axial symmetry** had ascended to prominence in the French gardening traditions of **Andre Mollet** and **Jacques Boyceau**, from which the latter wrote: "All things, however beautiful they may be chosen, will be defective if they are not ordered and placed in proper symmetry." [30] A good example of the French formal style are the **Tuilleries gardens** in Paris which were originally designed during the reign of King Henry II in the mid-sixteenth century. The gardens were redesigned into the formal French style for the **Sun King Louis XIV**. The gardens were ordered into symmetrical lines: long rows of elm or chestnut trees, clipped hedgerows, along with parterres, "reflect[ing] the orderly triumph of man's will over nature." [31]

The **French landscape garden** was influenced by the English landscape garden and gained prominence in the late eighteenth century.[32][33]

United Kingdom

[edit]

Before the **Grand Manner** era, a few significant gardens were found in Britain which were developed under the influence of the continent. Britain's homegrown domestic gardening traditions were mostly practical in purpose, rather than aesthetic, unlike the grand gardens found mostly on castle grounds and less commonly in universities. Tudor Gardens emphasized contrast rather than transitions, distinguished by color and illusion. They were not intended as a complement to home or architecture, but conceived as independent spaces, arranged to grow and display flowers and ornamental plants. Gardeners demonstrated their artistry in **knot gardens**, with complex arrangements most commonly included interwoven **box hedges**, and less commonly fragrant herbs like **rosemary**. Sanded paths run between the hedgings of open knots whereas closed knots were filled with single colored flowers. The knot and **parterre** gardens were always placed on level ground, and elevated areas reserved for terraces from which the intricacy of the gardens could be viewed.[30]

Jacobean gardens were described as "a delightful confusion" by **Henry Wotton** in 1624. Under the influence of the **Italian Renaissance**, Caroline gardens began to shed some of the chaos of earlier designs, marking the beginning of a trends towards symmetrical unified designs that took the building architecture into account, and featuring an elevated terrace from which home and garden could be viewed. The only surviving Caroline garden is located at **Bolsover Castle** in **Derbyshire**, but is too simple to attract much interest. During the reign of **Charles II**, many new **Baroque** style country houses were built; while in England Oliver Cromwell sought to destroy many Tudor, Jacobean and Caroline style gardens.[30]

Design

[[edit](#)]

Main article: [Garden design](#)

Garden design is the process of creating plans for the layout and planting of gardens and [landscapes](#). Gardens may be designed by garden owners themselves, or by professionals. Professional garden designers tend to be trained in principles of design and [horticulture](#), and have a knowledge and experience of using plants. Some professional garden designers are also [landscape architects](#), a more formal level of training that usually requires an advanced degree and often an occupational [license](#).

Elements of garden design include the layout of hard landscape, such as paths, rockeries, walls, water features, sitting areas and decking, as well as the plants themselves, with consideration for their [horticultural](#) requirements, their season-to-season appearance, lifespan, [growth habit](#), size, speed of growth, and combinations with other plants and landscape features. Most gardens consist of a mixture of natural and constructed elements, although even very 'natural' gardens are always an inherently artificial creation. Natural elements present in a garden principally comprise flora (such as trees and [weeds](#)), fauna (such as [arthropods](#) and birds), soil, water, air and light. Constructed elements include not only paths, [patios](#), decking, sculptures, [drainage](#) systems, lights and buildings (such as [sheds](#), [gazebos](#), [pergolas](#) and [follies](#)), but also living constructions such as [flower beds](#), [ponds](#) and [lawns](#).

Garden needs of maintenance are also taken into consideration. Including the time or funds available for regular maintenance, (this can affect the choices of plants regarding speed of growth) spreading or self-seeding of the plants (annual or perennial), bloom-time, and many other characteristics. Garden design can be roughly divided into two groups, formal and naturalistic gardens. The most important consideration in any garden design is how the garden will be utilised, followed closely by the desired stylistic [genres](#), and the way the garden space will connect to the home or other structures in the surrounding areas. All of these considerations are subject to the budget limitations. Budget limitations can be addressed by a simpler garden style with fewer plants and less costly hard landscape materials, seeds rather than sod for lawns, and plants that grow quickly; alternatively, garden owners may choose to create their garden over time, area by area.^[34]

[Chehel Sotoun Garden, Isfahan, Iran](#)

○

Image not found or type unknown

Chehel Sotoun Garden,
Isfahan, Iran
Parc de Bagatelle, a rose garden in Paris

○

Image not found or type unknown

Parc de Bagatelle, a rose
garden in Paris
Garden of the Taj Mahal, India

○

Image not found or type unknown

Garden of the Taj Mahal,
India

Example of a garden attached to a place of worship: the cloister of the Abbey of Monreale, Sicily,

○

Image not found or type unknown

Example of a garden
attached to a place of
worship: the cloister of
the Abbey of Monreale,
Sicily, Italy

The Sunken Garden of Butchart Gardens, Victoria, British Columbia

○

Image not found or type unknown

The Sunken Garden of
Butchart Gardens,
Victoria, British Columbia
Gardens of Versailles (France)

○

Image not found or type unknown

Gardens of Versailles
(France)
The back garden of the Umaid Bhawan Palace in Jodhpur, India

○

Image not found or type unknown

The back garden of the
Umaid Bhawan Palace in
Jodhpur, India

Garden with fountains, Villa d'Este, Italy

○

Image not found or type unknown

Garden with fountains, Villa d'Este, Italy

Gardens at Colonial Williamsburg, Williamsburg, Virginia, feature many heirloom varieties of plants.

○

Image not found or type unknown

Gardens at Colonial Williamsburg, Williamsburg, Virginia, feature many heirloom varieties of plants.

Shitennōji (浄土院) is a Zen Buddhist temple in Honbo Garden in Osaka, Osaka

○

Image not found or type unknown

Shitennōji (浄土院) is a Zen Buddhist temple in Honbo Garden in Osaka, Osaka prefecture, Japan – an example of a Zen garden.

Types

[[edit](#)]

Main article: [List of garden types](#)

Types of gardens

Specific plant or purpose

Alpine garden, bog garden, cactus garden, fernery, flower garden, moss garden, orchard, physic garden (precursor to botanical gardens), pollinator garden, rose garden, water garden, wildlife garden (to sustain local wildlife), botanical garden, market garden (small-scale production of cash crops), victory garden (food grown to supplement wartime rations), butterfly garden, hydroponic garden (growing plants without soil), rain garden (reabsorption of rain run-off), and trial garden (testing and evaluating plants).

Specific style or aesthetic

Bonsai, color garden (monochromatic gardens or gardens designed with a visually appealing color scheme), Dutch garden, Garden room (secluded garden that has a "room-like" effect), German garden, Greek garden, knot garden (formal garden that is within a square frame), Mary garden (garden with a statue of the virgin Mary), monastic garden, Mughal garden, natural landscaping (using plants native to the area), paradise garden, Pekarangan, Persian garden, philosophical garden, pleasure garden, Roman garden, sacred garden, sensory garden, Shakespeare garden (garden featuring plants mentioned in the works of Shakespeare), Spanish garden, tea garden, therapeutic garden, tropical garden, xeriscaping, zen garden, Chinampa, walled garden, woodland garden

Placement

Back garden, school garden, cottage garden, forest garden, front yard, community garden, square foot garden, residential garden, roof garden, kitchen garden, shade garden

Material

Bottle garden, terrarium, greenhouse, green wall, hanging garden, container garden, sculpture garden, raised bed gardening, rock garden, cold frame

Environmental impact

[[edit](#)]

Main articles: [Sustainable gardening](#) and [Sustainable landscaping](#)

Gardeners may cause environmental damage by the way they garden, or they may enhance their local environment. Damage by gardeners can include direct [destruction of natural habitats](#) when houses and gardens are created; indirect [habitat destruction](#) and damage to provide garden materials such as [peat](#),^[35] rock for rock gardens,^[36] and by the use of tapwater to [irrigate](#) gardens; the death of living beings in the garden itself, such as the killing not only of [slugs](#) and [snails](#) but also their predators such as [hedgehogs](#) and [song thrushes](#) by [metaldehyde](#) slug killer; the death of living beings outside the garden, such as local species extinction by indiscriminate [plant collectors](#); and [climate change](#) caused by [greenhouse gases](#) produced by gardening.

Climate change

[\[edit\]](#)

Gardeners can help to prevent climate change in many ways, including the use of trees, shrubs, [ground cover plants](#) and other perennial plants in their gardens, turning garden waste into [soil organic matter](#) instead of burning it, keeping soil and compost heaps aerated, avoiding peat, switching from power tools to hand tools or changing their garden design so that power tools are not needed, and using [nitrogen-fixing](#) plants instead of nitrogen fertiliser.[\[37\]](#)

Climate change will have many impacts on gardens; some studies suggest most of them will be negative.[\[38\]](#) Gardens also contribute to climate change. Greenhouse gases can be produced by gardeners in many ways. The three main [greenhouse gases](#) are [carbon dioxide](#), [methane](#), and [nitrous oxide](#). Gardeners produce carbon dioxide directly by [overcultivating](#) soil and destroying [soil carbon](#), by burning garden waste on [bonfires](#), by using power tools which burn [fossil fuel](#) or use electricity generated by [fossil fuels](#), and by using [peat](#). Gardeners produce methane by compacting the soil and making it anaerobic, and by allowing their [compost heaps](#) to become compacted and anaerobic. Gardeners produce nitrous oxide by applying excess [nitrogen fertiliser](#) when plants are not actively growing so that the nitrogen in the fertiliser is converted by [soil bacteria](#) to nitrous oxide.

Irrigation

[\[edit\]](#)


Further information: [Rain garden](#)

See also: [Irrigation sprinkler](#), [drip irrigation](#), [greywater](#), and [hand pump](#)

Some gardeners manage their gardens without using any water from outside the garden. Examples in Britain include [Ventnor Botanic Garden](#) on the Isle of Wight, and parts of [Beth Chatto's](#) garden in Essex, Sticky Wicket garden in Dorset, and the Royal Horticultural Society's gardens at [Harlow Carr](#) and [Hyde Hall](#). [Rain gardens](#) absorb rainfall falling onto nearby hard surfaces, rather than sending it into stormwater drains.[\[39\]](#)

See also

[\[edit\]](#)

-  [Gardening portal](#)
- [Index of gardening articles](#)
- [Outline of organic gardening and farming](#)
- [List of professional gardeners](#)
- [List of horticulture and gardening books/publications](#)

References

[\[edit\]](#)

1. ^ ["Garden"](#). Cambridge Dictionary (Online ed.). [Archived](#) from the original on 27 March 2022. Retrieved 21 August 2022.
2. ^ Anguelovski, Isabelle. ["Urban gardening"](#).
3. ^ Turner, Tom (1 September 2005). [Garden History: Philosophy and Design 2000 BC – 2000 AD](#). Routledge. p. [\[page needed\]](#). ISBN 978-1-134-37082-5. [Archived](#) from the original on 28 August 2022. Retrieved 8 December 2021.
4. ^ Klindienst, Patricia (2006). [The Earth Knows My Name: Food, Culture, and Sustainability in the Gardens of Ethnic Americans](#). Beacon Press. p. [\[page needed\]](#). ISBN 978-0-8070-8562-2. [Archived](#) from the original on 2022-08-28. Retrieved 2021-12-08.
5. ^ Fusco, Dana (2001). ["Creating relevant science through urban planning and gardening"](#). *Journal of Research in Science Teaching*. **38** (8). Wiley Online Library: 860–877. [Bibcode: 2001JRScT..38..860F](#). doi:10.1002/tea.1036.
6. ^ ["Etymology of the modern word garden"](#). Merriam Webster. [Archived](#) from the original on 2010-02-21. Retrieved 2009-10-14.
7. ^ ["Etymology of words referring to enclosures, probably from a Sanskrit stem. In German, for example, Stuttgart. The word is generic for compounds and walled cities, as in Stalin grad, and the Russian word for city, gorod. Gird and girdle are also related"](#). Yourdictionary.com. [Archived](#) from the original on 2010-02-13.
8. ^ ["Oxford Dictionaries"](#). Oxford Dictionaries. [Archived](#) from the original on 2007-09-29. Retrieved 2007-05-24.
9. ^ Schur, Norman; Ehrlich, Eugene; Ehrlich, Richard (1987). *British English from A to Zed: A Definitive Guide to the Queen's English*. [Skyhorse](#). p. 146. ISBN 9781620875773.
10. ^ Feng Chaoxiong, *The Classical Gardens of Suzhou*, preface, and Bing Chiu, *Jardins de Chine, ou la quête du paradis*, Editions de La Martiniere, Paris 2010, p. 10–11.
11. ^ Tong Jun, Records of Jiang Gardens, cited in Feng Chaoxiong, *The Classical Gardens of Suzhou*.
12. ^ Translation in *Jardins de Chine, ou la quête du paradis*, cited in Che Bing Chiu, *Jardins de Chine, ou la quête du paradis*, p. 11.
13. ^ Tan, p. 10. See also Che Bing Chiu, *Jardins de Chine, ou la quête du paradis*, p. 11.
14. ^ Che Bing Chiu, *Jardins de Chine, ou la quête du paradis*, p. 11.
15. ^ Che Bing Chiu, *Jardins de Chine*, p. 12
16. ^ [a b](#) Nalini Sadhale and YL Nene (2010), Bhudharakrida in Manasollasa, *Asian Agri-History*, Vol. 14, No. 4, pages 319–335
17. ^ [Shrigondekar 1961](#).
18. ^ Singh, Ram Bachan (1976). "Cities and parks in ancient India". *Ekistics*. **42** (253): 372–376. [JSTOR 43618748](#).
19. ^ Nitschke, *Le Jardin Japonais*, p. 30.
20. ^ Hoare, James (January 1988). [Korea: An Introduction - Google Book Search](#). Kegan Paul International. ISBN 9780710302991. Retrieved 2009-01-12.
21. ^ ["Archived copy"](#). [Archived](#) from the original on 2011-09-28. Retrieved 2011-05-18.[cite web](#): CS1 maint: archived copy as title ([link](#))
22. ^ Samson, Alexander. *Locus Amoenus: Gardens and Horticulture in the Renaissance*, 2012 :6

23. ^ Samson, Alexander. *Locus Amoenus: Gardens and Horticulture in the Renaissance*, 2012 :8
24. ^ Wenzler, Architecture du jardin, pg. 12
25. ^ Philippe Prevot, *Histoire des jardins*, pg. 107
26. ^ Prevot, *Histoire des Jardins*, 114
27. ^ Bernard Jeannel, *Le Nôtre*, Éd. Hazan, p. 17
28. ^ Weiss, Allan (1995). *Mirrors of Infinity: The French Formal Garden and 17th-Century Metaphysics*. Princeton Architectural Press. p. 15. *ISBN 9781568980508*.
29. ^ Scurr, Ruth (2022). *Napoleon: A Life in Gardens and Shadows*. Vintage. p. 15.
30. ^ **a b c** Hayes, Gordon (2013). *Landscape and Garden Design: Lessons from History*. Whittle. pp. 1–3. *ISBN 978-1849950824*.
31. ^ Scurr, Ruth (2022). *Napoleon: A Life in Gardens and Shadows*. Vintage. p. 29.
32. ^ Calder, Martin (2006). *Experiencing the Garden in the Eighteenth Century*. Lang. p. 9. *ISBN 9783039102914*.
33. ^ Weiss, Allan (1995). *Mirrors of Infinity: The French Formal Garden and 17th-Century Metaphysics*. Princeton Architectural Press. p. 15. *ISBN 9781568980508*.
34. ^ **Chen 2010**, p. 3.
35. ^ Higgins, Adrian. *"Is this popular gardening material bad for the planet?"*. The Washington Post. Retrieved 29 August 2022.
36. ^ Lindenmayer, David; Claridge, Andrew (2003). *Wildlife on Farms: How to Conserve Native Animals*. Csiro. p. 25. *ISBN 9780643068667*. Retrieved 29 August 2022.
37. ^ Ingram, David S.; Vince-Prue, Daphne; Gregory, Peter J., eds. (2008). *Science and the Garden: The scientific basis of horticultural practice*. Oxford: Blackwell. *ISBN 978-1-4051-6063-6*.
38. ^ Bisgrove, R.; Hadley, P. (2002). *Gardening in the global greenhouse: the impacts of climate change on gardens in the UK (Report)*. *S2CID 127801132*.
39. ^ Dunnett and Clayden, Nigel and Andy (2007). *Rain Gardens: Managing Water Sustainably in the Garden and Designed Landscape*. Portland, OR: Timber Press. *ISBN 978-0-88192-826-6*.

Works cited

[[edit](#)]

- Chen, Gang (2010). *Planting design illustrated* (2nd ed.). Outskirts Press, Inc. *ISBN 978-1-4327-4197-6*.
- Shrigondekar, GK (1961). *Manasollasa of King Somesvara (Volume 3)* (in Sanskrit). Oriental Institute, Baroda.

External links

[[edit](#)]



not found or type unknown

Wikiquote has quotations related to **Garden**.

-  Media related to **Garden** at Wikimedia Commons

 image not found or type unknown

Wikisource has the text of the 1911 *Encyclopædia Britannica* article "**Garden**".

 image not found or type unknown

Wikibooks' *A Wikimanual of Gardening* has more about this subject:
gardening

- **v**
- **t**
- **e**

Horticulture and gardening

Gardening

- Allotment
- Arboretum
- Butterfly
- Climate-friendly gardening
- Community
- Forest
- Foodscaping
- French intensive
- Garden
- Garden design
 - computer-aided
- Groundskeeping
- Garden tool
- Green wall
- Guerrilla
- Historic conservation
- History
- Native
- Parterre
- Proplifting
- Raised bed
- Square foot
- Sustainable
- Xeriscaping

Types of gardens

- Alpine
- Ancient Egypt
- Australian
- Back
- Baroque
- Biblical
- Bog
- Botanical
- Bottle
- Butterfly
- Byzantine
- Cactus
- Colonial
- Color
- Communal
 - Garden square
- Community
- Container
- Cottage
- Dutch
- East Asian
 - Chinese
 - Cantonese
 - Japanese
 - Roji
 - Zen
 - Korean
 - Vietnamese
- English
 - Sharawadgi
- Fernery
- Floating
- Flower
- French
 - formal
 - landscape
 - Renaissance
- Front
- German
- Greek
- Greenhouse
- Hanging
- Islamic
- Italian
- Keyhole
- Kitchen
- Knot
- Market

Horticulture

- Agriculture
 - Permaculture
 - stock-free
 - sustainable
 - urban
- Arboriculture
- Bonsai
 - Saikei
- Botany
- Companion planting
- Crop
 - most valuable
- Cutting
- Flora
- Floriculture
 - Canada
 - Taiwan
- Hügelkultur
- Fruticulture
- Genetically modified tree
- Hydroculture
- Indigenous
- Intercropping
- Landscape architecture
- Olericulture
- Plant
 - breeding
 - cuttings
 - free-flowering
 - propagation
 - drought tolerance
 - hardiness
- Pomology
- Postharvest physiology
- Roguing
- Tropical
- Urban
 - agriculture
 - horticulture
 - forestry
 - reforestation
- Viticulture
- Monoculture

Organic

- [Biodynamic agriculture](#)
- [Grafting](#)
- [List of organic gardening and farming topics](#)
- [Vegan organic agriculture](#)

Plant protection

- [Fungicide](#)
- [Herbicide](#)
- [Index of pesticide articles](#)
- [List of fungicides](#)
- [List of insecticides](#)
- [Pesticide](#)
- [Plant disease forecasting](#)
- [Pruning](#)
- [Weed control](#)
 - [Aquamog weed remover](#)

Related articles

- [Community orchard](#)
- [Features](#)
- [Floral design](#)
 - [Floristry](#)
 - [Ikebana](#)
- [Groundskeeping](#)
- [Garden centre](#)
- [Garden tourism](#)
- [List of gardens](#)
- [Lists of plants](#)
- [Perennial](#)
- [Plant collecting](#)
- [Turf management](#)

- [Gardening portal](#)
- [Category](#)
- [Commons](#)
- [WikiProject](#)

Authority control databases [Edit this at Wikidata](#)

National

- Germany
- United States
- France
- BnF data
- Japan
- Czech Republic
- Spain
- Latvia
- Israel

Other

- Historical Dictionary of Switzerland
- NARA


About concrete

This article is about the construction material. For other uses, see [Concrete \(disambiguation\)](#). Not to be confused with [cement](#), [grout](#), [mortar](#), or [plaster](#).

This article **needs additional citations for [verification](#)**. Please help [improve this article](#) by [adding citations to reliable sources](#). Unsourced material may be challenged and removed.



Find sources: "Concrete" – [news](#) · [newspapers](#) · [books](#) · [scholar](#) · [JSTOR](#) (July 2022) ([Learn how and when to remove this message](#))



A single [concrete block](#), as used for construction

Concrete is a [composite material](#) composed of [aggregate](#) bonded together with a fluid [cement](#) that cures to a solid over time. Concrete is the second-most-used substance in the world after [water](#),^[1] and is the most widely used building material.^[2] Concrete is the most manufactured material on Earth.^[3]

When aggregate is mixed with dry **Portland cement** and **water**, the mixture forms a fluid **slurry** that can be poured and molded into shape. The cement reacts with the water through a process called hydration^[4] that hardens it over several hours to form a solid matrix that binds the materials together into a durable stone-like material that has many uses.^[5] This time allows concrete to not only be cast in forms, but also to have a variety of tooled processes performed. The hydration process is **exothermic**, which means that ambient temperature plays a significant role in how long it takes concrete to set. Often, additives (such as **pozzolans** or **superplasticizers**) are included in the mixture to improve the physical properties of the wet mix, delay or accelerate the curing time, or otherwise modify the finished material. Most structural concrete is poured with reinforcing materials (such as steel **rebar**) embedded to provide **tensile strength**, yielding **reinforced concrete**.

Before the invention of Portland cement in the early 1800s, **lime**-based cement binders, such as lime putty, were often used. The overwhelming majority of concretes are produced using Portland cement, but sometimes with other **hydraulic cements**, such as **calcium aluminate cement**.^{[6][7]} Many other non-cementitious **types of concrete** exist with other methods of binding aggregate together, including **asphalt concrete** with a **bitumen** binder, which is frequently used for **road surfaces**, and **polymer concretes** that use polymers as a binder.

Concrete is distinct from **mortar**.^[8] Whereas concrete is itself a building material, and contains both coarse (large) and fine (small) aggregate particles, mortar contains only fine aggregates and is mainly used as a bonding agent to hold **bricks**, **tiles** and other masonry units together.^[9] **Grout** is another material associated with concrete and cement. It also does not contain coarse aggregates and is usually either pourable or **thixotropic**, and is used to fill gaps between masonry components or coarse aggregate which has already been put in place. Some methods of concrete manufacture and repair involve pumping grout into the gaps to make up a solid mass *in situ*.

Etymology

[\[edit\]](#)

The word concrete comes from the **Latin** word "*concretus*" (meaning compact or condensed),^[10] the perfect passive participle of "*concrecere*", from "*con-*" (together) and "*crescere*" (to grow).

History

[\[edit\]](#)

Ancient times

[\[edit\]](#)

Concrete floors were found in the royal palace of **Tiryns**, Greece, which dates roughly to 1400 to 1200 BC.^{[11][12]} Lime mortars were used in Greece, such as in Crete and Cyprus, in 800 BC.

The **Assyrian** Jerwan Aqueduct (688 BC) made use of **waterproof concrete**.^[13] Concrete was used for construction in many ancient structures.^[14]


Mayan concrete at the ruins of **Uxmal** (AD 850–925) is referenced in *Incidents of Travel in the Yucatán* by **John L. Stephens**. "The roof is flat and had been covered with cement". "The floors were cement, in some places hard, but, by long exposure, broken, and now crumbling under the feet." "But throughout the wall was solid, and consisting of large stones imbedded in mortar, almost as hard as rock."

Small-scale production of concrete-like materials was pioneered by the **Nabatean** traders who occupied and controlled a series of oases and developed a small empire in the regions of southern Syria and northern Jordan from the 4th century BC. They discovered the advantages of **hydraulic lime**, with some self-cementing properties, by 700 BC. They built **kilns** to supply mortar for the construction of **rubble masonry** houses, concrete floors, and underground waterproof **cisterns**. They kept the cisterns secret as these enabled the Nabataeans to thrive in the desert.^[15] Some of these structures survive to this day.^[15]


In the **Ancient Egyptian** and later **Roman** eras, builders discovered that adding **volcanic ash** to **lime** allowed the mix to set underwater. They discovered the **pozzolanic reaction**.^[16]

Classical era


[\[edit\]](#)



Exterior of the **Roman Pantheon**, finished 128 AD, the largest unreinforced concrete **dome** in the world.^[17]



Interior of the Pantheon dome, seen from beneath. The concrete for the **coffered** dome was laid on moulds, mounted on temporary scaffolding.



Opus caementicium exposed in a characteristic Roman arch. In contrast to modern concrete structures, the concrete used in Roman buildings was usually covered with brick or stone.

The Romans used concrete extensively from 300 BC to AD 476.[18] During the Roman Empire, **Roman concrete** (or **opus caementicium**) was made from **quicklime**, **pozzolana** and an aggregate of **pumice**. [19] Its widespread use in many **Roman structures**, a key event in the **history of architecture** termed the **Roman architectural revolution**, freed **Roman construction** from the restrictions of stone and brick materials. It enabled revolutionary new designs in terms of both structural complexity and dimension.[20] The **Colosseum** in Rome was built largely of concrete, and the **Pantheon** has the world's largest unreinforced concrete dome.[21]

Concrete, as the Romans knew it, was a new and revolutionary material. Laid in the shape of **arches**, **vaults** and **domes**, it quickly hardened into a rigid mass, free from many of the internal thrusts and strains that troubled the builders of similar structures in stone or brick.[22]

Modern tests show that **opus caementicium** had a similar compressive strength to modern Portland-cement concrete (c. 200 kg/cm² [20 MPa; 2,800 psi]).[23] However, due to the absence of reinforcement, its **tensile strength** was far lower than modern **reinforced concrete**, and its mode of application also differed:[24]

Modern structural concrete differs from Roman concrete in two important details. First, its mix consistency is fluid and homogeneous, allowing it to be poured into forms rather than requiring hand-layering together with the placement of aggregate, which, in Roman practice, often consisted of **rubble**. Second, integral reinforcing steel gives modern concrete assemblies great strength in tension, whereas Roman concrete could depend only upon the strength of the concrete bonding to resist tension.[25]

The long-term durability of Roman concrete structures has been found to be due to its use of **pyroclastic** (volcanic) rock and ash, whereby the crystallization of **strätlingite** (a complex calcium aluminosilicate hydrate)[26] and the coalescence of this and similar calcium–aluminium–silicate–hydrate cementing binders helped give the concrete a greater degree of fracture resistance even in seismically active environments.[27] Roman concrete is significantly more resistant to erosion by seawater than modern concrete; it used pyroclastic materials which react with seawater to form Al-**tobermorite** crystals over time.[28][29] The use of hot mixing and the presence of lime clasts have been proposed to give the concrete a self-healing ability, where cracks that form become filled with calcite that prevents the crack from spreading.[30][31]

The widespread use of concrete in many Roman structures ensured that many survive to the present day. The **Baths of Caracalla** in Rome are just one example. Many **Roman aqueducts** and bridges, such as the magnificent **Pont du Gard** in southern France, have masonry cladding on a concrete core, as does the dome of the **Pantheon**.

Middle Ages


[edit]

After the Roman Empire, the use of burned lime and pozzolana was greatly reduced. Low kiln temperatures in the burning of lime, lack of pozzolana, and poor mixing all contributed to a decline in the quality of concrete and mortar. From the 11th century, the increased use of stone in church and **castle** construction led to an increased demand for mortar. Quality began to improve in the 12th century through better grinding and sieving. Medieval lime mortars and concretes were non-hydraulic and were used for binding masonry, "hearting" (binding **rubble masonry** cores) and foundations. **Bartholomaeus Anglicus** in his *De proprietatibus rerum* (1240) describes the making of mortar. In an English translation from 1397, it reads "lyme ... is a stone brent; by medlynge thereof with sonde and water sement is made". From the 14th century, the quality of mortar was again excellent, but only from the 17th century was pozzolana commonly added.[32]

The **Canal du Midi** was built using concrete in 1670.[33]

Industrial era

[edit]



Smeaton's Tower in Devon, England

Perhaps the greatest step forward in the modern use of concrete was **Smeaton's Tower**, built by British engineer **John Smeaton** in **Devon**, England, between 1756 and 1759. This third **Eddystone Lighthouse** pioneered the use of **hydraulic lime** in concrete, using pebbles and powdered brick as aggregate.[34]

A method for producing **Portland cement** was developed in England and patented by **Joseph Aspdin** in 1824.[35] Aspdin chose the name for its similarity to **Portland stone**, which was quarried on the **Isle of Portland** in **Dorset**, England. His son **William** continued developments into the 1840s, earning him recognition for the development of "modern" Portland cement.[36]


Reinforced concrete was invented in 1849 by **Joseph Monier**. [37] and the first reinforced concrete house was built by François Coignet [38] in 1853. The first concrete reinforced bridge was designed and built by **Joseph Monier** in 1875.[39]

Prestressed concrete and **post-tensioned concrete** were pioneered by **Eugène Freyssinet**, a French **structural** and **civil engineer**. Concrete components or structures are compressed by tendon cables during, or after, their fabrication in order to strengthen them against **tensile** forces developing when put in service. Freyssinet **patented** the technique on 2 October 1928.[40]

Composition

[edit]

Concrete is an artificial **composite material**, comprising a matrix of cementitious binder (typically **Portland cement** paste or **asphalt**) and a dispersed phase or "filler" of **aggregate** (typically a rocky material, loose stones, and sand). The binder "glues" the filler together to form a synthetic **conglomerate**. [41] Many **types of concrete** are available, determined by the formulations of binders and the types of aggregate used to suit the application of the engineered material. These variables determine strength and density, as well as chemical and thermal resistance of the finished product.



Cross section of a concrete **railway sleeper** below a rail

Construction aggregates consist of large chunks of material in a concrete mix, generally a coarse **gravel** or crushed rocks such as **limestone**, or **granite**, along with finer materials such as **sand**.

Cement paste, most commonly made of **Portland cement**, is the most prevalent kind of concrete binder. For cementitious binders, **water** is mixed with the dry cement powder and aggregate, which produces a semi-liquid slurry (paste) that can be shaped, typically by pouring it into a form. The concrete solidifies and hardens through a **chemical process** called **hydration**. The water reacts with the cement, which bonds the other components together, creating a robust, stone-like material. Other cementitious materials, such as **fly ash** and **slag cement**, are sometimes added—either pre-blended with the cement or directly as a concrete component—and become a part of the binder for the aggregate.^[42] Fly ash and slag can enhance some properties of concrete such as fresh properties and durability.^[42] Alternatively, other materials can also be used as a concrete binder: the most prevalent substitute is **asphalt**, which is used as the binder in **asphalt concrete**.

Admixtures are added to modify the cure rate or properties of the material. **Mineral admixtures** use recycled materials as concrete ingredients. Conspicuous materials include **fly ash**, a by-product of **coal-fired power plants**; **ground granulated blast furnace slag**, a by-product of **steelmaking**; and **silica fume**, a by-product of industrial **electric arc furnaces**.


Structures employing Portland cement concrete usually include **steel reinforcement** because this type of concrete can be formulated with high **compressive strength**, but always has lower **tensile strength**. Therefore, it is usually reinforced with materials that are strong in tension, typically **steel rebar**.

The **mix design** depends on the type of structure being built, how the concrete is mixed and delivered, and how it is placed to form the structure.

Cement

[\[edit\]](#)

Main article: **Cement**



Several tons of bagged cement, about two minutes of output from a 10,000 ton per day **cement kiln**

Portland cement is the most common type of cement in general usage. It is a basic ingredient of concrete, mortar, and many plasters.[43] It consists of a mixture of calcium silicates (alite, belite), aluminates and ferrites—compounds, which will react with water. Portland cement and similar materials are made by heating limestone (a source of calcium) with clay or shale (a source of silicon, aluminium and iron) and grinding this product (called clinker) with a source of sulfate (most commonly gypsum).

Cement kilns are extremely large, complex, and inherently dusty industrial installations. Of the various ingredients used to produce a given quantity of concrete, the cement is the most energetically expensive. Even complex and efficient kilns require 3.3 to 3.6 gigajoules of energy to produce a ton of clinker and then **grind it into cement**. Many kilns can be fueled with difficult-to-dispose-of wastes, the most common being used tires. The extremely high temperatures and long periods of time at those temperatures allows cement kilns to efficiently and completely burn even difficult-to-use fuels.[44] The five major compounds of calcium silicates and aluminates comprising Portland cement range from 5 to 50% in weight.

Curing

[edit]

Combining **water** with a cementitious material forms a cement paste by the process of hydration. The cement paste glues the aggregate together, fills voids within it, and makes it flow more freely.^[45]

As stated by **Abrams' law**, a lower water-to-cement ratio yields a stronger, more **durable** concrete, whereas more water gives a freer-flowing concrete with a higher **slump**.^[46] The hydration of cement involves many concurrent reactions. The process involves **polymerization**, the interlinking of the silicates and aluminate components as well as their bonding to sand and gravel particles to form a solid mass.^[47] One illustrative conversion is the hydration of tricalcium silicate:

Cement chemist notation: $C_3S + H \rightarrow C-S-H + CH + \text{heat}$

Standard notation: $\text{Ca}_3\text{SiO}_5 + \text{H}_2\text{O} ?$

$$\text{CaO}\ddot{\text{A}}\text{f}\ddot{\text{A}}\text{t}\ddot{\text{A}}\in^{\text{TM}}\ddot{\text{A}}\text{f}\ddot{\text{A}}\in\text{S}\ddot{\text{A}}, \text{Ä}\ddot{\text{A}}\text{f}\ddot{\text{A}}\text{c}\ddot{\text{A}}, -\ddot{\text{A}}\ddot{\text{A}}\text{f}\ddot{\text{A}}\text{c}\ddot{\text{A}}\ddot{\text{A}}\in\text{S}\ddot{\text{A}}-\ddot{\text{A}}\ddot{\text{A}}\in\text{Z}\ddot{\text{A}}\ddot{\text{A}}\text{f}\ddot{\text{A}}\text{c}\ddot{\text{A}}, -\ddot{\text{A}}\ddot{\text{A}}\text{f}\ddot{\text{A}}\in\text{S}\ddot{\text{A}}, \text{Ä}\rangle \text{SiO}_2\ddot{\text{A}}\text{f}\ddot{\text{A}}\text{t}\ddot{\text{A}}\in^{\text{TM}}\ddot{\text{A}}\text{f}\ddot{\text{A}}\in\text{S}\ddot{\text{A}}, \text{Ä}\ddot{\text{A}}\text{f}\ddot{\text{A}}\text{c}\ddot{\text{A}}, -\ddot{\text{A}}\ddot{\text{A}}\text{f}\ddot{\text{A}}\text{c}\ddot{\text{A}}\ddot{\text{A}}\in\text{S}\ddot{\text{A}}-\ddot{\text{A}}\ddot{\text{A}}\in\text{Z}\ddot{\text{A}}\ddot{\text{A}}\text{f}\ddot{\text{A}}\text{c}\ddot{\text{A}}, -\ddot{\text{A}}\ddot{\text{A}}\text{f}\ddot{\text{A}}\in\text{S}\ddot{\text{A}}, \text{Ä}\rangle \text{H}_2\text{O} (\text{gel}) + \text{Ca(OH)}_2 + \text{heat}$$

Balanced: $2 \text{Ca}_3\text{SiO}_5 + 7 \text{H}_2\text{O} \rightarrow 3 \text{C}_3\text{S}_3\text{H}_7$

$$\begin{aligned} & \text{CaO}\ddot{\text{f}}\text{A}'\tilde{\text{A}}\hat{\text{a}}\in^{\text{TM}}\tilde{\text{A}}\text{f}\hat{\text{a}}\in\tilde{\text{S}},\hat{\text{A}}\text{f}\text{A}'\tilde{\text{A}}\hat{\text{c}}\hat{\text{a}},-\hat{\text{A}}\tilde{\text{A}}\text{f}\hat{\text{c}}\tilde{\text{A}}\hat{\text{c}}\hat{\text{a}}\in\tilde{\text{S}}\hat{\text{A}}-\tilde{\text{A}}\hat{\text{c}}\hat{\text{a}}\in\tilde{\text{Z}}\hat{\text{A}}\tilde{\text{c}}\text{f}\text{A}'\tilde{\text{A}}\hat{\text{c}}\hat{\text{a}},-\hat{\text{A}}_{\text{i}}\tilde{\text{A}}\text{f}\hat{\text{a}}\in\tilde{\text{S}},\hat{\text{A}}\gg 2 \\ & \text{SiO}_2 \\ & \tilde{\text{A}}\text{f}\text{A}'\tilde{\text{A}}\hat{\text{a}}\in^{\text{TM}}\tilde{\text{A}}\text{f}\hat{\text{a}}\in\tilde{\text{S}},\hat{\text{A}}\text{f}\text{A}'\tilde{\text{A}}\hat{\text{c}}\hat{\text{a}},-\hat{\text{A}}\tilde{\text{A}}\text{f}\hat{\text{c}}\tilde{\text{A}}\hat{\text{c}}\hat{\text{a}}\in\tilde{\text{S}}\hat{\text{A}}-\tilde{\text{A}}\hat{\text{c}}\hat{\text{a}}\in\tilde{\text{Z}}\hat{\text{A}}\tilde{\text{c}}\text{f}\text{A}'\tilde{\text{A}}\hat{\text{c}}\hat{\text{a}},-\hat{\text{A}}_{\text{i}}\tilde{\text{A}}\text{f}\hat{\text{a}}\in\tilde{\text{S}},\hat{\text{A}}\gg 4 \quad \underline{\text{H}} \\ & \text{O (gel)} + 3 \text{ Ca(OH)}_2 + \text{heat} \end{aligned}$$


(approximately as the exact ratios of CaO, SiO₂ and H₂O in C-S-H can vary)[47]

The hydration (curing) of cement is irreversible.[48]

Aggregates

[[edit](#)]

Main article: [Construction aggregate](#)



Crushed stone [aggregates](#)

Fine and coarse aggregates make up the bulk of a concrete mixture. [Sand](#), natural gravel, and [crushed stone](#) are used mainly for this purpose. Recycled aggregates (from construction, demolition, and excavation waste) are increasingly used as partial replacements for natural aggregates, while a number of manufactured aggregates, including air-cooled [blast furnace slag](#) and [bottom ash](#) are also permitted.

The size distribution of the aggregate determines how much binder is required. Aggregate with a very even size distribution has the biggest gaps whereas adding aggregate with smaller particles tends to fill these gaps. The binder must fill the gaps between the aggregate as well as paste the surfaces of the aggregate together, and is typically the most expensive component. Thus, variation in sizes of the aggregate reduces the cost of concrete.^[49] The aggregate is nearly always stronger than the binder, so its use does not negatively affect the strength of the concrete.

Redistribution of aggregates after compaction often creates non-homogeneity due to the influence of vibration. This can lead to strength gradients.^[50]

Decorative stones such as [quartzite](#), small river stones or crushed glass are sometimes added to the surface of concrete for a decorative "exposed aggregate" finish, popular among landscape designers.

Admixtures

[[edit](#)]

Admixtures are materials in the form of powder or fluids that are added to the concrete to give it certain characteristics not obtainable with plain concrete mixes. Admixtures are defined as additions "made as the concrete mix is being prepared".^[51] The most common admixtures are retarders and accelerators. In normal use, admixture dosages are less than 5% by mass of cement and are added to the concrete at the time of batching/mixing.^[52] (See [§ Production](#)

below.) The common types of admixtures[53] are as follows:

- **Accelerators** speed up the hydration (hardening) of the concrete. Typical materials used are **calcium chloride**, **calcium nitrate** and **sodium nitrate**. However, use of chlorides may cause corrosion in steel reinforcing and is prohibited in some countries, so that nitrates may be favored, even though they are less effective than the chloride salt. Accelerating admixtures are especially useful for modifying the properties of concrete in cold weather.
- **Air entraining agents** add and entrain tiny air bubbles in the concrete, which reduces damage during **freeze-thaw** cycles, increasing **durability**. However, entrained air entails a tradeoff with strength, as each 1% of air may decrease compressive strength by 5%.[54] If too much air becomes trapped in the concrete as a result of the mixing process, **defoamers** can be used to encourage the air bubble to agglomerate, rise to the surface of the wet concrete and then disperse.
- Bonding agents are used to create a bond between old and new concrete (typically a type of polymer) with wide temperature tolerance and corrosion resistance.
- **Corrosion inhibitors** are used to minimize the corrosion of steel and steel bars in concrete.
- Crystalline admixtures are typically added during batching of the concrete to lower permeability. The reaction takes place when exposed to water and un-hydrated cement particles to form insoluble needle-shaped crystals, which fill capillary pores and micro-cracks in the concrete to block pathways for water and waterborne contaminants. Concrete with crystalline admixture can expect to self-seal as constant exposure to water will continuously initiate crystallization to ensure permanent waterproof protection.
- **Pigments** can be used to change the color of concrete, for aesthetics.
- **Plasticizers** increase the workability of plastic, or "fresh", concrete, allowing it to be placed more easily, with less consolidating effort. A typical plasticizer is lignosulfonate. Plasticizers can be used to reduce the water content of a concrete while maintaining workability and are sometimes called water-reducers due to this use. Such treatment improves its strength and durability characteristics.
- **Superplasticizers** (also called high-range water-reducers) are a class of plasticizers that have fewer deleterious effects and can be used to increase workability more than is practical with traditional plasticizers. Superplasticizers are used to increase compressive strength. It increases the **workability** of the concrete and lowers the need for water content by 15–30%.
- Pumping aids improve pumpability, thicken the paste and reduce separation and bleeding.
- **Retarders** slow the hydration of concrete and are used in large or difficult pours where partial setting is undesirable before completion of the pour. Typical retarders include **sugar**, **sodium gluconate**, **citric acid**, and **tartaric acid**.[55]

Mineral admixtures and blended cements

[edit]

Components of cement:

comparison of chemical and physical characteristics[a][56][57][58]

Property	Portland cement	Siliceous fly ash	Calcareous fly ash	Slag cement	Silica fume	
Proportion by mass (%)	SiO ₂	21.9	52	35	35	85–97
	Al ₂ O ₃	6.9	23	18	12	—
	Fe ₂ O ₃	3	11	6	1	—
	CaO	63	5	21	40	< 1
	MgO	2.5	—	—	—	—
	SO ₃	1.7	—	—	—	—
	Specific surface (m ² /kg) [d]	370	420	420	400	15,000–30,000
Specific gravity	3.15	2.38	2.65	2.94	2.22	
General purpose	Primary binder	Cement replacement	Cement replacement	Cement replacement	Property enhancer	

1. ^ Values shown are approximate: those of a specific material may vary.
2. ^ ASTM C618 Class F
3. ^ ASTM C618 Class C
4. ^ Specific surface measurements for silica fume by nitrogen adsorption (BET) method, others by **air permeability** method (Blaine).


Inorganic materials that have **pozzolanic** or latent hydraulic properties, these very **fine-grained** materials are added to the concrete mix to improve the properties of concrete (mineral admixtures),[52] or as a replacement for **Portland cement** (blended cements).[59] Products which incorporate **limestone**, **fly ash**, **blast furnace slag**, and other useful materials with **pozzolanic properties** into the mix, are being tested and used. These developments are ever growing in relevance to minimize the impacts caused by cement use, notorious for being one of the largest producers (at about 5 to 10%) of global **greenhouse gas emissions**. [60] The use of alternative materials also is capable of lowering costs, improving concrete properties, and recycling wastes, the latest being relevant for **circular economy** aspects of the **construction industry**, whose demand is ever growing with greater impacts on raw material extraction, waste generation and **landfill** practices.

- o **Fly ash**: A by-product of coal-fired **electric generating plants**, it is used to partially replace Portland cement (by up to 60% by mass). The properties of fly ash depend on the type of coal burnt. In general, siliceous fly ash is **pozzolanic**, while **calcareous** fly ash has latent hydraulic properties.[61]

- **Ground granulated blast furnace slag** (GGBFS or GGBS): A by-product of **steel production** is used to partially replace **Portland cement** (by up to 80% by mass). It has latent hydraulic properties.[62]
- **Silica fume**: A by-product of the production of **silicon** and **ferrosilicon alloys**. Silica fume is similar to fly ash, but has a particle size 100 times smaller. This results in a higher surface-to-volume ratio and a much faster **pozzolanic reaction**. Silica fume is used to increase strength and **durability** of concrete, but generally requires the use of superplasticizers for workability.[63]
- High reactivity **metakaolin** (HRM): Metakaolin produces concrete with **strength** and **durability** similar to concrete made with silica fume. While silica fume is usually dark gray or black in color, high-reactivity metakaolin is usually bright white in color, making it the preferred choice for architectural concrete where appearance is important.
- **Carbon nanofibers** can be added to concrete to enhance compressive strength and gain a higher **Young's modulus**, and also to improve the electrical properties required for strain monitoring, damage evaluation and self-health monitoring of concrete. Carbon fiber has many advantages in terms of mechanical and electrical properties (e.g., higher strength) and self-monitoring behavior due to the high **tensile strength** and high **electrical conductivity** .[64]
- Carbon products have been added to make concrete electrically conductive, for deicing purposes.[65]
- New research from Japan's **University of Kitakyushu** shows that a washed and dried recycled mix of used diapers can be an environmental solution to producing less landfill and using less sand in concrete production. A model home was built in Indonesia to test the strength and durability of the new diaper-cement composite.[66]

Production

[edit]



Concrete plant showing a **concrete mixer** being filled from ingredient silos



Concrete mixing plant in **Birmingham, Alabama**, in 1936

Concrete production is the process of mixing together the various ingredients—water, aggregate, cement, and any additives—to produce concrete. Concrete production is time-sensitive. Once the ingredients are mixed, workers must put the concrete in place before it hardens. In modern usage, most concrete production takes place in a large type of industrial facility called a **concrete plant**, or often a batch plant. The usual method of placement is casting in **formwork**, which holds the mix in shape until it has set enough to hold its shape unaided.

Concrete plants come in two main types, ready-mix plants and central mix plants. A ready-mix plant blends all of the solid ingredients, while a central mix does the same but adds water. A central-mix plant offers more precise control of the concrete quality. Central mix plants must be close to the work site where the concrete will be used, since hydration begins at the plant.

A concrete plant consists of large hoppers for storage of various ingredients like cement, storage for bulk ingredients like aggregate and water, mechanisms for the addition of various additives and amendments, machinery to accurately weigh, move, and mix some or all of those ingredients, and facilities to dispense the mixed concrete, often to a **concrete mixer** truck.

Modern concrete is usually prepared as a viscous fluid, so that it may be poured into forms. The forms are containers that define the desired shape. Concrete **formwork** can be prepared in several ways, such as **slip forming** and **steel plate construction**. Alternatively, concrete can be mixed into dryer, non-fluid forms and used in factory settings to manufacture **precast concrete** products.

Interruption in pouring the concrete can cause the initially placed material to begin to set before the next batch is added on top. This creates a horizontal plane of weakness called a *cold joint* between the two batches.^[67] Once the mix is where it should be, the curing process must be controlled to ensure that the concrete attains the desired attributes. During concrete preparation, various technical details may affect the quality and nature of the product.

Design mix

[**edit**]

Design mix ratios are decided by an engineer after analyzing the properties of the specific ingredients being used. Instead of using a 'nominal mix' of 1 part cement, 2 parts sand, and 4 parts aggregate, a civil engineer will custom-design a concrete mix to exactly meet the requirements of the site and conditions, setting material ratios and often designing an admixture package to fine-tune the properties or increase the performance envelope of the mix. Design-mix concrete can have very broad specifications that cannot be met with more basic nominal mixes, but the involvement of the engineer often increases the cost of the concrete mix.

Concrete mixes are primarily divided into nominal mix, standard mix and design mix.

Nominal mix ratios are given in volume of $\text{Cement} : \text{Sand} : \text{Aggregate}$ as a simple, fast way of getting a basic idea of the properties of the finished concrete without having to perform testing in advance.

Various governing bodies (such as [British Standards](#)) define nominal mix ratios into a number of grades, usually ranging from lower [compressive strength](#) to higher compressive strength. The grades usually indicate the 28-day cure strength.^[68]

Mixing

[\[edit\]](#)

See also: [Volumetric concrete mixer](#) and [Concrete mixer](#)

Thorough mixing is essential to produce uniform, high-quality concrete.


Separate paste mixing has shown that the mixing of cement and water into a paste before combining these materials with [aggregates](#) can increase the [compressive strength](#) of the resulting concrete.^[69] The paste is generally mixed in a *high-speed*, shear-type mixer at a [w/c](#) (water to cement ratio) of 0.30 to 0.45 by mass. The cement paste premix may include admixtures such as accelerators or retarders, [superplasticizers](#), [pigments](#), or [silica fume](#). The premixed paste is then blended with aggregates and any remaining batch water and final mixing is completed in conventional concrete mixing equipment.^[70]

Resonant acoustic mixing has also been found effective in producing ultra-high performance cementitious materials, as it produces a dense matrix with low porosity.^[71]


Sample analysis—workability

[\[edit\]](#)

Main article: [Concrete slump test](#)



Concrete floor of a [parking garage](#) being placed



Pouring and smoothing out concrete at Palisades Park in Washington, DC

Workability is the ability of a fresh (plastic) concrete mix to fill the form/mold properly with the desired work (pouring, pumping, spreading, tamping, vibration) and without reducing the concrete's quality. Workability depends on water content, aggregate (shape and size distribution), cementitious content and age (level of **hydration**) and can be modified by adding chemical admixtures, like superplasticizer. Raising the water content or adding chemical admixtures increases concrete workability. Excessive water leads to increased bleeding or **segregation of aggregates** (when the cement and aggregates start to separate), with the resulting concrete having reduced quality. Changes in gradation can also affect workability of the concrete, although a wide range of gradation can be used for various applications.[72][73] An undesirable gradation can mean using a large aggregate that is too large for the size of the formwork, or which has too few smaller aggregate grades to serve to fill the gaps between the larger grades, or using too little or too much sand for the same reason, or using too little water, or too much cement, or even using jagged crushed stone instead of smoother round aggregate such as pebbles. Any combination of these factors and others may result in a mix which is too harsh, i.e., which does not flow or spread out smoothly, is difficult to get into the formwork, and which is difficult to surface finish.[74]

Workability can be measured by the **concrete slump test**, a simple measure of the plasticity of a fresh batch of concrete following the **ASTM C 143** or **EN 12350-2** test standards. Slump is normally measured by filling an "**Abrams cone**" with a sample from a fresh batch of concrete. The cone is placed with the wide end down onto a level, non-absorptive surface. It is then filled in three layers of equal volume, with each layer being tamped with a steel rod to consolidate the layer. When the cone is carefully lifted off, the enclosed material slumps a certain amount, owing to gravity. A relatively dry sample slumps very little, having a slump value of one or two inches (25 or 50 mm) out of one foot (300 mm). A relatively wet concrete sample may slump as much as eight inches. Workability can also be measured by the **flow table test**.

Slump can be increased by addition of chemical admixtures such as plasticizer or **superplasticizer** without changing the **water-cement ratio**.^[75] Some other admixtures, especially air-entraining admixture, can increase the slump of a mix.

High-flow concrete, like **self-consolidating concrete**, is tested by other flow-measuring methods. One of these methods includes placing the cone on the narrow end and observing how the mix flows through the cone while it is gradually lifted.

After mixing, concrete is a fluid and can be pumped to the location where needed.

Curing

[**edit**]



A concrete slab being kept hydrated during water curing by submersion (ponding)

Maintaining optimal conditions for cement hydration

[edit]

Concrete must be kept moist during curing in order to achieve optimal strength and **durability**.^[76] During curing **hydration** occurs, allowing calcium-silicate hydrate (C-S-H) to form. Over 90% of a mix's final strength is typically reached within four weeks, with the remaining 10% achieved over years or even decades.^[77] The conversion of **calcium hydroxide** in the concrete into **calcium carbonate** from absorption of CO_2 over several decades further strengthens the concrete and makes it more resistant to damage. This **carbonation** reaction, however, lowers the pH of the cement pore solution and can corrode the reinforcement bars.

Hydration and hardening of concrete during the first three days is critical. Abnormally fast drying and shrinkage due to factors such as evaporation from wind during placement may lead to increased tensile stresses at a time when it has not yet gained sufficient strength, resulting in greater shrinkage cracking. The early strength of the concrete can be increased if it is kept damp during the curing process. Minimizing stress prior to curing minimizes cracking. High-early-strength concrete is designed to hydrate faster, often by increased use of cement that increases shrinkage and cracking. The strength of concrete changes (increases) for up to three years. It depends on cross-section dimension of elements and conditions of structure exploitation.^[50] Addition of short-cut polymer fibers can improve (reduce) shrinkage-induced stresses during curing and increase early and ultimate compression strength.^[78]

Properly curing concrete leads to increased strength and lower permeability and avoids cracking where the surface dries out prematurely. Care must also be taken to avoid freezing or overheating due to the **exothermic** setting of cement. Improper curing can cause **spalling**, reduced strength, poor **abrasion** resistance and **cracking**.

Curing techniques avoiding water loss by evaporation

[edit]

During the curing period, concrete is ideally maintained at controlled temperature and humidity. To ensure full hydration during curing, concrete slabs are often sprayed with "curing compounds" that create a water-retaining film over the concrete. Typical films are made of wax or related hydrophobic compounds. After the concrete is sufficiently cured, the film is allowed to abrade from the concrete through normal use.^[79]

Traditional conditions for curing involve spraying or ponding the concrete surface with water. The adjacent picture shows one of many ways to achieve this, ponding—submerging setting concrete in water and wrapping in plastic to prevent dehydration. Additional common curing methods include wet burlap and plastic sheeting covering the fresh concrete.

For higher-strength applications, [accelerated curing](#) techniques may be applied to the concrete. A common technique involves heating the poured concrete with steam, which serves to both keep it damp and raise the temperature so that the hydration process proceeds more quickly and more thoroughly.

Alternative types

[\[edit\]](#)

Main article: [Types of concrete](#)

Asphalt

[\[edit\]](#)

Main article: [Asphalt concrete](#)

Asphalt concrete (commonly called *asphalt*,^{[\[80\]](#)} *blacktop*, or *pavement* in North America, and *tarmac*, *bitumen macadam*, or *rolled asphalt* in the [United Kingdom](#) and [Ireland](#)) is a [composite material](#) commonly used to surface [roads](#), [parking lots](#), [airports](#), as well as the core of [embankment dams](#).^{[\[81\]](#)} Asphalt mixtures have been used in pavement construction since the beginning of the twentieth century.^{[\[82\]](#)} It consists of [mineral aggregate bound](#) together with [asphalt](#), laid in layers, and compacted. The process was refined and enhanced by Belgian inventor and U.S. immigrant [Edward De Smedt](#).^{[\[83\]](#)}

The terms *asphalt* (or *asphaltic*) *concrete*, *bituminous asphalt concrete*, and *bituminous mixture* are typically used only in [engineering](#) and construction documents, which define concrete as any composite material composed of mineral aggregate adhered with a binder. The abbreviation, *AC*, is sometimes used for *asphalt concrete* but can also denote *asphalt content* or *asphalt cement*, referring to the liquid asphalt portion of the composite material.

Graphene enhanced concrete

[\[edit\]](#)

Graphene enhanced concretes are standard designs of concrete mixes, except that during the cement-mixing or production process, a small amount of chemically engineered [graphene](#) (typically < 0.5% by weight) is added.^{[\[84\]](#)}^{[\[85\]](#)} These enhanced graphene concretes are designed around the concrete application.

Microbial


[\[edit\]](#)

Bacteria such as *Bacillus pasteurii*, *Bacillus pseudofirmus*, *Bacillus cohnii*, *Sporosarcina pasteurii*, and *Arthrobacter crystallopoietes* increase the compression strength of concrete through their biomass. However some forms of bacteria can also be concrete-destroying.^{[\[86\]](#)} *Bacillus* sp. CT-

5. can reduce corrosion of reinforcement in reinforced concrete by up to four times. *Sporosarcina pasteurii* reduces water and chloride permeability. *B. pasteurii* increases resistance to acid.[87] *Bacillus pasteurii* and *B. sphaericus* can induce calcium carbonate precipitation in the surface of cracks, adding compression strength.[88]

Nanoconcrete

[edit]



Decorative plate made of Nano concrete with High-Energy Mixing (HEM)

Nanoconcrete (also spelled "nano concrete" or "nano-concrete") is a class of materials that contains Portland cement particles that are no greater than 100 μm [89] and particles of silica no greater than 500 μm , which fill voids that would otherwise occur in normal concrete, thereby substantially increasing the material's strength.[90] It is widely used in foot and highway bridges where high flexural and compressive strength are indicated.[88]

Pervious

[edit]

Main article: [Pervious concrete](#)

Pervious concrete is a mix of specially graded coarse aggregate, cement, water, and little-to-no fine aggregates. This concrete is also known as "no-fines" or porous concrete. Mixing the ingredients in a carefully controlled process creates a paste that coats and bonds the aggregate particles. The hardened concrete contains interconnected air voids totaling approximately 15 to 25 percent. Water runs through the voids in the pavement to the soil underneath. Air entrainment admixtures are often used in freeze-thaw climates to minimize the possibility of frost damage. Pervious concrete also permits rainwater to filter through roads and parking lots, to recharge aquifers, instead of contributing to runoff and flooding.[91]

Polymer

[edit]

Main article: [Polymer concrete](#)

Polymer concretes are mixtures of aggregate and any of various polymers and may be reinforced. The cement is costlier than lime-based cements, but polymer concretes nevertheless have advantages; they have significant tensile strength even without reinforcement, and they are largely impervious to water. Polymer concretes are frequently used for the repair and construction of other applications, such as drains.

Plant fibers

[[edit](#)]

Plant fibers and particles can be used in a concrete mix or as a reinforcement.^{[92][93][94]} These materials can increase ductility but the lignocellulosic particles hydrolyze during concrete curing as a result of alkaline environment and elevated temperatures^{[95][96][97]} Such process, that is difficult to measure,^[98] can affect the properties of the resulting concrete.

Sulfur concrete

[[edit](#)]

Main article: [Sulfur concrete](#)

Sulfur concrete is a special concrete that uses sulfur as a binder and does not require cement or water.

Volcanic

[[edit](#)]

Volcanic concrete substitutes volcanic rock for the limestone that is burned to form clinker. It consumes a similar amount of energy, but does not directly emit carbon as a byproduct.^[99] Volcanic rock/ash are used as supplementary cementitious materials in concrete to improve the resistance to sulfate, chloride and alkali silica reaction due to pore refinement.^[100] Also, they are generally cost effective in comparison to other aggregates,^[101] good for semi and light weight concretes,^[101] and good for thermal and acoustic insulation.^[101]

Pyroclastic materials, such as pumice, scoria, and ashes are formed from cooling magma during explosive volcanic eruptions. They are used as supplementary cementitious materials (SCM) or as aggregates for cements and concretes.^[102] They have been extensively used since ancient times to produce materials for building applications. For example, pumice and other volcanic glasses were added as a natural pozzolanic material for mortars and plasters during the construction of the Villa San Marco in the Roman period (89 BC – 79 AD), which remain one of the best-preserved otium villae of the Bay of Naples in Italy.^[103]

Waste light

[[edit](#)]

Main article: [Waste light concrete](#)

Waste light is a form of polymer modified concrete. The specific polymer admixture allows the replacement of all the traditional aggregates (gravel, sand, stone) by any mixture of solid waste materials in the grain size of 3–10 mm to form a low-compressive-strength ($3\text{--}20\text{ N/mm}^2$) product^[104] for road and building construction. One cubic meter of waste light concrete contains $1.1\text{--}1.3\text{ m}^3$ of shredded waste and no other aggregates.

Recycled Aggregate Concrete (RAC)

[[edit](#)]



This section **does not cite any sources**. Please help [improve this section](#) by [adding citations to reliable sources](#). Unsourced material may be challenged and [removed](#). (October 2024) ([Learn how and when to remove this message](#))

Recycled aggregate concretes are standard concrete mixes with the addition or substitution of natural aggregates with recycled aggregates sourced from construction and demolition wastes, disused pre-cast concretes or masonry. In most cases, recycled aggregate concrete results in higher water absorption levels by capillary action and permeation, which are the prominent determiners of the strength and durability of the resulting concrete. The increase in water absorption levels is mainly caused by the porous adhered mortar that exists in the recycled aggregates. Accordingly, recycled concrete aggregates that have been washed to reduce the quantity of mortar adhered to aggregates show lower water absorption levels compared to untreated recycled aggregates.

The quality of the recycled aggregate concrete is determined by several factors, including the size, the number of replacement cycles, and the moisture levels of the recycled aggregates. When the recycled concrete aggregates are crushed into coarser fractures, the mixed concrete shows better permeability levels, resulting in an overall increase in strength. In contrast, recycled masonry aggregates provide better qualities when crushed in finer fractures. With each generation of recycled concrete, the resulting compressive strength decreases.


Properties

[[edit](#)]

Main article: [Properties of concrete](#)

Concrete has relatively high [compressive strength](#), but much lower [tensile strength](#).^[105] Therefore, it is usually [reinforced](#) with materials that are strong in tension (often steel). The elasticity of concrete is relatively constant at low stress levels but starts decreasing at higher stress levels as matrix cracking develops. Concrete has a very low [coefficient of thermal expansion](#) and shrinks as it matures. All concrete structures crack to some extent, due to shrinkage and tension. Concrete that is subjected to long-duration forces is prone to [creep](#).

Tests can be performed to ensure that the properties of concrete correspond to specifications for the application.



Compression testing of a concrete cylinder

The ingredients affect the strengths of the material. Concrete strength values are usually specified as the lower-bound compressive strength of either a cylindrical or cubic specimen as determined by standard test procedures.

The strengths of concrete is dictated by its function. Very low-strength—14 MPa (2,000 psi) or less—concrete may be used when the concrete must be lightweight.^[106] Lightweight concrete is often achieved by adding air, foams, or lightweight aggregates, with the side effect that the strength is reduced. For most routine uses, 20 to 32 MPa (2,900 to 4,600 psi) concrete is often used. 40 MPa (5,800 psi) concrete is readily commercially available as a more durable, although more expensive, option. Higher-strength concrete is often used for larger civil projects.^[107] Strengths above 40 MPa (5,800 psi) are often used for specific building elements. For example, the lower floor columns of high-rise concrete buildings may use concrete of 80 MPa (11,600 psi) or more, to keep the size of the columns small. Bridges may use long beams of high-strength concrete to lower the number of spans required.^{[108][109]} Occasionally, other structural needs may require high-strength concrete. If a structure must be very rigid, concrete of very high strength may be specified, even much stronger than is required to bear the service loads. Strengths as high as 130 MPa (18,900 psi) have been used commercially for these reasons.^[108]

Energy efficiency

[\[edit\]](#)


The cement produced for making concrete accounts for about 8% of worldwide CO₂ emissions per year (compared to, e.g., global aviation at 1.9%).^{[110][111]} The two **largest sources** of CO₂ are produced by the cement manufacturing process, arising from (1) the decarbonation reaction of **limestone** in the **cement kiln** (T ? 950 °C), and (2) from the combustion of **fossil fuel** to reach the **sintering** temperature (T ? 1450 °C) of **cement clinker** in the kiln. The energy required for extracting, crushing, and mixing the raw materials (**construction aggregates** used in the concrete production, and also **limestone** and **clay** feeding the **cement kiln**) is lower. Energy requirement for

transportation of **ready-mix concrete** is also lower because it is produced nearby the construction site from local resources, typically manufactured within 100 kilometers of the job site.[112] The overall **embodied energy** of concrete at roughly 1 to 1.5 megajoules per kilogram is therefore lower than for many structural and construction materials.[113]

Once in place, concrete offers a great energy efficiency over the lifetime of a building.[114] Concrete walls leak air far less than those made of wood frames.[115] Air leakage accounts for a large percentage of energy loss from a home. The thermal mass properties of concrete increase the efficiency of both residential and commercial buildings. By storing and releasing the energy needed for heating or cooling, concrete's thermal mass delivers year-round benefits by reducing temperature swings inside and minimizing heating and cooling costs.[116] While insulation reduces energy loss through the building envelope, thermal mass uses walls to store and release energy. Modern concrete wall systems use both external insulation and thermal mass to create an energy-efficient building. Insulating concrete forms (ICFs) are hollow blocks or panels made of either insulating foam or **rastra** that are stacked to form the shape of the walls of a building and then filled with reinforced concrete to create the structure.

Fire safety

[edit]



Boston City Hall (1968) is a **Brutalist** design constructed largely of precast and poured in place concrete.

Concrete buildings are more resistant to fire than those constructed using steel frames, since concrete has lower heat conductivity than steel and can thus last longer under the same fire conditions. Concrete is sometimes used as a fire protection for steel frames, for the same effect as above. Concrete as a fire shield, for example **Fondu fyre**, can also be used in extreme environments like a missile launch pad.

Options for non-combustible construction include floors, ceilings and roofs made of cast-in-place and hollow-core precast concrete. For walls, concrete masonry technology and **Insulating Concrete Forms** (ICFs) are additional options. ICFs are hollow blocks or panels made of fireproof insulating foam that are stacked to form the shape of the walls of a building and then filled with reinforced concrete to create the structure.

Concrete also provides good resistance against externally applied forces such as high winds, hurricanes, and tornadoes owing to its lateral stiffness, which results in minimal horizontal

movement. However, this stiffness can work against certain types of concrete structures, particularly where a relatively higher flexing structure is required to resist more extreme forces.


Earthquake safety

[\[edit\]](#)

As discussed above, concrete is very strong in compression, but weak in tension. Larger earthquakes can generate very large shear loads on structures. These shear loads subject the structure to both tensile and compressional loads. Concrete structures without reinforcement, like other unreinforced masonry structures, can fail during severe earthquake shaking. Unreinforced masonry structures constitute one of the largest earthquake risks globally.[\[117\]](#) These risks can be reduced through seismic retrofitting of at-risk buildings, (e.g. school buildings in Istanbul, Turkey).[\[118\]](#)

Construction

[\[edit\]](#)




The [City Court Building](#) in [Buffalo, New York](#)

Concrete is one of the most durable building materials. It provides superior fire resistance compared with wooden construction and gains strength over time. Structures made of concrete can have a long service life.[\[119\]](#) Concrete is used more than any other artificial material in the world.[\[120\]](#) As of 2006, about 7.5 billion cubic meters of concrete are made each year, more than one cubic meter for every person on Earth.[\[121\]](#)

Reinforced

[\[edit\]](#)

Main article: [Reinforced concrete](#)



Christ the Redeemer statue in **Rio de Janeiro**, Brazil. It is made of reinforced concrete clad in a mosaic of thousands of triangular **soapstone** tiles.^[122]

The use of reinforcement, in the form of iron was introduced in the 1850s by French industrialist François Coignet, and it was not until the 1880s that German civil engineer G. A. Wayss used steel as reinforcement. Concrete is a relatively brittle material that is strong under compression but less in tension. Plain, unreinforced concrete is unsuitable for many structures as it is relatively poor at withstanding stresses induced by vibrations, wind loading, and so on. Hence, to increase its overall strength, steel rods, wires, mesh or cables can be embedded in concrete before it is set. This reinforcement, often known as rebar, resists tensile forces.^[123]

Reinforced concrete (RC) is a versatile composite and one of the most widely used materials in modern construction. It is made up of different constituent materials with very different properties that complement each other. In the case of reinforced concrete, the component materials are almost always concrete and steel. These two materials form a strong bond together and are able to resist a variety of applied forces, effectively acting as a single structural element.^[124]

Reinforced concrete can be precast or cast-in-place (in situ) concrete, and is used in a wide range of applications such as; slab, wall, beam, column, foundation, and frame construction. Reinforcement is generally placed in areas of the concrete that are likely to be subject to tension, such as the lower portion of beams. Usually, there is a minimum of 50 mm cover, both above and below the steel reinforcement, to resist spalling and corrosion which can lead to structural instability.^[123] Other types of non-steel reinforcement, such as **Fibre-reinforced concretes** are used for specialized applications, predominately as a means of controlling cracking.^[124]

Precast

^[edit]

Main article: **Precast concrete**

Precast concrete is concrete which is cast in one place for use elsewhere and is a mobile material. The largest part of precast production is carried out in the works of specialist suppliers, although in some instances, due to economic and geographical factors, scale of product or difficulty of access, the elements are cast on or adjacent to the construction site.^[125] Precasting offers considerable advantages because it is carried out in a controlled environment, protected from the elements, but the downside of this is the contribution to greenhouse gas emission from

transportation to the construction site.[124]


Advantages to be achieved by employing precast concrete:[125]

- Preferred dimension schemes exist, with elements of tried and tested designs available from a catalogue.
- Major savings in time result from manufacture of structural elements apart from the series of events which determine overall duration of the construction, known by planning engineers as the 'critical path'.
- Availability of Laboratory facilities capable of the required control tests, many being certified for specific testing in accordance with National Standards.
- Equipment with capability suited to specific types of production such as stressing beds with appropriate capacity, moulds and machinery dedicated to particular products.
- High-quality finishes achieved direct from the mould eliminate the need for interior decoration and ensure low maintenance costs.

Mass structures

[edit]

Main article: [Mass concrete](#)



Aerial photo of reconstruction at [Taum Sauk](#) (Missouri) pumped storage facility in late November 2009. After the original reservoir failed, the new reservoir was made of roller-compacted concrete.

Due to cement's [exothermic](#) chemical reaction while setting up, large concrete structures such as [dams](#), [navigation locks](#), large mat foundations, and large [breakwaters](#) generate excessive heat during hydration and associated expansion. To mitigate these effects, *post-cooling*[\[126\]](#) is commonly applied during construction. An early example at Hoover Dam used a network of pipes between vertical concrete placements to circulate cooling water during the curing process to avoid damaging overheating. Similar systems are still used; depending on volume of the pour, the concrete mix used, and ambient air temperature, the cooling process may last for many months after the concrete is placed. Various methods also are used to pre-cool the concrete mix in mass concrete structures.[\[126\]](#)


Another approach to mass concrete structures that minimizes cement's thermal by-product is the use of [roller-compacted concrete](#), which uses a dry mix which has a much lower cooling

requirement than conventional wet placement. It is deposited in thick layers as a semi-dry material then roller **compacted** into a dense, strong mass.

Surface finishes

[**edit**]

Main article: **Decorative concrete**



Black basalt polished concrete floor

Raw concrete surfaces tend to be porous and have a relatively uninteresting appearance. Many finishes can be applied to improve the appearance and preserve the surface against staining, water penetration, and freezing.

Examples of improved appearance include **stamped concrete** where the wet concrete has a pattern impressed on the surface, to give a paved, cobbled or brick-like effect, and may be accompanied with coloration. Another popular effect for flooring and table tops is **polished concrete** where the concrete is polished optically flat with diamond abrasives and sealed with polymers or other sealants.


Other finishes can be achieved with chiseling, or more conventional techniques such as painting or covering it with other materials.

The proper treatment of the surface of concrete, and therefore its characteristics, is an important stage in the construction and renovation of architectural structures.^[127]

Prestressed

[**edit**]

Main article: **Prestressed concrete**



Stylized cacti decorate a sound/retaining wall in [Scottsdale, Arizona](#)

Prestressed concrete is a form of reinforced concrete that builds in **compressive stresses** during construction to oppose tensile stresses experienced in use. This can greatly reduce the weight of beams or slabs, by better distributing the stresses in the structure to make optimal use of the reinforcement. For example, a horizontal beam tends to sag. Prestressed reinforcement along the bottom of the beam counteracts this. In pre-tensioned concrete, the prestressing is achieved by using steel or polymer tendons or bars that are subjected to a tensile force prior to casting, or for post-tensioned concrete, after casting.

There are two different systems being used:[\[124\]](#)

- **Pretensioned concrete** is almost always precast, and contains steel wires (tendons) that are held in tension while the concrete is placed and sets around them.
- **Post-tensioned concrete** has ducts through it. After the concrete has gained strength, tendons are pulled through the ducts and stressed. The ducts are then filled with grout. Bridges built in this way have experienced considerable corrosion of the tendons, so external post-tensioning may now be used in which the tendons run along the outer surface of the concrete.

More than 55,000 miles (89,000 km) of highways in the United States are paved with this material. **Reinforced concrete**, **prestressed concrete** and **precast concrete** are the most widely used **types of concrete** functional extensions in modern days. For more information see [Brutalist architecture](#).


Placement

[\[edit\]](#)

Once mixed, concrete is typically transported to the place where it is intended to become a structural item. Various methods of transportation and placement are used depending on the distances involved, quantity needed, and other details of application. Large amounts are often transported by truck, poured free under gravity or through a **tremie**, or **pumped** through a pipe. Smaller amounts may be carried in a skip (a metal container which can be tilted or opened to release the contents, usually transported by crane or hoist), or wheelbarrow, or carried in toggle bags for manual placement underwater.

Cold weather placement

[\[edit\]](#)



Pohjolatalo, an office building made of concrete in the city center of **Kouvola** in **Kymenlaakso**, Finland

Extreme weather conditions (extreme heat or cold; windy conditions, and humidity variations) can significantly alter the quality of concrete. Many precautions are observed in cold weather placement.^[128] Low temperatures significantly slow the chemical reactions involved in hydration of cement, thus affecting the strength development. Preventing freezing is the most important precaution, as formation of ice crystals can cause damage to the crystalline structure of the hydrated cement paste. If the surface of the concrete pour is insulated from the outside temperatures, the heat of hydration will prevent freezing.

The **American Concrete Institute** (ACI) definition of cold weather placement, ACI 306,^[129] is:

- A period when for more than three successive days the average daily air temperature drops below 40 °F (~ 4.5 °C), and
- Temperature stays below 50 °F (10 °C) for more than one-half of any 24-hour period.

In **Canada**, where temperatures tend to be much lower during the cold season, the following criteria are used by **CSA A23.1**:


- When the air temperature is ≤ 5 °C, and
- When there is a probability that the temperature may fall below 5 °C within 24 hours of placing the concrete.

The minimum strength before exposing concrete to extreme cold is 500 psi (3.4 MPa). CSA A 23.1 specified a compressive strength of 7.0 MPa to be considered safe for exposure to freezing.

Underwater placement

[edit]

See also: **Underwater construction**



Assembled tremie placing concrete underwater

Concrete may be placed and cured underwater. Care must be taken in the placement method to prevent washing out the cement. Underwater placement methods include the **tremie**, pumping, skip placement, manual placement using toggle bags, and bagwork.[130]

A tremie is a vertical, or near-vertical, pipe with a hopper at the top used to pour concrete underwater in a way that avoids washout of cement from the mix due to turbulent water contact with the concrete while it is flowing. This produces a more reliable strength of the product. The toggle bag method is generally used for placing small quantities and for repairs. Wet concrete is loaded into a reusable canvas bag and squeezed out at the required place by the diver. Care must be taken to avoid washout of the cement and fines.

Underwater bagwork is the manual placement by divers of woven cloth bags containing dry mix, followed by piercing the bags with steel rebar pins to tie the bags together after every two or three layers, and create a path for hydration to induce curing, which can typically take about 6 to 12 hours for initial hardening and full hardening by the next day. Bagwork concrete will generally reach full strength within 28 days. Each bag must be pierced by at least one, and preferably up to four pins. Bagwork is a simple and convenient method of underwater concrete placement which does not require pumps, plant, or formwork, and which can minimise environmental effects from dispersing cement in the water. Prefilled bags are available, which are sealed to prevent premature hydration if stored in suitable dry conditions. The bags may be biodegradable.[131]

Grouted aggregate is an alternative method of forming a concrete mass underwater, where the forms are filled with coarse aggregate and the voids then completely filled from the bottom by displacing the water with pumped **grout**. [130]

Roads

[edit]

Concrete roads are more fuel efficient to drive on,[132] more reflective and last significantly longer than other paving surfaces, yet have a much smaller market share than other paving solutions. Modern-paving methods and design practices have changed the economics of concrete paving, so that a well-designed and placed concrete pavement will be less expensive on initial costs and significantly less expensive over the life cycle. Another major benefit is that **pervious concrete** can be used, which eliminates the need to place **storm drains** near the road, and reducing the need for slightly sloped roadway to help rainwater to run off. No longer requiring discarding rainwater through use of drains also means that less electricity is needed (more pumping is otherwise needed in the water-distribution system), and no rainwater gets

polluted as it no longer mixes with polluted water. Rather, it is immediately absorbed by the ground.^[*citation needed*]

Tube forest

[*edit*]

Cement molded into a forest of tubular structures can be 5.6 times more resistant to cracking/failure than standard concrete. The approach mimics mammalian **cortical bone** that features elliptical, hollow **osteons** suspended in an organic matrix, connected by relatively weak "cement lines". Cement lines provide a preferable in-plane crack path. This design fails via a "stepwise toughening mechanism". Cracks are contained within the tube, reducing spreading, by dissipating energy at each tube/step.^[133]

Environment, health and safety

[*edit*]

Main article: **Environmental impact of concrete**



This section may be **unbalanced** towards certain viewpoints. Please **improve the article** or discuss the issue on the **talk page**. (*January 2024*)


The manufacture and use of concrete produce a wide range of environmental, economic and social impacts.

Health and safety

[*edit*]

See also: **Occupational dust exposure § Construction**

Concrete dust emission from the use of power tool



Recycled crushed concrete, to be reused as granular fill, is loaded into a semi-dump truck

Grinding of concrete can produce **hazardous dust**. Exposure to cement dust can lead to issues such as **silicosis**, kidney disease, skin irritation and similar effects. The U.S. **National Institute for**

Occupational Safety and Health in the United States recommends attaching local exhaust ventilation shrouds to electric concrete grinders to control the spread of this dust. In addition, the **Occupational Safety and Health Administration** (OSHA) has placed more stringent regulations on companies whose workers regularly come into contact with silica dust. An updated silica rule, which OSHA put into effect 23 September 2017 for construction companies, restricted the amount of breathable crystalline silica workers could legally come into contact with to 50 micro grams per cubic meter of air per 8-hour workday. That same rule went into effect 23 June 2018 for general industry, **hydraulic fracturing** and maritime. That deadline was extended to 23 June 2021 for engineering controls in the hydraulic fracturing industry. Companies which fail to meet the tightened safety regulations can face financial charges and extensive penalties. The presence of some substances in concrete, including useful and unwanted additives, can cause health concerns due to toxicity and radioactivity. Fresh concrete (before curing is complete) is highly alkaline and must be handled with proper protective equipment.

Cement

[edit]

A major component of concrete is **cement**, a fine powder used mainly to bind sand and coarser aggregates together in concrete. Although a variety of cement types exist, the most common is "**Portland cement**", which is produced by mixing clinker with smaller quantities of other additives such as gypsum and ground limestone. The production of clinker, the main constituent of cement, is responsible for the bulk of the sector's greenhouse gas emissions, including both energy intensity and process emissions.[134]

The cement industry is one of the three primary producers of carbon dioxide, a major greenhouse gas – the other two being energy production and transportation industries. On average, every tonne of cement produced releases one tonne of CO₂ into the atmosphere. Pioneer cement manufacturers have claimed to reach lower carbon intensities, with 590 kg of CO₂eq per tonne of cement produced.[135] The emissions are due to combustion and calcination processes,[136] which roughly account for 40% and 60% of the greenhouse gases, respectively. Considering that cement is only a fraction of the constituents of concrete, it is estimated that a tonne of concrete is responsible for emitting about 100–200 kg of CO₂. [137][138] Every year more than 10 billion tonnes of concrete are used worldwide.[138] In the coming years, large quantities of concrete will continue to be used, and the mitigation of CO₂ emissions from the sector will be even more critical.

Concrete is used to create hard surfaces that contribute to **surface runoff**, which can cause heavy soil erosion, water pollution, and flooding, but conversely can be used to divert, dam, and control flooding. **Concrete dust** released by building **demolition** and natural disasters can be a major source of dangerous **air pollution**. Concrete is a contributor to the **urban heat island** effect, though less so than **asphalt**.

Climate change mitigation

[[edit](#)]

Reducing the cement clinker content might have positive effects on the environmental life-cycle assessment of concrete. Some research work on reducing the cement clinker content in concrete has already been carried out. However, there exist different research strategies. Often replacement of some clinker for large amounts of slag or fly ash was investigated based on conventional concrete technology. This could lead to a waste of scarce raw materials such as slag and fly ash. The aim of other research activities is the efficient use of cement and reactive materials like slag and fly ash in concrete based on a modified mix design approach.[139]

The embodied carbon of a precast concrete facade can be reduced by 50% when using the presented fiber reinforced high performance concrete in place of typical reinforced concrete cladding.[140] Studies have been conducted about commercialization of low-carbon concretes. Life cycle assessment (LCA) of low-carbon concrete was investigated according to the ground granulated blast-furnace slag (GGBS) and fly ash (FA) replacement ratios. Global warming potential (GWP) of GGBS decreased by 1.1 kg CO₂ eq/m³, while FA decreased by 17.3 kg CO₂ eq/m³ when the mineral admixture replacement ratio was increased by 10%. This study also compared the compressive strength properties of binary blended low-carbon concrete according to the replacement ratios, and the applicable range of mixing proportions was derived.[141]


Climate change adaptation

[[edit](#)]

High-performance building materials will be particularly important for enhancing resilience, including for flood defenses and critical-infrastructure protection.[142] Risks to infrastructure and cities posed by extreme weather events are especially serious for those places exposed to flood and hurricane damage, but also where residents need protection from extreme summer temperatures. Traditional concrete can come under strain when exposed to humidity and higher concentrations of atmospheric CO₂. While concrete is likely to remain important in applications where the environment is challenging, novel, smarter and more adaptable materials are also needed.[138][143]

End-of-life: degradation and waste

[[edit](#)]



The **Tunkhannock Viaduct** in northeastern Pennsylvania opened in 1915 and is still in regular use today

This paragraph is an excerpt from **Concrete degradation**.[\[edit\]](#)

Concrete degradation may have many different causes. Concrete is mostly damaged by the **corrosion** of **reinforcement bars** due to the **carbonatation** of hardened **cement** paste or chloride attack under wet conditions. Chemical damage is caused by the formation of expansive products produced by chemical reactions (from **carbonatation**, chlorides, sulfates and distillate water), by aggressive chemical species present in **groundwater** and **seawater** (chlorides, sulfates, magnesium ions), or by microorganisms (**bacteria**, **fungi**...) Other damaging processes can also involve calcium leaching by water infiltration, physical phenomena initiating cracks formation and propagation, fire or radiant heat, aggregate expansion, sea water effects, leaching, and erosion by fast-flowing water.[\[144\]](#)

Recycling

[\[edit\]](#)

This paragraph is an excerpt from **Concrete recycling**.[\[edit\]](#)

Concrete recycling is the use of rubble from demolished concrete structures. **Recycling** is cheaper and more ecological than trucking rubble to a **landfill**.[\[145\]](#) Crushed rubble can be used for road gravel, **revetments**, retaining walls, landscaping gravel, or raw material for new concrete. Large pieces can be used as bricks or slabs, or incorporated with new concrete into structures, a material called urbanite.[\[146\]](#)[\[147\]](#)

There have been concerns about the recycling of painted concrete due to possible lead content. Studies have indicated that recycled concrete exhibits lower strength and durability compared to concrete produced using natural aggregates.[\[148\]](#)[\[149\]](#)[\[150\]](#)[\[151\]](#) This deficiency can be addressed by incorporating supplementary materials such as fly ash into the mixture.[\[152\]](#)

World records

[\[edit\]](#)

The world record for the largest concrete pour in a single project is the **Three Gorges Dam** in Hubei Province, China by the Three Gorges Corporation. The amount of concrete used in the construction of the dam is estimated at 16 million cubic meters over 17 years. The previous record was 12.3 million cubic meters held by **Itaipu hydropower station** in Brazil.[\[153\]](#)[\[154\]](#)[\[155\]](#)

The world record for concrete pumping was set on 7 August 2009 during the construction of the **Parbati** Hydroelectric Project, near the village of Suind, **Himachal Pradesh**, India, when the concrete mix was pumped through a vertical height of 715 m (2,346 ft).[\[156\]](#)[\[157\]](#)

The **Polavaram dam** works in **Andhra Pradesh** on 6 January 2019 entered the **Guinness World Records** by pouring 32,100 cubic metres of concrete in 24 hours.[\[158\]](#) The world record for the largest continuously poured concrete raft was achieved in August 2007 in Abu Dhabi by

contracting firm Al Habtoor-CCC Joint Venture and the concrete supplier is Unibeton Ready Mix.[159][160] The pour (a part of the foundation for the Abu Dhabi's **Landmark Tower**) was 16,000 cubic meters of concrete poured within a two-day period.[161] The previous record, 13,200 cubic meters poured in 54 hours despite a severe tropical storm requiring the site to be covered with **tarpaulins** to allow work to continue, was achieved in 1992 by joint Japanese and South Korean consortiums **Hazama Corporation** and the **Samsung C&T Corporation** for the construction of the **Petronas Towers** in **Kuala Lumpur**, Malaysia.[162]

The world record for largest continuously poured concrete floor was completed 8 November 1997, in **Louisville**, Kentucky by design-build firm EXXCEL Project Management. The monolithic placement consisted of 225,000 square feet (20,900 m²) of concrete placed in 30 hours, finished to a flatness tolerance of F_F 54.60 and a levelness tolerance of F_L 43.83. This surpassed the previous record by 50% in total volume and 7.5% in total area.[163][164]

The record for the largest continuously placed underwater concrete pour was completed 18 October 2010, in New Orleans, Louisiana by contractor C. J. Mahan Construction Company, LLC of Grove City, Ohio. The placement consisted of 10,251 cubic yards of concrete placed in 58.5 hours using two concrete pumps and two dedicated concrete batch plants. Upon curing, this placement allows the 50,180-square-foot (4,662 m²) cofferdam to be dewatered approximately 26 feet (7.9 m) below sea level to allow the construction of the **Inner Harbor Navigation Canal Sill & Monolith Project** to be completed in the dry.[165]

Art

[edit]

Concrete is used as an artistic medium.[*citation needed*] Its appearance is also imitated in other media: for example Congolese artist **Sardoine Mia** creates canvases that look like concrete surfaces.[166]

See also

[edit]

- **Concrete leveling** – Process to level concrete by levelling its underlying foundation
- **Concrete mixer** – Device that combines cement, aggregate, and water to form concrete
- **Concrete masonry unit** – Standard-sized block used in construction
- **Concrete plant** – Equipment that combines various ingredients to form concrete
- **Eurocode 2: Design of concrete structures**
- **Heavy metals** – Loosely defined subset of elements that exhibit metallic properties
- **Hempcrete** – Biocomposite material used for construction and insulation
- **Particulates** – Microscopic solid or liquid matter suspended in the Earth's atmosphere
- **Schmidt hammer** – Type of measuring instrument
- **Syncrete** – Synthetic form of concrete
- **Thermal integrity profiling** – Method used to test concrete

References

[edit]

1. ^ Gagg, Colin R. (May 2014). "Cement and concrete as an engineering material: An historic appraisal and case study analysis". *Engineering Failure Analysis*. **40**: 114–140. doi: 10.1016/j.engfailanal.2014.02.004.
2. ^ Crow, James Mitchell (March 2008). "*The concrete conundrum*" (PDF). *Chemistry World*: 62–66. Archived (PDF) from the original on 9 October 2022.
3. ^ "*Cement Statistics and Information*". USGS.gov. United States Geological Survey. Retrieved 21 March 2025.
4. ^ "*Scientific Principles*". matse1.matse.illinois.edu. Retrieved 24 May 2023.
5. ^ Li, Zongjin (2011). *Advanced concrete technology*. John Wiley & Sons. ISBN 978-0-470-90243-1.
6. ^ Industrial Resources Council (2008). "*Portland Cement Concrete*". www.industrialresourcescouncil.org. Retrieved 15 June 2018.
7. ^ National Highway Institute. "*Portland Cement Concrete Materials*" (PDF). *Federal Highway Administration*. Archived (PDF) from the original on 9 October 2022.
8. ^ Limbachiya, Mukesh C.; Kew, Hsein Y. (3 September 2008). *Excellence in Concrete Construction through Innovation: Proceedings of the conference held at the Kingston University, United Kingdom, 9 - 10 September 2008*. CRC Press. p. 115. ISBN 978-0-203-88344-0.
9. ^ Allen, Edward; Iano, Joseph (2013). *Fundamentals of building construction: materials and methods* (Sixth ed.). Hoboken: John Wiley & Sons. p. 314. ISBN 978-1-118-42086-7. OCLC 835621943.
10. ^ "*concretus*". Latin Lookup. Archived from the original on 12 May 2013. Retrieved 1 October 2012.
11. ^ Heinrich Schliemann; Wilhelm Dörpfeld; Felix Adler (1885). *Tiryns: The Prehistoric Palace of the Kings of Tiryns, the Results of the Latest Excavations*. New York: Charles Scribner's Sons. pp. 190, 203–204, 215.
12. ^ Sparavigna, Amelia Carolina (2011). "Ancient concrete works". arXiv:1110.5230 [physics.pop-ph].
13. ^ Jacobsen T and Lloyd S, (1935) "Sennacherib's Aqueduct at Jerwan," *Oriental Institute Publications* 24, Chicago University Press
14. ^ Stella L. Marusin (1 January 1996). "*Ancient Concrete Structures*". *Concrete International* . **18** (1): 56–58.
15. ^ a b Gromicko, Nick; Shepard, Kenton (2016). "*The History of Concrete*". International Association of Certified Home Inspectors, Inc. Retrieved 27 December 2018.
16. ^ "*Riddle solved: Why was Roman concrete so durable?*". MIT News | Massachusetts Institute of Technology. 6 January 2023. Retrieved 25 October 2024.
17. ^ Moore, David (6 October 2014). "*Roman Concrete Research*". Romanconcrete.com. Archived from the original on 6 October 2014. Retrieved 13 August 2022.
18. ^ "*The History of Concrete*". Dept. of Materials Science and Engineering, University of Illinois, Urbana-Champaign. Archived from the original on 27 November 2012. Retrieved 8

January 2013.

19. ^ Chiu, Y. C. (2010). *An Introduction to the History of Project Management: From the Earliest Times to A.D. 1900*. Eburon Uitgeverij B.V. p. 50. ISBN 978-90-5972-437-2.
20. ^ Lancaster, Lynne (2005). *Concrete Vaulted Construction in Imperial Rome. Innovations in Context*. Cambridge University Press. ISBN 978-0-511-16068-4.
21. ^ Moore, David (1999). "*The Pantheon*". romanconcrete.com. Archived from the original on 1 October 2011. Retrieved 26 September 2011.
22. ^ D.S. Robertson (1969). *Greek and Roman Architecture*, Cambridge, p. 233
23. ^ Cowan, Henry J. (1977). *The master builders: a history of structural and environmental design from ancient Egypt to the nineteenth century*. New York: Wiley. ISBN 0-471-02740-5 . OCLC 2896326.
24. ^ "CIVL 1101". www.ce.memphis.edu. Archived from the original on 27 February 2017.
25. ^ Robert Mark, Paul Hutchinson: "On the Structure of the Roman Pantheon", *Art Bulletin*, Vol. 68, No. 1 (1986), p. 26, fn. 5
26. ^ Kwan, Stephen; Larosa, Judith; Grutzeck, Michael W. (1995). "29Si and 27Al MASNMR Study of Stratlingite". *Journal of the American Ceramic Society*. **78** (7): 1921–1926. doi: 10.1111/j.1151-2916.1995.tb08910.x.
27. ^ Jackson, Marie D.; Landis, Eric N.; Brune, Philip F.; Vitti, Massimo; Chen, Heng; Li, Qinfei; Kunz, Martin; Wenk, Hans-Rudolf; Monteiro, Paulo J. M.; Ingraffea, Anthony R. (30 December 2014). "*Mechanical resilience and cementitious processes in Imperial Roman architectural mortar*". *PNAS*. **111** (52): 18484–18489. Bibcode:2014PNAS..11118484J. doi: 10.1073/pnas.1417456111. PMC 4284584. PMID 25512521.
28. ^ Marie D. Jackson; Sean R. Mulcahy; Heng Chen; Yao Li; Qinfei Li; Piergiulio Cappelletti; Hans-Rudolf Wenk (3 July 2017). "*Phillipsite and Al-tobermorite mineral cements produced through low-temperature water-rock reactions in Roman marine concrete*". *American Mineralogist*. **102** (7): 1435–1450. Bibcode:2017AmMin.102.1435J. doi:10.2138/am-2017-5993CCBY. S2CID 53452767.
29. ^ Knapton, Sarah (3 July 2017). "*Secret of how Roman concrete survived tidal battering for 2,000 years revealed*". *The Telegraph*. Archived from the original on 4 July 2017.
30. ^ Seymour, Linda M.; Maragh, Janille; Sabatini, Paolo; Di Tommaso, Michel; Weaver, James C.; Masic, Admir (6 January 2023). "*Hot mixing: Mechanistic insights into the durability of ancient Roman concrete*". *Science Advances*. **9** (1): eadd1602. Bibcode: 2023SciA....9D1602S. doi:10.1126/sciadv.add1602. PMC 9821858. PMID 36608117.
31. ^ Starr, Michelle (1 February 2024). "*We Finally Know How Ancient Roman Concrete Was Able to Last Thousands of Years*". *ScienceAlert*. Retrieved 1 February 2024.
32. ^ Peter Hewlett and Martin Liska (eds.), *Lea's Chemistry of Cement and Concrete*, 5th ed. (Butterworth-Heinemann, 2019), pp. 3–4.
33. ^ Rassia, Stamatina Th; Pardalos, Panos M. (15 August 2013). *Cities for Smart Environmental and Energy Futures: Impacts on Architecture and Technology*. Springer Science & Business Media. p. 58. ISBN 978-3-642-37661-0.
34. ^ Nick Gromicko & Kenton Shepard. "*the History of Concrete*". *The International Association of Certified Home Inspectors (InterNACHI)*. Archived from the original on 15 January 2013. Retrieved 8 January 2013.
35. ^ Herring, Benjamin. "*The Secrets of Roman Concrete*" (PDF). *Romanconcrete.com*. Archived (PDF) from the original on 15 September 2012. Retrieved 1 October 2012.

36. ^ Courland, Robert (2011). *Concrete planet: the strange and fascinating story of the world's most common man-made material*. Amherst, NY: Prometheus Books. ISBN 978-1-61614-481-4. Archived from the original on 4 November 2015. Retrieved 28 August 2015.
37. ^ "The History of Concrete and Cement". ThoughtCo. 9 April 2012. Retrieved 13 August 2022.
38. ^ "Francois Coignet – French house builder". Retrieved 23 December 2016.
39. ^ « Château de Chazelet » [archive], notice no PA00097319, base Mérimée, ministère français de la Culture.
40. ^ Billington, David (1985). *The Tower and the Bridge*. Princeton: Princeton University Press. ISBN 0-691-02393-X.
41. ^ "Concrete: Scientific Principles". matse1.matse.illinois.edu. Retrieved 6 October 2021.
42. ^ a b Askarian, Mahya; Fakhretaha Aval, Siavash; Joshaghani, Alireza (22 January 2019). "A comprehensive experimental study on the performance of pumice powder in self-compacting concrete (SCC)". *Journal of Sustainable Cement-Based Materials*. 7 (6): 340–356. doi:10.1080/21650373.2018.1511486. S2CID 139554392.
43. ^ Melander, John M.; Farny, James A.; Isberner, Albert W. Jr. (2003). *"Portland Cement Plaster/Stucco Manual"* (PDF). Portland Cement Association. Archived (PDF) from the original on 12 April 2021. Retrieved 13 July 2021.
44. ^ Evelien Cochez; Wouter Nijs; Giorgio Simbolotti & Giancarlo Tosato. *"Cement Production"* (PDF). IEA ETSAP – Energy Technology Systems Analysis Programme. Archived from the original (PDF) on 24 January 2013. Retrieved 9 January 2013.
45. ^ Gibbons, Jack (7 January 2008). *"Measuring Water in Concrete"*. Concrete Construction. Archived from the original on 11 May 2013. Retrieved 1 October 2012.
46. ^ "Chapter 9: Designing and Proportioning Normal Concrete Mixtures" (PDF). PCA manual. Portland Concrete Association. Archived (PDF) from the original on 26 May 2012. Retrieved 1 October 2012.
47. ^ a b "Cement hydration". Understanding Cement. Archived from the original on 17 October 2012. Retrieved 1 October 2012.
48. ^ Beaudoin, James; Odler, Ivan (2019). "Hydration, Setting and Hardening of Portland Cement". *Lea's Chemistry of Cement and Concrete*. pp. 157–250. doi:10.1016/B978-0-08-100773-0.00005-8. ISBN 978-0-08-100773-0.
49. ^ "The Effect of Aggregate Properties on Concrete". www.engr.psu.edu. Engr.psu.edu. 25 December 2012. Archived from the original on 25 December 2012. Retrieved 13 August 2022.
50. ^ a b Veretennykov, Vitaliy I.; Yugov, Anatoliy M.; Dolmatov, Andriy O.; Bulavytskyi, Maksym S.; Kukharev, Dmytro I.; Bulavytskyi, Artem S. (2008). "Concrete Inhomogeneity of Vertical Cast-in-Place Elements in Skeleton-Type Buildings". AEI 2008. pp. 1–10. doi:10.1061/41002(328)17. ISBN 978-0-7844-1002-8.
51. ^ Gerry Bye; Paul Livesey; Leslie Struble (2011). *"Admixtures and Special Cements"*. Portland Cement: Third edition. doi:10.1680/pc.36116.185 (inactive 1 November 2024). ISBN 978-0-7277-3611-6.cite book: CS1 maint: DOI inactive as of November 2024 (link)
52. ^ a b U.S. Federal Highway Administration (14 June 1999). *"Admixtures"*. Archived from the original on 27 January 2007. Retrieved 25 January 2007.
53. ^ Cement Admixture Association. *"Admixture Types"*. Archived from the original on 3 September 2011. Retrieved 25 December 2010.

54. ^ Hamakareem, Madeh Izat (14 November 2013). *"Effect of Air Entrainment on Concrete Strength"*. The Constructor. Retrieved 13 November 2020.
55. ^ Bensted, John (1 January 1998), Hewlett, Peter C. (ed.), *"14 - Special Cements"*, Lea's Chemistry of Cement and Concrete (Fourth Edition), Oxford: Butterworth-Heinemann, pp. 783–840, doi:10.1016/b978-075066256-7/50026-6, ISBN 978-0-7506-6256-7, retrieved 3 November 2024
56. ^ Holland, Terence C. (2005). *"Silica Fume User's Manual"* (PDF). Silica Fume Association and United States Department of Transportation Federal Highway Administration Technical Report FHWA-IF-05-016. Retrieved 31 October 2014.
57. ^ Kosmatka, S.; Kerkhoff, B.; Panerese, W. (2002). Design and Control of Concrete Mixtures (14 ed.). Portland Cement Association, Skokie, Illinois.
58. ^ Gamble, William. "Cement, Mortar, and Concrete". In Baumeister; Avallone; Baumeister (eds.). Mark's Handbook for Mechanical Engineers (Eighth ed.). McGraw Hill. Section 6, page 177.
59. ^ Kosmatka, S.H.; Panarese, W.C. (1988). Design and Control of Concrete Mixtures. Skokie, IL: Portland Cement Association. pp. 17, 42, 70, 184. ISBN 978-0-89312-087-0.
60. ^ *"Paving the way to greenhouse gas reductions"*. MIT News | Massachusetts Institute of Technology. 28 August 2011. Archived from the original on 31 October 2012. Retrieved 13 August 2022.
61. ^ U.S. Federal Highway Administration (14 June 1999). *"Fly Ash"*. Archived from the original on 21 June 2007. Retrieved 24 January 2007.
62. ^ U.S. Federal Highway Administration. *"Ground Granulated Blast-Furnace Slag"*. Archived from the original on 22 January 2007. Retrieved 24 January 2007.
63. ^ U.S. Federal Highway Administration. *"Silica Fume"*. Archived from the original on 22 January 2007. Retrieved 24 January 2007.
64. ^ Mullapudi, Taraka Ravi Shankar; Gao, Di; Ayoub, Ashraf (September 2013). "Non-destructive evaluation of carbon nanofibre concrete". Magazine of Concrete Research. **65** (18): 1081–1091. doi:10.1680/mac.12.00187.
65. ^ Tuan, Christopher; Yehia, Sherif (1 July 2004). *"Evaluation of Electrically Conductive Concrete Containing Carbon Products for Deicing"*. ACI Materials Journal. **101** (4): 287–293.
66. ^ Kloosterman, Karin (23 May 2023). *"Tiny house built from diapers and concrete"*. Green Prophet. Retrieved 6 October 2024.
67. ^ *"Cold Joints"*. www.concrete.org.uk. The Concrete Society. Archived from the original on 4 March 2016. Retrieved 30 December 2015.
68. ^ *"Grades of Concrete with Proportion (Mix Ratio)"*. 26 March 2018.
69. ^ *"Concrete International"*. concrete.org. 1 November 1989. Archived from the original on 28 September 2007. Retrieved 13 August 2022.
70. ^ *"ACI 304R-00: Guide for Measuring, Mixing, Transporting, and Placing Concrete (Reapproved 2009)"*.
71. ^ Vandenberg, Aileen; Wille, Kay (2 June 2019). *"The Effects of Resonant Acoustic Mixing on the Microstructure of UHPC"*. International Interactive Symposium on Ultra-High Performance Concrete. **2** (1). doi:10.21838/uhpc.9636. ISSN 0000-0000.
72. ^ Sarviel, Ed (1993). *Construction Estimating Reference Data*. Craftsman Book Company. p. 74. ISBN 978-0-934041-84-3.

73. ^ Cook, Marllon Daniel; Ghaeezadah, Ashkan; Ley, M. Tyler (1 February 2018). "Impacts of Coarse-Aggregate Gradation on the Workability of Slip-Formed Concrete". *Journal of Materials in Civil Engineering*. **30** (2). doi:10.1061/(ASCE)MT.1943-5533.0002126.
74. ^ "Aggregate in Concrete – the Concrete Network". Archived from the original on 2 February 2017. Retrieved 15 January 2017.
75. ^ Ferrari, L.; Kaufmann, J.; Winnefeld, F.; Plank, J. (October 2011). "Multi-method approach to study influence of superplasticizers on cement suspensions". *Cement and Concrete Research*. **41** (10): 1058–1066. doi:10.1016/j.cemconres.2011.06.010.
76. ^ "Curing Concrete" Peter C. Taylor CRC Press 2013. ISBN 978-0-415-77952-4. eBook ISBN 978-0-203-86613-9
77. ^ "Concrete Testing". Archived from the original on 24 October 2008. Retrieved 10 November 2008.
78. ^ ""Admixtures for Cementitious Applications."" (PDF). Archived from the original (PDF) on 17 October 2016.
79. ^ "Home" (PDF). Archived (PDF) from the original on 8 December 2015. Retrieved 12 November 2015.
80. ^ The American Heritage Dictionary of the English Language. Boston: Houghton Mifflin Harcourt. 2011. p. 106. ISBN 978-0-547-04101-8.
81. ^ "Asphalt concrete cores for embankment dams". International Water Power and Dam Construction. Archived from the original on 7 July 2012. Retrieved 3 April 2011.
82. ^ Polaczyk, Pawel; Huang, Baoshan; Shu, Xiang; Gong, Hongren (September 2019). "Investigation into Locking Point of Asphalt Mixtures Utilizing Superpave and Marshall Compactors". *Journal of Materials in Civil Engineering*. **31** (9). doi:10.1061/(ASCE)MT.1943-5533.0002839. S2CID 197635732.
83. ^ Reid, Carlton (2015). *Roads Were Not Built for Cars: How Cyclists Were the First to Push for Good Roads & Became the Pioneers of Motoring*. Island Press. p. 120. ISBN 978-1-61091-689-9.
84. ^ Dalal, Sejal P.; Dalal, Purvang (March 2021). "Experimental Investigation on Strength and Durability of Graphene Nanoengineered Concrete". *Construction and Building Materials*. **276**: 122236. doi:10.1016/j.conbuildmat.2020.122236. S2CID 233663658.
85. ^ Dalal, Sejal P.; Desai, Kandarp; Shah, Dhairya; Prajapati, Sanjay; Dalal, Purvang; Gandhi, Vimal; Shukla, Atindra; Vithlani, Ravi (January 2022). "Strength and feasibility aspects of concrete mixes induced with low-cost surfactant functionalized graphene powder". *Asian Journal of Civil Engineering*. **23** (1): 39–52. doi:10.1007/s42107-021-00407-7. S2CID 257110774.
86. ^ Falkow, Stanley; Rosenberg, Eugene; Schleifer, Karl-Heinz; Stackebrandt, Erko (13 July 2006). *The Prokaryotes: Vol. 2: Ecophysiology and Biochemistry*. Springer Science & Business Media. p. 1005. ISBN 978-0-387-25492-0.
87. ^ Metwally, Gehad A. M.; Mahdy, Mohamed; Abd El-Raheem, Ahmed El-Raheem H. (August 2020). "Performance of Bio Concrete by Using Bacillus Pasteurii Bacteria". *Civil Engineering Journal*. **6** (8): 1443–1456. doi:10.28991/cej-2020-03091559.
88. ^ a b Raju, N. Krishna (2018). *Prestressed Concrete, 6e*. McGraw-Hill Education. p. 1131. ISBN 978-93-87886-25-4.
89. ^ Tiwari, AK; Chowdhury, Subrato (2013). "An over view of the application of nanotechnology in construction materials". *Proceedings of the International Symposium on*

Engineering under Uncertainty: Safety Assessment and Management (ISEUSAM-2012). Cakrabarti, Subrata; Bhattacharya, Gautam. New Delhi: Springer India. p. 485. ISBN 978-81-322-0757-3. OCLC 831413888.

90. ^ Thanmanaselvi, M; Ramasamy, V (2023). "A study on durability characteristics of nano-concrete". *Materials Today: Proceedings*. **80**: 2360–2365. doi:10.1016/j.matpr.2021.06.349. ISSN 2214-7853.
91. ^ "Ground Water Recharging Through Pervious Concrete Pavement". ResearchGate. Retrieved 26 January 2021.
92. ^ Onuaguluchi, Obinna; Banthia, Nemkumar (1 April 2016). "Plant-based natural fibre reinforced cement composites: A review". *Cement and Concrete Composites*. **68**: 96–108. doi:10.1016/j.cemconcomp.2016.02.014. ISSN 0958-9465.
93. ^ Wu, Hansong; Shen, Aiqin; Cheng, Qianqian; Cai, Yanxia; Ren, Guiping; Pan, Hongmei; Deng, Shiyi (20 September 2023). "A review of recent developments in application of plant fibers as reinforcements in concrete". *Journal of Cleaner Production*. **419**: 138265. Bibcode: 2023JCPro.41938265W. doi:10.1016/j.jclepro.2023.138265. ISSN 0959-6526.
94. ^ Yan, Libo; Kasal, Bohumil; Huang, Liang (1 May 2016). "A review of recent research on the use of cellulosic fibres, their fibre fabric reinforced cementitious, geo-polymer and polymer composites in civil engineering". *Composites Part B: Engineering*. **92**: 94–132. doi:10.1016/j.compositesb.2016.02.002. ISSN 1359-8368.
95. ^ Li, Juan; Kasal, Bohumil (July 2023). "Degradation Mechanism of the Wood-Cell Wall Surface in a Cement Environment Measured by Atomic Force Microscopy". *Journal of Materials in Civil Engineering*. **35** (7). doi:10.1061/JMCEE7.MTENG-14910. ISSN 0899-1561.
96. ^ Li, Juan; Kasal, Bohumil (10 August 2022). "The immediate and short-term degradation of the wood surface in a cement environment measured by AFM". *Materials and Structures*. **55** (7): 179. doi:10.1617/s11527-022-01988-8. ISSN 1871-6873.
97. ^ Li, Juan; Kasal, Bohumil (11 April 2022). "Effects of Thermal Aging on the Adhesion Forces of Biopolymers of Wood Cell Walls". *Biomacromolecules*. **23** (4): 1601–1609. doi:10.1021/acs.biomac.1c01397. ISSN 1525-7797. PMC 9006222. PMID 35303409.
98. ^ Li, Juan; Bohumil, Kasal (5 February 2021). "Repeatability of Adhesion Force Measurement on Wood Longitudinal Cut Cell Wall Using Atomic Force Microscopy". *Wood and Fiber Science*. **53** (1): 3–16. doi:10.22382/wfs-2021-02. ISSN 0735-6161.
99. ^ Lavars, Nick (10 June 2021). "Stanford's low-carbon cement swaps limestone for volcanic rock". *New Atlas*. Archived from the original on 10 June 2021. Retrieved 11 June 2021.
100. ^ Celik, K.; Jackson, M.D.; Mancio, M.; Meral, C.; Emwas, A.-H.; Mehta, P.K.; Monteiro, P.J.M. (January 2014). "High-volume natural volcanic pozzolan and limestone powder as partial replacements for portland cement in self-compacting and sustainable concrete". *Cement and Concrete Composites*. **45**: 136–147. doi:10.1016/j.cemconcomp.2013.09.003. hdl:11511/37244. S2CID 138740924.
101. ^ a b c Lemougna, Patrick N.; Wang, Kai-tuo; Tang, Qing; Nzeukou, A.N.; Billong, N.; Melo, U. Chinje; Cui, Xue-min (October 2018). "Review on the use of volcanic ashes for engineering applications". *Resources, Conservation and Recycling*. **137**: 177–190. Bibcode: 2018RCR...137..177L. doi:10.1016/j.resconrec.2018.05.031. S2CID 117442866.

102. ^ Brown, R.J.; Calder, E.S. (2005). "Pyroclastics". *Encyclopedia of Geology*. pp. 386–397. doi:10.1016/b0-12-369396-9/00153-2. ISBN 978-0-12-369396-9.
103. ^ Izzo, Francesco; Arizzi, Anna; Cappelletti, Piergiulio; Cultrone, Giuseppe; De Bonis, Alberto; Germinario, Chiara; Graziano, Sossio Fabio; Grifa, Celestino; Guarino, Vincenzo; Mercurio, Mariano; Morra, Vincenzo; Langella, Alessio (August 2016). "The art of building in the Roman period (89 B.C. – 79 A.D.): Mortars, plasters and mosaic floors from ancient Stabiae (Naples, Italy)". *Construction and Building Materials*. **117**: 129–143. doi:10.1016/j.conbuildmat.2016.04.101.
104. ^ "MASUKO light concrete". Archived from the original on 15 November 2020. Retrieved 13 November 2020.
105. ^ "Relation Between Compressive and Tensile Strength of Concrete". Archived from the original on 6 January 2019. Retrieved 6 January 2019.
106. ^ "Structural lightweight concrete" (PDF). *Concrete Construction*. The Aberdeen Group. March 1981. Archived from the original (PDF) on 11 May 2013.
107. ^ "Ordering Concrete by PSI". *American Concrete*. Archived from the original on 11 May 2013. Retrieved 10 January 2013.
108. ^ a b Henry G. Russel, PE. "Why Use High Performance Concrete?" (PDF). *Technical Talk*. Archived (PDF) from the original on 15 May 2013. Retrieved 10 January 2013.
109. ^ "Concrete in Practice: What, Why, and How?" (PDF). *NRMCA-National Ready Mixed Concrete Association*. Archived (PDF) from the original on 4 August 2012. Retrieved 10 January 2013.
110. ^ Ritchie, Hannah; Roser, Max; Rosado, Pablo (11 May 2020). "CO₂ emissions from the concrete and steel building sector, 1990–2018". *Our World in Data* – via ourworldindata.org.
111. ^ "Making Concrete Change: Innovation in Low-carbon Cement and Concrete". *Chatham House*. 13 June 2018. Archived from the original on 19 December 2018. Retrieved 17 December 2018.
112. ^ Rubenstein, Madeleine (9 May 2012). "Emissions from the Cement Industry". *State of the Planet*. Earth Institute, Columbia University. Archived from the original on 22 December 2016. Retrieved 13 December 2016.
113. ^ "Concrete and Embodied Energy – Can using concrete be carbon neutral". 22 February 2013. Archived from the original on 16 January 2017. Retrieved 15 January 2017.
114. ^ Gajda, John (2001). "Energy Use of Single-Family Houses with Various Exterior Walls" (PDF). Archived (PDF) from the original on 9 October 2022.
115. ^ *Green Building with Concrete*. Taylor & Francis Group. 2015. ISBN 978-1-4987-0411-3.[page ne
116. ^ "Features and Usage of Foam Concrete". Archived from the original on 29 November 2012.
117. ^ "Unreinforced Masonry Buildings and Earthquakes: Developing Successful Risk Reduction Programs FEMA P-774". Archived from the original on 12 September 2011.
118. ^ Simsir, C.C.; Jain, A.; Hart, G.C.; Levy, M.P. (12–17 October 2008). *Seismic Retrofit Design Of Historic Century-Old School Buildings In Istanbul, Turkey* (PDF). 14th World Conference on Earthquake Engineering. Archived from the original (PDF) on 11 January 2012.
119. ^ Nawy, Edward G. (2008). *Concrete Construction Engineering Handbook*. CRC Press. ISBN 978-1-4200-0765-7.

120. ^ [Lomborg, Bjørn \(2001\). *The Skeptical Environmentalist: Measuring the Real State of the World*. Cambridge University Press. p. 138. ISBN 978-0-521-80447-9.](#)
121. ^ ["Minerals commodity summary – cement – 2007". US United States Geological Survey. 1 June 2007. Archived from the original on 13 December 2007. Retrieved 16 January 2008.](#)
122. ^ Murray, Lorraine. ["Christ the Redeemer \(last updated 13 January 2014\)". Encyclopædia Britannica. Retrieved 5 November 2022.](#)
123. ^ [a b "Reinforced concrete". www.designingbuildings.co.uk.](#)
124. ^ [a b c d](#) Claisse, Peter A. (2016), ["Composites"](#), *Civil Engineering Materials*, Elsevier, pp. 431–435, doi:10.1016/b978-0-08-100275-9.00038-3, ISBN 978-0-08-100275-9, retrieved 5 October 2021
125. ^ [a b](#) Richardson, John (2003). ["Precast concrete structural elements"](#). *Advanced Concrete Technology*. pp. 3–46. doi:10.1016/B978-075065686-3/50307-4. ISBN 978-0-7506-5686-3.
126. ^ [a b](#) ["Mass Concret" \(PDF\). Archived from the original \(PDF\) on 27 September 2011.](#)
127. ^ Sadowski, [ŹfÆ'Ā†â€™ŹfĀçĀçâ€šĀ-Ź,Ā!ŹfÆ'ĀçĀ,ŹĴŹfâ€šĀ,Ā•ukasz; Mathia, Thomas \(2016\). "Multi-scale Metrology of Concrete Surface Morphology: Fundamentals and specificity". *Construction and Building Materials*. **113**: 613–621. doi:10.1016/j.conbuildmat.2016.03.099.](#)
128. ^ ["Winter is Coming! Precautions for Cold Weather Concreting". FPrimeC Solutions. 14 November 2016. Archived from the original on 13 January 2017. Retrieved 11 January 2017.](#)
129. ^ ["306R-16 Guide to Cold Weather Concreting". Archived from the original on 15 September 2017.](#)
130. ^ [a b](#) Larn, Richard; Whistler, Rex (1993). ["17 – Underwater concreting"](#). *Commercial Diving Manual (3rd ed.)*. Newton Abbott, UK: David and Charles. pp. 297–308. ISBN 0-7153-0100-4.
131. ^ [Prefilled lined underwater hand-placed bagwork product datasheet \(PDF\). www.soluform.co.uk \(Report\). Soluform. Retrieved 8 September 2024.](#)
132. ^ ["Mapping of Excess Fuel Consumption". Archived from the original on 2 January 2015.](#)
133. ^ Paul, Andrew (17 September 2024). ["Bone-like, hollow concrete design makes it 5.6 times stronger"](#). *Popular Science*. Retrieved 11 October 2024.
134. ^ Akerman, Patrick; Cazzola, Pierpaolo; Christiansen, Emma Skov; Heusden, Renée Van; Iperen, Joanna Kolomanska-van; Christensen, Johannah; Crone, Kilian; Dawe, Keith; Smedt, Guillaume De; Keynes, Alex; Laporte, Anaïs; Gonsolin, Florie; Mensink, Marko; Hebebrand, Charlotte; Hoenig, Volker; Malins, Chris; Neuenhahn, Thomas; Pyc, Ireneusz; Purvis, Andrew; Saygin, Deger; Xiao, Carol; Yang, Yufeng (1 September 2020). ["Reaching Zero with Renewables"](#).
135. ^ ["Leading the way to carbon neutrality" \(PDF\). HeidelbergCement. 24 September 2020. Archived \(PDF\) from the original on 9 October 2022.](#)
136. ^ ["Cement Clinker Calcination in Cement Production Process". AGICO Cement Plant Supplier. 4 April 2019.](#)
137. ^ ["Carbon footprint" \(PDF\). Portland Cement Association. Archived \(PDF\) from the original on 9 October 2022.](#)
138. ^ [a b c](#) Lehne, Johanna; Preston, Felix (13 June 2018). ["Making Concrete Change: Innovation in Low-carbon Cement and Concrete"](#).

139. ^ Proske, Tilo; Hainer, Stefan; Rezvani, Moien; Graubner, Carl-Alexander (September 2013). "Eco-friendly concretes with reduced water and cement contents – Mix design principles and laboratory tests". *Cement and Concrete Research*. **51**: 38–46. doi:
[10.1016/j.cemconres.2013.04.011](https://doi.org/10.1016/j.cemconres.2013.04.011).
140. ^ O'Hegarty, Richard; Kinnane, Oliver; Newell, John; West, Roger (November 2021). "High performance, low carbon concrete for building cladding applications". *Journal of Building Engineering*. **43**: 102566. doi:[10.1016/j.jobbe.2021.102566](https://doi.org/10.1016/j.jobbe.2021.102566).
141. ^ Lee, Jaehyun; Lee, Taegyu; Jeong, Jaewook; Jeong, Jaemin (January 2021). "Sustainability and performance assessment of binary blended low-carbon concrete using supplementary cementitious materials". *Journal of Cleaner Production*. **280**: 124373. Bibcode:2021JCPro.28024373L. doi:[10.1016/j.jclepro.2020.124373](https://doi.org/10.1016/j.jclepro.2020.124373). S2CID 224849505.
142. ^ Sabry, Fouad (17 January 2022). *Translucent Concrete: How-to see-through walls? Using nano optics and mixing fine concrete and optical fibers for illumination during day and night time*. One Billion Knowledgeable.
143. ^ Mehta, P. Kumar (1 February 2009). "Global Concrete Industry Sustainability". *Concrete International*. **31** (2): 45–48.
144. ^ Luis Emilio Rendon Diaz Miron; Dessi A. Koleva (2017). *Concrete Durability: Cementitious Materials and Reinforced Concrete Properties, Behavior and Corrosion Resistance*. Springer. pp. 2–. ISBN 978-3319554631.
145. ^ "Home". ConcreteRecycling.org. Archived from *the original* on 12 April 2010. Retrieved 5 April 2010.
146. ^ "Urbanite - Reusing Old Concrete - The Concrete Network". ConcreteNetwork.com. Retrieved 24 May 2020.
147. ^ "Urbanite Construction". www.ecodesignarchitects.co.za. Archived from *the original* on 7 May 2021. Retrieved 24 May 2020.
148. ^ Abdo, Ayman; El-Zohairy, Ayman; Alashker, Yasser; Badran, Mohamed Abd El-Aziz; Ahmed, Sayed (1 January 2024). "Effect of Treated/Untreated Recycled Aggregate Concrete: Structural Behavior of RC Beams". *Sustainability*. **16** (10): 4039. Bibcode: 2024Sust...16.4039A. doi:[10.3390/su16104039](https://doi.org/10.3390/su16104039). ISSN 2071-1050.
149. ^ "Khoan CÃfÆ'Ã†â€™Ãfâ€šÃ,Â¡ÃfÆ'Ã¢â,¬Ã¡Ãfâ€šÃ,Â°ÃfÆ'Ã¢â,¬Ã¡Ãfâ€šÃ,Â¬t Bê Tông". Retrieved 25 October 2024.
150. ^ Abdelfatah, Akmal S.; Tabsh, Sami W. (2011). "Review of Research on and Implementation of Recycled Concrete Aggregate in the GCC". *Advances in Civil Engineering*. **2011**: 1–6. doi:[10.1155/2011/567924](https://doi.org/10.1155/2011/567924). ISSN 1687-8086.
151. ^ Lu, Linfeng (July 2024). "Optimal Replacement Ratio of Recycled Concrete Aggregate Balancing Mechanical Performance with Sustainability: A Review". *Buildings*. **14** (7): 2204. doi:[10.3390/buildings14072204](https://doi.org/10.3390/buildings14072204). ISSN 2075-5309.
152. ^ Rao, Akash; Jha, Kumar N.; Misra, Sudhir (1 March 2007). "Use of aggregates from recycled construction and demolition waste in concrete". *Resources, Conservation and Recycling*. **50** (1): 71–81. Bibcode:2007RCR....50...71R. doi:
[10.1016/j.resconrec.2006.05.010](https://doi.org/10.1016/j.resconrec.2006.05.010). ISSN 0921-3449.
153. ^ "Itaipu Web-site". 2 January 2012. Archived from the original on 9 February 2012. Retrieved 2 January 2012.
154. ^ Sources, Other News (14 July 2009). "China's Three Gorges Dam, by the Numbers". *Probe International*. Archived from *the original* on 29 March 2017. Retrieved 13 August

2022.

155. ^ *"Concrete Pouring of Three Gorges Project Sets World Record"*. People's Daily. 4 January 2001. Archived from the original on 27 May 2010. Retrieved 24 August 2009.
156. ^ *"Concrete Pumping to 715 m Vertical – A New World Record Parbati Hydroelectric Project Inclined Pressure Shaft Himachal Pradesh – A case Study"*. The Masterbuilder. Archived from the original on 21 July 2011. Retrieved 21 October 2010.
157. ^ *"SCHWING Stetter Launches New Truck mounted Concrete Pump S-36"*. NBM&CW (New Building Materials and Construction World). October 2009. Archived from the original on 14 July 2011. Retrieved 21 October 2010.
158. ^ Janyala, Sreenivas (7 January 2019). *"Andhra Pradesh: Polavaram project enters Guinness Book of World Record for concrete pouring"*. The India Express. Retrieved 7 January 2020.
159. ^ *"Concrete Supplier for Landmark Tower"*. Construction Week Online. 19 April 2011. Archived from the original on 15 May 2013.
160. ^ *"The world record Concrete Supplier for Landmark Tower Unibeton Ready Mix"*. Archived from the original on 24 November 2012.
161. ^ *"Abu Dhabi – Landmark Tower has a record-breaking pour"* (PDF). Al Habtoor Engineering. September–October 2007. p. 7. Archived from the original (PDF) on 8 March 2011.
162. ^ National Geographic Channel International / Caroline Anstey (2005), Megastructures: Petronas Twin Towers
163. ^ *"Continuous cast: Exxcel Contract Management oversees record concrete pour"*. concretoproducts.com. 1 March 1998. Archived from the original on 26 May 2010. Retrieved 25 August 2009.
164. ^ *Exxcel Project Management – Design Build, General Contractors* Archived 28 August 2009 at the Wayback Machine. Exxcel.com. Retrieved 19 February 2013.
165. ^ *"Contractors Prepare to Set Gates to Close New Orleans Storm Surge Barrier"*. www.construction.com. 12 May 2011. Archived from the original on 13 January 2013. Retrieved 13 August 2022.
166. ^ *"Distinction : Sardoine Mia, lauréate du prix « Faces of peace and art » | Le Courrier de Kinshasa"*. www.lecourrierdekinshasa.com. Retrieved 16 February 2025.

Further reading

[[edit](#)]

- *"The world's growing problem with concrete, the world's most destructive material"* (Video). BBC Reel. 6 March 2023.

External links

[[edit](#)]



Wikimedia Commons has media related to **Concrete**.

- Advantage and Disadvantage of Concrete
- *Dunning, Brian (4 January 2022). "Skeptoid #813: Why You Need to Care About Concrete". Skeptoid. Retrieved 14 May 2022.*
- Getting Buried in Concrete to Explain How It Works on YouTube
- Release of ultrafine particles from three simulated building processes
- Concrete: The Quest for Greener Alternatives

- **v**
- **t**
- **e**

Road hierarchy

Limited-access

- [Bicycle highway](#)
- [Freeway / Motorway](#)
- [Dual carriageway / Divided highway / Expressway](#)
- [Elevated highway](#)

By country

- [Australia](#)
- [Belgium](#)
- [Brazil](#)
- [Canada](#)
- [China](#)
- [Croatia](#)
- [Czech Republic](#)
- [Germany](#)
- [Greece](#)
- [Hong Kong](#)
- [India](#)
- [Ireland](#)
- [Italy](#)
- [Nepal](#)
- [Pakistan](#)
- [Poland](#)
- [Portugal](#)
- [Spain](#)
- [Taiwan](#)
- [United Kingdom](#)
- [United States](#)

Main roads

Types of road

- [Arterial road](#)
- [Collector road](#)
- [County highway](#)
- [Express–collector setup](#)
- [Farm-to-market road](#)
- [Highway](#)
- [Link road](#)
- [Two-lane expressway](#)
- [2+1 road](#)
- [2+2 road](#)
- [Parkway](#)
- [Ring road](#)
- [Trunk road](#)
- [Highway systems by country](#)

- [Alley](#)
- [Avenue](#)
- [Back road](#)
- [Bypass road](#)

**Interchanges
(grade-separated)**

- Cloverleaf
- Diamond
- Free-flow
- Directional T
- Diverging diamond
- Parclo
- Raindrop
- Roundabout
- Single-point urban (SPUI)
- Stack
- Three-level diamond
- Trumpet

Road junctions

**Intersections
(at-grade)**

- 3-way junction
- Bowtie
- Box junction
- Channelization
- Continuous flow
- Hook turn
- Jughandle
- Michigan left
- Offset T-intersection
- Protected intersection
- Quadrant roadway
- Right-in/right-out (RIRO)
- Roundabout
- Seagull intersection
- Split intersection
- Superstreet
- Texas U-turn
- Turnaround

Surfaces

- Asphalt concrete
- Bioasphalt
- Brick
- Chipseal
- Cobblestone
- Concrete
 - Reinforced concrete
- Corduroy
- Crocodile cracking
- Crushed stone
- Diamond grinding of pavement
- Dirt
- Full depth recycling
- Glassphalt
- Gravel
- Ice
- Macadam
- Pavement milling
- Permeable
- Plank
- Plastic
- Rubberized asphalt
- Sealcoat
- Sett
- Stamped asphalt
- Tarmac
- Texture



**Space and
time allocation**

- Barrier transfer machine
- Bike lane
- Climbing lane
- Complete streets
- Contraflow lane
- Contraflow lane reversal
- High-occupancy toll lane
- High-occupancy vehicle lane
- Lane
- Living street
- Managed lane
- Median / Central reservation
- Motorcycle lane
- Passing lane
- Pedestrian crossing
- Pedestrian zone
- Refuge island
- Reversible lane
- Road diet
- Road verge
- Runaway truck ramp
- Shared space
- Sidewalk / Pavement
- Shoulder
- Street-running railway
- Traffic calming
- Traffic directionality
- Traffic island
- Traffic lanes
- Traffic signal preemption
- Truck bypass
- Unused highway
- Wide outside lane
- Woonerf

Demarcation	<ul style="list-style-type: none"> ○ Bollard ○ Botts' dots ○ Cable barrier ○ Cat's eye (road) ○ Concrete step barrier ○ Constant-slope barrier ○ Curb ○ F-shape barrier ○ Guard rail ○ Jersey barrier ○ Kassel kerb ○ Noise barrier ○ Raised pavement marker ○ Road surface marking ○ Rumble strip ○ Traffic barrier ○ Traffic cone
Structures	<ul style="list-style-type: none"> ○ Bridge ○ Causeway ○ Overpass / Flyover ○ Underpass / Tunnel
Performance indicators	<ul style="list-style-type: none"> ○ Pavement condition index ○ International roughness index ○ Present serviceability index ○ Pavement performance modeling ○ Granular base equivalency

- [Glossary of road transport terms](#)
- [Road types by features](#)
- [Template:Traffic signs](#)

- [v](#)
- [t](#)
- [e](#)

[Stonemasonry](#)

Types

- Ashlar
- Rustication
- Carving
- Dry stone
- Letter cutting
- Masonry
- Post-tensioned stone
- Massive precut stone
- Monumental
- Rubble
- Sculpture
- Slipform
- Snecked

Materials

- Artificial stone
- Brick
- Cast stone
- Decorative stones
- Dimension stone
- Fieldstone
- Flagstone
- Gabion
- Granite
- Grout
- Lime mortar
- Limestone
- Marble
 - Types
- Mortar
- Sandstone
 - List
- Slate
- Stone veneer

Tools

- Angle grinder
- Bush hammer
- Ceramic tile cutter
- Chisel
- Diamond blade
- Lewis (lifting appliance)
- Trowel
- Non-explosive demolition agents
- Plug and feather
- Stonemason's hammer
- Straightedge

Techniques

- Flaming
- Flushwork
- Knapping
- Polygonal masonry
- Repointing
- Scabbling
- Tuckpointing
- Veneer
- Brickwork
 - Wythe

Products

- Castle
- Hardstone carving
- Headstone (Footstone)
- Mosaic
- Sculpture
- Stone wall
- Machicolation

Organizations

- International Union of Bricklayers and Allied Craftworkers
- Master of Work to the Crown of Scotland
- Mason Contractors Association of America
- Operative Plasterers' and Cement Masons' International Association
- Worshipful Company of Masons

- **v**
- **t**
- **e**

Concrete

History

- Ancient Roman architecture
- Roman architectural revolution
- Roman concrete
- Roman engineering
- Roman technology

Composition

- Cement
 - Calcium aluminate
 - Energetically modified
 - Portland
 - Rosendale
- Water
- Water–cement ratio
- Aggregate
- Reinforcement
- Fly ash
- Ground granulated blast-furnace slag
- Silica fume
- Metakaolin

Production

- Plant
- Concrete mixer
- Volumetric mixer
- Reversing drum mixer
- Slump test
- Flow table test
- Curing
- Concrete cover
- Cover meter
- Rebar

Construction

- Precast
- Cast-in-place
- Formwork
- Climbing formwork
- Slip forming
- Screed
- Power screed
- Finisher
- Grinder
- Power trowel
- Pump
- Float
- Sealer
- Tremie

Science

- Properties
- Durability
- Degradation
- Environmental impact
- Recycling
- Segregation
- Alkali–silica reaction

Types

- AstroCrete
- Fiber-reinforced
- Filigree
- Foam
- Lunarcrete
- Mass
- Nanoconcrete
- Pervious
- Polished
- Polymer
- Prestressed
- Ready-mix
- Reinforced
- Roller-compacting
- Self-consolidating
- Self-leveling
- Sulfur
- Tabby
- Translucent
- Waste light
- Aerated
 - AAC
 - RAAC

Applications

- Slab
 - waffle
 - hollow-core
 - voided biaxial
 - slab on grade
- Concrete block
- Step barrier
- Roads
- Columns
- Structures

Organizations

- American Concrete Institute
- Concrete Society
- Institution of Structural Engineers
- Indian Concrete Institute
- Nanocem
- Portland Cement Association
- International Federation for Structural Concrete

- Standards

- Eurocode 2
 - EN 197-1
 - EN 206-1
 - EN 10080

- See also

- Hempcrete

- Category:Concrete

Authority control databases

Image not found or type unknown

Edit this at Wikidata

- National

- Germany
 - United States
 - France
 - BnF data
 - Japan
 - Czech Republic
 - Israel

- Other

- NARA

About Rock N Block - Turf N Hardscapes

Photo

Image not found or type unknown
Photo

Image not found or type unknown
Photo

Image not found or type unknown
Photo

Image not found or type unknown
Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Things To Do in Clark County

Photo

Image not found or type unknown

Clark County Historical Museum

4.6 (147)

Driving Directions in Clark County

Driving Directions From Field 2 to

Driving Directions From Rock N Block - Turf N Hardscapes to

Driving Directions From Universal Turf Equipment to

Driving Directions From Rhino's Turf Equipment – A part of United Rentals to

Driving Directions From Festival Turf Las Vegas to

Driving Directions From Everything Turf Pros to

Driving Directions From Turf Trimmers Landscaping, Inc. to

Driving Directions From VS Turf Supply to

Driving Directions From Kellogg Zaher Soccer Complex to

Driving Directions From TURFIT LAS VEGAS to

https://www.google.com/maps/dir/Festival+Turf+Las+Vegas/Rock+N+Block+-+Turf+N+Hardscapes/@36.2180061,-115.196022,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJvwlh8l7FylAR4ZH5QYzhrNA!2m2!1d-115.196022!2d36.2180061!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Turf+Trimmers+Landscaping%2C+Inc./Rock+N+Block+-+Turf+N+Hardscapes/@36.2394358,-115.22352,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJg9qheBGVylAR1szPW9-2Ndgl!2m2!1d-115.22352!2d36.2394358!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/TURFIT+LAS+VEGAS/Rock+N+Block+-+Turf+N+Hardscapes/@36.2188079,-115.1514675,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ8dpgpdpvPyIARF95DuffUO3Q!2m2!1d-115.1514675!2d36.2188079!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-

115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Rhino%27s+Turf+Equipment+%E2%80%93+A+part+of+United+Rentals/Rhino%27s+Turf+N+Hardscapes/@36.223257,-115.2185026,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJJoSu8InLqylARhGSLfxjLoDE!2m2!1d-115.2185026!2d36.223257!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/VS+Turf+Supply/Rock+N+Block++Turf+N+Hardscapes/@36.1807913,-115.1415303,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJq6qGEwjDylARKNQXy-uFMCc!2m2!1d-115.1415303!2d36.1807913!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Kellogg+Zaher+Soccer+Complex/Rock+N+Block++Turf+N+Hardscapes/@36.1807918,-115.2753952,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJb3t8BGrAylARrwSIMP3Tv3s!2m2!1d-115.2753952!2d36.1807918!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Rock+N+Block++Turf+N+Hardscapes/Rock+N+Block++Turf+N+Hardscapes/@36.2187971,-115.2343937,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Everything+Turf+Pros/Rock+N+Block++Turf+N+Hardscapes/@36.2392645,-115.2036328,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ6_igdT3qylARp0Ffmtry4oY!2m2!1d-115.2036328!2d36.2392645!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3


https://www.google.com/maps/dir/Field+2/Rock+N+Block++Turf+N+Hardscapes/@36.1791542,-115.2729854,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJyKTdQDBylARddDuin9iUoA!2m2!1d-115.2729854!2d36.1791542!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Universal+Turf+Equipment/Rock+N+Block++Turf+N+Hardscapes/@36.1769424,-115.1623367,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJT_TTgrfDylARbkvYUoPD2W4!2m2!1d-115.1623367!2d36.1769424!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

Driving Directions From Clark County Historical Museum to

https://www.google.com/maps/dir/Clark+County+Historical+Museum/Rock+N+Block+-+Turf+N+Hardscapes/@45.6331783,-122.6712852,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-122.6712852!2d45.6331783!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0


Reviews for Rock N Block - Turf N Hardscapes



Terry lewis

(5)


Workers were great, no problem they did what was required, but the representative of your company mislead me on what was to be done, I showed pictures from a competitor landscaper, representative stated he could bet there , , . price, but since it wasn't in contract, I was left with uncomplicated backyard , working with owner at present, so he's been outstanding working on this situation, as amount of rock was way off and the owner did increase the amount substantially to finish the front yard. another landscaper under contract to finish the backyard. Would like to add a comment the manger/owner of Las Vegas yard n block stands behind his words and helped me tremendously on finishing up the backyard,



Josh Bodell

(5)

Eric and team did an amazing job. They worked with me for months while I got HOA approval for the project. Once they began working they were great, going over everything in detail and making sure things were perfect. This project included wall repair, stucco and paint repair, paver and turf installation. Extremely satisfied with this experience.



Shana Shapiro

(5)

Chris, the design consultant, Dave the production manager, along with their install team Opulent were affordable, upfront with costs, efficient and professional. Attached are some before and after pictures. Highly recommend their services.



Image not found or type unknown

Dawna OgleYohe

(5)

My initial contact was with Ray, whom did an excellent job giving me an estimate on what I wanted done in my small yard and walkway., the guys that came out and did the work were superior. They did an excellent job. I'm very pleased with this company. I will highly recommend them to family and friends, and I will be using them in the near future for other little projects.

()

()

()

()

()

()

About Rock N Block - Turf N Hardscapes

[Photo](#)

Image not found or type unknown

[Photo](#)

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Things To Do in Clark County

Photo

Image not found or type unknown

Clark County Historical Museum

4.6 (147)

Driving Directions in Clark County

Driving Directions From NV Landscapes LLC to

Driving Directions From Ugarte Landscapes & Irrigation Repair to

Driving Directions From New horizon landscapes to

Driving Directions From Custom Touch Landscape to

Driving Directions From A and L Desert Landscapes Tree Company to

Driving Directions From Paradise Landscaping Las Vegas to

Driving Directions From Las Vegas Backyards to

Driving Directions From Delfino Maintenance & Landscaping Inc. to

Driving Directions From Rock N Block - Turf N Hardscapes to

Driving Directions From Las Vegas Tree & Landscaping to

Driving Directions From Living Water Lawn & Garden to

<https://www.google.com/maps/dir/NV+Landscapes+LLC/Rock+N+Block+-+Turf+N+Hardscapes/@36.2744428,->

115.2594486,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJRaTYGHfryIAR_gGJaUYDMrA!2m2!1d-115.2594486!2d36.2744428!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Living+Water+Lawn+%26+Garden/Rock+N+Block+-+Turf+N+Hardscapes/@36.2469425,-115.2228834,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ38-Qx1OTyIARIBhxZg_a2MI!2m2!1d-115.2228834!2d36.2469425!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Ugarte+Landscapes+%26+Irrigation+Repair/Rock+N+Block+-+Turf+N+Hardscapes/@36.1746065,-115.2002383,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJJaX5N0I_ByIARB2QM HARUVeE!2m2!1d-115.2002383!2d36.1746065!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Delfino+Maintenance+%26+Landscaping+Inc./Rock+N+Block+-+Turf+N+Hardscapes/@36.1899485,-115.1723193,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJQWumXDHCylAR69ymISK0Ry0!2m2!1d-115.1723193!2d36.1899485!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/New+horizon+landscapes/Rock+N+Block+-+Turf+N+Hardscapes/@36.1745125,-115.200876,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJLw0DIMrByIARsuhGkXqIH-0!2m2!1d-115.200876!2d36.1745125!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Las+Vegas+Backyards/Rock+N+Block+-+Turf+N+Hardscapes/@36.1427352,-115.2821379,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJI2KHq77ByIARdtdpHslhCgc!2m2!1d-115.2821379!2d36.1427352!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Custom+Touch+Landscape/Rock+N+Block+-+Turf+N+Hardscapes/@36.2735914,-115.2565364,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJk51a35HryIARBrxGF-i8E7w!2m2!1d-115.2565364!2d36.2735914!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/D%26G+LANDSCAPING+LLC/Rock+N+Block+-+Turf+N+Hardscapes/@36.2034364,-115.2186268,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJW9CmNyfByIAROtBNNi2fTZg!2m2!1d-115.2186268!2d36.2034364!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-

115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Cacti+Landscapes+Las+Vegas/Rock+N+Block++Turf+N+Hardscapes/@36.2600756,-115.257249,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJcZIQGoHAylARBIG7rLHidpw!2m2!1d-115.257249!2d36.2600756!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Paradise+Landscaping+Las+Vegas/Rock+N+Block++Turf+N+Hardscapes/@36.2046007,-115.2534055,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJz_u3C0TBylARizuVOrp1bWQ!2m2!1d-115.2534055!2d36.2046007!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Rock+N+Block++Turf+N+Hardscapes/Rock+N+Block++Turf+N+Hardscapes/@36.2187971,-115.2343937,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/Las+Vegas+Tree+%26+Landscaping/Rock+N+Block++Turf+N+Hardscapes/@36.218785,-115.3142996,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ38TW2w8l0YwRvEi8VDL7RaY!2m2!1d-115.3142996!2d36.218785!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/LandTeck+Inc.+Landscape+%26+Irrigation+Contractor/Rock+N+Block++Turf+N+Hardscapes/@36.1607535,-115.3170748,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJtaSNXBHOylARuSve8FwjBg0!2m2!1d-115.3170748!2d36.1607535!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

https://www.google.com/maps/dir/A+and+L+Desert+Landscapes+Tree+Company/Rock+N+Block++Turf+N+Hardscapes/@36.2175857,-115.2409139,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJEclfJMbqylAR24BVXFZEr_Y!2m2!1d-115.2409139!2d36.2175857!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e3

https://www.google.com/maps/dir/Visualized+Landscape/Rock+N+Block++Turf+N+Hardscapes/@36.2163856,-115.1757729,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ__-jNtzCylARYimxY5MT6tk!2m2!1d-115.1757729!2d36.2163856!1m5!1m1!1sChIJD11n_FrrylARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

Driving Directions From Clark County Historical Museum to

https://www.google.com/maps/dir/Clark+County+Historical+Museum/Rock+N+Block+-+Turf+N+Hardscapes/@45.6331783,-122.6712852,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-122.6712852!2d45.6331783!1m5!1m1!1sChIJD11n_FrryIARH8EGWmcGnAE!2m2!1d-115.2343937!2d36.2187971!3e0

Reviews for Rock N Block - Turf N Hardscapes



image not found or type unknown

D. Lopez

(5)

We recently had a very positive experience with Rock N Block for our fence replacement. The entire process went smoothly and exceeded our expectations. Harvey and his team were incredibly professional and communicative throughout the project providing much-needed assurance and peace of mind. The crew was punctual and maintained a diligent and respectful attitude that made the experience pleasant. The crew finished the project ahead of schedule, and the quality of their work is impressive; our new wall looks great! We recommend Rock N Block for any fencing needs and look forward to working with them again. Thank you, Harvey and crew, for a job well done!



image not found or type unknown

Terry lewis

(5)

Workers were great, no problem they did what was required, but the representative of your company mislead me on what was to be done, I showed pictures from a competitor landscaper, representative stated he could bet there , , . price, but since it wasn't in contract, I was left with uncomplicated backyard , working with owner at present, so he's been outstanding working on this situation, as amount of rock was way off and the owner did increase the amount substantially to finish the front yard. another landscaper under contract to finish the backyard. Would like to add a comment the manger/owner of Las Vegas yard n block stands behind his words and helped me tremendously on finishing up the backyard,




image not found or type unknown

Dawna OgleYohe

(5)

My initial contact was with Ray, whom did an excellent job giving me an estimate on what I wanted done in my small yard and walkway., the guys that came out and did the work were superior. They did an excellent job. I'm very pleased with


this company. I will highly recommend them to family and friends, and I will be using them in the near future for other little projects.



Shana Shapiro

(5)

Chris, the design consultant, Dave the production manager, along with their install team Opulent were affordable, upfront with costs, efficient and professional. Attached are some before and after pictures. Highly recommend their services.



Josh Bodell

(5)

Eric and team did an amazing job. They worked with me for months while I got HOA approval for the project. Once they began working they were great, going over everything in detail and making sure things were perfect. This project included wall repair, stucco and paint repair, paver and turf installation. Extremely satisfied with this experience.

()

()

landscape edging Las Vegas[View GBP](#)

Check our other pages :

- [landscape portfolio Las Vegas](#)
- [landscape project Las Vegas](#)
- [pool landscaping Las Vegas](#)
- [landscape turf Las Vegas](#)
- [rock landscaping Las Vegas](#)

Frequently Asked Questions

What maintenance is required for artificial grass?

Minimal maintenance is needed, such as regular cleaning to remove debris and occasional brushing to keep the fibers upright.

What makes Las Vegas landscaping different from other regions?

Las Vegas landscaping is shaped by the Mojave Desert's extreme climate, with scorching summer heat and minimal rainfall. Traditional lawns demand high water usage, so residents often use xeriscaping techniques that require little irrigation. Designers focus on selecting native or desert-adapted plants—such as succulents, cacti, and ornamental grasses—and pairing them with gravel, boulders, and rock mulch. This approach not only conserves water but also cuts down on labor-intensive maintenance. Additionally, many yards incorporate shade structures, drip irrigation systems, and nighttime lighting to boost usability after sunset. Together, these elements create low-water, visually appealing outdoor spaces that celebrate Las Vegas' desert character.

In which locations does Rock N Block operate?

They operate in Las Vegas, NV; San Diego, CA; Denver, CO; and Utah.

Which outdoor features can a Las Vegas landscaping designer add to my yard?

A skilled designer can incorporate a variety of features that suit desert living. Paver patios or stamped concrete decks handle intense heat and offer comfortable gathering spots. Shade structures, like pergolas or sail canopies, keep daytime temperatures more bearable. Fire pits and seating walls turn cool evenings into social retreats. Decorative rock beds highlight succulents or cacti, adding texture and a modern edge. Small water features—like bubblers or pondless fountains—introduce soothing sounds while reusing water. Low-voltage lighting extends outdoor enjoyment after sunset. The designer tailors each element to your preferences, climate constraints, and overall aesthetic for a balanced, livable yard.

How does Rock N Block ensure quality in artificial grass installation?

They follow a meticulous process, including site preparation, proper base construction, and use of high-quality materials to ensure a durable and aesthetically pleasing result.

landscape edging Las Vegas

Landscaping Designer Las Vegas

Phone : 888 894 2486

City : Las Vegas

State : Nevada

Zip : 89108

Address : 3267 N Torrey Pines Dr

[Google Business Profile](#)

[Google Business Website](#)

Company Website : <https://rocknblocklandscape.com/artificial-turf/landscaping/>

USEFUL LINKS

[landscaping designer](#)

[Landscape Stylist](#)

[Garden Designer](#)

[Landscape Contractor](#)

[Landscape Architect](#)

[Landscape Specialist](#)

LATEST BLOGPOSTS

[landscaping las vegas](#)

[landscaping](#)

[backyard landscaping](#)

[landscaping LinkedIn](#)

[landscape designers](#)

[Sitemap](#)

[Privacy Policy](#)

[About Us](#)

[Landscaping Las Vegas](#) | [Landscaping Henderson](#) | [Landscaping North Las Vegas](#) | [Landscaping Pahrump](#) | [Landscaping Paradise](#) | [Landscaping Summerline](#) | [Landscaping Mesquite](#) | [Landscaping Spring valley](#)

Follow us