This document is a Work-In-Progress and may contain errors, typo's, etc.. Please email shaun@copscorp.com.au with any corrections or to request any additions or changes

Reset Passwords

${f W}$	\sin	do	ws

Method 1: Tools

Medicat

PC Unlocker

Method 2: Manual

Exploit Utilman.exe

- Hold Shift key + click Restart
 Continue to hold shift until the screen goes black
 Windows should reboot in to the Recovery Environment
- Click Troubleshoot
- Click Advanced
- Click Command Prompt
- Navigate to the System32 directory

cd c:\windows\system32

Depending on the number logical volumes the computer has connected at the time, the volume that contains the Windows directory may be mounted to a different drive letter, but it's usually mounted as C:

How to find the correct drive letter that contains the Windows directory If C: does not contain the Windows directory, then you can repeat the following steps with different letters to locate which drive does:

- Run D:
 - Run dir
 - Check the output of dir for both the Users and Windows directories
- Backup Utility Manager copy utilman.exe.bak
- Replace Utility Manager with Command Prompt copy cmd.exe utilman.exe
- Reboot wpeutil reboot

Create Temporary Local Admin Account

- Click the Utility Manager icon

 Command Prompt should now open instead of the Utility Manager
- Enter the following commands: net user temp /add net localgroup administrators temp /add exit

Reset User Password

- Sign in to the new temp user account

 If you don't see the temp user account, restart Windows and check again
- Run netplwiz
- Select the target user account
- Click Reset Password
- Enter new password or leave empty for no password
- Click OK
- Sign Out

Remove Temporary Local Admin Account

- Sign in to an admin user account not the temp user account
- Run netplwiz
- Select the temp user account
- Click Remove
- Click Yes
- Click OK

Restore Utilman.exe

- Hold Shift key + click Restart
 Continue to hold shift until the screen goes black
 Windows should reboot in to the Recovery Environment
- Click Troubleshoot
- Click Advanced
- Click Command Prompt
- Navigate to the System32 directory
 - cd c:\windows\system32

Depending on the number logical volumes the computer has connected at the time, the volume that contains the Windows directory may be mounted to a different drive letter, but it's usually mounted as C:

How to find the correct drive letter that contains the Windows directory If C: does not contain the Windows directory, then you can repeat the following steps with different letters to locate which drive does:

- Run D:
 - Run dir
 - Check the output of dir for both the Users and Windows directories
- Restore Utility Manager copy utilman.exe.bak utilman.exe

System Service

Windows

Software

• Restart Windows

Force Restart Windows now to provide a clean environment befor proceeding shutdown -r -f -t 00

- System Restore
 - Check System Restore configuration

 Make sure System Restore is Enabled on C: and set the allocation to

 7%
 - Create a new System Restore point COPS Pre System Service
- Task Manager
 - Disable unwanted startup items
- Wintoys
 - Install Wintoys
 winget install wintoys
 or
 winget install 9P8LTPGCBZXD
 or
 ms-windows-store://pdp/?ProductId=9P8LTPGCBZXD
 - Performance Tab
 - Ultimate performance power plan Turn ON if Desktop Turn OFF if Laptop
 - HAGS (hardware-accelerated GPU scheduling) | Turn ON
 - VBS (virtualization-base security) | Turn ON
 - Startup apps | Disable unwanted startup items
 - \bullet Search indexing $\mid \mathrm{Turn}\ \mathrm{ON}$

- Delivery optimization | Turn ON
- Network adapter onboard processor | Turn ON
- Health Tab
 - Fast startup | Turn ON
 - Drive optimization | Turn ON and run (click config icon and optimise each drive)
 - Storage sense | Turn ON and run (click config icon and click 'Run Storage Sense now')

 - System updates | Set to 'Default'
 - App updates | Turn ON
 - Graphics driver | Click 'Restart'
 - Icons cache | Click 'Rebuild'
- Tweaks Tab
 - Desktop | Turn ON 'This PC' + 'Recycle Bin'

• Updates

- Update Windows old Windows 10 builds can use the Windows 10 Update Assistant to jump to the latest build
- Update Apps via Winget
- Update Apps via Microsoft Store
- Update Office Apps

"C:\Program Files\Common Files\microsoft shared\ClickToRun\OfficeC2RClient.exe" /update user forceappshutdown=true

• Drivers

- Update Drivers using SDIO
- Verify Drivers using verifier

• System Maintenance/Repair

- Open a Terminal as Administrator Run wt or powershell or cmd
- Run the following commands:

```
winget source reset --force
winget source update
winget upgrade --all --silent
sfc /scannow
dism /online /cleanup-image /startcomponentcleanup
/resetbase
dism /online /cleanup-image /restorehealth
sfc /scannow
defrag /c /o
chkdsk c: /r /scan /perf
```

- Disk Cleanup
 - Run cleanmgr /sageset:10
 - Click Clean up system files
 - Tick all checkboxes EXCEPT:
 System error memory dump files
 System error minidump files
 Windows error reports and feedback diagnostics
 User file history
 - Click OK
 - Run cleanmgr /sagerun:10
- Memory Diagnostics
 - Run Windows Memory Diagnostics
 - Click 'Restart now and check for problems (recommended)'
 - After Windows boots back up, check results:
 Event Viewer Windows Logs System Filter Current Log... Event sources Tick 'MemoryDiagnostics-Results' Click OK
- Create a new System Restore point COPS Post System Service

Hardware

- Check all buttons and ports are free from debris and working functioning correctly
- Air compress out system as required
- Wipe down device and clean surfaces
- Add a Serviced by COPS sticker or replace old worn stickers as required

Data Transfer

${f Windows}$		

Backup

Windows

- Restart Windows
 Force Restart Windows now to provide a clean environment befor proceeding shutdown -r -f -t 00
- [OPTIONAL] Create a new System Restore point

Antivirus

• Disable the Antivirus

Some of our extraction tools prompt false positives in the majority of security software

Transfer Drive

- Create a Job folder on the Transfer Drive naming convention:

 Job#5000
 - Create a new folder with the current job number to save User Data to

User Profiles

• Copy C:\Users\ folder to the Job folder on the Transfer Drive

Web Browsers For each installed web browser complete the following:

• Export Bookmarks

naming convention:

```
Web Browser - Google Chrome - Bookmarks - 2024-07-15.html
```

web-browser_google-chrome_bookmarks_2024-07-15.html

- Google Chrome URL: chrome://bookmarks
- Microsoft Edge URL: edge://favorites
- AVG Secure Browser URL: secure://bookmarks
- Mozilla Firefox Hotkey: Ctrl+Shift+0
- Microsoft Internet Explorer: %USERPROFILE%\Favorites

• Export Passwords

naming convention:

```
Web Browser - Google Chrome - Passwords - 2024-07-15.csv or
```

web-browser_google-chrome_passwords-2024-07-15.csv

- Google Chrome URL: chrome://password-manager or chrome://settings/passwords (older Chrome versions)
- Microsoft Edge URL: edge://wallet/passwords or edge://settings/passwords (older Edge versions)
- AVG Secure Browser URL: secure://password-manager or secure://settings/passwords (older Secure Browser versions)
- Mozilla Firefox URL: about:logins
- Microsoft Internet Explorer: use Nirsoft IE PassView

• Sync Accounts

Try to sync each browser with their relevant accounts if available Manual exports of Bookmarks + Passwords is good, but syncing the entire browser is better

- Google Chrome: Google Account
 - chrome://sync-internals
 - Check Enabled: Sync Feature Enabled = true
 - Check Account: Username
 - Checked Synced: Last Synced = Just now
 - Check Not Actively Syncing: Sync Cycle Ongoing = false
 - Force Sync (if required): chrome://extensions enable Developer mode click Update
- Microsoft Edge: Microsoft Account
 - edge://sync-internals
 - Check Enabled: Sync Feature Enabled = true
 - Check Account: Username
 - Checked Synced: Last Synced = Just now
 - Check Not Actively Syncing: Sync Cycle Ongoing = false
 - Force Sync (if required): edge://extensions enable Developer mode click Update
- AVG Secure Browser: AVG Account
- Mozilla Firefox: Mozilla Account

Programs

• Export Installed Programs List

naming convention:

Installed Programs - Nirsoft Uninstallview - 2024-07-15.html or

installed-programs_nirsoft-uninstallview_2024-07-15.html

- Use Nirsoft UninstallView, save all as Horizontal HTML
- Export Winget

naming convention:

Winget - Export - 2024-07-15.json or

winget_export_2024-07-15.json

• Open a Terminal as Administrator Run wt or powershell or cmd

- Check Winget is installed winget -v (this will throw an error if winget is unavailable)
- Update Winget winget source update
- Export Winget's list of installed programs winget export -o "REPLACE-WITH-TARGET-FILE" (update REPLACE-WITH-TARGET-FILE with the target winget export file on the transfer drive)
- Optionally export a list of all programs that Winget does cannot re-install at the same time with this extended command winget export -o "REPLACE-WITH-TARGET-FILE" > "winget_unnavailable.txt"
- [ALTERNATIVE] Create Winget Install Script using 3rd party site winstall.app winget.run

Licenses naming convention:

License Keys - Nirsoft Product Key Scanner - 2024-07-15.html or

license-keys_nirsoft-product-key-scanner_2024-07-15.html - use Nirsoft Product Key Scanner or Nirsoft ProduKey, save all as Horizontal HTML

Emails / Calendars / Contacts

- Extract Passwords and Server Settings
 - Nirsoft Mail PassView
 - ullet Nirsoft WinMailPassRec
 - Nirsoft PstPassword
- Backup any accounts set up as POP
 - How to export emails to file in Outlook
- Export Calendars
- Export Contacts

Drivers

• Export Drivers

naming convention:

TRANSFERDRIVE:\\Job#5000\Drivers - 2024-07-15\

TRANSFERDRIVER:\\Job#5000\drivers_2024-07-15\

• Open PowerShell as an Administrator and run the following script:
Export-WindowsDriver -Online -Destination "REPLACE-WITHTARGET-FOLDER"

 $update\ REPLACE\text{-}WITH\text{-}TARGET\text{-}FOLDER\ with\ the\ target\ drivers}$ $folder\ on\ the\ transfer\ drive$

Other

• Check C: Drive for unusual files/folders to transfer copy to Job folder copying the C: Drive file structure (Transfer-Drive:\Job#5000\C\FolderToSave)

Prepare New Device (if required)

- Create a Local Account during Windows 10/11 Out of Box Experience (OOBE)
 - Option 1: No Internet Connected

Bypass Network Registration

- Open Command Prompt: Shift+F10 (may require pressing Fn on some devices)
- Run command: OOBE\BYPASSNRO (this will restart the OOBE if successful)
- Proceed through OOBE like normal until you get to the Network Selection screen
- Select I don't have an internet connection (if this button is not available the bypass didn't work, proceed to Option 2)
- Select Continue with limited setup
- Create a Local Account: COPS (no password)
- Complete the OOBE as normal
- Option 2: Internet Connected

Force Local Account Creation

- Proceed though OOBE like normal until you get to the Login with a Microsoft Account screen
- Open Command Prompt: Shift+F10 (may require pressing Fn on some devices)
- Run command: start ms-cxh:localonly
- Create a Local Account: COPS (no password)
- Complete the OOBE as normal
- Note regarding Windows 10/11 S Mode

In some cases you won't be able to open the Command Prompt, you may only see it's black box flash up on the screen and quickly dissapear. This is could be a indication of the Windows 10/11 install being in S Mode (Store Mode), which disables access to terminals

(i.e. Command Prompt) and execution of non Microsoft Store apps. If you encounter this, you will not be able create a Local Account during the OOBE, and you will need to complete the OOBE with the customer's Microsoft Account. After the OOBE is complete and you've reached the Windows Desktop environment, you may need to Switch Out of S Mode to proceed with the Data Transfer, as S Mode restricts us from running our tools if required.

- [OPTIONAL] Switch Out of S Mode WARNING: SWITCHING OUT OF S MODE IS A PER-MANANT CHANGE AND CANNOT BE REVERTED
 - Connect to the internet
 - ullet Run ms-windows-store://pdp/?productid=BF712690PMLF&OCID=windowssmodesupportp
 - Follow the prompts to Switch Out of S Mode (this will change the Windows edition installed to Windows 10/11 Home or Pro as per it's installed license)
- Configure System Restore
- Check installed Windows' Edition
 - Run winver
- Create a new System Restore point

COPS - Fresh Windows 10/11 Home/Pro Install (use 10 or 11 and Home or Pro as per winver)

- Connect to the Internet (if not already)
- Check Windows is activated

 $\label{todo:constraint} TODO: {\tt ms-settings:activation?activationSource=SMC-Article-12440}$

- Configure Time/Date
- Configure Windows Update
 - Open Windows Update Run control update
 - Click Resume updates if updates are currently paused
 - Disable Get the latest updates as soon as they're available
 - Advanced options
 - Enable Receive update for other Microsoft products
 - Disable Get me up to date
 - Enable Notify me when a restart is required to finish updating
 - Delivery Optimization
 - Enable Allow downloads from other devices
 - Select Devices on my local network
- Update Microsoft Store Apps
 - Open Microsoft Store

Run ms-windows-store:

- Click Downloads
- Click Check for updates
- Click Update all
- Update Winget Apps
 - Open a Terminal Run wt or powershell or cmd
 - Run the following commands:
 winget source update
 winget upgrade --all --silent
- Update Windows control update
- Update Office apps
 - Run "C:\Program Files\Common Files\microsoft shared\ClickToRun\OfficeC2RClient.exe' /update user forceappshutdown=true
- Check Drivers

Bangs(!) exclamation marks in Device Manager indicates missing, incorrect, or corrupt drivers

- Open Device Manager to check for Bangs(!)
- Run Snappy Driver Installer Origin (SDIO) as an Administrator
- Select TODO: Create a new system restore point
- Select all missing/incorrect/corrupt drivers (as per bangs! in Device Manager)
- Click Install
- [OPTIONAL] Update Outdated Drivers
- Verify Drivers
 - Turn On Windows Verifier:
 - Run verifier
 - Select Create standard settings
 - Click Next
 - Select Automatically select all drivers on this computer
 - Click Finish
 - Restart Windows shutdown -r -f -t 00
 - Windows Verifier works by stressing out drivers as they're loaded (it is expected that the computer's performance will be impacted while verifier is enabled)
 - If Windows loads into the desktop OK and does not crash with Verifier enabled, then all is good and you can proceed to turn it off

- If Verifier induces a crash, Windows should produce a Blue Screen of Death (BSOD) with a STOP Code error and information on the driver that crashed, you can use this information to identify the faulty driver that caused the crash and replace it
- Turn Off Windows Verifier:
 - Run verifier
 - Select Delete existing settings
 - Click Finish
 - Restart Windows shutdown -r -f -t 00

Restore

- Install Programs
 - you can use the winget install script for this if you made one install programs before restoring the user profile, as otherwise some required registry entries may not exist yet
- Restore User Profiles
 - make Administrator, make default user, set no password and set password does NOT expire
- Copy over any C: Drive files/folders that were backed up
- Restart Windows (this should log in to the restored user profile)
 - open a command prompt window (or similar) as Administrator to ensure account has admin priviledges
- Install Printer Drivers
 - If you can not install the printer drivers + software without the printer present, save the printer package installer to C:\COPS\ and create a shortcut to it on the customer's desktop
- Check Web Browsers and restore Bookmarks and Passwords from backups as required
- Activate software using extracted keys or accounts as required
- Configure email accounts as required
- Install additional drivers as required
- Move any USB Dongles from the old device (Wireless mice, wifi, blue adapters, etc...)
- Update Apps
 - via Microsoft Store via Winget
- Update Windows
- Update Office apps (if installed)
- Restart Windows
- Remove 'COPS' user account
 - Run netplwiz Select COPS Click Remove
 - Delete C:\Users\COPS\ folder
 - Windows may prevent you from removing this folder if it's currently accessing it in the background, if this happens just restart Windows

and try to remove it again

- Empty Recycle Bin
- System Maintenance/Repair
 - Open a Terminal as Administrator Run wt or powershell or cmd
 - Run the following commands:

```
winget source reset --force
winget source update
winget upgrade --all --silent
sfc /scannow
dism /online /cleanup-image /startcomponentcleanup
/resetbase
dism /online /cleanup-image /restorehealth
sfc /scannow
defrag /c /o
```

chkdsk c: /r

chkdsk c: /r /scan /perf

Useful Tip

You can queue up multiple commands in PowerShell by pressing Shift+Enter to add a new line before pressing Enter to execute the all of the queued up commands one after another

- Restart Windows
- Create a new System Restore point COPS Completed Data Transfer

Virus/Malware Removal

TT	7 •	1	I
M	/ 1	nd	ows

Pre Scans

• [IMPORTANT] Air Gap Device

Ensure device is disconnected from all networks before RKill is run successfully and RATs (Remote Access Tools) removed, to ensure malicious actors do not re-connect to the device while it's still compromised

- Enable System Restore (set to 7% allocation if enough free disk space)
- [OPTIONAL] Create a new System Restore point COPS Pre Virus/Malware Removal

This System Restore point will be wiped out in a later step (post-virus/mal-ware removal), as malware can persist in old System Restore points

• Restart Windows

Force Restart Windows now to provide a clean environment befor proceeding shutdown -r -f -t 00

• COPS Folder

Create $C:\COPS\$ folder on the system

 \bullet [OPTIONAL] Add C:\COPS\ to the installed antivirus's exclusion list

Trend Micro

Windows Security

• Disable Antivirus

Trend Micro Windows Security

• RKill

- Copy RKill folder from your USB Tool to the COPS folder RKill can't run from a write-blocked drive, so you'll usually need to copy the executables out first
- [IMPORTANT] Run any RKill executable as Administrator
- Wait for RKill to complete, it will then generate a report RKill.txt on the current user's desktop
- Move RKill.txt from %USERPROFILE%\Desktop to COPS folder
- Revo Uninstaller
- Disk Cleanup
 - Run cleanmgr /sageset:10 This will open the Disk Cleanup utility to create settings for Profile 10
 - Click Clean up system files
 - Select all checkboxes except for the following system error options: System error memory dump files System error minidump files

Useful Tip

You can click on an option, and then use the $\mathtt{UP}+\mathtt{DOWN}$ arrows + \mathtt{Space} \mathtt{Bar} to quickly check or uncheck options

- Click OK
- Run cleanmgr /sagerun:10 This will run the Disk Cleanup utility to using Profile 10's settings

Scans

- Connect to Internet
- [OPTIONAL] AdwCleaner

 AdwCleaner crashes out of UVK's automation, so run it now instead if

 you want to use it
- [OPTIONAL] Spybot Search & Destroy Spybot is a thorough malware removal tool, but it can take a very long time to complete it's scans
- [OPTIONAL] Windows Defender Offline Scan

- [OPTIONAL] Create a new System Restore point COPS Pre Virus/Malware Removal
- Ultra Virus Killer (UVK)
 - Install UVK
 - Open UVK
 - Do not disable Hybrid Shutdown if asked when opening UVK
 - Do Update UVK if asked when opening UVK
 - Click System Repair
 - Select the following repair actions: (left menu)
 Useful Tip

You can click on an option, and then use the UP + DOWN arrows + Space Bar to quickly check or uncheck options

- Pre-Repair Actions 1. Set technician power settings 2. Kill all non system processes 3. Delete all restore points 4. Create a system restore point 5. Free physical memory 6. Backup the registry 7. Un-immunize all areas 8. Disable the User Account Control 9. Enable the legacy (F8) boot 10. Enable Windows Recovery Environment Prevent rebooting until all is done
- Third-Party Built-in Apps 12. Ultra Adware Killer scan 13. MalwareBytes AntiMalware scan 14. Super AntiSpyware scan 15. RogueKiller scan 16. Kaspersky TDSSKiller scan 17. Avast! Browser Cleanup
- Reset Actions 18. Reset the DNS cache 19. Reset the Windows Store 20. Reset all print jobs
- Fixes for Common Windows Problems n/a
- File System Related Actions 21. Rebuild icon cache
- Essential Installes/Updates [If Google Chrome is installed] 22. Insall/Update Chrome 23. Install uBlock Origin for Chrome [If Mozilla Firefox is installed] 24. Install/Update Firefox 25. Install uBlock Origin for Firefox 26. Install uBlock Origin for Edge 27. PatchMyPC Update all apps
- Privacy Cleanup 28. Clear all browsers history (all users) 29. Delete browsers cookies (all users)
- Maintenance Actions 30. Empty all users temp folders 31. Empty browsers cache (all users) 32. Unattended disk cleanup
- System Repair and Optimization n/a
- Windows Troubleshooters n/a
- Post-Repair Actions 33. Restore the previous UAC state 34. Restore previous immunization 35. Delete 36. Create restore point (post all restore points (post repair) repair) 37. Reset power settings 38. Uninstall Malwarebytes Antimalware 39. Uninstall Super AntiSpyware 40. Uinstall RogueKiller 41. Uninstall this application 42. Restore normal boot
- Select the following loadout settings: (right menu) 1. Third party

full scans 2. Use unattended mode

• Click Run selected fixes/apps

Post Scans

- [OPTIONAL] Create a new System Restore point COPS Pre Windows Update
- Update Windows (no preview updates)
- Update Apps via Microsoft Store
- Update Apps via Windows Package Manager (winget) winget source update winget upgrade --all --silent

Useful Tip

You can queue up multiple commands in PowerShell by pressing Shift+Enter to add a new line before pressing Enter to execute the all of the queued up commands one after another

- [OPTIONAL] Create a new System Restore point COPS Pre Driver Update
- Update Drivers (SDIO)
- Verify Drivers
 - Turn On Windows Verifier:
 - Run verifier
 - Select Create standard settings
 - Click Next
 - Select Automatically select all drivers on this computer
 - Click Finish
 - Restart Windows (shutdown -r -f -t 00)

Windows Verifier works by stressing out drivers as they're loaded (it is expected that the computer's performance will be impacted while verifier is enabled)

If Windows loads into the desktop OK and does not crash with verifier enabled, then all is good and you can proceed to turn it off

- Turn Off Windows Verifier:
 - Run verifier
 - Select Delete existing settings
 - Click Finish
 - Restart Windows shutdown -r -f -t 00
- System Maintenance/Repair
 - Open a Terminal as Administrator Run wt or powershell or cmd
 - Run the following commands:

```
winget source reset --force
winget source update
winget upgrade --all --silent
sfc /scannow
dism /online /cleanup-image /startcomponentcleanup
/resetbase
dism /online /cleanup-image /restorehealth
sfc /scannow
defrag /c /o
chkdsk c: /r /scan /perf
```

Useful Tip

You can queue up multiple commands in PowerShell by pressing Shift+Enter to add a new line before pressing Enter to execute the all of the queued up commands one after another

• Create a new System Restore point COPS - Post Virus/Malware Removal

Android

Pre Scans

• Remove Intrusive Full-Screen Pop-Ups

These relentless pop-ups make the device impossible to work with, so deal with these first (if applicable)

More Info

These full screen pop-ups/ads aren't a sign of an injection, but merely a malicious use of the native Android notification system.

Users don't intentionally give these apps permission to do this, but it's often caused by Tapjacking or simply users ignorantly agreeing to permission prompts.

- Open Play Store
 - Install Ad Virus Cleaner ROX Security
- Open ROX Security
 - Tap Scan
 - Wait for the scan to complete
 - Tap on Pop-up Ad Detector
 - Tap on Give Permissions

This will open a required permissions settings panel

- Enable ROX Security
- Tap < (back button)
- Wait for an intrusive full-screen pop-up
- Tap | | | (app switch button)

- Switch back to Rox Security Rox Security should have logged recent app activity under it's Pop-up Ad Detector
- Tap: (kebab button) next to the offending app
 - Tap Show in Play Store
 - Verify the app is not important

 If the app is published by Google or the device's manufacturer

 (i.e. Samsung) think twice before removing
 - Tap Uninstall
- Uninstall ROX Security when done
- Safe Mode

Reboot the device in Safe-Mode (if available)

- Malicious or Suspicious Apps
 - Remove any remote access apps (i.e. AnyDesk, TeamViewer, etc..)

 These are used by scammers to access devices remotely
 - Remove any malicious or bloatware apps

 The following are common types of apps that are unnecessary often
 load their own malware
 - Any free 3rd-party "Cleaner" apps
 - Any free 3rd-party "QR Scanner" apps
 - Any free 3rd-party "PDF Reader" apps (excluding Adobe Acrobat Reader)
 - Any free 3rd-party "File Manager" apps
 - Remove any "Crypto" apps (after verifying the customer does not genuinely use them)

Scammers often load on crypto apps to try and steal currencies the device has access to

• Web Browsers

Clear Cache + Data for all Web Browsers installed on the device.

The following steps are for Google Chrome, but other apps are managed that same way

- Open Settings
 - Tap Apps
 - Tap Chrome
 - Tap Storage
 - Tap Clear cache
 - Tap Clear data

1st Party Scans

- Play Protect Scan
- [If Samsung Device]
 - Samsung Device Care Scan

3rd Party Scans

- Install and Run at least 3 of the following free malware scanners:
 - Malwarebytes Mobile Security
 - AVG AntiVirus & Security
 - Bitdefender Antivirus
 - Sophos Intercept X for Mobile
 - Avira Security Antivirus & VPN
 - Trend Micro Mobile Security & Antivirus
 - ESET Mobile Security Antivirus
 - \bullet Total AV Mobile Security $untested\ if\ can\ be\ used\ without\ an\ account$
 - Panda Dome Antivirus and VPN untested if can be used without an account
 - Avast Antivirus & Security untested if can be used without an account

Updates

- Update Apps via Play Store
- [If Samsung Device]
 - Update Apps via Galaxy Store
- Update Android OS

• imessage-exporter

This may take multiple updates and reboots, as customers often neglect updating their devices

Backup / Export Windows macOS Backup Device • Use Time Machine iOS Export Messages

Export Photos

- Connect the iOS device to a macOS device You may need to unlock the iOS device and tap Trust if prompted
- Open Image Capture app
- Click on the iOS device

The connected iOS device should show up under DEVICES on the left

- Change Import To: folder
 Make a Job# folder to import the photos/videos to
- Click Download All

Backup iCloud Photos

- Submit Apple Privacy Data Request
 - Sign in Apple's Data and Privacy page with the customer's Apple Account
 - Click Request a copy of your data
 - Tick iCloud Photos
 - Click Continue
 - Choose the largest bundle/zip size (this will make downloading the files easier, as you can only download 3 of the part files at a time)
- Check confirmation email

Apple will send a confirmation email to the customer's Apple Account email address, if this does not come through now then you may have issues receiving the download link email later

- Wait for the download link email
 Apple will have to compile and zip up all of the data you requested, this
 can take many days
- Open download link
- Download all .zip files Apple prepared for download
- Unzip all .zip files
- Combine the unzipped data in to one folder

And	lroid				
os	Install I	Media	Crea	tion	
Wir	ndows				
Dow	nload				

• Download from massgrave.dev

Verify

• Verify checksums against rg-adguard.net

Flash

• Flash image to USB using Rufus winget install rufus.rufus

Inject Drivers

- Prep
 - \bullet Have a folder with extracted drivers ready to go
 - C:\drivers\ for this example
 - Create an empty directory ready to mount the Windows image to for editing
 - C:\mount\ for this example
 - Have a Windows image ready to go
 F:\sources\install.wim for this example
- Mount
 - Open Powershell as admin
 - Find index of the Windows image you want to mount Get-WindowsImage -ImagePath F:\sources\install.wim
 - Mount the Windows image
 Mount-WindowsImage -Path C:\mount\ -ImagePath F:\sources\install.wim
 -Index 1
- Add Drivers
 - Add-WindowsDriver -Path C:\mount\ -Driver C:\drivers\ -Recurse -ForceUnsigned
- Unmount
 - Dismount-WindowsImage -Path C:\mount\ -Save

Sideloading

Android

Download

- Download desired .APK from 3rd party source or directly from the Google Play store using Aurora Store
- [If you can only download an App Bundle (.APKS, .XAPK, .APKM)]
 - Use AntiSplit M to merge the bundle components back in to a .APK file

Upload

- Connect the Android device to a computer
- Navigate to it's mounted file system (i.e. in This PC)
- Open Downloads folder
- \bullet Copy .APK file in to the <code>Downloads</code> folder

Install

- Enable Sideloading

 Depending on the manufacturer of the device, you may need to enable

 Sideloading before you can install .APK files

 Samsung
- Open Files app
- Navigate to Downloads folder
- \bullet Tap on the .APK file
- Tap Install

USB Tool

Ventoy

Medicat

Bootable Tools

Windows Tools

COPS Extras (scripts, etc..)

Reference

Windows

App	Install	Description	Use Case
7-Zip			
AMD Adrenalin			
AltSnap			
Apple Devices	winget install		
	"Apple		
	Devices"		

App	Install	Description	Use Case
Apple iTunes	winget install Apple.iTunes		DEPRECATE- DUse Apple Devices instead
Audacity balenaEtcher BandiView BandiZip Bitwarden			
Chocolatey	winget install Chocolatey.Choc	olatey	DEPRECATE- DUse Winget instead
Cinebench	winget install Maxon.Cinebench	R23	
Clear Disk Info	winget install Carifred.ClearD		
CPUID CPU-Z	winget install CPUID.CPU-Z		
CPUID HWMonitor	winget install CPUID.HWMonitor		
CrystalDiskInfo	winget install CrystalDewWorld	.CrystalDiskInfo	DEPRECATE- DUse Clear Disk Info instead
CrystalDiskMark	winget install CrystalDewWorld	.CrystalDiskMark	
DaVinci Resolve			
Disk Drill	winget install CleverFiles.Dis	kDrill	
Display Driver	winget install		
Uninstaller (DDU)	Wagnardsoft.Dis	playDriverUninstal	ler
DropBox			
eM Client	winget install eMClient.eMClient	nt	
Exact Audio Copy (EAC) Everything FFmpeg FileBot FileZilla			
ForensiT Transwiz	winget install ForensiT.Transw	iz	DEPRECATED- Copy %USERPROFILE% instead

App	Install	Description	Use Case
Furmark	winget install		
	Geeks3D.FurMark.	2	
Gimp	winget install		
	GIMP.GIMP.3		
Git	winget install		
	Git.Git		
GitHub Desktop	winget install		
	GitHub.GitHubDes	ktop	
Google Chrome	winget install		
	Google.Chrome		
Google Drive	winget install		
	Google.GoogleDri	ve	
GPU-Z	winget install		
	TechPowerUp.GPU-	•	
	Z		
HandBrake	winget install		
	HandBrake.HandBr	ake	
HashCheck Shell	winget install		
Extension	idrassi.HashChec		
HD Tune Pro	winget install	,	Benchmark drive
	EFDSoftware.HDTu	n eRilo ty	speed over time
TT 01			with graph
HexChat	winget install		
	HexChat.HexChat		
HWiNFO	winget install		
.3.5	REALIX.HWINFO		
iMazing	winget install		
·3.f	DigiDNA.iMazing		
iMazing	winget install	TDT GG	
Converter	DigiDNA.iMazingH	ElCConverter	
ImgBurn	winget install		
т 1	LIGHTNINGUK.ImgE	surn	
Inkscape	winget install	_	
I4-1 IID	Inkscape.Inkscap	oe .	
Intel HD			
Graphics Intel PresentMon	inmat inatall		
intel Presentition	winget install Intel.PresentMon	ho+a	
iPerf			Test network
11 611	winget install ar51an.iPerf3	Measuring TCP, UDP and SCTP	throughput
	arbian.ireiib	bandwidth	tinougnput
		performance	
JDownloader	mingot ingtoll	periormance	
a Downnoader	winget install AppWork.JDownloa	dor	
	Thhmory. anomittog	IGOT	

App	Install	Description	Use Case
Libre Office	winget instal	_	
Libre Office	•	oundation.LibreOffice	<u> </u>
MASMicrosoft	irm	Open-source	Change Windows
Activation Scripts		ctivatiend owin and	Editions
	iex	Office activator	
MediaInfo	winget instal	.1	
	MediaArea.Med		
MakeMKV	winget instal	.1	
	GuinpinSoft.M	lakeMKV	
Microsoft Office	winget instal		
	Microsoft.Off	ice	
Microsoft			
OneDrive			
Microsoft PC	winget instal	.1	
Health Check	Microsoft.Win	dowsPCHealthCheck	
Microsoft			
PowerToys			
Microsoft Visual	winget instal	.1	
Studio Code		sualStudioCode	
Microsoft	winget instal	.1	
Windows	Microsoft.Win	dowsTerminal	
Terminal			
Microsoft Verifier		_	
MiniTool	winget instal		
Partition Wizard		itionWizard.Free	
Mozilla Firefox	winget instal		
N.f. :11	Mozilla.Firef		
Mozilla	winget instal		
Thunderbird NirSoft	Mozilla.Thund		
BlueScreenView	winget instal NirSoft.BlueS		
NirSoft Product	NIL201C.DIGES	creenview	
Key Scanner			
NirSoft			
ProduKey			
Nvidia App			
NVIDIA GeForce			DEPRECATE-
Experience			DUse NVIDIA
Emperionee			App instead
OpenOffice			
Papa's Best STL			
Viewer			
Proton VPN			
qBittorrent			
-			

App	Install	Description	Use Case
Raspberry Pi Imager			
ReNamer			
RevoUninstaller	winget install RevoUninstaller	.RevoUninstaller	
Rufus	winget install Rufus.Rufus		
SD Card			
Formatter			
Scoop			DEPRECATE- DUse Winget instead
Snappy Driver	winget install		DEPRECATE-
Installer (SDI)	samlab-		DUse Snappy
	ws.SnappyDriver	Installer	Driver Installer Origin (SDIO) instead
Snappy Driver	winget install		
Installer Origin (SDIO)	•	appyDriverInstalle	erOrigin
Sublime Text	winget install		
	SublimeHQ.Subli	meText.4	
TeamViewer	winget install		
	TeamViewer.Team	Viewer	
Trend Micro	winget install		
Internet Security	"Trend Micro		
	Internet		
	Security"		
Trend Micro	winget install		
Maximum	"Trend Micro		
Security	Maximum		
	Security"		
UltraViewer	winget install DucFabulous.Ult	raViewer	
Ultra Virus Killer (UVK)			
UniGetUIfor-	winget install	A GUI for the	
merly WingetUI	MartiCliment.Un		
v J		CLI package	
		managers for	
		Windows	

App	Install	Description	Use Case
uTorrent			DEPRECATE- DUse qBittorrent instead
VLC Media Player Win32 Disk Imager	winget instal VideoLAN.VLC winget instal Win32diskimag		
WinDirStat	winget instal WinDirStat.Wi		DEPRECATE- DUse WizTree instead
Winget	irm asheroto.com/ iex	winget	
WinRAR	winget instal RARLab.WinRAR	1	
WizTree	winget instal		
yt-dlp	winget instal yt-dlp.yt-dlp		

macOS

App	Install	Description	Use Case
Apple Image Capture		Download photos/videos from digital cameras or iOS devices	Useful for backing up photos/videos from iOS devices, even if their iCloud account isn't working, as it treats the iOS device like a digital camera and simply imports the local copies on the device
Microsoft Remote Desktop			DEPRECATE- DUse Microsoft Windows App instead
Microsoft Windows App			

App	Install	Description	Use Case
Raycast	brew install		
	cask raycas	t	
Rectangle	brew install		
	cask		
	rectangle		
yabai	brew install		
	koekeishiya/f	ormulae/yabai	
AeroSpace	brew install		
	cask		
	nikitabobko/t	ap/aerospace	
FlashSpace	brew install		
	flashspace		
Spectacle	_		DEPRECATE-
			$\mathrm{DUse}\ \mathtt{Rectangle}$
			instead
Alfred			DEPRECATE-
			$\mathrm{DUse}\ \mathtt{Raycast}$
			instead

iOS

Android

App	Description	Use Case
Appwatch	Snitch on app activity	DEPRECATEDUse Rox
A	A.1.	Security instead
Aurora Store	Alternative Google	Install apps from the
	Play Store app	Play Store repository
		without needing to log
		in with a Google
		Account, and can
		download .APKs from
		the Play Store for later
		sideloading
Rox Security	Multi-tool for identifying	Identify apps that are
and the state of	unusual/unwanted app	responsible for instrusive
	behaviour, including	full-screen pop-ups
	snitching on app activity	ran sercen pop aps

Commands

Windows

Command	Description	Use Case
\	Opens %SYSTEMDRIVE% folder	Quick access to C:\
appwiz.cpl	Opens Programs and Features control panel window	
calc	Opens Calculator app	
charmap	Opens Character Map app	
chrome	Opens Google Chrome app (if installed)	
cmd	Opens Command Prompt app (if installed)	
code	Opens Visual Studio Code app	
compmgmt.msc	Opens Computer Management snap in	
control	Opens Control Panel	
control folders	Opens File Explorer Options window	
control keyboard	Opens Keyboard Properties window	
control printers	Opens Bluetooth & devices settings window	Quick access to Printers & scanners
control update	Opens Windows Update settings window	
desk.cpl	Opens Display settings window	Quick access to Resolution + Multi-Montior settings
devmgmt.msc	Opens Device Manager snap in	Check Drivers
diskmgmt.msc	Opens Disk Management snap in	Check connected drives
diskpart	Opens Microsoft DiskPart command line interface	
documents	Opens current user's Documents folder	
downloads	Opens current user's Downloads folder	
dxdiag	Opens DirectX Diagnostic Tool app	

Command	Description	Use Case
eventvwr.msc	Opens Event Viewer snap in	
explorer	Opens Windows Explorer	
firefox	Opens Mozilla Firefox app (if installed)	
firewall.cpl	Opens Windows Defender Firewall control panel window	
fonts	Opens Fonts folder	
gpedit.msc	Opens Local Group Policy Editor snap in	
iexplore	Opens Internet Explorer app	
inetcpl.cpl	Opens Internet Properties window	Quick access to Proxy server settings
joy.cpl	Opens Game Controllers window	Use to test game controller inputs
lusrmgr.msc	Opens Local Users and Groups snap in	Powerful control over User Accounts and Groups, but does not work on Windows Home editions
main.cpl	Opens Mouse Properties window	
manage-bde c: -off	Run in a terminal to decrypt and disable BitLocker on C: drive	
manage-bde -status	Run in a terminal to show BitLocker status of all drives	
mdsched	Opens Windows Memory Diagnostic app	
mmc	Opens empty Microsoft Management Console snap in	
mmsys.cpl mrt	Opens Sound window Opens Microsoft Windows Malicious Software Removal Tool app	

Command	Description	Use Case
msconfig	Opens System Configuration window	Quick access to Safe boot or Windows boot entries
msedge	Opens Microsoft Edge app	
msinfo32	Opens System Information	
mstsc	Opens Remote Desktop Connection app	
ms-windows-store:	Opens Microsoft Store app	
ncpa.cpl	Opens Network Connections control panel window	
netplwiz	Opens User Accounts window	Less powerful control over User Accounts, but does work on Windows Home editions
notepad	Opens Notepad app	
onedrive	Opens current user's OneDrive folder	
osk	Opens On-Screen Keyboard	
pictures	Opens current user's Pictures folder	
powercfg.cpl	Opens Power Options control panel window	
powershell	Opens Powershell app	
regedit	Opens Registry Editor app	
resmon	Opens Resource Monitor app	
services.msc	Opens Services snap in	
shell:appsfolder	Opens Applications folder	Useful for creating shortcuts to Microsoft Store apps
shell:mycomputerfolder	Opens This PC folder	
shell:recyclebinfolder	Opens Recycle Bin folder	
shell:startup	Opens Startup folder	
shutdown /h	Hibernate computer	
shutdown /1	Log off	
shutdown /r /fw /t	Restart Windows and	
00Run as Administrator	boot in to BIOS / UEFI	

Command	Description	Use Case
shutdown /r /o /t 00	Restart Windows and boot in to Recovery Environment	
shutdown /r /f /t 00	Force Restarts Windows immediately	
shutdown /s /f /t 00	Force Shuts down Windows immediately	
snippingtool	Opens Snipping Tool app	
sysdm.cpl	Opens System Properties window	Quick access to System Restore
taskmgr	Opens Task Manager app	
taskschd.msc	Opens Task Scheduler snap in	
timedate.cpl	Opens Date and Time window	
verifier	Opens Driver Verifier Manager app	
videos	Opens current user's Videos folder	
vlc	Opens VLC Media Player app (if installed)	
winver	Opens About Windows window	Quick way to check installed Windows edition (Home/Pro/Enterprise), version, and build
wt	Opens Windows Terminal app	,
%APPDATA%	Opens current user's AppData\Roaming folder	
%LOCALAPPDATA%	Opens current user's AppData\Local folder	
%SYSTEMDRIVE%	Opens the root folder of the system drive	
%TEMP%	Opens current user's Temp folder	
%USERPROFILE%	Opens current user's profile folder	
%WINDIR%	Opens Windows folder	

Hotkeys

Windows

Resources

Hardware

iFixIt - Electronics Skills	Learn general device repair and
	electronics skills
iFixIt - Repair Guides	Repository of repair guides for specific
	devices
Repair Wiki	Guides for troubleshooting more
	specific or niche device issues
Keyboard Checker	Keyboard tester
HardwareTester - Midi Tester	Test MIDI input devices
HardwareTester - Gamepad Tester	Test Gamepads / Controllers
HardwareTester - Microphone Tester	Test Microphones
PassMark - CPU Benchmarks	Compare CPU's
PassMark - Videocard Benchmarks	Compare Videocards
PassMark - Memory Benchmarks	Compare Memory Modules
PassMark - Hard Drive Benchmarks	Compare HDD's / SSD's

Networking

Port Forward	Repository of router port forwarding
	guides and ports for common software
Router Passwords	Repository of default router
	usernames/passwords and IP
	addresses
SpeedTest	Test internet connection download,
	upload, ping speeds

Security

Bitwarden Password Generator	Great password generator to create
	unique Passphrases
Have I Been Pwned	

Software

winstall	Make winget install scripts to batch
	install software

Ninite	Make standalone batch software
	installers
Adobe PDF Tools	Free to use PDF tools, use
	Incognito/Private mode to exceed free
	'try' limits
Photopea	Free Photoshop alternative that runs
	in the web browser
PrintFriendly	Convert various file formats to PDF
Watermark Remover	AI watermark removing tool, use
	Incognito/Private mode to exceed free
	'try' limits

Scripting / Coding

SS64.com	Quick reference from terminal shell
	commands, particularly helpful for
	CMD / Batch commands

Phonetic Alphabet

The NATO Phonetic Alphabet can be very useful when trying to provide remote support over the phone

A	Aplha	N	November
В	Bravo	Ο	Oscar
\mathbf{C}	Charlie	Ρ	Papa
D	Delta	Q	Quebec
\mathbf{E}	Echo	\mathbf{R}	Romeo
\mathbf{F}	Foxtrot	\mathbf{S}	Sierra
G	Golf	\mathbf{T}	Tango
Η	Hotel	U	Uniform
Ι	India	V	Victor
J	$\operatorname{Juliett}$	W	Whiskey
K	Kilo	X	X-ray
\mathbf{L}	Lima	Y	Yankee
\mathbf{M}	Mike	\mathbf{Z}	Zulu

Miscellaneous

How to Hard Refresh Web Browsers

A hard refresh clears your browser cache for a specific page, which forces it to load the most recent version of that page. This could include new scripts, styles or features.

Important: Clicking the "Refresh" arrow on your browser address bar is not a hard refresh. Here's how you can clear your cache through a hard refresh on any browser:

```
Google Chrome
Windows: Ctrl and then press F5
macOS: Cmd + Shift + R
Firefox
Windows: Ctrl + F5
macOS: Cmd + Shift + R
```

• Safari (Mac)

Empty Cache: Go to Safari > Empty Cache, or hit Opt + Cmd + E Refresh: Click the refresh button on the address bar or press Cmd + R

• Internet Explorer/Microsoft Edge (Windows) Ctrl + F5

How to Manually Clear the Print Queue (Windows)

• Open a terminal as Administrator

```
    Run the following commands:
net stop spooler
del %SYSTEMROOT%\System32\spool\PRINTERS\* /Q
net start spooler
```

How to Generate Battery Report (Windows)

- Open a terminal as Administrator
- Export Battery Report powercfg /batteryreport /output c:\batt.html
- Open Battery Report start c:\batt.html

How to Reset Page File (pagefile.sys) (Windows)

A page file (also known as a "paging file") is an optional, hidden system file on a hard disk. Page files enable the system to remove infrequently accessed modified data from physical memory to let the system use physical memory more efficiently for more frequently accessed data.

More Info

Page files extend how much Committed Memory (also known as "virtual memory") is used to store modified data. This can be checked in Task Manager

> Performance > Memory > Committed This comitted memory value should represent Total Physical Memory + Page File size

Method 1: Registry

- Run regedit as Administrator (Shift + Enter)
- Navigate to HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session Manager\Memory Management
- Open ClearPageFileAtShutdown (Double-Click)
 - Change Value data to 1
 - Click OK
- Close Registry Editor
- Restart Windows shutdown /r /f /t 00

Method 2: Group Policy

- Run gpedit.msc as Administrator (Shift + Enter)
- Navigate to Local Computer Policy > Computer Configuration
 > Windows Settings > Security Settings > Local Policies > Security Options
- Open Shutdown: Clear virtual memory pagefile (Double-Click)
 - Select Enabled
 - Click OK
- Close Local Group Policy Editor
- Run a terminal as Administrator wt or powershell or cmd
- Run the following command: gpupdate /force
- Restart Windows shutdown /r /f /t 00

Method 3: Manual

Disable Page File

- Open System Properties sysdm.cpl
- Click Advanced tab
- Performance
 - Click Settings... button
 - Click Advanced tab
 - Virtual Memory
 - \bullet Click Change... button
 - Take not of the current settings (we'll need to re-apply these later)

- Uncheck Automatically manage paging file size for all drives
- Select C: drive
- \bullet Select No paging file
- Click Set
- Click Yes
- Click OK
- Restart Windows shutdown /r /f /t 00

Re-Enable Page File

- Open System Properties sysdm.cpl
- Click Advanced tab
- Performance
 - Click Settings... button
 - Click Advanced tab
 - Virtual Memory
 - Click Change... button
 - Re-Apply Settings as they were before disabling
 - Click OK
- Restart Windows shutdown /r /f /t 00

How to Reset Hibernation File (hiberfil.sys) (Windows)

Windows uses the hiberfil.sys file to store a copy of the system memory on the hard disk when the hybrid sleep setting is turned on. If this file is not present, the computer cannot hibernate.

More Info

The hiberfil.sys hidden system file is located in the root folder of the drive where the operating system is installed. The Windows Kernel Power Manager reserves this file when you install Windows. The size of this file is approximately equal to how much random access memory (RAM) is installed on the computer.

Disable Hibernation

```
powercfg -h off
or
powercfg.exe /hibernate off
```

Re-Enable Hibernation

```
powercfg -h on or
```

powercfg.exe /hibernate on