

ConTEXt comandi

language : it / italianoversion : 30 marzo 2020

maintainer : Wolfgang Schuster

comments : ntg-context@ntg.nl

AfterPar	\AfterPar {}
-	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
· ·	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
· ·	\activatespacehandler {}
•	
actualday	\actualday
actualmonth	\actualmonth
actualyear	\actualyear
,	•
	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
	\adaptpapersize [] []
	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
	\addfeature {}
	\addfontpath []
addtocommalist	\addtocommalist {} \
	\addtoJSpreamble {} {}
-	-
	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
	\alignedbox [] \ {}
	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
	\alwayscitation [=] [=]
-	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
•	
	\ambiente []
ambiente:string	\ambiente
ampersand	\ampersand
	\anchor [] [=] [=] {}
ap	\ap {}
apagina	\apagina []
appendetoks	\appendetoks \to \
	\appendgvalue {} {}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
	\appendtoksonce \to \
	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
	\applyprocessor {} {}
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ {}
	\applytosplitstringchar \ \{\}
	\applytosplitstringcharspaced \ {}
applytosplitstringline	\applytosplitstringline \ {}
	\applytosplitstringlinespaced \ {}
	\applytosplitstringword \ {}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ {}
	\applytowords \ {}
·	\HIGH {}
•	
•	\unitshigh {}
arabicdecimals	\arabicdecimals {}
	\arabicexnumerals {}
	,

arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension $\{\}$ \ $\{\}$ $\{\}$
assigndimen	\assigndimen \ \{\}
assigndimension	\assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignifempty	\assignifempty \ \{\}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ \{\}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral \{\} \{\}
automathematics	\automathematics {}
autoorientation	\autoorientation {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage \{\} \{\} \\\\\\\\\\\\\\\\\\\\\\\
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione bar:instance	\barrainterazione [] [=] \BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar \{\ldots\}
bar:instance:overbar	\overbar \(\ldots \)
bar:instance:overstrike	\overstrike \{\dots\}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar \{\}
bar:instance:underbars	\underbars \{\}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots \{\dots\}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] [=] \endBLOCK
beginhbox	\beginhbox \endhbox
beginofshapebox	\beginofshapebox \endofshapebox

	Mart 1 - Arch 1
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop \begstrut \endstrut
begstrut	\bigg
bigg bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=.] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=.] \eTABLEfoot
bTABLEhead bTABLEnested	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnested [=] \eTABLEnested \bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	bTDs [] \eTDs
bTH	\bTH [=.] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse $\{\}$ $\{\}$ $\{\}$
btxdoifelse	\btxdoifelse {} {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious {} {} {}
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked {} {} {}
btxdoifelseuservariable	\btxdoifelseuservariable {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse {} {} {}
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}

btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	
	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
3	•
btxoneorrange	\btxoneorrange \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \{\ldots\}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent \{\ldots\} \\\
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {}
capoverso:instance:ownnumber:chapter	\chapter [] {}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {} {}

capoverso:instance:ownnumber:subject	$\subject [] {} {}$
capoverso:instance:ownnumber:subsection	\subsection [] {} {}
capoverso:instance:ownnumber:subsubject	\subsubject [] {} {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {} {}
-	\subsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubject	•
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubject	$\subsubsubsubject [] {} {}$
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubject [] {} {}
	\title [] {}
capoverso:instance:ownnumber:title	
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] $\{\}$
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
-	\subsubsection [] {}
capoverso:instance:subsubsection	
capoverso:instance:subsubsubject	\subsubsubject [] {}
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
	3
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
	\CHARACTERKERNING [] {}
characterkerning:example	
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedblank	\checkedblank []
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
	\checknextinjector []
checknextinjector	5
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
	\chemicaltoptext {}
chemicaltoptext	
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite []
	\cite {}
cite:direct	
cite:userdata	\cite [=]
clap	\clap {}
classfont	\classfont {} {}

cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
clippedoverlayimage	\clippedoverlayimage {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded colonna	\collectexpanded {} \colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize \commento (,) (,) [=] {}
commento commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension \{\ldots\}
comparedimensioneps	\comparedimensioneps {} {}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
<pre>completelistoffloats:instance:tables completelistofpublications</pre>	\completelistoftables [=]
completelistofsorts	\completelistofpublications [] [=] \completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
component	\component [] \component
componenet:string composedcollector	\componenet \composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
confrontagruppocolori	\confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument convertcommand	\convertargument \to \ \convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen \{\ldots\}
convertedsubcounter	\convertedsubcounter [] [] [=]
	· ·

convertinumero	\convertinumero {} {}
convertmenth	\convertmonth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] [] []
copyposition	\copyposition {} {}
copysetups	\copysetups [] []
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
cramped	\cramped \(\(\cramped \)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
• •	\crampedclap {}
crampedllap	
crampedrlap crlf	\crampedrlap {}
	\crlf
crlfplaceholder	\crlfplaceholder
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	$\c \c \$
currentassignmentlistvalue	$\c \c \$
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
	···

currentregisterpageuserdata	\currentregisterpageuserdata {}
	\currentresponses
currentresponses	-
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
da	\da []
daqualcheparte	$\displaystyle \operatorname{daqualcheparte} \{\ldots\} \{\ldots\} [\ldots]$
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable {} {} {}
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementedcounter []
1 0	
decrementsubpagenumber decrementvalue	\decrementsubpagenumber
	\decrementvalue {}
decrement:argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ {}
defconvertedargument	\defconvertedargument \ {}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [] [=]
definebar	\definebar [] [] []
definebodyfontswitch	\definebodyfontswitch [] []
•	
definebreakpoint	\definebreakpoint [] [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [=]
definecombination	\definecombination [] [] []
definecomment	\definecomment [] [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimple \
definecomplexorsimpleempty:argument	\definecomplexorsimple empty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [=]
definefacingfloat	\definefacingfloat [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] [=]
definefallbackfamily:preset	\definefallbackfamily [] [] []

definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [=]
definefileconstant	\definefileconstant \{\ldots\} \\\
definefilefallback	\definefilefallback []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [] [=]
definefontalternative	\definefontalternative []
definefontfallback	
	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] [=]
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframedcontent	\defineframedcontent [] [] []
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
• •	
defineheadalternative	\defineheadalternative [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] []
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement \{\ldots\} \\
defineinterfacevariable	\defineinterfacevariable \{\ldots\} \{\ldots\}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [] \definelines []
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] []
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]

	A
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [=]
definemathornament	\definemathornament [] [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [] []
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [=]
definemode	\definemode [] []
definemultitonecolor	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [] [=]
defineorientation	\defineorientation [] [=]
defineornament:collector	\defineornament [] [=] [=]
	\defineornament [] [=] \defineornament [] [=]
defineornament:layer	
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [=]
definepagecolumns	\definepagecolumns [] [=]
definepageinjection	\definepageinjection [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] []
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [] [=]
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [] [=]
defineplacement	\defineplacement [] [] [=]
definepositioning	\definepositioning [] [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [] \.
-	
definerocessor	\defineprocessor [] [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemattribute [] \definesystemconstant {}
definesystemvariable	\definesystemconstant \(\(\cdot\) \definesystemvariable \(\(\cdot\)
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [=]
ACT THE CANATACTON	/rerimeranaranion [] [] []

definetextbackground	\definetextbackground [] [=]
definetextflow	\definetextflow [] [=]
definetextnote	\definetextnote [] [=]
definetokenlist	\definetokenlist []
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] [] []
definetypescriptprefix definetypescriptsynonym	\definetypescriptprefix [] [] \definetypescriptsynonym [] []
definetypesetting	\definetypescriptsynonym [] [] \definetypesetting [] []
defineunit	\defineunit [] [] []
defineuserdata	\defineuserdata [] [] [=]
defineuserdataalternative	\defineuserdataalternative [] [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] []
definisciblocco	\definisciblocco [] [=]
definiscibloccosezione	\definiscibloccosezione [] [] [=]
definiscibuffer	\definiscibuffer [] [=]
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi definiscicarattere	\definiscicapoversi [] [] []
definiscicolore	\definiscicarattere \definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [=]
definiscielencocombinato	\definiscielencocombinato [] [] [=]
definiscienumerazione	\definiscienumerazione [] [] [] \definiscietichetta [] [] []
definiscietichetta definiscifigurasimbolo	\definiscifigurasimbolo [] [] [=]
definiscifont	\definiscifigatasimbolo [] [] \definiscifont [] []
definiscifontdeltesto	\definiscifontdeltesto [] [] [] []
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [] [=]
definiscigruppocolonne	\definiscigruppocolonne [] [=]
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]
definiscilayout definiscimakeup	\definiscilayout [] [=.] \definiscimakeup [] [] [=.]
definiscimarcatura	\definiscimarcatura [] [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] [] [=]
definiscimodellotabella	\definiscimodellotabella [] [] []
definiscioggettomobile	\definiscioggettomobile [] [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
definisciriferimento	\definisciriferimento [] []
definiscisezione definiscisimbolo	\definiscisezione [] \definiscisimbolo [] []
definiscisimpolo definiscisinonimi	\definiscisimooio [] [] [] \definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [] []
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] [] [=]

definiscistile	\definiscistile [] []
definiscistilefont	\definiscistilefont [] []
definiscitabulato	\definiscitabulato [] []
definiscitavolozza	\definiscitavolozza [] [=] OPT
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [] [=]
lefiniscitesto	\definiscitesto [] [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [] [=]
definiscitype definiscityping	\definiscitype [] [=] \definiscityping [] [=]
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext \{\deftarrow\} \{\deftarrow\}
depthstrut	\depthstrut
descrizione:example	\DESCRIZIONE [] {} \par
lestra	\destra
determinacaratteristicheregistro determinacarattersticheelenco	\determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=]
determinacuratterstroneerenco	\determinacaratterstrcheerenco [] [] \determinanumerotesta []
determinenoflines	\determinandmerocesta []
devanagarinumerals	\devanagarinumerals {}
ligits	\digits {}
ligits:string	\digits
dimensiontocount	\dimensiontocount \{\dots\} \\\
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed directluacode	\directlocalframed [] {} \directluacode {}
directselect	\directification \{\ldots\} \{\ld
lirectsetbar	\directsetbar {} OPT OPT OPT OPT OPT
lirectsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
lis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
lisablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
lisabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage distributedhsize	\displaymessage {}
dividedsize	\distributedhsize {} {} {} \dividedsize {} {}
doadaptleftskip	\doadaptleftskip {}
loadaptrightskip	\doadaptrightskip {}
loaddfeature	\doaddfeature {}
loassign	\doassign [] [=]
loassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {}
docheckassignment	\docheckassignment {}
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
Andoubleargument	\dodoubleargument \ [] []

dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ \{\}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
	=
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse $\{\}$ $\{\}$ $\{\}$
doifalldefinedelse	\doifalldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodes	\doifallmodes $\{\}$ $\{\}$
doifallmodeselse	\doifallmodeselse {} {}
doifassignmentelse	\doifassignmentelse {} {}
doifassignmentelsecs	\doifassignmentelsecs {} \ \
doifblackelse	\doifblackelse {} {} {}
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	
	\doifbothsidesoverruled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifboxelse	\doifboxelse \{\} \\\}
doifbufferelse	\doifbufferelse {} {} {}
doifcheckedpagestate	$\label{local-continuous} $$ \doifchecked page state $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $$
doifcolor	\doifcolor \{\ldots\} \\\
doifcolorelse	\doifcolorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcommandhandler	\doifcommandhandler \ \{\} \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon {} {} {}
doifcommonelse	\doifcommonelse \{\} \{\} \{\}
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounterelse	\doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse $\{\}$ $\{\}$
doifdefined	\doifdefined {} {}
doifdefined doifdefinedcounter	\doifdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounter doifdefinedcounterelse	\doifdefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse	\doifdefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse	\doifdefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentaringelse {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdrawingblackelse {} {} \doifelse {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdrawingblackelse {} {} \doifelse {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} \doifdefinedelse {} {} \doifdimensionelse {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenamelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseallmodes	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdocumentvariableelse {} {} {} \doifelse {} {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelsealsimodes doifelseassignment	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdocumentvariableelse {} {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseallmodes {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdiffication {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelseassignment {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelseblack	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenamelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdocumentvariableelse {} {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelseassignmentcs {} {} \doifelseblack {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelseblack doifelsebox	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdifficesellcommon {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelseablack {} {} {} \doifelsebox {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelseboxincache	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdocumentvariableelse {} {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelseboxincache doifelsebuffer	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdocumentvariableelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelseblack {} {} {} \doifelsebox {} {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelseboxincache doifelsebuffer doifelsecolor	\doifdefinedcounter \{\} \\\} \\doifdefinedcounterelse \{\} \{\} \\\} \\doifdefinedcounterelse \{\} \{\} \\\} \\doifdefinedelse \{\} \{\} \\\} \\doifdimensionelse \{\} \{\} \\\} \\doifdimenstringelse \{\} \{\} \\doifdocumentargument \{\} \{\} \\doifdocumentargumentelse \{\} \{\} \\doifdocumentfilename \{\} \{\} \\\doifdocumentfilename \{\} \{\} \\doifdocumentvariable \{\} \{\} \\doifdocumentvariableelse \{\} \{\} \\doifelse \{\} \{\} \\doifelseallcommon \{\} \{\} \\\doifelseallcommon \{\} \{\} \\\doifelsealldefined \{\} \{\} \\\doifelseallmodes \{\} \{\} \\\doifelsebox \{\} \\\doifelsebox \{\} \\\doifelsebox \{\} \\\doifelsebox \{\} \\\doifelsebox \{\} \\\doifelsebox \
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecolor doifelsecommandhandler	\doifdefinedcounter \{\} \\\} \\doifdefinedcounterelse \{\} \{\} \\\} \\doifdefinedcounterelse \{\} \{\} \\\} \\doifdefinedclse \{\} \{\} \\\} \\doifdimensionelse \{\} \{\} \\\} \\doifdimenstringelse \{\} \{\} \\doifdocumentargument \{\} \{\} \\doifdocumentargumentelse \{\} \{\} \\doifdocumentfilename \{\} \{\} \\\doifdocumentfilename \{\} \{\} \\doifdocumentvariable \{\} \{\} \\doifdocumentvariableelse \{\} \{\} \\doifelseallcommon \{\} \{\} \\\doifelseallcommon \{\} \{\} \\\doifelsealldefined \{\} \{\} \\\doifelsealldefined \{\} \{\} \\\doifelseassignment \{\} \{\} \\\doifelsebox \{\} \{\} \\\doifelseboxincache \{\} \{\} \\\doifelseboxincache \{\} \{\} \\\doifelsecolor \{\} \{\} \\\doifelsecommandhandler \\\} \{\} \\\doifelsecommandhandler \\\} \\\} \\\doifelsecommandhandler \\\} \\\} \\\} \\\doifelsecommandhandler \\\} \\\} \\\doifelsecommandhandler \\\} \\\} \\\doifelsecommandhandler \\\} \\\} \\\doifelsecommandhandler \\\} \\\\} \\\doifelsecommandhandler \\\} \\\\} \\\doifelsecommandhandler \\\} \\\\} \\\doifelsecommandhandler \\\} \\\\doifelsecommandhandler \\\} \\\\doifelsecommandhandler \\\} \\\\doifelsecommandhandler \\\} \\\\doifelsecommandhandler \\\\} \\\\doifelsecommandhandler \\\\} \\\\\doifelsecommandhandler \\\\} \\\\\doifelsecommandhandler \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignment doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecommon	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecolor doifelsecommandhandler	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdocumentvariableelse {} {} \doifdefisesellcommon {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelseablack {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {} \doifelsecommon {} {} {} {} \doifelsecommon {} {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignment doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecommon	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelseallcommon doifelseallcommon doifelsealldefined doifelseassignment doifelseassignment doifelsebox doifelsebox doifelsebox doifelseboxfer doifelsecolor doifelsecommon doifelsecolor doifelsecommon doifelsecommon doifelsecommon doifelsecommon	\doifdefinedcounter {} {} \doifdefinedcounterelse {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdocumentvariableelse {} {} \doifdefisesellcommon {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelseablack {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {} \doifelsecommon {} {} {} {} \doifelsecommon {} {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelseallcommon doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxfer doifelsecommon doifelsecommon doifelsecommon doifelsecommon doifelsecommon doifelsecommon doifelsecommon doifelsecommon doifelsecommon doifelseconversiondefined doifelseconversionnumber	\doifdefinedcounterelse {} {} \doifdefinedelse {} {} {} \doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdocumentvariableelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelsebox {} {} {} \doifelseconresionache {} {} {} \doifelseconresiondefined {} {} {} \doifelseconversiondefined {} {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilename doifdocumentvariable doifdocumentvariable doifdocumentvariableselse doifdrawingblackelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignment doifelsebox doifelsebox doifelsebox doifelseborincache doifelsecolor doifelsecommon doifelsecolor doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecourrentfonthasfeature	\doifdefinedcounter \{\} \\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdcumentringelse doifdcumentargument doifdcumentargumentelse doifdcumentfilename doifdcumentfilenameelse doifdcumentvariable doifdcumentvariable doifdcumentvariableelse doifdrawingblackelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignments doifelsebox doifelsebox doifelsebox doifelseborincache doifelsecolor doifelsecommon doifelseconversiondefined doifelsecounter doifelsecounter doifelsecourrentsortingused	\doifdefinedcounter \{\} \\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelseback doifelsebox doifelsebox doifelsebor doifelsecolor doifelsecolor doifelseconwersiondefined doifelseconversionnumber doifelsecounter doifelsecurrentsortingused doifelsecurrentsynonymshown	\doifdefinedcounterelse {} {} \doifdefinedcounterelse {} {} \doifdefinedclse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelseassignment {} {} {} \doifelsebox {} {} {} {} \doifelseconmandhandler \ {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversiontumber {} {} {} \doifelseconversiontumber {} {} {} \doifelsecourrentsortingused {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsortingused {} {}
doifdefinedcounter doifdefinedcounterelse doifdefinedelse doifdimensionelse doifdcumentringelse doifdcumentargument doifdcumentargumentelse doifdcumentfilename doifdcumentfilenameelse doifdcumentvariable doifdcumentvariable doifdcumentvariableelse doifdrawingblackelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignments doifelsebox doifelsebox doifelsebox doifelseborincache doifelsecolor doifelsecommon doifelseconversiondefined doifelsecounter doifelsecounter doifelsecourrentsortingused	\doifdefinedcounter \{\} \\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\

doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \{\ldots\}
doifelsedimension	\doifelsedimension $\{\ldots\}$ $\{\ldots\}$
doifelsedimenstring	\doifelsedimenstring \{\ldots\} \{\ldots\}
doifelsedocumentargument	\doifelsedocumentargument \{\ldots\} \{\ldots\} \{\ldots\}
doifelsedocumentfilename	\doifelsedocumentfilename \{\ldots\} \{\ldots\} \{\ldots\}
doifelsedocumentvariable	\doifelsedocumentvariable $\{\}$ $\{\}$
doifelsedrawingblack	\doifelsedrawingblack \{\ldots\} \{\ldots\}
doifelseempty	\doifelseempty $\{\}$ $\{\}$
doifelseemptyvalue	\doifelseemptyvalue $\{\}$ $\{\}$
doifelseemptyvariable	\doifelseemptyvariable $\{\}$ $\{\}$ $\{\}$
doifelseenv	\doifelseenv {} {} {}
doifelsefastoptionalcheck	\doifelsefastoptionalcheck {} {}
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody {} {}
doifelsefieldcategory	\doifelsefieldcategory \{\ldots\} \\\
doifelsefigure	\doifelsefigure {} {}
doifelsefile	\doifelsefile {} {}
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefileexists	\doifelsefileexists {} {} {}
doifelsefirstchar	\doifelsefirstchar {} {} {} {}
doifelseflagged	\doifelseflagged \{\cdot\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontchar	\doifelsefontchar \{\} \{\} \{\}
doifelsefontfeature	\doifelsefontfeature \{\} \{\}
doifelsefontpresent	\doifelsefontpresent \{\doifelsefontpresent \
doifelsefontsynonym	\doifelsefontsynonym \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseframed	\doifelseframed \ \{\} \{\}
doifelsehasspace	\doifelsehasspace \{\} \{\}
-	
doifelsehelp doifelseincsname	\doifelsehelp \{\ldots\}
	\doifelseincsname \{\} \{\} \{\}
doifelseinelement	\doifelseinelement {} {}
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinset	\doifelseinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinstring	\doifelseinstring \{\} \{\} \{\}
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks	\doifelseintoks {} {} {}
doifelseintwopassdata	\doifelseintwopassdata \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage {} {} {}
doifelselayerdata	\doifelselayerdata $\{\}$ $\{\}$
doifelselayoutdefined	\doifelselayoutdefined $\{\ldots\}$ $\{\ldots\}$
doifelselayoutsomeline	\doifelselayoutsomeline $\{\}$ $\{\}$
doifelselayouttextline	\doifelselayouttextline $\{\}$ $\{\}$
doifelseleapyear	\doifelseleapyear $\{\}$ $\{\}$
doifelselist	\doifelselist {} {}
doifelselocation	\doifelselocation {} {}
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic {} {}
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage {} {} {}
doifelsemarking	\doifelsemarking {} {}
doifelsemeaning	\doifelsemeaning \ \ \ \}
doifelsemessage	\doifelsemessage {} {} {}
doifelsemode	\doifelsemode {} {}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \{\ldots\}
doifelsenextoptional	\doifelsenextoptional {} {}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis {} {}
doifelsenonzeropositive	\doifelsenonzeropositive {} {}
doifelsenoteonsamepage	\doifelsenoteonsamepage {} {} {}
doifelsenothing	\doifelsenothing \{\ldots\} \\\.\\
doifelsenumber	\doifelsenumber \{\} \{\}
doifelseobjectfound	\doifelseobjectfound \{\} \{\} \{\}
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat \{\ldots\} \\\.\}
doifelseoldercontext	\doifelseoldercontext \{\doifelseoldercontext \{\doife
doifelseolderversion	\doifelseolderversion \{\} \{\} \{\}
doifelseorientation	\doifelseorientation \{\ldots\} \\\ \ldots\}
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
······································	The second section of the second section of the second section of the second section s

doifelseoverlay	\doifelseoverlay {} {}
doifelseparallel	\doifelseparallel {} {} {}
doifelseparentfile	\doifelseparentfile {} {} {}
doifelsepath	\doifelsepath {} {}
doifelsepathexists	\doifelsepathexists {} {} {}
doifelsepatterns	\doifelsepatterns {} {} {}
doifelseposition	\doifelseposition {} {} {}
doifelsepositionaction	\doifelsepositionaction {} {} {}
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelsepositionsonsamepage	\doifelsepositionsonsamepage \{\ldots\} \{\ldots\} \\
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\} \{\ldots\} \{\ldots\}
doifelsepositionsused	\doifelsepositionsused {} {}
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \{\ldots\}
doifelserightpage	\doifelserightpage {} {}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \\ \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsesamestring	\doifelsesamestring {} {} {}
doifelsesetups	\doifelsesetups {} {} {}
doifelsesomebackground	\doifelsesomebackground \{\ldots\} \\\ \\.\\\
doifelsesomespace	\doifelsesomespace \{\ldots\} \{\ldots\} \{\ldots\}
doifelsesomething	\doifelsesomething \{\} \{\}
doifelsesometoks	\doifelsesometoks \ \{\} \{\}
	\doifelsestringinstring \{\ldots\} \\\ \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsestringinstring doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber \{\ldots\} \\ \frac{1}{\ldots}
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \{\doifelsestructurelisthaspage \{\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \{\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \{\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \{\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage \{\doifelsestructurelisthaspage \}\doifelsestructurelisthaspage
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesymbolset doifelsetext	\doifelsesymbolset \{\ldots\} \\doifelsesymbolset \{\ldots\} \doifelsesymbolset \{\ldots\} \\doifelsesymbolset \{\ldots\} \d
	\doifelsetext {} {} {}
doifelsetextflow	\doifelsetextflow \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetextflowcollector	\doifelsetextflowcollector \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseundefined	\doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevalue	\doifelsevalue \{\} \{\} \{\}
doifelsevaluenothing	\doifelsevaluenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevariable	\doifelsevariable \{\} \{\} \{\}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse \{\} \{\}
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvariable	\doifemptyvariable {} {} {}
doifemptyvariableelse	\doifemptyvariableelse \{\} \{\} \{\}
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse \{\} \{\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffieldcategoryelse	\doiffieldcategoryelse {} {}
doiffigureelse	\doiffigureelse \{\ldots\} \\doiffigureelse \\doiffiguree
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse	\doiffileelse \{\} \{\}
doiffileexistselse	\doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffirstcharelse	\doiffirstcharelse \{\} \{\} \{\}
doifflaggedelse	\doifflaggedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontcharelse	\doiffontcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifhasspaceelse	\doifhasspaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifhelpelse	\doifhelpelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifincsnameelse	\doifincsnameelse \{\} \{\} \{\}
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset \{\} \{\}
doifinsetelse	\doifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstring	\doifinstring \{\} \{\}
doifinstringelse	\doifinstringelse $\{\}$ $\{\}$ $\{\}$

doifinsymbolset	\doifinsymbolset $\{\}$ $\{\}$ $\{\}$
doifinsymbolsetelse	\doifinsymbolsetelse $\{\}$ $\{\}$ $\{\}$
doifintokselse	\doifintokselse $\{\}$ $\{\}$ $\{\}$
doifintwopassdataelse	\doifintwopassdataelse $\{\}$ $\{\}$ $\{\}$
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {}
doiflayerdataelse	\doiflayerdataelse $\{\}$ $\{\}$
doiflayoutdefinedelse	\doiflayoutdefinedelse $\{\}$ $\{\}$
doiflayoutsomelineelse	\doiflayoutsomelineelse $\{\ldots\}$ $\{\ldots\}$
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\
doifleapyearelse	\doifleapyearelse {} {}
doiflistelse	\doiflistelse {} {}
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse \{\} \{\}
doifmeaningelse	\doifmeaningelse \ \ {} {}
doifmessageelse	\doifmessageelse {} {} {}
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse {} {} {}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse {} {}
doifnextparenthesiselse	\doifnextparenthesiselse {} {}
doifnonzeropositiveelse	\doifnonzeropositiveelse {} {} {}
doifnot	\doifnot {} {} {}
doifnotallcommon	\doifnotallcommon {} {}
doifnotallmodes	\doifnotallmodes \{\ldots\} \{\ldots\}
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon {} {} {}
doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument {} {}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotdocumentvariable	\doifnotdocumentvariable {} {}
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \{\ldots\} \{\ldots\}
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse \{\ldots\} \\\.\} \\\.\}
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse {} {}
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {}
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\ldots\} \\ \ldots\}
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue {} {} {}
doifnotvariable	\doifnotvariable \{\} \{\}
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse {} {}
doifobjectfoundelse	\doifobjectfoundelse {} {} {} {}
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlappingelse	
	\dolloverlappingelse \ldolloverlappingelse \ldollowerlappingelse \
	\doifoverlappingelse \{\} \{\} \{\} \\doifoverlavelse \{\} \{\} \\doifoverlavelse \{\} \{\} \\doifoverlavelse \{\} \{\} \\doifoverlavelse \{\} \
doifoverlayelse	\doifoverlayelse $\{\}$ $\{\}$
doifoverlayelse doifparallelelse	\doifoverlayelse {} {} {} \doifparallelelse {} {} {}
doifoverlayelse doifparallelelse doifparentfileelse	\doifoverlayelse {} {} {} \doifparallelelse {} {} {} \doifparentfileelse {} {} {}
doifoverlayelse doifparallelelse doifparentfileelse doifpathelse	\doifoverlayelse {} {} {} \doifparallelelse {} {} {} \doifparentfileelse {} {} {} \doifpathelse {} {}
doifoverlayelse doifparallelelse doifparentfileelse doifpathelse doifpathexistselse	\doifoverlayelse {} {} {} \doifparallelelse {} {} {} \doifparentfileelse {} {} {} \doifpathelse {} {} \doifpathexistselse {} {}
doifoverlayelse doifparallelelse doifparentfileelse doifpathelse	\doifoverlayelse {} {} {} \doifparallelelse {} {} {} \doifparentfileelse {} {} {} \doifpathelse {} {}

doifpositionaction	\doifpositionaction $\{\}$ $\{\}$
doifpositionactionelse	\doifpositionactionelse $\{\}$ $\{\}$
doifpositionelse	\doifpositionelse $\{\}$ $\{\}$
doifpositiononpageelse	\doifpositiononpageelse $\{\}$ $\{\}$ $\{\}$
doifpositionsonsamepageelse	\doifpositionsonsamepageelse $\{\ldots\}$ $\{\ldots\}$
doifpositionsonthispageelse	\doifpositionsonthispageelse $\{\ldots\}$ $\{\ldots\}$
doifpositionsusedelse	$\doint formula for the state of the state $
doifreferencefoundelse	\doifreferencefoundelse $\{\ldots\}$ $\{\ldots\}$
doifrightpageelse	\doifrightpageelse {} {}
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse $\{\ldots\}$ $\{\ldots\}$
doifsamestring	\doifsamestring $\{\}$ $\{\}$
doifsamestringelse	\doifsamestringelse $\{\}$ $\{\}$ $\{\}$
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	$\doinsonebackground {} {} {}$
doifsomebackgroundelse	\doifsomebackgroundelse \{\ldots\} \{\ldots\}
doifsomespaceelse	\doifsomespaceelse $\{\}$ $\{\}$
doifsomething	\doifsomething \{\ldots\}
doifsomethingelse	\doifsomethingelse {} {}
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{} \{}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	$\doint doifstructure list has numberelse {} {}$
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse \{\ldots\} \{\ldots\}
doifsymbolsetelse	\doifsymbolsetelse {} {}
doiftext	\doiftext {} {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse $\{\}$ $\{\}$
doiftextflowelse	\doiftextflowelse $\{\}$ $\{\}$
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\\
doifundefinedcounter	\doifundefinedcounter \{\ldots\}
doifundefinedelse	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifunknownfontfeature	\doifunknownfontfeature $\{\ldots\}$ $\{\ldots\}$
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse $\{\}$ $\{\}$ $\{\}$
doifvaluenothing	\doifvaluenothing \{\}
doifvaluenothingelse	\doifvaluenothingelse $\{\}$ $\{\}$
doifvaluesomething	\doifvaluesomething \{\ldots\}
doifvariable	\doifvariable \{\} \{\}
doifvariableelse	\doifvariableelse {} {} {}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\dorestattribute {}
dorotatebox	\dorotatebox \{\dorotatebox \{\dorotatebox \}\\\\
dosetattribute dosetleftskipadaption	\dosetattribute {} {} \dosetleftskipadaption {}
dosetrightskipadaption dosetrightskipadaption	\dosetrieftskipadaption \{\ldots\}
2222119110011 baach 11011	/17 19 100 17 hard 10 10 10 10 10 10 10 10 10 10 10 10 10

dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse {} {} {} {}
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
	\dotripleemptywithset \ [] []
detriplementy	
dotriplegroupempty	\dotriplegroupempty \ \{\} \\\}
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox \{\} \ \{\}
dowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\ldots\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \
dowithpargument	\dowithpargument \
dowithrange	\dowithrange \{\} \
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento [] \.
	· · · · · · · · · · · · · · · · · · ·
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] {} \par
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ {} {}

expanded	\expanded {}
expandeddoif	\expandeddoif {} {} {}
expandeddoifelse	\expandeddoifelse {} {} {}
expandeddoifnot	\expandeddoifnot {} {} {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {} {}
expdoifcommonelse	\expdoifcommonelse {} {} {}
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon {} {} {} {}
expdoifelseinset	\expdoifelseinset {} {} {}
expdoifinsetelse	\expdoifinsetelse {} {} {}
expdoifnot	\expdoifnot {} {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastleopinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale \{\ldots\} \\\
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature \{\}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fifthofsixarguments	\fifthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
fillupto	\fillupto [] {}
filterfromnext	\filterfromnext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
filterfromvalue	\filterfromvalue \{\ldots\} \{\ldots\} \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
filterpages	\filterpages [] [] []
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=] [=]
	• • • • • • • • • • • • • • • • • • •

firstcharacter	\firstcharacter
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstinlist	\firstinlist []
firstoffivearguments	\firstoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
firstoffourarguments	\firstoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
firstofthreearguments	\firstofthreearguments $\{\ldots\}$ $\{\ldots\}$
firstofthreeunexpanded	\firstofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\\
fontface	\fontface
fontfeaturelist	\fontfeaturelist []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
formula	\formula [] \{\}
foundbox	\foundbox \{\} \\ \\}
fourthoffivearguments	\fourthoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fourthoffourarguments	\fourthoffourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fourthofsixarguments	\fourthofsixarguments \{\\} \{\\} \{\\} \{\\} \{\\} \{\\}
frameddimension	\frameddimension \{\ldots\}
framedparameter	\framedulmension \(\text{\cdots}\)
•	•
frazione:instance	\FRACTION \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom \{\} \\\}
frazione:instance:dfrac	\dfrac \{\} \\.
frazione:instance:frac	\frac \{\} \\.
frazione:instance:sfrac	\sfrac {} {}
frazione:instance:tbinom	\tbinom {} {}
frazione:instance:xfrac	\xfrac {} {}
frazione:instance:xxfrac	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}

frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ {}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache {} {}
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek \{\dots\} \{\dots\} \\
getdayspermonth	\getdayspermonth \{\dots\} \\
	\getdefinedbuffer []
getdefinedbuffer	•
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
0	
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ {}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions \{\ldots\} \{\ldots\}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ {} {}
getrandomdimen	\getrandomdimen \ \{\} \{\}
getrandomfloat	\getrandomfloat \ \{\} \{\}
getrandomnumber	\getrandomnumber \ {} {}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettokenlist	\gettokenlist []
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuserdata	\getuserdata
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {}

getvariabledefault	\getvariabledefault {} {} {}
getxparameters	\getxparameters [] [=]
giornosettimana	\giornosettimana {}
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
	<u> </u>
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	$\label{thm:local_conditions} $$ \left\{\ldots\right\} \left\{$
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefouroptionals	\gobblefouroptionals [] [] []
•	\gobbleninearguments \{\ldots\} \
gobbleninearguments	
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments \{\ldots\}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments {} {} {} {} {}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
gobblethreearguments	\gobblethreearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
	\gobbleuntil \
gobbleuntil	
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
	• •
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
griglia	\griglia [=]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth

headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headybox	\headvbox {}
headwidth	headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext $\{\}$ $\{\}$
help:instance	\HELP [] {} {}
help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hpackbox	\hpackbox
hpackedbox	\hpackedbox
-	
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction \{\ldots\}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	\hyphen
•-	· ·
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
implies	\implies
imposta	\imposta []
-	-
impostaallineamento	\impostaallineamento []
impostaambientefontdeltesto	\impostaambientefontdeltesto [] [] [=]
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [] [] [] [
	\impostacampo [] [] [] [] [] \impostacapoversi [] [] []
impostacapoversi	
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]

impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadescrizioni	\impostadescrizioni [] [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostagruppocolonne	\impostagruppocolonne [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
impostalayout:name	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanotepdp	\impostanotepdp [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina	\impostanumeropagina [=]
impostanumerosottopagina impostanumerotesta	\impostanumerosottopagina [=] \impostanumerotesta [] []
-	-
<pre>impostaoggettimobili impostaoggettomobile</pre>	\impostaoggettimobili [] [=] \impostaoggettomobile [] [=]
	\impostaorggettomobile [] [=] \impostaordinamento [] [=]
<pre>impostaordinamento impostaparranging</pre>	\impostaordinamento [] [] \impostaparranging []
impostapdp	\impostaparranging [] \impostapdp [] [=]
impostapiustretto	\impostapustretto [] [=]
impostaposizionamento	\impostaposizionamento [] [=]
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=] \impostaregistro [] [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
impostaregistro:instance:index	\impostaindex [] [=]
impostarientro	\impostarientro []
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
impostaschermointerazione	\impostaschermointerazione [=]
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [] [=]

impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostasistema	\impostasistema [=]
impostaspaziatura	\impostaspaziatura []
impostaspaziobianco	\impostaspaziobianco []
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [=]
impostastrut	\impostastrut []
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [=] \impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiincorniciati	\impostatestiincorniciati [] [=]
impostatestiintestazioni	\impostatestiintestazioni [] [] [] []
impostatestipdp	\impostatestipdp [] [] [] []
impostatesto	\impostatesto [] [=]
impostatestoetichette:instance	\impostaLABELtesto [] [=]
<pre>impostatestoetichette:instance:btxlabel</pre>	\impostabtxlabeltesto [] [=]
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostalabeltesto [] [=]
impostatestoetichette:instance:mathlabel	\impostamathlabeltesto [] [=] \impostaoperatortesto [] [=]
<pre>impostatestoetichette:instance:operator impostatestoetichette:instance:prefix</pre>	\impostaoperatortesto [] [=] \impostaprefixtesto [] [=]
impostatestoetichette:instance:suffix	\impostasuffixtesto [] [=]
impostatestoetichette:instance:taglabel	\impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostaunittesto [] [=]
impostatestotesti	\impostatestotesti [] [] [] []
impostatolleranza	\impostatolleranza []
impostatransizionepagina	\impostatransizionepagina []
impostatype	\impostatype [] [=]
impostatyping	\impostatyping [] [=]
impostaurl	\impostaurl [=]
imposta:direct	\imposta {}
in	\in {} {} []
inclinato	\inclinato
inclinatograssetto includemenu	\inclinatograssetto \includemenu []
includeversioninfo	\includement [] \includeversioninfo {}
incorniciato	\incorniciato [=] {}
incorniciato:instance	\FRAMED [=] {}
incorniciato:instance:fitfieldframed	\fitfieldframed [=] {}
incorniciato:instance:unframed	\unframed [=] {}
incrementa	\incrementa \
incrementa: argument	\incrementa ()
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber \incrementvalue {}
incrementvalue indentation	\incrementvalue \{\ldots\} \indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inizia	\inizia [] \termina
iniziaalignment	\iniziaalignment [] \terminaalignment
iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaambiente
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione \iniziaambiente \terminaambiente
<pre>iniziaambiente:string iniziaattachment:instance</pre>	\iniziaambiente \terminaambiente \iniziaaTTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage

iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	$\$ \iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinitions
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
iniziacapoverso:instance:chapter	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart
iniziacapoverso:instance:section	\iniziasection [=] [=] \terminasection
iniziacapoverso:instance:subject	\iniziasubject [=] [=] \terminasubject
iniziacapoverso:instance:subsection	\iniziasubsection [=] [=] \terminasubsection
iniziacapoverso:instance:subsubject	\iniziasubsubject [=] [\terminasubsubject
iniziacapoverso:instance:subsubsection	\iniziasubsubsection [=] [=] \terminasubsubsection
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubject [=] [=] \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection	\iniziasubsubsubsection [=] [=] \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsubject	\iniziasubsubsubsubject [=] [=] \terminasubsubsubsubject
	\iniziasubsubsubsubsection [=] [=] \terminasubsubsubsubsubsect.
iniziacapoverso:instance:subsubsubsection	
iniziacapoverso:instance:subsubsubsubsubject	\iniziasubsubsubsubsubject [=] [=] \terminasubsubsubsubsubj
iniziacapoverso:instance:title	\iniziatitle [=] [=] \terminatitle
iniziacatcodetable	\iniziacatcodetable \ \terminacatcodetable
iniziacenteraligned	\iniziacenteraligned \terminacenteraligned
iniziacharacteralign	\iniziacharacteralign [=] \terminacharacteralign
iniziacharacteralign:argument	\iniziacharacteralign [] \terminacharacteralign
iniziacheckedfences	\iniziacheckedfences \terminacheckedfences
iniziachemical	\iniziachemical [] [=] \terminachemical
iniziacodatabella	\iniziacodatabella [] \terminacodatabella
iniziacodatabulato	\iniziacodatabulato [] \terminacodatabulato
iniziacollect	\iniziacollect \terminacollect
iniziacollecting	\iniziacollecting \terminacollecting
iniziacolore	\iniziacolore [] \terminacolore
iniziacolorintent	\iniziacolorintent [] \terminacolorintent
iniziacoloronly	\iniziacoloronly [] \terminacoloronly
iniziacolorset	\iniziacolorset [] \terminacolorset
iniziacolumnset	\iniziacolumnset [] [=] \terminacolumnset
iniziacolumnsetspan	\iniziacolumnsetspan [] [=] \terminacolumnsetspan
iniziacolumnset:example	\iniziaCOLUMNSET [=] \terminaCOLUMNSET
iniziacombination	\iniziacombination [] [=] \terminacombination
iniziacombination:matrix	\iniziacombination [] [] \terminacombination
iniziacommentopagina	\iniziacommentopagina \terminacommentopagina
iniziacommento:instance	\iniziaCOMMENT [] [=] \terminaCOMMENT
iniziacommento:instance:comment	\iniziacomment [] [=] \terminacomment
	\iniziacomment [] [] \terminacomment \iniziacomponenet [] \terminacomponenet
iniziacomponenet	
iniziacomponenet:string	\iniziacomponenet \terminacomponenet
iniziacontextcode	\iniziacontextcode \terminacontextcode
iniziacontextdefinitioncode	\iniziacontextdefinitioncode \terminacontextdefinitioncode
iniziactxfunction	\iniziactxfunction \terminactxfunction
iniziactxfunctiondefinition	\iniziactxfunctiondefinition \terminactxfunctiondefinition
iniziacurrentcolor	\iniziacurrentcolor \terminacurrentcolor
iniziacurrentlistentrywrapper	\iniziacurrentlistentrywrapper \terminacurrentlistentrywrapper
iniziadelimited	\iniziadelimited [] [] \terminadelimited
iniziadelimitedtext	\iniziadelimitedtext [] [] \terminadelimitedtext
iniziadelimitedtext:instance	\iniziaDELIMITEDTEXT [] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside	\iniziaaside [] [\terminaaside
iniziadelimitedtext:instance:blockquote	\iniziablockquote [] [] \terminablockquote
iniziadelimitedtext:instance:quotation	\iniziaquotation [] [] \terminaquotation
iniziadelimitedtext:instance:quote	\iniziaquote [] [] \terminaquote
iniziadelimitedtext:instance:speech	\iniziaspeech [] [] \terminaspeech
iniziadescrizione:example	\iniziaDESCRIZIONE [=] \terminaDESCRIZIONE
iniziadescrizione:example:title	\iniziaDESCRIZIONE [] {} \terminaDESCRIZIONE
iniziadisplaymath	\iniziadisplaymath \terminadisplaymath
iniziadmath	\iniziadmath \terminadmath
iniziadocument	\iniziadocument [=] \terminadocument
iniziaeffect	\iniziaeffect [] \terminaeffect
	\iniziaEFFECT \terminaEFFECT
iniziaeffect:example	\iniziaelement \{\ldots\} [\ldots=\ldots] \ldots\\ \terminaelement
iniziaelement	
iniziaelemento	\iniziaelemento [] \terminaelemento
iniziaembeddedxtable	\iniziaembeddedxtable [=] \terminaembeddedxtable
iniziaembeddedxtable:name	\iniziaembeddedxtable [] \terminaembeddedxtable
iniziaenumerazione:example	\iniziaENUMERAZIONE [=.] \terminaENUMERAZIONE
iniziaenumerazione:example:title	\iniziaENUMERAZIONE [] {} \terminaENUMERAZIONE
iniziaexceptions	\iniziaexceptions [] \terminaexceptions

iniziaexpanded	\iniziaexpanded \terminaexpanded
iniziaexpandedcollect	\iniziaexpandedcollect \terminaexpandedcollect
iniziaextendedcatcodetable	\iniziaextendedcatcodetable \ \terminaextendedcatcodetable
iniziaexternalfigurecollection	\iniziaexternalfigurecollection [] \terminaexternalfigurecollect:
iniziafacingfloat	\iniziafacingfloat [] \terminafacingfloat
iniziafigura	\iniziafigura [] [=] \terminafigura
iniziafisso	\iniziafisso [] \terminafisso
iniziafittingpage	\iniziafittingpage [] [=] \terminafittingpage
iniziafittingpage:instance	\iniziaFITTINGPAGE [=] \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
iniziafloatcombination	\iniziafloatcombination [=] \terminafloatcombination
iniziafloatcombination:matrix	\iniziafloatcombination [] \terminafloatcombination
iniziafloattext:instance	\iniziaFLOATtesto [] [] {} \terminaFLOATtesto
iniziafloattext:instance:chemical	\iniziachemicaltesto [] [] \terminachemicaltesto
iniziafloattext:instance:figure	\iniziafiguretesto [] [] {} \terminafiguretesto
iniziafloattext:instance:graphic	\iniziagraphictesto [] [] {} \terminagraphictesto
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] {} \terminaintermezzotesto
iniziafloattext:instance:table	\iniziatabletesto [] [] {} \terminatabletesto
iniziafont	\iniziafont [] \terminafont
iniziafontclass	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
iniziaformula	\iniziaformula [] \terminaformula
iniziaformula:assignment	\iniziaformula [=] \terminaformula
iniziaformula:instance	\iniziaFORMULAformula [] \terminaFORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	\iniziasqformula [] \terminasqformula
iniziaformule	\iniziaformule [] \terminaformule
iniziaformule iniziaframedcell	\iniziaframedcell [=] \terminaframedcell
iniziaframedcell iniziaframedcontent	\iniziaframedceii [] \terminaframedceii \iniziaframedcontent [] \terminaframedcontent
iniziairamedcontent iniziaframedrow	
	\iniziaframedrow [=] \terminaframedrow
iniziaframedtable	\iniziaframedtable [] [=] \terminaframedtable
iniziagridsnapping	\iniziagridsnapping [] \terminagridsnapping
iniziagridsnapping:list	\iniziagridsnapping [] \terminagridsnapping
iniziahboxestohbox	\iniziahboxestohbox \terminahboxestohbox
iniziahboxregister	\iniziahboxregister \terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
iniziahighlight	\iniziahighlight [] \terminahighlight
iniziahyphenation	\iniziahyphenation [] \terminahyphenation
iniziaimath	\iniziaimath \terminaimath
iniziaimpaccato	\iniziaimpaccato [] \terminaimpaccato
iniziaincorniciato	\iniziaincorniciato [] [=] \terminaincorniciato
iniziaindentedtext	\iniziaindentedtext [] \terminaindentedtext
iniziaindentedtext:example	\iniziaINDENTEDTEXT \terminaINDENTEDTEXT
iniziainterazione	\iniziainterazione [] \terminainterazione
iniziainterface	\iniziainterface \terminainterface
iniziaintertext	\iniziaintertext \terminaintertext
iniziaitemgroup	\iniziaitemgroup [] [=] \terminaitemgroup
iniziaitemgroup:instance	\iniziaITEMGROUP [] [=] \terminaITEMGROUP
iniziaitemgroup:instance:itemize	\iniziaitemize [] [=] \terminaitemize
iniziaJScode	\iniziaJScode \terminaJScode
iniziaJSpreamble	\iniziaJSpreamble \terminaJSpreamble
iniziaknockout	\iniziaknockout \terminaknockout
inizialayout	\inizialayout [] \terminalayout
inizialinealignment	\inizialinealignment [] \terminalinealignment
inizialineamargine	\inizialineamargine [] \terminalineamargine
inizialineamargine:assignment	\inizialineamargine [=] \terminalineamargine
inizialineatesto	\inizialineatesto {} \terminalineatesto
inizialinecorrection	\inizialinecorrection [] \terminalinecorrection
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
inizialinenumbering	\inizialinenumbering [] [=] \terminalinenumbering
inizialinenumbering:argument	\inizialinenumbering [] [] \terminalinenumbering
inizialinetable	\inizialinetable \terminalinetable
inizialinetable inizialinetablebody	\inizialinetable \terminalinetable \inizialinetablebody \terminalinetablebody
inizialinetablebody inizialinetablecell	\inizialinetablecell [=] \terminalinetablecell
inizialinetableceri inizialinetablehead	\inizialinetableceri [] \terminalinetableceri \inizialinetablehead \terminalinetablehead
inizialingua inizialocalfootnotes	\inizialingua [] \terminalingua \inizialocalfootnotes \terminalocalfootnotes
LII 1 2 1 G 1 G 1 G 1 G 1 G 1 G 1 G 1 G 1 G	\iniziaiocaiiochoca \ceimingiocaiiochioces

 $\verb|\inizial ocal head setup| \dots \verb|\terminal ocal head setup|$

 ${\tt inizialocalheadsetup}$

inizialocallinecorrection	\inizialocallinecorrection [] \terminalocallinecorrection
inizialocalnotes	\inizialocalinectric [] \terminalocalinectric \inizialocalnotes
inizialocalsetups	\inizialocalsetups [] [] \terminalocalsetups
inizialocalsetups:string	\inizialocalsetups \terminalocalsetups
inizialua	\inizialua \terminalua
inizialuacode	\inizialuacode \terminaluacode
inizialuaparameterset	\inizialuaparameterset [] \terminaluaparameterset
inizialuasetups	\inizialuasetups [] [] \terminaluasetups
inizialuasetups:string	\inizialuasetups \terminaluasetups
iniziaMPclip	\iniziaMPclip {} \terminaMPclip
iniziaMPcode	\iniziaMPcode {} \terminaMPcode
iniziaMPdefinitions	\iniziaMPdefinitions {} \terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions {} \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions \iniziaMPinitializations \terminaMPinitializations
iniziaMPinitializations iniziaMPpositiongraphic	\iniziaMPpositiongraphic \{\dots\} \dots\\\ \terminaMPpositiongraphic
iniziaMPpositionmethod	\iniziaMPpositionmethod \{\dots\}\dots\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
iniziaMPrun	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamarkpages	\iniziamarkpages [] \terminamarkpages
iniziamathalignment:instance	$\mbox{\colored}$ \iniziaMATHALIGNMENT [=] $\mbox{\colored}$ \text{\colored}
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment
iniziamathcases:instance	\iniziaMATHCASES [=] \terminaMATHCASES
iniziamathcases:instance:cases	\iniziacases [=] \terminacases
iniziamathcases:instance:mathcases	\iniziamathcases [=] \terminamathcases
<pre>iniziamathmatrix:instance iniziamathmatrix:instance:mathmatrix</pre>	\iniziaMATHMATRIX [=] \terminaMATHMATRIX \iniziamathmatrix [=] \terminamathmatrix
iniziamathmatrix:instance:mathmatrix	\iniziamatrimatrix [=] \terminamatrimatrix \iniziamatrix [=] \terminamatrix
iniziamathmode	\iniziamathmode \terminamathmode
iniziamathstyle	\iniziamathstyle [] \terminamathstyle
iniziamatrices	\iniziamatrices [=] \terminamatrices
iniziamaxaligned	\iniziamaxaligned \terminamaxaligned
iniziamenuinterattivo	\iniziamenuinterattivo [] \terminamenuinterattivo
iniziamettiformula	\iniziamettiformula [=] \terminamettiformula
iniziamettiformula:argument	\iniziamettiformula [] \terminamettiformula
iniziamiddlealigned	\iniziamiddlealigned \terminamiddlealigned
iniziamixedcolumns	\iniziamixedcolumns [] [=] \terminamixedcolumns
iniziamixedcolumns:instance	\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns	\iniziaboxedcolumns [=] \terminaboxedcolumns
iniziamixedcolumns:instance:columns	\iniziacolumns [=] \terminacolumns
iniziamixedcolumns:instance:itemgroupcolumns	\iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode
iniziamode iniziamodeset	\iniziamode [] \terminamode \iniziamodeset [] \terminamodeset
iniziamodule	\iniziamodeset [] \\terminamodeset \\iniziamodule []\terminamodule
iniziamoduletestsection	\iniziamoduletestsection \terminamoduletestsection
iniziamodule:string	\iniziamodule\terminamodule
inizianamedsection	\inizianamedsection [] [=] \terminanamedsection
inizianamedsubformulas	\inizianamedsubformulas [] {} \terminanamedsubformulas
inizianarrower	\inizianarrower [] \terminanarrower
inizianarrower:example	\iniziaNARROWER [] \terminaNARROWER
inizianegativo	\inizianegativo \terminanegativo
inizianicelyfilledbox	\inizianicelyfilledbox [=] \terminanicelyfilledbox
inizianointerference	\inizianointerference \terminanointerference
inizianotallmodes	\inizianotallmodes [] \terminanotallmodes
inizianota:instance	\iniziaNOTE [] \terminaNOTE
inizianota:instance:assignment	\iniziaNOTE [=] \terminaNOTE
inizianota:instance:assignment:endnote	\iniziaendnote [=] \terminaendnote
inizianota:instance:assignment:footnote	\iniziafootnote [=] \terminafootnote
inizianota:instance:endnote	\iniziaendnote [] \terminaendnote
inizianota:instance:footnote inizianotext	\iniziafootnote [] \terminafootnote \inizianotext \terminanotext
inizianotext	\inizianotext \terminanotext \inizianotmode [] \terminanotmode
IIIII OIII OIII OIII OIII OIII OIII OI	/THISTANOOMOGO [] /retmingnocmode

inininannata	\ini=i\tamin
iniziaopposto	\iniziaopposto \terminaopposto
iniziaoutputstream iniziaoverprint	\iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint
iniziapagecolumns	\iniziapagecolumns [=] \terminapagecolumns
iniziapagecolumns:instance	\iniziaPAGECOLUMNS \terminaPAGECOLUMNS
iniziapagecolumns:name	\iniziapagecolumns [] \terminapagecolumns
iniziapagefigure	\iniziapagefigure [] [=] \terminapagefigure
iniziapagelayout	\iniziapagelayout [] \terminapagelayout
iniziapar	\iniziapar [] [=] \terminapar
iniziaparagraphs	\iniziaparagraphs [] \terminaparagraphs
iniziaparagraphscell	\iniziaparagraphscell \terminaparagraphscell
iniziaparagraphs:example	\iniziaPARAGRAPHS \terminaPARAGRAPHS
iniziaparallel:example	\iniziaPARALLEL \terminaPARALLEL
iniziaparbuilder	\iniziaparbuilder [] \terminaparbuilder
iniziaplacefloat	\iniziaplacefloat [] [=] \terminaplacefloat
iniziaplacefloat:instance	\iniziamettiFLOAT [=] [=] \terminamettiFLOAT
iniziaplacefloat:instance:chemical	\iniziamettichemical [=] [=] \terminamettichemical
iniziaplacefloat:instance:figure	\iniziamettifigure [=] [=] \terminamettifigure
<pre>iniziaplacefloat:instance:graphic iniziaplacefloat:instance:intermezzo</pre>	\iniziamettigraphic [=] [=] \terminamettigraphic \iniziamettiintermezzo [=] [=] \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [=] [] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	\iniziapositionoverlay {} \terminapositionoverlay
iniziapositivo	\iniziapositivo \terminapositivo
iniziaposporre	\iniziaposporre [] \terminaposporre
iniziapostponingnotes	\iniziapostponingnotes \terminapostponingnotes
iniziaprocessassignmentcommand	$\verb \colored 1.1. \verb \colored 1.1. \verb \colored 1.1. 1.1. 1.1.$
iniziaprocessassignmentlist	$\verb \inizia process assignment list [=] \verb \termina process assignment list $
iniziaprocesscommacommand	$\verb \line inizia process comma command [] \verb \line termina process comma command $
iniziaprocesscommalist	\iniziaprocesscommalist [] \terminaprocesscommalist
iniziaprodotto	\iniziaprodotto [] \terminaprodotto
iniziaprodotto:string	\iniziaprodotto \terminaprodotto
iniziaprogetto	\iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto
iniziaprogetto:string iniziaprotectedcolors	\iniziaprotectedcolors \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [] [=] \terminapubblicazione
iniziarandomized	\iniziarandomized \terminarandomized
iniziarawsetups	\iniziarawsetups [] [] \terminarawsetups
iniziarawsetups:string	\iniziarawsetups \terminarawsetups
iniziareadingfile	\iniziareadingfile \terminareadingfile
iniziaregime	\iniziaregime [] \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic {} {} \terminareusableMPgraphic
iniziariga	\iniziariga []
iniziarighe:instance	\iniziaLINES [=.] \terminaLINES \inizialines [=.] \terminalines
<pre>iniziarighe:instance:lines iniziaruby</pre>	\iniziarines [] \terminarines \iniziaruby [] \terminaruby
iniziascript	\iniziaruby [] \terminaruby \iniziascript [] \terminascript
iniziasectionblock	\iniziasectionblock [] [=] \terminasectionblock
iniziasectionblock:instance	\iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices	\iniziaappendices [=] \terminaappendices
iniziasectionblock:instance:backmatter	\iniziabackmatter [=] \terminabackmatter
iniziasectionblock:instance:bodymatter	\iniziabodymatter [=] \terminabodymatter
iniziasectionblock:instance:frontmatter	\iniziafrontmatter [=] \terminafrontmatter
iniziasectionlevel	$\verb \colored [] [=] [=] \verb \colored terminasection terminasec$
iniziasetups	\iniziasetups [] [] \terminasetups
iniziasetups:string	\iniziasetups \terminasetups
iniziasfondo	\iniziasfondo [=] \terminasfondo
iniziasfondo:example	\iniziaSFONDO [=] \terminaSFONDO
iniziashift	\iniziashift [] \terminashift
iniziasidebar	\iniziasidebar [] [=] \terminasidebar
iniziasospeso	\iniziasimplecolumns [=] \terminasimplecolumns
iniziasospeso iniziasospeso:argument	\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso
iniziasovrapponi	\iniziasospeso [] [] \terminasospeso \iniziasovrapponi \terminasovrapponi
iniziaspecialitem:item	\iniziaspecialitem [] [\terminaspecialitem
iniziaspecialitem:none	\iniziaspecialitem [] \terminaspecialitem
iniziaspecialitem:symbol	\iniziaspecialitem [] {} \terminaspecialitem
iniziasplitformula	\iniziasplitformula \terminasplitformula
iniziasplittext	\iniziasplittext \terminasplittext

```
iniziaspread
                                                      \iniziaspread ... \terminaspread
iniziastartstop:example
                                                       \iniziaSTARTSTOP ... \terminaSTARTSTOP
\verb"iniziastaticMPfigure"
                                                      \verb|\iniziastaticMPfigure {...}| ... \verb|\terminastaticMPfigure||
                                                      iniziastaticMPgraphic
                                                      \iniziastretto [...] [..=..] ... \terminastretto
iniziastretto
                                                      \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:assignment
                                                      \iniziastretto [...] [...] ... \terminastretto
iniziastretto:name
iniziastrictinspectnextcharacter
                                                      \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastyle
                                                      \iniziastyle [..=..] ... \terminastyle
                                                      \iniziastyle [...] ... \terminastyle
iniziastyle:argument
iniziastyle:instance
                                                       \iniziaSTYLE ... \terminaSTYLE
                                                      \iniziasubformulas [...] ... \terminasubformulas \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel
iniziasubformulas
iniziasubjectlevel
iniziasubsentence
                                                      \iniziasubsentence ... \terminasubsentence
                                                      \iniziasubstack ... \terminasubstack
iniziasubstack
iniziasymbolset
                                                      \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziaTABLE
                                                      \iniziaTABLE [..=..] ... \terminaTABLE
                                                      \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEbody
iniziaTABLEfoot
                                                      \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
                                                      \iniziaTABLEhead [..=..] ... \terminaTABLEhead
\verb"iniziaTABLE" head"
                                                      \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziaTABLEnext
                                                      \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella
                                                      \iniziatabella [...] [..=..] ... \terminatabella
iniziatabella:name
iniziatabelle
                                                      \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle:name
                                                      \iniziatabelle [...] ... \terminatabelle
iniziatabulation:example
                                                       \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulato
                                                      \\iniziaTABULATE [.\overset{	ext{OPT}}{...}] [..=..] ... \terminaTABULATE
iniziatabulato:instance
                                                       \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:fact
                                                       \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                      \iniziatesta [...] {...} ... \terminatesta
iniziatesta
                                                      \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
                                                      \iniziatestatabulato [...] ... \terminatestatabulato
iniziatestatabulato
iniziatesto
                                                      \iniziatesto ... \terminatesto
                                                      \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoaiuto
                                                       \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance
                                                       \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance:btxlabel
                                                       \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
iniziatestoetichetta:instance:label
                                                       \inizialabeltesto [...] [...] ... \terminalabeltesto
                                                       \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
                                                       iniziatestoetichetta:instance:operator
                                                       iniziatestoetichetta:instance:prefix
iniziatestoetichetta:instance:suffix
                                                       \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:taglabel
                                                       \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoetichetta:instance:unit
iniziatestoincorniciato:instance
                                                       \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance:framedtext
                                                       \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode
                                                       \iniziatexcode ... \terminatexcode
iniziatexdefinition
                                                      \iniziatexdefinition ... ... ... ... \terminatexdefiniti
                                                      \verb|\colored| iniziatextbackground| [...] [..=..] ... \verb|\colored| terminatextbackground|
iniziatextbackground
\verb"iniziatextbackgroundmanual"
                                                      \verb|\iniziatextbackgroundmanual| ... \verb|\terminatextbackgroundmanual||
                                                       \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextbackground:example
iniziatextcolor
                                                      \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolorintent
                                                      \iniziatextcolorintent ... \terminatextcolorintent
                                                      \iniziatextflow [...] ... \terminatextflow
iniziatextflow
                                                       \iniziatokenlist [...] ... \terminatokenlist
iniziatokenlist
                                                      \iniziatokens [...] ... \terminatokens
iniziatokens
                                                      \iniziatransparent [...] ... \terminatransparent
iniziatransparent
                                                      \iniziatypescript [...] [...] ... \terminatypescript
iniziatypescript
iniziatypescriptcollection
                                                      \iniziatypescriptcollection [...] ... \terminatypescriptcollection
                                                       \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance
                                                       \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument
iniziatyping:instance:argument:LUA
                                                       \iniziaLUA [...] ... \terminaLUA
                                                       \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:MP
                                                       \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:PARSEDXML
                                                       \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:TEX
iniziatyping:instance:argument:typing
                                                       \iniziatyping [...] ... \terminatyping
\verb"iniziatyping:instance:argument:XML"
                                                       \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA
                                                       \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP
                                                       \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:PARSEDXML
                                                       \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
```

iniziatyping:instance:TEX

\iniziaTEX [..=..] ... \terminaTEX

iniziatyping:instance:typing	\iniziatyping [=] \terminatyping
iniziatyping:instance:XML	\iniziaXML [=] \terminaXML
iniziauniqueMPgraphic	\iniziauniqueMPgraphic \{\} \terminauniqueMPgraphic
iniziauniqueMPpagegraphic	$\verb \iniziauniqueMPpagegraphic {} {} \verb \terminauniqueMPpagegraphic } \\$
iniziaunpacked	\iniziaunpacked \terminaunpacked
iniziausableMPgraphic	\iniziausableMPgraphic {} {} \terminausableMPgraphic
iniziauseMPgraphic	\iniziauseMPgraphic {} {} \terminauseMPgraphic
iniziausemathstyleparameter	\iniziausemathstyleparameter \ \terminausemathstyleparameter
iniziauserdata	\iniziauserdata [] [=] \terminauserdata
iniziausingbtxspecification	\iniziausingbtxspecification [] \terminausingbtxspecification
iniziavaia	\iniziavaia [] \terminavaia
iniziavboxregister	\iniziavboxregister \terminavboxregister
iniziavboxtohbox	\iniziavboxtohbox \terminavboxtohbox
iniziavboxtohboxseparator	\iniziavboxtohboxseparator \terminavboxtohboxseparator
-	
iniziaviewerlayer	\iniziaviewerlayer [] \terminaviewerlayer
iniziaviewerlayer:example	\iniziaVIEWERLAYER \terminaVIEWERLAYER
iniziavtopregister	\iniziavtopregister \terminavtopregister
iniziaxcell	\iniziaxcell [] [=] \terminaxcell
iniziaxcellgroup	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxcolumn	\iniziaxcolumn [=] \terminaxcolumn
iniziaxcolumn:name	\iniziaxcolumn [] \terminaxcolumn
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
iniziaxmldisplayverbatim	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmlraw \terminaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
1	
iniziaxmlsetups:string	\iniziaxmlsetups\terminaxmlsetups
iniziaxrow	\iniziaxrow [] [=] \terminaxrow
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
iniziaxtablebody	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
iniziaxtablefoot	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
iniziaxtablehead:name	\iniziaxtablehead [] \terminaxtablehead
iniziaxtablenext	\iniziaxtablenext [=] \terminaxtablenext
iniziaxtablenext:name	\iniziaxtablenext [] \terminaxtablenext
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
	• • • • • • •
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
•	-
inputfilesuffix	\inputfilesuffix
inputfilesuffix inputgivenfile	<pre>\inputfilesuffix \inputgivenfile {}</pre>
<pre>inputfilesuffix inputgivenfile input:string</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input</pre>
inputfilesuffix inputgivenfile	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} []</pre>
<pre>inputfilesuffix inputgivenfile input:string</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} []</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=]</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {}</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=]</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] []</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installanddefineactivecharacter {}</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter installattributestack</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installanddefineactivecharacter {} \installantibutestack \</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter installattributestack installautocommandhandler</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installal</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installautocommandhandler \ {} \installautocommandhandler \ {} \installautosetuphandler \</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installalingua [] [] \installalingua [] [] \installalingua [] [] \installanddefineactivecharacter {} \installattributestack \ldots \installautocommandhandler \ldots {} \ldots \installautosetuphandler \ldots {} \installbasicautosetuphandler \ldots {} \ldots \installbasicparameterhandler \ldots {}</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installalingua [] [] \installalingua [] [] \installalingua [] [] \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {}</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installautocommandhandler \ {} \ \installautocommandhandler \ {} \ \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {</pre>
<pre>inputfilesuffix inputgivenfile input:string inriga insertpages installactionhandler installactivecharacter installalingua installalingua:name installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer</pre>	<pre>\inputfilesuffix \inputgivenfile {} \input \inriga {} [] \insertpages [] [=] \installactionhandler {} \installactivecharacter \installalingua [] [=] \installalingua [] [] \installalingua [] [] \installalingua [] [] \installalingua [] [] \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {}</pre>

installdefinitionset installdefinitionsetmember installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler	<pre>\installdefinitionset \ {} \installdefinitionsetmember \ {} \ {} \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {}</pre>
installdirectsetuphandler	\installdirectsetuphandler \ {}
installdirectstyleandcolorhandler installframedautocommandhandler installframedcommandhandler	<pre>\installdirectstyleandcolorhandler \ {} \installframedautocommandhandler \ {} \ \installframedcommandhandler \ {} \</pre>
installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer installmacrostack	\installleftframerenderer {} {} \installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler installparametersethandler	\installparameterhashhandler \ \{\} \installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ {}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod $\{\ldots\}$ $\{\ldots\}$
installsimplecommandhandler	\installsimplecommandhandler \ $\{\}$ \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \\
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \\
installswitchsetuphandler	\installswitchsetuphandler \ \{\}
installtexdirective installtextracker	\installtexdirective \{\ldots\} \{\ldots\} \\installtextracker \{\ldots\} \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator \{\ldots\}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepagehandler	\invokepagehandler {} {}
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix \kap {}
kap keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX Lettera	\LaTeX \Lettera {}
Lettere	\Lettera {}
LUAJITTEX	\LUAJITTEX
LUAMETATEX	\LUAMETATEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaMetaTeX	\LuaMetaTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABEL1ingua
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
labellanguage:instance:label	\labellingua
labellanguage:instance:mathlabel labellanguage:instance:operator	\mathlabellingua \operatorlingua
	1100 C C C C C C C C C C C C C C C C C C

labellanguage:instance:prefix	\prefixlingua
labellanguage:instance:suffix	\suffixlingua
labellanguage:instance:taglabel	\taglabellingua
labellanguage:instance:unit	\unitlingua
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label labeltexts:instance:mathlabel	\labeltexts {} {}
	\mathlabeltexts {} {}
languageCharacters languagecharacters	<pre>\languageCharacters {} \languagecharacters {}</pre>
languagecharwidth	\languagecharacters \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lastcounter	\lastcounter []
lastcountervalue	\lastcounter [] \lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \endcsname \
letcsnamecsname	\letcsnamecsname \csname \endcsname \csname \endcsname
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
lettera	\lettera {}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {}

letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
	\letvalueempty {}
letvalueempty letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
limitatelines	\limitatelines \{\} \{\}
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
lineatesto	\lineatesto [] {}
linebox	\linebox {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] $\{\}$ $\{\}$
lineesottili	\lineesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext {} {} {}
lingua	\lingua []
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=]
listnamespaces	\listnamespaces
llap	\lap {}
loadanyfile	\lap () \loadanyfile []
·	\loadanyfile [] \loadanyfileonce []
loadanyfileonce loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\landcldfileonce []
loadfontgoodies	\landfontgoodies []
loadluafile	\landluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	$\verb \localframed with settings [] [=] {}$
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}

locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {}
lowmidhigh:instance	\LOWMIDHIGH {} {}
lrtbbox	\lrtbbox {} {} {} {} {}
	\ltop {}
ltop	-
ltrhbox	\ltrhbox {}
ltrvbox	\ltrvbox {}
ltrvtop	\ltrvtop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
-	-
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luametaTeX	\luametaTeX
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
MESE	\MESE {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	MKII
MKIV	MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] {} {}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MP1s {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}

	N== 6 3
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic {} {=}
MPposset	\MPposset {}
MPr	\MPr {}
MPravier	\MPrawvar {} {}
MPregion MPregi	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {} \MPrs {}
MPrs MDstring	\MPstring {}
MPstring MPtext	\MPtext {}
	\MPtransparency {}
MPtransparency MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
MPy	\MPy {}
m maiuscoletto	\m [] {}
	\maiuscoletto {}
maiuscolo	\maiuscolo {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
	\(\)\(\)\(\)\(\)\(\)\(\)
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata margindata:instance	\margindata [] [=] [=] {} \MARGINDATA [=] [=] {}
<pre>margindata margindata:instance margindata:instance:atleftmargin</pre>	\margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {}
<pre>margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin</pre>	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {}
<pre>margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner</pre>	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {}
<pre>margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge</pre>	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {}
<pre>margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin</pre>	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner [=] [=] {} \ininnermargin [=] [=] {} \ininleft [=] [=] {} \inleft [=] [=] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner [=] [=] {} \ininnermargin [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {} \inleftedge [=] [=] {} \inleftmargin [=] [=] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner [=] [=] {} \ininner margin [=] [=] {} \ininner margin [=] [=] {} \inleft [=] [=] {} \inleft margin [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother	\margindata [] [=] {} \MARGINDATA [=] [=] {} \attention attention
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininnerdge [=] [=] {} \ininnermargin [=] [=] {} \inintertal [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \intertal [=] [=] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininneredge [] [] {} \ininnermargin [] [] {} \inintert [] [] {} \inleft [] [] {} \inleft [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin	\margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \intinner [] [] {} \ininner [] [] {} \ininneredge [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \intinermargin [] [] {} \inother [] [] {} \inouter [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininneredge [] [] {} \ininnermargin [] [] {} \inintertage [] [] {} \inleft [] [] {} \inleft [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \intertage [] [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {} \inoutermargin [] [] {} \inoutermargin [] [] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge	\margindata [] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \intinner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \ininleft [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \inother [=] [=] {} \inouter [=] [=] {} \inouter [=] [=] {} \inoutermargin [=] [=] {} \inoutermargin [=] [=] {} \inright [=] [=] {} \inrightedge [=] [=] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \intight [] [] {} \intight [] [] {} \inouter [] [] {} \inright [] [] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \intermargin [] [] {} \intermargin [] [] {} \intermargin [] [] {} \inouter [] [] {} \inouter [] [] {} \inoutermargin [] [] {} \inright [] [] [] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent	\margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininneradge [] [] {} \ininnermargin [] {} \inleft [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \innermargin [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inright [] [] {} \inrightmargin [] [] {} \inrightmargin [] [] {} \margintext [] [] {} \margintext [] [] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inouterdge margindata:instance:inight margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininnerdge [] [] {} \ininnermargin [] [] {} \inintertedge [] [] {} \inleft [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \innermargin [] [] {} \inother [] [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inright [] [] {} \inrightmargin [] [] {} \inrightmargin [] [] {} \inargintext [] [] {} \markedpages []
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inouterdge margindata:instance:inouterdge margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininnerdge [] [] {} \ininnermargin [] [] {} \inintertedge [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \innermargin [] [] {} \inother [] [] [] []
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininnerdge [] [] {} \ininnermargin [] [] {} \inintertedge [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \innermargin [] [] {} \inother [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inright [] [] {} \inrightmargin [] [] {} \inrightmargin [] [] {} \imarkcontent [] [] {} \markcontent [] [] \markpage [] []
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage markreferencepage	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inother [] [] {} \inarginter [] [] {} \inarginter [] [] {} \inarkedpages [] \markedpages [] \markedpage [] [] \markeferencepage
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage markreferencepage mat	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inother [] [] {} \inargint [] [] {} \inargint [] [] [] \inarkedpages [] \inarkedpages [] \inarkedpages [] \inarkeferencepage \inat {}
margindata margindata:instance margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:ininfet margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage mat matematica	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inininght [] [] {} \inright [] [] {} \inright [] [] {} \inright [] [] {} \imark [] [] [] \imark [] []
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftdge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage mat matematica matematica matematica:assignment	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inininght [] [] {} \inright [] [] {} \inright [] [] {} \inright [] [] {} \imark [] [] \imatematica [] {} \imatematica [] {} \imatematica [] {}
margindata margindata:instance margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage markreferencepage mat matematica matematica:assignment math	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inright [] [] {} \inright [] [] {} \inright [] [] {} \imarkedpages [] \markedpages [] \markedpages [] \markedpages [] \markedpages [] \markedpages [] \markedpages [] [] \markedpages [] \markedpages [] []
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininermargin margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inipht margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage mat matematica matematica:assignment math mathbf	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inright [] [] {} \inright [] [] {} \inright [] [] {} \imarkedpages [] \markedpages [] []
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage mat matematica matematica:assignment math mathbf mathbi	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \innargin [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inright [] [] {} \inright [] [] {} \inright [] [] {} \inright [] [] {} \imarkedpages [] \markedpages [] {} \markedpages [] \markedpages [] {} \markedpages [] \markedpages [] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inipht margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage mat matematica matematica:assignment math mathbf mathbi mathblackboard	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \innermargin [] [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inright [] [] {} \inrightmargin [] [] {} \margintext [] [] {} \markedpages [] []
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:ininght margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage markreferencepage mat matematica matematica matematica:assignment math mathbf mathbi mathblackboard mathbs	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintert [] [] {} \inleft [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \innargin [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \ininuter [] [] {} \inright [] [] {} \inright [] [] {} \inright [] [] {} \margintext [] [] {} \markedpages [] \markedpages [] \markedpages [] \markedpages [] \markedpages [] {} \mathinarkedpages [] {}
margindata: instance: atleftmargin margindata: instance: atrightmargin margindata: instance: ininner margindata: instance: ininneredge margindata: instance: ininnermargin margindata: instance: inleft margindata: instance: inleft margindata: instance: inleftedge margindata: instance: inleftmargin margindata: instance: innergin margindata: instance: inother margindata: instance: inouter margindata: instance: inouter margindata: instance: inouteredge margindata: instance: inoutermargin margindata: instance: inright margindata: instance: inright margindata: instance: inrightedge margindata: instance: inrightmargin margindata: instance: margintext markcontent markedpages markinjector markpage markreferencepage mat matematica matematica matematica: assignment math mathbf mathbi mathblackboard mathbs mathcommand: example	\margindata [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintert [] [] {} \inleft [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inrightmargin [] [] {} \margintext [] [] {} \markcontent [] {} \markedpages [] \markedpages [] \markedpages [] \markedpages [] [] \markedpages [] {} \mathinarkedpages [] {}
margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:ininght margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage markreferencepage mat matematica matematica matematica:assignment math mathbf mathbi mathblackboard mathbs	\margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininneredge [] [] {} \ininnermargin [] [] {} \inintett [] [] {} \inleft [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \innargin [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inrightmargin [] [] {} \inrightmargin [] [] {} \markcontent [] {} \markcontent [] {} \markedpages [] \markpage [] [] \markpage [] [] \markpage [] [] \markpage [] [] \mathbi

	\MATHDOMDI PEYTENGIDLE [] []
mathdoubleextensible:instance mathdoubleextensible:instance:doublebar	\MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\ \\}
mathdoubleextensible:instance:doublebracket	\doublebracket \{\ldots\} \\\
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\} \\
mathdoubleextensible:instance:overbarunderbrace	\overbaranderbar \(\ldots\) \(\ldots\) \(\ldots\) \(\ldots\)
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent	\overparentunderparent \{\ldots\} \\\
matheatensible:instance	\MATHEXTENSIBLE \{\ldots\}
mathextensible:instance:cleftarrow	\cleftarrow \{\} \{\}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightariow \(\cdot\) \(\crightariow\) \(\crightario\) \(\crightariow\) \(\crightario\) \(\crightariow\) \(\crightario\) \
mathextensible:instance:eleftarrowfill	\eleftarrowfill \{\ldots\} \\
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	\mrightharpoondown {} {}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\t leftharpoondown $\{\}$ $\{\}$
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	$\trightharpoondown {} {}$
mathextensible:instance:trightharpoonup	$\trightharpoonup {} {}$
mathextensible:instance:trightleftharpoons	$\trightleftharpoons {} {}$
mathextensible:instance:trightoverleftarrow	$\trightowerleftarrow {} {}$
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal {} {}

mathextensible:instance:xhookleftarrow	$\xhookleftarrow {} {}$
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleft that poon up $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:xleftrightarrow	$\xleftrightarrow {} {}$
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
5	
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	$\xrightarrow {} {}$
mathextensible:instance:xrightharpoondown	$\xrightharpoondown {} {}$
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	$\xtwo headleftarrow {} {}$
mathextensible:instance:xtwoheadrightarrow	\xtwo headrightarrow $\{\ldots\}$ $\{\ldots\}$
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
	\MATHMATRIX {}
mathmatrix	
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE {} {}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathrm mathscript	\mathrm \mathscript
	•
mathscript	\mathscript \mathsl
mathscript mathsl mathss	\mathscript \mathsl \mathss
<pre>mathscript mathsl mathss mathtext</pre>	<pre>\mathscript \mathsl \mathss \mathtext {}</pre>
<pre>mathscript mathsl mathss mathtext mathtextf</pre>	<pre>\mathscript \mathsl \mathss \mathtext {} \mathtextbf {}</pre>
<pre>mathscript mathsl mathss mathtext</pre>	<pre>\mathscript \mathsl \mathss \mathtext {}</pre>
<pre>mathscript mathsl mathss mathtext mathtextf</pre>	<pre>\mathscript \mathsl \mathss \mathtext {} \mathtextbf {}</pre>
<pre>mathscript mathsl mathss mathtext mathtextbf mathtextbi</pre>	<pre>\mathscript \mathsl \mathss \mathtext {} \mathtextbf {} \mathtextbi {}</pre>
<pre>mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextbs mathtextts</pre>	<pre>\mathscript \mathsl \mathss \mathtext {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextbi {}</pre>
mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextit	<pre>\mathscript \mathsl \mathss \mathtext {} \mathtextbf {} \mathtextbi {} \mathtextbs {} \mathtextbs {} \mathtextit {}</pre>
mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextit mathtextsl mathtextsl	<pre>\mathscript \mathss \mathtext {} \mathtextbf {} \mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextit {} \mathtextsl {} \mathtextsl {}</pre>
mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf	<pre>\mathscript \mathss \mathtext {} \mathtextbf {} \mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextit {} \mathtextsl {} \mathtextff {} \mathter \m</pre>
mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextit mathtextsl mathtextsl	<pre>\mathscript \mathss \mathtext { } \mathtextbf { } \mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextit { } \mathtextf { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } </pre>
mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf	<pre>\mathscript \mathss \mathtext {} \mathtextbf {} \mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextit {} \mathtextsl {} \mathtextff {} \mathter \m</pre>
mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet	<pre>\mathscript \mathss \mathtext { } \mathtextbf { } \mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextit { } \mathtextf { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } </pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtexts1 mathtexts1 mathtextff mathtf mathtriplet mathtriplet:example mathtt</pre>	<pre>\mathscript \mathss \mathtext { } \mathtextbf { } \mathtextbi { } \mathtextbi { } \mathtextbt { } \mathtextit { } \mathtextif { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } \mathtriplet [] { } \mathrraplet [] { } \mathtriplet [] { } \mathrraplet [] { } \mat</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtexts1 mathtexts1 mathtextff mathtf mathtriplet mathtriplet mathtriplet:example mathtt mathunder</pre>	<pre>\mathscript \maths \mathss \mathtext {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtextit {} \mathtextif {} \mathtextif {} \mathtextf {} \mathtf \mathtriplet [] {} {} {} \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {}</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example</pre>	<pre>\mathscript \maths \mathss \mathtext { } \mathtextbf { } \mathtextbi { } \mathtextbi { } \mathtextit { } \mathtextit { } \mathtextsl { } \mathtextff { } \mathtf \mathtriplet [] { } { } { } \mathtriplet [] { } { } \mathtt \mathunder [] { } { } \mathtt \mathunder [] { } { } \mathtrunder [] { }</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextensible:instance</pre>	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbi { } \mathtextbi { } \mathtextit { } \mathtextit { } \mathtextif { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } \mathtriplet [] { } { } \mathtt \mathtriplet [] { } { } \mathtt \mathunder [] { } { } \mathtunder [] { } { } \mathtunder [] { } { } \mathunder [] { } { }</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example</pre>	<pre>\mathscript \maths \mathss \mathtext { } \mathtextbf { } \mathtextbi { } \mathtextbi { } \mathtextit { } \mathtextit { } \mathtextsl { } \mathtextff { } \mathtf \mathtriplet [] { } { } { } \mathtriplet [] { } { } \mathtt \mathunder [] { } { } \mathtt \mathunder [] { } { } \mathtrunder [] { }</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextensible:instance</pre>	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbi { } \mathtextbi { } \mathtextit { } \mathtextit { } \mathtextif { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } \mathtriplet [] { } { } \mathtt \mathtriplet [] { } { } \mathtt \mathunder [] { } { } \mathtunder [] { } { } \mathtunder [] { } { } \mathunder [] { } { }</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example</pre>	<pre>\mathscript \maths \mathss \mathtext { } \mathtextbf { } \mathtextbi { } \mathtextbi { } \mathtextbi { } \mathtextit { } \mathtextit { } \mathtextif { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } \mathtt \mathtriplet [] { } { } { } \mathtt \mathtunder [] { } { } \mathtt \mathunder [] { } { } \mathtunder [] { } { } \mathunder [] { } {</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathupright mathword</pre>	<pre>\mathscript \mathsl \mathss \mathtext {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtextit {} \mathtextit {} \mathtextif {} \mathtextf {} \mathtf \mathtriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathtunder [] {} {} {} \mathtunder [] {} {} \mathtunder [] {} {} \mathunder [] {} {} \mathunder [] {} {} \mathunder [] {} {} \mathunder [] {.</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathuright mathword mathword</pre>	<pre>\mathscript \maths1 \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextit {} \mathtextit {} \mathtextsl {} \mathtextff {} \mathtf \mathtriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathtunder [] {} {} {} \mathtunder [] {} {} \mathtunder [] {} {} \mathunder [] {} {} \mathunder [] {} \mathun</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi</pre>	<pre>\mathscript \maths1 \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtextit {} \mathtextit {} \mathtextif {} \mathtextf {} \mathteriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} {} \mathtunder [] {} {} \mathtunder [] {} {} \mathunder [] {} \mathwordbi {} \mathwordbi} \mathwordbi {} \mathwordbi} \mathwordbi {} \mathwordbi} \mathwordbi {} \mathwordbi</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs</pre>	<pre>\mathscript \maths1 \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtextit {} \mathtextit {} \mathtextif {} \mathtextff {} \mathtf \mathtriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} {} \mathtunder [] {} {} \mathtunder [] {} {} \mathunder [] {} \mathwordbi .</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi</pre>	<pre>\mathscript \maths1 \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtextit {} \mathtextit {} \mathtextif {} \mathtextf {} \mathteriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} {} \mathtunder [] {} {} \mathtunder [] {} {} \mathunder [] {} \mathwordbi {} \mathwordbi} \mathwordbi {} \mathwordbi} \mathwordbi {} \mathwordbi} \mathwordbi {} \mathwordbi</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs</pre>	<pre>\mathscript \maths1 \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtextit {} \mathtextit {} \mathtextif {} \mathtextff {} \mathtf \mathtriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} {} \mathtunder [] {} {} \mathtunder [] {} {} \mathunder [] {} \mathwordbi .</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbs mathwordbs</pre>	<pre>\mathscript \maths1 \mathss \mathtext { } \mathtextbf { } \mathtextbf { } \mathtextbi { } \mathtt [] { } { } { } \mathtt \mathtunder [] { } { } \mathtunder [] { } { } \mathunder [] { } \mathunder [] \mathwordbi { } \</pre>
mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtexts1 mathtexts1 mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbs mathwords1 mathwords1 mathwords1 mathwords1 mathwords1 mathwords1 mathwords1	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbf { } \mathtextbi { } \mathtextbs { } \mathtextbs { } \mathtextsl { } \mathtextsl { } \mathtextf { } \mathtextf { } \mathtt \mathtriplet [] { } { } { } \mathtt \mathtunder [] { } { } { } \mathtt \mathunder [] { } { } \mathtunder [] { } { } \mathtunder [] { } \mathtunder [] { } \mathvorder [] \mathworder [</pre>
mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtexts1 mathtexts1 mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwords1 mathwords1 mathwords1 mathwords1 mathwords1 mathwords1 mathwords1 mathwordtf math:assignment	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbf { } \mathtextbi { } \mathter [] { } { } { } \mathtf \mathtriplet [] { } { } \mathtunder [] { } { } \mathtunder [] { } \mathtunder [] { } \mathworder { } \mathworder { } \mathworder } \mathworder { .</pre>
mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtexts1 mathtexts1 mathtexts1 mathteriplet mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbs mathwords1 mathwordtf math:assignment maxaligned	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbf { } \mathtextbi { } \mathtertiplet [] { } { } { } \mathtt \mathtriplet [] { } { } \mathtunder [] { } { } \mathtunder [] { } \mathtunder [] { } \mathwordbi { } \mathwo</pre>
mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtexts1 mathtexts1 mathtextff mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwords1 mathwords1 mathwords1 mathwords1 mathwords1 mathwords1 mathwords1 mathwordtf math:assignment	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbf { } \mathtextbi { } \mathtertiplet [] { } { } { } \mathtf \mathtiplet [] { } { } \mathtt \mathtiplet [] { } { } \mathtunder [] { } \mathunder [] { } \mathunder [] { } \mathwordbi } \mathwordbi { } \mat</pre>
mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtexts1 mathtexts1 mathtexts1 mathteriplet mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbs mathwords1 mathwordtf math:assignment maxaligned	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbf { } \mathtextbi { } \mathtertiplet [] { } { } { } \mathtt \mathtriplet [] { } { } \mathtunder [] { } { } \mathtunder [] { } \mathtunder [] { } \mathwordbi { } \mathwo</pre>
<pre>mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtexts1 mathtexts1 mathtriplet mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwords1 mathwords1 mathwords1 mathwords1 mathwordtf math:assignment maxaligned mbox</pre>	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbf { } \mathtextbi { } \mathtertiplet [] { } { } { } \mathtf \mathtiplet [] { } { } \mathtt \mathtiplet [] { } { } \mathtunder [] { } \mathunder [] { } \mathunder [] { } \mathwordbi } \mathwordbi { } \mat</pre>
mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextsl mathtextsl mathtextsl mathtriplet mathtriplet mathtriplet:example mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordsl mathwordtf math:assignment maxaligned mbox measure	<pre>\mathscript \mathsl \mathss \mathtext { } \mathtextbf { } \mathtextbf { } \mathtextbi { } \mathtextbi { } \mathtextbi { } \mathtextbi { } \mathtextit { } \mathtextit { } \mathtextf { } \mathtextf { } \mathttf \mathtriplet [] { } { } { } \mathtt \mathtriplet [] { } { } \mathtt \mathtriplet [] { } { } \mathtt \mathunder [] { } { } \mathunder [] { } \mathunder [] { } \mathunder [] { } \mathworder [] \math</pre>
mathscript mathsl mathss mathtext mathtextbf mathtextbi mathtextsl mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathtunder mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathvord mathwordbf mathwordbf mathwordbi mathwordsl mathwordtf mathwordtf mathwordtf mathcassignment maxaligned mbox measure measured medskip	<pre>\mathscript \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbs {} \mathtextbt {} \mathtextsl {} \mathtextf {} \mathtextf {} \mathtextf {} \mathteriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} \mathtt \mathunder [] {} {} \mathtunDEREXTENSIBLE {} \mathunDEREXTEXTEXTENSIBLE {} {} \mathupright \mathword {} \mathword</pre>
mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathwordbf mathwordbf mathwordbs mathwordtf mathwordtf math:assignment maxaligned mbox measure measured medskip medspace	<pre>\mathscript \mathsl \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextif {} \mathtextf {} \mathtextf {} \mathteriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} {} \mathtt \mathunder [] {} {} \mathunder [] {} {} \mathunder [] {} \mathunder [] {} \mathunder [] {} \mathunder [] {} \mathworder [] \math</pre>
mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextf mathtf mathtriplet mathtriplet:example mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathwordb mathwordbf mathwordbi mathwordbi mathworddf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo	<pre>\mathscript \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtextbi {} \mathtexti {} \mathtexti {} \mathtexti {} \mathtextf {} \mathtextf {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} \mathtunder [] {} {} \mathtunder [] {} \mathunder [] {} \mathunder [] {} \mathunder [] {} \mathworder [] \mathwo</pre>
mathscript maths1 mathss mathtext mathtextbf mathtextbi mathtextbs mathtextit mathtextsl mathtextff mathtf mathtriplet mathtriplet:example mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathwordbf mathwordbf mathwordbs mathwordtf mathwordtf math:assignment maxaligned mbox measure measured medskip medspace	<pre>\mathscript \mathsl \mathss \mathtext {} \mathtextbf {} \mathtextbf {} \mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextif {} \mathtextf {} \mathtextf {} \mathteriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathtunder [] {} {} {} \mathtunder [] {} {} \mathtunder [] {} {} \mathunder [] {} \mathword [] \mathword [</pre>

mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula [] {}
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [=]
mettisottoformula	\mettisottoformula [] {}
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
m:assignment	\m [=] {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \ \ \ \ \ \ \ \
NormalizeTextHeight	$\verb \NormalizeTextHeight {} {} {} $
NormalizeTextWidth	\NormalizeTextWidth {} {} {}
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation \{\dots\}
namedstructureuservariable	\namedstructureuservariable $\{\ldots\}$ $\{\ldots\}$
namedstructurevariable	\namedstructurevariable \{\ldots\} \{\ldots\}
namedtaggedlabeltexts	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturaltpack	\naturaltpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox

nometod	\negated {}
negated	•
negemspace	\negemspace
negenspace	\negenspace
negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \\
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
	· · · · · · · · · · · · · · · · · · ·
nientelineintestazionepdp · · ·	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocharacteralign	\nocharacteralign
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigure pages
noflines	\noflines
noflocalfloats	\n
noheightstrut	\noheightstrut
3	<u> </u>
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normale	\normale
	·
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ {}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	
	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	$\verb normalize fontwidth {} {} {} {}$
normalizetextdepth	\normalizetextdepth \{\ldots\} \{\ldots\}
normalizetextheight	\normalizetextheight {} {}
normalizetextline	\normalizetextline {} {}
normalizetextwidth	\normalizetextwidth \{\ldots\} \{\ldots\}
normalslantedface	\normalslantedface
normaltypeface	\n
nota	\nota [] []
nota:instance	\NOTE [] {}
nota:instance:assignment	\NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol [] []
notragged	\notragged
ntimes	\ntimes {} {}

numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	\numeriromani {}
numeroformula	\numeroformula []
numeropagina	numeropagina
numeropaginacompleto	$ \numeropaginacompleto $
numerotesta	\numerotesta [] []
numerotestacorrente	\numerotestacorrente
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [] [] {} {}
ř	\ORNAMENT \{\dots\)
ornament:example	
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	$\operatorname{\oomega}$
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	$\operatorname{\oomega}$
overlayoffset	$\operatorname{\oomega}$
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	$\operatorname{\oomega}$
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection pageinjection:assignment	\pageinjection [] \pageinjection []
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
paroladagtra	\paroladostra [] { }
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}

pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdf backendsetcolorspace $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetextgstate	\pdf backendsetextgstate $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetinfo	\pdf backendsetinfo $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdf backendset pageresource $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetpagesattribute	\pdf backendsetpagesattribute $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {}
pedap	\pedap [] {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {} \phantombox [=]
phantombox	\piccolo
piccolo piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatwithsetups	\placefloatwithsetups [] [] {} {}
placefloat:instance	\mettiFLOAT [] [] {} {}
placefloat:instance:chemical	\mettichemical [] [] {} {}
placefloat:instance:figure	\mettifigure [] [] {} {}
placefloat:instance:graphic	\mettigraphic [] [] {} {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {} {}
placefloat:instance:table	\mettitable [] [] {} {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
<pre>placelistoffloats:instance:tables</pre>	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]

placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	$\protect\$ $\{\ldots\}$
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [] [=]
placerawheaddata	\placerawheaddata []
placerawheadnumber	\placerawheadnumber []
placerawheadtext	\placerawheadtext []
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay $\{\ldots\}$ $\{\ldots\}$
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist {} \
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltesto [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtesto [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltesto [] [=]
<pre>presetlabeltext:instance:mathlabel</pre>	\presetmathlabeltesto [] [=]
<pre>presetlabeltext:instance:operator</pre>	\presetoperatortesto [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtesto [] [=]
<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtesto [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltesto [] [=]
<pre>presetlabeltext:instance:unit</pre>	\presetunittesto [] [=]
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \

processcolorcomponents	\processcolorcomponents {}
	\processcommacommand [] \
processcommalist	\processcommalist [] \
	\processcommalistwithparameters [] \
	\processcontent {} \
•	\processfile {}
	\processfilemany {} \processfilenone {}
	\processfileonce \{\dots\}
•	\processfirstactioninset [] [,=>,]
	\processisolatedchars \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
-	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist {} {} \
-	\processMPbuffer []
-	\processMPfigurefile {}
	\processmonth \{\} \{\}
-	\processranges [] \
• •	\processseparatedlist [] [] {} \processTEXbuffer []
	\processtokens \{\} \{\} \{\} \{\}
	\processuntil \
•	\processxtablebuffer []
•	\processyear \{\} \{\} \{\}
	\prodotto []
prodotto:string	\prodotto
profiledbox	\profiledbox [] [=] {}
-	\profilegivenbox {}
	\progetto []
	\progetto
<u>. </u>	\programma []
-	\pseudoMixedCapped {} \pseudoSmallCapped {}
	\pseudoSmallcapped {}
•	\pseudosmallcapped {}
	\pulsante [=.] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
	\pulsantinterazione [=] []
•	\punti []
-	\punti [=]
•	\punto {} \purenumber {}
<u>*</u>	\pusharrangedpages \poparrangedpages
	\pushattribute \
	\pushbar [] \popbar
	\pushbutton [] []
	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
-	\pushendofline \popendofline
	\pushindentation \popindentation
	\pushMPdrawing \popMPdrawing
<u>*</u>	\pushmacro \
	\pushmathstyle \popmathstyle \pushmode []
	\pushoutputstream []
	\pushpath [] \poppath
	\pushpunctuation \poppunctuation
	\pushrandomseed \poprandomseed
	\pushreferenceprefix \{\dots\} \dots \popreferenceprefix
	\pushsfondo [] \popsfondo
	\pushsystemmode {}
	\putboxincache \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\putnextboxincache \{\} \\\ \\\}
-	s []
•	\qualcheriga []
	\quarterstrut
-	\quitcommalist

quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber \{\ldots\}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset $\{\}$ $\{\}$ $\{\}$
rawdoifinset	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
rawdoifinsetelse	\rawdoifinsetelse $\{\}$ $\{\}$ $\{\}$
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile \{\} \{\} \{\}
readjobfile	\readjobfile {} {}
readlocfile	\readlocfile {} {}
readsetfile	\readsetfile {} {} {}
readsysfile	\readsysfile {} {}
readtexfile	\readtexfile \{\} \{\}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referencecolumnnumber	\referencecolumnnumber
referenceformat:example	\REFERENCEFORMAT {\dots\} [\dots\]
referencepagedetail	\referencepagedetail
referencepagestate	\referencepagestate
referenceprefix	\referenceprefix
referencerealpage	\referencerealpage
referencesymbol	\referencesymbol
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile \{\dots\} \\\
registerexternalfigure	\registerexternalfigure [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
registro:instance	\REGISTER [] {++}
registro:instance:index	\index [] {++}
registro:instance:ownnumber	\REGISTER [] {} {++}
registro:instance:ownnumber:index	\index [] {++}
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura []
relatemarking	\relatemarking []
relateparameterhandlers	\relateparameterhandlers \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
1 0 1 4 1 0 1 1 1 4 1 1 1 1 1 1 1 1 1 1	
relaxvalueifundefined	
relaxvalueifundefined remainingcharacters	\relaxvalueifundefined {}
remainingcharacters	\relaxvalueifundefined {} \remainingcharacters
remainingcharacters removebottomthings	\remainingcharacters \removebottomthings
remainingcharacters removebottomthings removedepth	\remainingcharacters \removebottomthings \removedepth
remainingcharacters removebottomthings	\remainingcharacters \removebottomthings

removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
repeathead	\repeathead [] \replacefeature []
replacefeature replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceiecommalist \ \{\}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup {} {}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector resetcounter	\resetcollector []
	\resetcounter [] [] \resetdigitsmanipulation
resetdigitsmanipulation resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing resetMPenvironment	\resetMPdrawing \resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacements resetscript	\resetreplacements \resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox resolvedglyphdirect	\reshapebox {} \resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphatrect \(\cdot\)\resolvedglyphstyled \(\cdot\)\re
restartcounter	\restartcounter [] []
	,20002000000 [] []

restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox {}
reversehpack	\reversehpack {}
reversetpack	\reversetpack {}
reversevbox	\reversevbox {}
reversevpack	\reversevpack {}
reversevtop	\reversevtop {}
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rif	\rif [] []
riferimento	\riferimento [] {}
riferimentopagina	\riferimentopagina []
riferimentotesto	\riferimentotesto [] {}
riflessione	\riflessione {}
riga	\riga {}
rigariempimento	\rigariempimento [=]
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtesto {}
rightlabeltext:instance:head	\rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset {} {} {} {}
robustdoifinsetelse	\robustdoifinsetelse $\{\}$ $\{\}$ $\{\}$
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtlhbox	\rtlhbox {}
rtlvbox	\rtlvbox {}
rtlvtop	\rtlvtop {}
rtop	\rtop {}
ruby	\ruby [] {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ruota	\ruota [=] {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}

samplefile	\samplefile \{\}
sans	\sans
sansgrassetto	\sansgrassetto
sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {} {}
savebtxdataset	\savebtxdataset [] [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer []
savecolore	\savecolore \restorecolore
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
<u> -</u>	
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments {} {} {} {} {}
secondoffourarguments	\secondoffourarguments {} {} {} {}
	-
secondofsixarguments	\secondofsixarguments {} {} {} {} {}
secondofthreearguments	\secondofthreearguments \{\ldots\} \{\ldots\} \\\
secondofthreeunexpanded	\secondofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\} \{\ldots\}
seeregister:instance	\vediREGISTER [] {++} {}
seeregister:instance:index	\vediindex [] {++} {}
segnalibro	\segnalibro [] {}
3	S
select	\select {} {} {} {} {}
selezionablocchi	\selezionablocc $ ext{MP}^{ ext{T}} \ [\dots]^{ ext{T}} \ [\dots]^{ ext{T}} \ [\dots]^{ ext{PT}} \ [\dots]^{ ext{PT}}$
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setautopagestaterealpageno	\setautopagestaterealpageno {}
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteraligndetail $\{\}$ $\{\}$ $\{\}$
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcounterown [] [] \setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}

setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
5	
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand $\{\ldots\}$ $\{\ldots\}$
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage {} {} {}
setinterfacevariable	\setinterfacevariable {} {}
setinternalrendering	\setinternalrendering [] {}
•	
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
<i>,</i> -	
setlayerframed	\setlayerframed [] [=] [=] {}
- · · · · · · · · · · · · · · · · · · ·	\setlayerframed [] [=] {} \setlayerframed [] [=] {}
setlayerframed	\setlayerframed [] [=] {}
setlayerframed setlayerframed:combination setlayertext	\setlayerframed [] [=] {} \setlayertext [] [=] {}
setlayerframed setlayerframed:combination setlayertext setlinefiller	\setlayerframed [] [=] {} \setlayertext [] [=] {} \setlinefiller []
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize	\setlayerframed [] [=] {} \setlayertext [] [=] {} \setlinefiller [] \setlocalhsize []
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript	<pre>\setlayerframed [] [=] {} \setlayertext [] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript []</pre>
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer	\setlayerframed [] [=] {} \setlayertext [] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {=}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer	\setlayerframed [] [=] {} \setlayertext [] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {=}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] {} \setMPpositiongraphic {} {} {} {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} {} \setMPpositiongraphicrange {} {} {} {} \setMPtext {} {} \setMPvariable [] [=]
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=]
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariables setmainbodyfont	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder	<pre>\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder []</pre>
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] []
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmathstyle {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMpvariables setmainbodyfont setmainparbuilder setmarker setmarker setmatking setmathstyle setmeasure setmessagetext setmode setnostrut	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmode {} \setmostrut
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmaniparbuilder setmainparbuilder setmarker setmarker setmatking setmathstyle setmeasure setmode setnostrut setnote	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut \setnote [] []
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmaniparbuilder setmainparbuilder setmarker setmarker setmatking setmathstyle setmeasure setmessagetext setmode setnotetext	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut \setnotetext [] [] {} \setnotetext [] [] {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmainbodyfont setmainparbuilder setmarker setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnotetext:assignment	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmaniparbuilder setmainparbuilder setmarker setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnotetext:assignment	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] []
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmainbodyfont setmainparbuilder setmarker setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnotetext:assignment	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmaniparbuilder setmainparbuilder setmarker setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnotetext:assignment	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetext [] {} \setnotetext [] {} \setnotetext [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setobject {} {} \} \setobject {} {} \}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmanibodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnotetext setnotetext:assignment setobject	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetut \setnotetion [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmanibodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnoteext setnoteext setnoteexts setnoteexts setnote:assignment setobject setoldstyle setpagereference	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarking [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] \setobject {} {} \} \setobject {} {} \} \setobject {} {} \} \setoldstyle \setpagereference {} {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmarker setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnote setnoteext setnote setnoteext setnote:assignment setobject setoldstyle setpagereference setpagestate	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnotetotetext [] [] \setnotetotetext [] [] \setnotetotetext [] [] \setobject {} {} \ {} \setobject {} {} \ {} \setpagereference {} {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmanparbuilder setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnote setnotetext setnoteest:assignment setobject setoldstyle setpagestate setpagestaterealpageno	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarking [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetext [] [] \setnotetotetext [] [] \setnotetext [] [] \setpagereference {} {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext setnoteexts setnoteexts setnotesyle setpagereference setpagestate setpagestaterealpageno setpenalties	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setpagestaterealpageno {} {}
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarker setmarking setmathstyle setmeasure setmessagetext setnode setnotetext setnote setnoteext setnote setnoteext setnoteext setnotes setn	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [=] {} \setMPpositiongraphic {} {} {=} \setMPpositiongraphicrange {} {} {=} \setMPpositiongraphicrange {} {} {=} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [=] \setnote [] [=] \setobject {} {} \ {} \setpagerageragerageragerageragerageragerager
setlayerframed setlayerframed:combination setlayertext setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext setnoteexts setnoteexts setnotesyle setpagereference setpagestate setpagestaterealpageno setpenalties	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {} \setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setpagestaterealpageno {} {}

setpositionbox	\setpositionbox \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setpositiondata	\setpositiondata {} {} {} {}
setpositiondataplus	\setpositiondataplus {} {} {} {} {}
-	
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus \{\ldots\} \\ldots\ \\ldots\\
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject {} \ \ \
•	
setregisterentry	\setregisterentry [] [=] [=]
setreplacements	\setreplacements []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize {} {}
setscript	\setscript []
setsecondpasscharacteralign	\setsecondpasscharacteralign
setsectionblock	\setsectionblock [] [=]
setsimplecolumnshsize	\setsimplecolumnshsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
	\setsuperiors
setsuperiors	
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settestcrlf	\settestcrlf
settext	\settext [] [] [] []
settightobject	\settightobject {} \ {}
settightreferencedobject	\settightreferencedobject {} \ {}
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject {} \ {}
settokenlist	\settokenlist [] {}
settrialtypesetting	\settrialtypesetting
	\setuevalue {} {}
setuevalue	Secuevarue () ()
setugvalue	\setugvalue {} {}
setugvalue setunreferencedobject	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {}</pre>
setugvalue setunreferencedobject setupalternativestyles	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbars	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbars setupbleeding setupbookmark	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbleeding [] \setupbookmark []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbars setupbleeding setupbookmark	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [] \setupbtx [] [=] \setupbtxdataset [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [] \setupbtx [] [=] \setupbtxdataset [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxdataset setupbtxregister setupbtxrendering	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxdataset setupbtxregister setupbtx:name	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbrackend [=] \setupbrackend [=] \setupbar [] [=] \setupbar [] [=] \setupbar [] [=] \setupbtx []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxaltaset setupbtxlist setupbtxregister setupbtx:name setupbtton	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupbackend [=] \setupbackend [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbleeding [=] \setupbtx [] [=] \setupbtx [] [=] \setupbtx [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtx [] [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxaltaset setupbtxlist setupbtxregister setupbtx:name setupbtton setupcharacteralign	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtt [] \setupbtton [] [=] \setupbtarpcharacteralign [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxsetuptx setupbtxlist setupbtxregister setupbtx:name setupbtton setupcharacteralign setupcharacterkerning	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtton [] [] \setupcharacteralign [] \setupcharacterkerning [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxaltaset setupbtxlist setupbtxregister setupbtx:name setupbtton setupcharacteralign	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtt [] \setupbtton [] [=] \setupbtarpcharacteralign [=]</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxsetuptx setupbtxlist setupbtxregister setupbtx:name setupbtton setupcharacteralign setupcharacterkerning	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtton [] [] \setupcharacteralign [] \setupcharacterkerning [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxalataset setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcharacteralign setupcharacterspacing	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupcharacter [] [] \setupchara</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbleeding setupbtx setupbtx setupbtx setupbtx setupbtx setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbttion setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbars [] [] \setupbars [] [] \setupbookmark [] \setupbookmark [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxdataset [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupcharacteralign [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical [] [] \setupchemical [] [] \setupchemical [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupcollector	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbar [] [] \setupbars [] [] \setupbar [] [] \setupchar [] [] \setupchar [] [] \setupchemical [] [] \setupchemical [] [] \setupcollector [] [] \setupcollector [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcharacteralign setupcharacterspacing setupchemical setupcolumnsetarea	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupchar [] [] \setupchar [] [] \setupchemical [] [] \setupcollector [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxregister setupbtxrendering setupbtx:name setupbttcharacteralign setupcharacterspacing setupchemical setupcolumnsetarea setupcolumnsetarea	<pre>\setugvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupchar [] [] \setupchar [] [] \setupchemical [] [] \setupchemical [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcharacteralign setupcharacterspacing setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetlines	<pre>\setuyvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbookmark [] \setupbookmark [] \setupbtxdataset [] [] \setupbtxdataset [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbt = [] [] \setupcharacteralign [] \setupcharacteralign [] [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical framed [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxregister setupbtxrendering setupbtx:name setupbttcharacteralign setupcharacterspacing setupchemical setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan	<pre>\setuyvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbleeding [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxdataset [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcharacteralign [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical framed [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetapan [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcharacteralign setupcharacterspacing setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetlines	<pre>\setuyvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbookmark [] \setupbookmark [] \setupbtxdataset [] [] \setupbtxdataset [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbt = [] [] \setupcharacteralign [] \setupcharacteralign [] [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical framed [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxregister setupbtxrendering setupbtx:name setupbttcharacteralign setupcharacterspacing setupchemical setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan	\setuyvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupcharacteralign [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical framed [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] []
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxadataset setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbutton setupcharacteralign setupcharacterspacing setupchemical setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcombination	<pre>\setuyvalue {} {} \seturreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbookmark [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcharacteralign [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical framed [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcombination [] []</pre>
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbar setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbutton setupcharacteralign setupcharacterspacing setupchemical setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcombination setupcounter	\setupalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbar [] [] \setupbars [] [] \setupbleeding [] \setupbleeding [] \setupbtx [] [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxlist [] [] \setupbtxrendering [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupcharacteralign [] [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical framed [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcombination [] [] \setupcombination [] []
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbar setupbar setupbars setupbleeding setupbookmark setuptx setuptx setuptxlist setuptxregister setupbtxregister setupbtx:name setupbtx:name setupbtancateralign setupcharacteralign setupcharacterspacing setupchemical setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcounter setupcounter setupcounter	\setupalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbar [] [] \setupbars [] [] \setupbleeding [] \setupbleeding [] \setupbtx [] [] \setupbtx [] [] \setupbtx [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcharacterkerning [] [] \setupcharacterkerning [] [] \setupchemical [] [] \setupchemical [] [] \setupchemical [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcombination [] [] \setupcombination [] [] \setupcounter [] [] \setupcounter [] []
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbar setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcharacteralign setupcharacterspacing setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcounter setupcounter setupcounter setupcounter setupcounter setupcounter setupcolumitedtext	\setupalue {} {} \setunreferencedobject {} {} \
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxataset setupbtxregister setupbtxrendering setupbtx:name setupbtx:name setupcharacteralign setupcharacterspacing setupchemical setupcemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcounter setupcounter setupdataset setupdelimitedtext setupdescription	\setupvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbackend [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbleeding [] \setupbtx [] [] \setupbtx [] [] \setupbtx [] [] \setupbtx [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbackend [] [] \setupcharacteralign [] [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] []
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxx setupbtxataset setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcharacteralign setupcharacterspacing setupchemical setupchemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcolumnsetspan setupcounter setupdataset setupdedimitedtext setupdescription setupdirections	\setupvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbleeding [] \setupbleeding [] \setupbtx [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupcharacteralign [] \setupcharacterspacing [] [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetspan [] [] \setupcolumnsetspan [] [] \setupcolumnsetspan [] [] \setupcolumnsetspan [] [] \setupcolumnsetiple [] [] \setupcolumnsetspan [] []
setugvalue setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxataset setupbtxregister setupbtxrendering setupbtx:name setupbtx:name setupcharacteralign setupcharacterspacing setupchemical setupcemical setupcolumnsetarea setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcounter setupcounter setupdataset setupdelimitedtext setupdescription	\setupvalue {} {} \setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbackend [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbleeding [] \setupbtx [] [] \setupbtx [] [] \setupbtx [] [] \setupbtx [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbackend [] [] \setupcharacteralign [] [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemical [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] []

setupenumeration setupenv	\setupenumeration [] [=] \setupenv [=]
setupexport	\setupenv [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed setupfieldlabelframed	\setupfieldcontentframed [] [=] \setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion setupfonts	\setupfontprotrusion [] [=] \setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn setupframedtablerow	\setupframedtablecolumn [] [] [] \setupframedtablerow [] [] []
setupframedtext	\setupframedtext [] [=] \setupframedtext []
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation setupindentedtext	\setuphyphenation [=] \setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
<pre>setupitemgroup:instance setupitemgroup:instance:itemize</pre>	\impostaITEMGROUP [] [] [] \impostaitemize [] [] []
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller setuplinefillers	\setuplinefiller [] [=] \setuplinefillers [] [=]
setuplinenote	\setuplinente [] [=]
setuplinetable	\setuplinetable [] [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace setuplocalinterlinespace:argument	\setuplocalinterlinespace [] [=] \setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance setupMPpage	\setupMPinstance [] [=] \setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment setupmathcases	\setupmathalignment [] [=] \setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]

setupmathmatrix	\setupmathmatrix [] [=]
	\setupmathornament [] [=]
	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
-	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
<u>.</u>	\setupoffsetbox [=]
	\setuporientation [] [=]
	\setupoutputroutine [] [=]
	\setupoutputroutine []
	\setuppagechecker [] [=]
	\setuppagecolumns [] [=]
	\setuppageinjection [] [=]
11 0 0	\setuppageinjectionalternative [] [=]
	\setuppageshift [] []
	\setuppagestate [] [=]
	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
	\setuppaper [=]
	\setupparagraph [] [=]
	\setupparagraphintro []
	\setupparallel [] []
	\setupperiodkerning [] [=]
	\setupperiods [=]
	\setupplacement [] [=]
	\setuppositionbar [=] \setupprocessor [] [=]
	\setupprocessor [] [=] \setupprofile [] [=]
	\setupproffice [] \setupquotation [=]
	\setuprealpagenumber [=]
	\setupreferenceformat [] [=]
	\setupreferenceprefix []
	\setupreferencestructureprefix [] [] []
	\setupregisters [] [=]
	\setupregisters [] [] [=]
	\setuprenderingwindow [] [=]
•	\setupruby [] [=]
	\setups []
•	\setupscale [] [=]
	\setupscript [] [=]
	\setupscripts [] [=]
	\setupselector [] [=]
-	
	\setupshift [] [=]
Setupspelichecking	\setupshift [] [=] \setupsidebar [] [=]
	\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=]
setupstretched	\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=]
setupstretched setupstyle	\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=]
setupstretched setupstyle setupsubformula	\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=]
setupstretched setupstyle setupsubformula setupsubformulas	\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=]
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols	\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=]
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=]</pre>
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsynctex [=]</pre>
setupstretched setupstyle setupsubformula setupsymbols setupsynctex setups:direct setupTABLE	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstyle [] [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsynctex [=] \setups {}</pre>
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstyle [] [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsynctex [=] \setups {} \setupTABLE [] [] [=]</pre>
setupstretched setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstyle [] [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsynctex [=] \setupTABLE [] [] [=] \setupTEXpage [=]</pre>
setupstretched setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsynctex [=] \setupTABLE [] [] \setupTEXpage [=] \setuptabulation [] [=]</pre>
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsymctex [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=]</pre>
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsymctex [=] \setupstyprotex [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=]</pre>
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsubformulas [] [=] \setupsynctex [=] \setupsynctex [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=]</pre>
setupstretched setupstyle setupsubformula setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsynctex [=] \setupsynctex [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptatypage [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=]</pre>
setupstretched setupstyle setupsubformula setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata	\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsynctex [=] \setupsynctex [=] \setupstyprize [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptatyptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=]
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative	<pre>\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsymctex [=] \setupsynctex [=] \setupsynctex [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptabulation [] [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=]</pre>
setupstretched setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextflow setuptextnote setuptoltip setupunit setupuserdata setupuserpagenumber	\setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstretched [=] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsynctex [=] \setupsynctex [=] \setupstyprotex [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptatptatptatptatptatptatptatptatptatpt

	· · · · · · · · · · · · · · · · · · ·
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {} \setupxml [=]
setupxml	\setupxmi [] \setupxtable [] [=]
setupxtable setuvalue	\setupxtable [] [] \setuvalue {} {}
setuvalue	\setuvalue \(\ldots\) \\setuvalue \(\ldots\) \\
setvalue	\setuxvalue \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setvariable	\setvariable \{\ldots\} \{\ldots\}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	
	\showcolorstruts
showcounter	\showcounter []
showcounter showdirectives	\showcounter [] \showdirectives
showcounter showdirectives showdirsinmargin	\showcounter [] \showdirectives \showdirsinmargin
showcounter showdirectives showdirsinmargin showedebuginfo	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontparameters	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphens	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showinjector	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showinjector []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showijector showjustification	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstrip [] [] [] [] \showglyphdata \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showinjector [] \showjustification
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showinjector showjustification showkerning	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstrip [] [] [] [] \showglyphdata \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showinjector [] \showjustification \showkerning {}
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showinjector showjustification showkerning showlayoutcomponents	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstrip [] [] [] [] \showglyphdata \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showlyphens {} \showlypictor [] \showlyptication \showlayoutcomponents
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphas showgridsnapping showhelp showhyphenationtrace showhyphens showinjector showjustification showkerning showlaguture	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstrip [] [] [] [] \showglyphdata \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showinjector [] \showjustification \showkerning {} \showlayoutcomponents \showligature {}
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontstrip showfontstyle showglyphdata showglyphas showgridsnapping showhelp showhyphenationtrace showhyphens showinjector showjustification showkerning showlagature showligatures	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontstrip [] \showfontstrip [] [] [] [] \showglyphdata \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showlyphens {} \showljustification \showkerning {} \showlayoutcomponents \showligature {} \showligatures []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphas showgridsnapping showhelp showhyphenationtrace showhyphens showinjector showjustification showkerning showlaguture	\showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstrip [] [] [] [] \showglyphdata \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showinjector [] \showjustification \showkerning {} \showlayoutcomponents \showligature {}

showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition {} {} {}
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
-	
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}
3	\signalrightpage
signalrightpage	
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox {} {}
simplealignedboxplus	\simplealignedboxplus $\{\}$ $\{\}$ $\{\}$
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {} {}
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\]
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
sottopaginasuccessiva	\sottopaginasuccessiva
spaceddigits	\spaceddigits {}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
•	\spazio
spazio	-
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [=] {} {}
splitatasterisk	\splitatasterisk \
splitatcolon	\splitatcolon \
splitatcolons	\splitatcolons \ \
-	
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
	-
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath

splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
stackscripts	\stackscripts
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] {++} \stopregister [.
3	\STARTSTOP {}
startstop:example	
startstructurepageregister	\startstructurepageregister [] [=] [=] \stopstructure
stirato	\stirato [=] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
•	\styleinstance []
styleinstance	· · · · · · · · · · · · · · · · · · ·
style:argument	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist {} \
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbolreference	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizestitt \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\synctexblockfilename {}
synctexblockfilename	·
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {}
systemlog	\systemlog {} {}
systemlogfirst	\systemlogfirst {} {}
systemloglast	\systemloglast {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE

TaBlE	\TaB1E
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce \{\ldots\} \\\
testoaiuto	\testoaiuto [] {} {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto \(\ldots \)
testoetichetta:instance:prefix testoetichetta:instance:suffix	\prefixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit testoincorniciato:instance	\unittesto {}
	\FRAMEDTEXT [=] {} \framedtext [=] {}
testoincorniciato:instance:framedtext	
testonotapdp	<pre>\testonotapdp [] {} \testonotapdp [=]</pre>
testonotapdp:assignment	\testonotapap [] \testoriempimento [=] {} {}
testoriempimento	\testpage [] []
testpage	\testpageonly [] []
testpageonly	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	textefinition {
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation []
textcitation:userdata	\textcitation [=]
textcite	\textcite [=] []
textcite:alternative	\textcite []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnote	\textnote [=] {}
textormathchar	\textormathchar {}
textormathchars	\textormathchars {}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theorientation	\theorientation {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdoffourarguments	\thirdoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdofsixarguments	\thirdofsixarguments {} {} {} {} {} {}
thirdofthreearguments	\thirdofthreearguments $\{\ldots\}$ $\{\ldots\}$
thirdofthreeunexpanded	\thirdofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
threedigitrounding	\threedigitrounding {}
tibetannumerals	
	\tibetannumerals {}
tieniblocchi	

tilde	\tilde {}
tinyfont	\tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {}
tooltip:instance:argument:tooltip	\tooltip [] {} {}
tooltip:instance:tooltip	\tooltip [=] {} {}
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
tracedpagestate	\tracedpagestate
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
traduci	\traduci [=]
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
triplebond	\triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typ	\typ [=] {}
type	\type [=] {}
typebuffer	\typebuffer [] [=]
typebuffer:instance	\typeBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typefile	\typefile [] [=] {}
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetbufferonly	\typesetbufferonly []
typesetfile	\typesetfile [] [=]
V-	(cypesecrife [] [] []
type:angles	\+:rno [-] // \>
A	\type [=] <<>>
type:example	\TYPE [=] {}
type:example:angles	\TYPE [=] {} \TYPE [=] <<>>
type:example:angles typ:angles	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>>
<pre>type:example:angles typ:angles uconvertnumber</pre>	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {}
type:example:angles typ:angles	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \uedcatcodecommand \ {}
<pre>type:example:angles typ:angles uconvertnumber</pre>	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {}
<pre>type:example:angles typ:angles uconvertnumber uedcatcodecommand</pre>	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \uedcatcodecommand \ {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \uedcatcodecommand \ {} \ultimasottopagina
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \uddatcodecommand \ {} \ultimasottopagina \undefinevalue {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \uddcatcodecommand \ {} \ultimasottopagina \undefinevalue {} \undepthed {} \underset {} {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \uedcatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} \underset {} \underset {} {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \uedcatcodecommand \ {} \ultimasottopagina \undefinevalue {} \undepthed {} \underset {} {} \underset {} {} \underspandeddocumentvariable {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \undoassign [] [=] \unexpandeddocumentvariable {} \unhbox \with {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udcatcodecommand \ {} \ultimasottopagina \undefinevalue {} \undepthed {} \underset {} {} \undoassign [] [=] \unexpandeddocumentvariable {} \unhbox \with {} \unihex {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udcatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \undoassign [] [=] \unexpandeddocumentvariable {} \unihbox \with {} \unihex {} \uniqueMpgraphic {} {=}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhhbox unihex uniqueMPgraphic uniqueMPpagegraphic	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \undoassign [] [=] \unexpandeddocumentvariable {} \unihbox \with {} \unihex {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \underspandeddocumentvariable {} \unhbox \with {} \unihex {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udcatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \undoassign [] [=] \unexpandeddocumentvariable {} \unhbox \with {} \unihex {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \unit {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \undoassign [] [=] \unexpandeddocumentvariable {} \unhbox \with {} \unihex {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \unit {} \unit {} \unit {} \unit {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect unprotected	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udocatcodecommand \ {} \ultimasottopagina \undefinevalue {} \undepthed {} \underset {} {} \underset {} {} \undossign [] [=] \unexpandeddocumentvariable {} \unhbox \with {} \unihex {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \unit {} \unit {} \unit {} \unprotect \protect \unprotected \par
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect unprotected unregisterhyphenationpattern	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \underset addocumentvariable {} \unhbox \with {} \unihex {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \unit {} \unit {} \unit {} \unit {} \uniprotect \protect \unprotected \par \unregisterhyphenationpattern [] []
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect unprotected unregisterhyphenationpattern unspaceafter	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \underset and an interest {} \underset {} {} \underset {} {} \underset {} {} \underset {} {} \unidempaged and {} \unidem {} \unidem {} \unique MPpaged apphic {} {=} \unique MPpaged apphic {} {=} \unique MP {} \unit {} \unit {} \unit {} \unit {} \unit {} \uniprotect \protect \unprotected \par \unregisterhyphenationpattern [] [] \unspaceafter \ {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect unprotected unregisterhyphenationpattern	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \underset addocumentvariable {} \unhbox \with {} \unihex {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \unit {} \unit {} \unit {} \unit {} \uniprotect \protect \unprotected \par \unregisterhyphenationpattern [] []
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect unprotected unregisterhyphenationpattern unspaceafter	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \uedcatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \underset and an interest {} \underset {} {} \uninexpandeddocumentvariable {} \uninhbox \with {} \uninex {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \uniqueMPT {} \unit {} \unit {} \unit {} \uniprotect \protect \unprotected \par \unregisterhyphenationpattern [] [] \unspaceafter \ {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect unprotected unregisterhyphenationpattern unspaceafter unspaceargument	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \underspandeddocumentvariable {} \unhbox \with {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \uniqueMT {} \unit {} \unit {} \unit {} \unit {} \uniprotect \protect \unprotected \par \unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhbox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance unita:instance:unit unprotect unprotected unregisterhyphenationpattern unspaceafter unspaced	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \underspandeddocumentvariable {} \unhbox \with {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \uniqueMT {} \unit {} \unit {} \unit {} \uniprotect \protect \unprotected \par \unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceafted {}
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhibox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect unprotected unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ultimasottopagina \undefinevalue {} \underset {} {} \underset {} {} \underset {} {} \underspandeddocumentvariable {} \unihbox \with {} \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=} \uniqueMT {} \unit {} \unit {} \uniprotect \protect \unprotected \par \unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceafted {} \unspacestring \to \
type:example:angles typ:angles uconvertnumber uedcatcodecommand ultimasottopagina undefinevalue undepthed underset undoassign unexpandeddocumentvariable unhibox unihex uniqueMPgraphic uniqueMPpagegraphic unita:instance unita:instance:unit unprotect unprotected unregisterhyphenationpattern unspaceafter unspaced unspacestring unstackscripts	\TYPE [=] {} \TYPE [=] <<>> \typ [=] <<>> \uconvertnumber {} {} \udotatcodecommand \ {} \ulderstopagina \undefinevalue {} \understopagina \understopagi

appercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote upperrightsingleninequote	\upperrightdoublesixquote \upperrightsingleninequote
pperrightsinglesixquote	\upperrightsinglesixquote
irl	\url []
ısablocco	\usablocco [] [=]
ısacartella	\usacartella []
ısacolonnasonoraesterna	\usacolonnasonoraesterna [] []
ısadocumentoesterno	\usadocumentoesterno [] []
ısafiguraesterna	\usafiguraesterna [] [] [] [=]
ısaJSscripts	\usaJSscripts [] []
usamodulo	\usamodulo [] [] [=]
ısasimboli	\usasimboli []
ısaURL	\usaURL [] [] []
ısaurl	\usaurl [] [] []
sealignparameter	\usealignparameter \
nseblankparameter nsebodyfont	\useblankparameter \ \usebodyfont []
sebodyfont sebodyfontparameter	\usebodyfontparameter \
sebtxdataset	\usebtxdataset [] [=]
sebtxdefinitions	\usebtxdefinitions []
secitation	\usecitation []
secitation:direct	\usecitation {}
isecolors	\usecolors []
secomponent	\usecomponent []
ısedummycolorparameter	\usedummycolorparameter {}
sedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
seenvironment	\useenvironment []
seexternalrendering	\useexternalrendering [] [] []
nsefigurebase	\usefigurebase []
sefile	\usefile [] []
nsegridparameter nseindentingparameter	\usegridparameter \ \useindentingparameter \
seindentingparameter	\useindentringparameter \
seinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
seluamodule	\useluamodule []
useMPenvironmentbuffer	\useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic {} {=}
ıseMPlibrary	\useMPlibrary []
ıseMPrun	\useMPrun {} {}
ıseMPvariables	\useMPvariables [] []
semathstyleparameter	\usemathstyleparameter \
seproduct	\useproduct []
seprofileparameter	\useprofileparameter \
nseproject	\useproject []
sereferenceparameter	\usereferenceparameter \
ıserpagenumber ısesetupsparameter	\userpagenumber \usesetupsparameter \
nsestaticMPfigure	\usestaticMPfigure [=] []
sesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [] [=]
setypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile	\usezipfile [] []
utfchar	\utfchar {}
utflower	<pre>\utflower {}</pre>
utfupper	<pre>\utfupper {}</pre>
ntilityregisterlength	$\verb \utilityregisterlength $
VerboseNumber	\VerboseNumber {}
<i>r</i> aia	\vaia {} []
vaiabox	\vaiabox {} []
vaiapagina	\vaiapagina {} []
valencelone	\vaigiu []
valorecolore	\valorecolore {}

vboxreference	\vboxreference [] {}
vec	\vec {}
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
versione	\versione []
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
	-
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue
viewerlayer	\viewerlayer [] {}
vl	\v1 []
vpackbox	\vpackbox
vpackedbox	\vpackedbox
vphantom	\vphantom {}
vpos	\vpos {} {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
WidthSpanningText	\WidthSpanningText {} {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	\widthspanningtext {} {} {}
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ \{\}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
xmlaftersetup	\xmlaftersetup {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlaftersetup xmlall	\xmlaftersetup {} {} \xmlall {} {}
xmlaftersetup xmlall xmlappenddocumentsetup	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {}</pre>
xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {}</pre>
xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {}</pre>
xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {}</pre>
xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {}</pre>
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute</pre>	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {}</pre>
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattribute xmlattributedef xmlbadinclusions</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef</pre>	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {}</pre>
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlattributedef xmlbadinclusions xmlbeforedocumentsetup</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup</pre>	<pre>\xmlaftersetup {} {} \xmlappenddocumentsetup {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} \xmlattribute {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {}</pre>
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlchainatt xmlchainattdef</pre>	<pre>\xmlaftersetup {} {} \xmlappenddocumentsetup {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} \xmlattribute {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {}</pre>
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlchainatt xmlchainattdef xmlchecknamespace</pre>	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {}</pre>
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedf xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} \xmlattribute {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} \xmlchecknamespace {} {} \xmlcommand {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedf xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} \xmlattribute {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} \xmlcommand {} {} {} \xmlconcat {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedf xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} \xmlchainattdef {} {} \xmlchainattdef {} {} \xmlchainattdef {} {} \xmlcommand {} {} {} \xmlconcat {} {} \xmlconcatrange {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedf xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlconcat xmlconcat xmlconcatrange xmlcontext</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlconcat {} {} {} \xmlconcat {} {} {} \xmlconcat {} {} {} \xmlcontext {} {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedf xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange xmlcount</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} \xmlchainattdef {} {} \xmlcommand {} {} {} \xmlconcat {} {} \xmlcontext {} {} \xmlcontext {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcat xmlcontext xmlcount xmldefaulttotext</pre>	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlconmand {} {} {} \xmlcontext {} {} {} \xmlcontext {} {} {} \xmlcontext {} {} {} \xmlcontext {} {} {} {} \xmlcontext {} {} {} {} {} \xmlcontext {} {} {} {} {}</pre>
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcat xmlcontext xmlcount xmldefaulttotext xmldirectives</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchocknamespace {} {} \xmlconcat {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} \xmlcount {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcat xmlconcatrange xmlcount xmldefaulttotext xmldirectives xmldirectivesafter</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchocommand {} {} {} \xmlconcat {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} {} \xmlcount {} \xmldirectives {} \xmldirectives {} \xmldirectivesafter {}
<pre>xmlaftersetup xmlall xmlappendocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcat xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesbefore</pre>	<pre>\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlcommand {} {} {} \xmlconcat {} {} {} \xmlcontext {} {} \xmlcount {} {} \xmlcount {} {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xm</pre>
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcat xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesbefore xmldisplayverbatim</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlcommand {} {} {} \xmlconcat {} {} {} \xmlcontext {} {} \xmlcount {} {} \xmlcount {} {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcat xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesbefore xmldisplayverbatim xmldoif</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlcommand {} {} {} \xmlconcat {} {} \xmlcontext {} {} \xmlcount {} {} \xmlcount {} {} \xmldirectives {} \xmldirectivesafter {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoif {} {}
<pre>xmlaftersetup xmlall xmlappendocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcat xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlconcat {} {} \xmlconcat {} {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} \xmldoifatt {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange xmlcontext xmldirectives xmldirectivesafter xmldirectivesbefore xmldoif xmldoifatt xmldoifelse</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlconmand {} {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} \xmlcount {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesafter {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} \xmldoifelse {} {} {}
<pre>xmlaftersetup xmlall xmlappendocumentsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesefore xmldiplayverbatim xmldoif xmldoifelse xmldoifelse xmldoifelseatt</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlatt {} {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlcommand {} {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesafter {} \xmldoif {} {} {} \xmldoifelse {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange xmlcontext xmldirectives xmldirectivesafter xmldirectivesbefore xmldoif xmldoifatt xmldoifelse</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} {} \xmlcommand {} {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} {} \xmlcount {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesafter {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} \xmldoifelseatt {} {} \xmldoifelseempty {} {} {}
<pre>xmlaftersetup xmlall xmlappendocumentsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesefore xmldiplayverbatim xmldoif xmldoifelse xmldoifelse xmldoifelseatt</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlatt {} {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} \xmlcommand {} {} {} \xmlconcat {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesafter {} \xmldoifelse {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange xmlcontext xmldirectives xmldirectives xmldirectivesfore xmldisplayverbatim xmldoif xmldoifelse xmldoifelseempty</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} \xmlchainattdef {} {} \xmlconcat {} {} \xmlconcatrange {} {} {} \xmlcontext {} {} \xmldirectives {} \xmldirectives {} \xmldirectivesafter {} \xmldoifelse {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} \xmldoifelsetext {} {} {}
<pre>xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlbeforesetup xmlchainatt xmlchainattdef xmlchainattdef xmlconcat xmlconcat xmlconcat xmlconcat xmlcount xmldefaulttotext xmldirectives xmldirectivesfore xmldiplayverbatim xmldoif xmldoifelse xmldoifelseempty xmldoifelseselfempty</pre>	\xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlatt {} {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} {} \xmlchainattdef {} {} \xmlcommand {} {} {} \xmlconcat {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesafter {} \xmldoifelse {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {}
<pre>xmlaftersetup xmlall xmlappendocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange xmlcount xmldefaulttotext xmldirectives xmldirectivesefore xmldiplayverbatim xmldoif xmldoifelse xmldoifelseempty xmldoifelseselfempty xmldoifelseselfempty xmldoifelsetext</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} \xmlchainattdef {} {} \xmlconmand {} {} {} \xmlconcat {} {} \xmlcontext {} {} \xmlcontext {} {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldoifelse {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsetext {} {} {}
<pre>xmlaftersetup xmlall xmlappendocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup xmlchainatt xmlchainatt xmlchainattdef xmlchecknamespace xmlcommand xmlconcat xmlconcatrange xmlcontext xmldirectives xmldirectives xmldirectivesbefore xmldiplayverbatim xmldoifetse xmldoifelseempty xmldoifelseselfempty xmldoifelseselfempty xmldoifelsevalue</pre>	\xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlchainatt {} {} \xmlchainattdef {} {} \xmlchainattdef {} {} \xmlcommand {} {} {} \xmlconcat {} {} \xmlcontext {} {} \xmlcontext {} {} \xmlcount {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldoifelse {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseevalue {} {} {} \xmldoifelsevalue {} {} {}

xmldoifnotselfempty	\xmldoifnotselfempty {} {}
xmldoifnottext	\xmldoifnottext {} {} {}
xmldoifselfempty	\xmldoifselfempty {} {}
xmldoiftext	\xmldoiftext {} {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise	\xmlflushspacewise {}
xmlflushtext	\xmlflushtext {}
xmlinclude	\xmlinclude {} {}
xmlinclusion	\xmlinclusion {}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint {} {}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective \{\ldots\}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar	\xmllastpar
xmlloadbuffer	$\mbox{xmlloadbuffer } \{\} \ \{\}$
xmlloaddata	\xmlloaddata {} {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	\xmlloadfile {} {}
xmlloadonly	\xmlloadonly {} {}
xmlmain	\xmlmain {}
xmlmapvalue	\xmlmapvalue {} {}
xmlname	\xmlname {}
xmlnamespace	<pre>\xmlnamespace {} \xmlnonspace {} {}</pre>
xmlnonspace xmlpar	\xmlpar {} {}
xmlparam	\xmlparam {} {}
xmlpath	\xmlpatam () \xmlpath \{\}
xmlpos	\xmlpos {}
xmlposition	\xmlposition {} {} {}
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint {} {}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer {} {} {}
xmlprocessdata	\xmlprocessdata {} {} {}
xmlprocessfile	\xmlprocessfile {} {} {}
xmlpure	\xmlpure {} {}
xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	$\xspace \xspace \xsp$
xmlregisteredsetups	\xmlregisteredsetups
xmlregisterns	\xmlregisterns {} {}
xmlremapname	\xmlremapname \{\ldots\} \{\ldots\} \{\ldots\}
xmlremapnamespace	\xmlremapnamespace \{\ldots\} \{\ldots\} \{\ldots\}
xmlremovedocumentsetup	\xmlremovedocumentsetup \{\ldots\} \{\ldots\}
-	·
xmlremovesetup	\xmlremovesetup {}
xmlremovesetup xmlresetdocumentsetups	\xmlresetdocumentsetups {}
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors	\xmlresetdocumentsetups {} \xmlresetinjectors
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors []</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetinjectors [] \xmlsetpar {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetinjectors [] \xmlsetparam {} {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar	<pre>\xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetinjectors [] \xmlsetpar {} {}</pre>

xmlshow
xmlsnippet
xmlstrip
xmlstripnolines
xmlstripped
xmlstrippednolines
xmltag
xmltexentity
xmltext
xmltobuffer
xmltobufferverbose
xmltofile
xmlvalue
xmlverbatim
xsplitstring
xypos
${\tt zeronumberconversion}$

```
\xmlshow {...}
\xmlsnippet {...} {...}
\xmlstrip {...} {...}
\xmlstripnolines {...} {...}
\xmlstripped {...} {...}
\xmlstrippednolines {...} {...}
\xmltag {...}
\xmltexentity {...} {...}
\xmltext {...} {...}
\xmltobuffer {...} {...} {...}
\xmltobufferverbose {...} {...} {...}
\xmlvalue {...} {...} {...}
\xmlvalue {...} {...} {...}
\xmlverbatim {...}
\xypos {...}
\zeronumberconversion {...}
```

