

717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City

717010, Taiwan

Effective Date: February 5, 2024 Validity period: 12 months

Statement

To the best knowledge of CHIMEI CORPORATION ("CHIMEI") as of the date hereof, CHIMEI hereby represents that the resins listed below which directly supplied by CHIMEI ("Products") do not contain more than 0.1%(w/w) of 240 substances of Very High Concern(SVHCs) identified on the REACH Candidate List (last updated: January 23, 2024).

POLYLAC® ABS (J01, J04,

A01, A03)

PA-704LRP, PA-707, PA-709, PA-709P, PA-709S, PA-717C, PA-726, PA-726M, PA-727, PA-737, PA-746, PA-746H, PA-746M, PA-747, PA-747F, PA-747H, PA-747R, PA-747S, PA-756, PA-756H, PA-756S, PA-757, PA-757 AB, PA-757F, PA-757G J08, PA-757H, PA-757N, PA-763H, PA-763AH, PA-763, PA-764, PA-764B, PA-764G, PA-797, PA-777B,

PA-777D, PA-777E, PA-77BS, PA-77NB

POLYLAC® MABS

PA-703TRP, PA-758, PA-758R

KIBISAN® SAN

PN-106, PN-107 (FG), PN-117, PN-117C, PN-117H FG,

PN-127 (FG), PN-127H, PN-137H

POLYREX® PS

PH-55Y, PH-88, PH-88SG, PH-88S

ACRYREX® PMMA

CM-205(G, M, N), CM-207(G), CM-211(G)

ACRYSTEX® SMMA

PM-500G (F01), PM-600

WONDERLITE® PC

PC-108U, PC-110(L, U), PC-110P, PC-115(L, U), PC-115P, PC-115P F17111C1, PC-122(U), PC-122P, PC-140LTU, PC-145K, PC-175, PC-616LS, PC-681U, PC-6500, PC-6600 (J01), PC-6610 (J01), PC-6700, PC-6710, PC-6715VT,

PC-6710NF, PC-6715NF, EG-8410, EG-8420, EG-8430

WONDERLOY® PC Alloy (J01)

PC-345, PC-365, PC-385, PC-510, PC-540, PC-540A, PC-540H, PC-541, PC-545, PC-860, PC-990, PC-6015, PC-992

KIBITON® TPE

PB-511, PB-575, PB-585, PB-587, PB-5301, PB-5302,

PB-5502



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com CHIMEI CORPORATION

No. 398 , Sec. 1 , Zhongzheng
Rd., Rende Dist., Tainan City

717010, Taiwan

KIBITON® Q-resin PB-5903

KIBIPOL® LBR/SSBR/HBR PR-040, PR-040G, PR-050, PR-060, PR-255, PR-303, PR-1205

ACRYPOLY® CM-205B, CM-205X, PM-500X

KIBILITE® DM-601M, DS-551A, DS-601Y

KIBILAC® ASA PW-957, PW-978B, PW-978D, PW-978W, PW-997, PW-997S,

PW-904SUP

EcologueTM Bio Products The Bio Products in EcologueTM series with the names

consisting of the above listed product names and "B%%",

such as PA-757 B50.

The "%%" represents the bio contents of products.

*The above suffix "J01" and "J04" denote the black color grade.

*The above suffix "A01" and "A03" denote the white color grade.

Sincerely Yours,

Jones Kuo

Vice President of Research and Development Head Division



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| Substance Name | CAS No. | EC number | Substance Name | CAS No. | EC number |
|--------------------------------|-------------------------|--------------------|---------------------------------------|--------------------------------|------------------|
| Cadmium | 7440-43-9 | 231-152-8 | 4-Nonylphenol, branched | | |
| Ammonium | | | and linear, ethoxylated | | |
| pentadecafluorooctanoate | 3825-26-1 | 223-320-4 | [substances with a linear | | |
| (APFO) | | | and/or branched alkyl | | |
| Pentadecafluorooctanoic acid | 225 67 1 | 206 207 0 | chain with a carbon | | |
| (PFOA) | 335-67-1 | 206-397-9 | number of 9 covalently | | |
| Dipentyl phthalate (DPP) | 131-18-0 | 205-017-9 | bound in position 4 to | | |
| | | | phenol, ethoxylated | | |
| | | | covering UVCB- and | | |
| | | | well-defined substances, | | |
| Cadmium oxide | 1306-19-0 | 215-146-2 | polymers and | | |
| | | | homologues, which include any of the | | |
| | | | individual isomers and/or | | |
| | | | combinations thereof | | |
| | | | Bis | | |
| Triethyl arsenate | 15606-95-8 | 427-700-2 | (2-ethylhexyl)phthalate | 117-81-7 | 204-211-0 |
| metry disende | 13000 33 0 427 700 2 | (DEHP) | 117 01 7 | 204 211 0 | |
| Anthracene | 120-12-7 | 204-371-1 | Hexabromocyclododecane | | |
| 4,4'- | 120 12 7 | 20: 3711 | (HBCDD) and all major | | |
| Diaminodiphenylmethane | 101-77-9 | 202-974-4 | diastéreoisomers | 25637-99-4 | 247-148-4 |
| (MDA) | 101 // 3 | 202 37 1 1 | identified: Alpha-hexabromocyclodo | and 3194-55-6 | and 221-695-9 |
| Dibutyl phthalate (DBP) | 84-74-2 | 201-557-4 | decane | (134237-50-6) | - |
| | 0.7.2 | | Beta-hexabromocyclodod | (134237-51-7) (134237-52-8) | _ |
| Cobalt dichloride | 7646-79-9 | 231-589-4 | ecane Gamma-hexabromocyclod | j . | _ |
| | 7010733 | 201 000 . | odecane | | |
| | | | Alkanes, C10-13, chloro | | |
| Diarsenic pentaoxide | 1303-28-2 | 215-116-9 | (Short Chain Chlorinated | 85535-84-8 | 287-476-5 |
| | | | Paraffins) | | |
| B | 1007.50.0 | 245 404 4 | Bis(tributyltin)oxide | 56.05.0 | 222 252 2 |
| Diarsenic trioxide | 1327-53-3 | 215-481-4 | ` (TBTO)´ | 56-35-9 | 200-268-0 |
| Sodium dichromate | 7789-12-0 | 234-190-3 | Lead hydrogen arsenate | 7784-40-9 | 232-064-2 |
| 5-tert-butyl-2,4,6-trinitro-m- | 81-15-2 | 201-329-4 | Benzyl butyl phthalate | 85-68-7 | 201-622-7 |
| xylene (musk xylene) | 01-13-2 | 201-329-4 | (BBP) | 03-00-7 | 201-022-7 |
| Anthracene oil | 90640-80-5 | 292-602-7 | Zirconia Aluminosilicate, | | |
| | 300 4 0-60-3 | Z9Z-UUZ - / | Refractory Ceramic Fibres | | _ |
| Anthracene oil, anthracene | 91995-17-4 | 295-278-5 | 2,4-Dinitrotoluene | 121-14-2 | 204-450-0 |
| paste, distn. lights | J199J-1/-4 | 29J-2/0 - J | Z, T Difficioloquelle | 171-14-7 | ZUT-4JU-U |
| Anthracene oil, anthracene | 91995-15-2 | 295-275-9 | Diisobutyl phthalate | 84-69-5 | 201-553-2 |
| paste, anthracene fraction | J1JJJ 1J Z | | Disobacy: pricriatate | U-1 U J J | 201 333 2 |
| Anthracene oil, | 90640-82-7 | 292-604-8 | Lead chromate | 7758-97-6 | 231-846-0 |
| anthracene-low | 30010 02 7 | 272 004 0 | | | 231 340 0 |
| Anthracene oil, anthracene | | | Lead chromate molybdate | | |
| paste | 90640-81-6 | 292-603-2 | sulphate red (C.I. Pigment | 12656-85-8 | 235-759-9 |
| | | | Red 104) | | |



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| Coal tar pitch, high temp. | 65996-93-2 | 266-028-2 | Lead sulfochromate yellow (C.I. Pigment Yellow 34) | 1344-37-2 | 215-693-7 |
|--|---------------------------|--------------------------|---|------------|-----------|
| Acrylamide | 79-06-1 | 201-173-7 | Tria/2 ablava atherd\nh a anh | | |
| Aluminosilicate Refractory Ceramic Fibres | _ | _ | Tris(2-chloroethyl)phosph ate | 115-96-8 | 204-118-5 |
| Ammonium dichromate | 7789-09-5 | 232-143-1 | Potassium dichromate | 7778-50-9 | 231-906-6 |
| Boric acid | 10043-35-3 (1113-50-1) | 233-139-2 (234-343-4) | Sodium chromate | 7775-11-3 | 231-889-5 |
| Disodium tetraborate, anhydrous | 1330-43-4 | 215-540-4 | Tetraboron disodium heptaoxide, hydrate | 12267-73-1 | 235-541-3 |
| Potassium chromate | 7789-00-6 | 232-140-5 | Trichloroethylene | 79-01-6 | 201-167-4 |
| Cobalt(II) sulphate | 10124-43-3 | 233-334-2 | Chromium trioxide | 1333-82-0 | 215-607-8 |
| Cobalt(II) dinitrate | 10141-05-6 | 233-402-1 | Acids generated from chromium | | |
| Cobalt(II) carbonate | 513-79-1 | 208-169-4 | trioxide and their oligomers: | | |
| Cobalt(II) diacetate | 71-48-7 | 200-755-8 | Chromic acid | 7738-94-5 | 231-801-5 |
| 2-Methoxyethanol | 109-86-4 | 203-713-7 | Dichromic acid | 13530-68-2 | 236-881-5 |
| 2-Ethoxylethanol | 110-80-5 | 203-804-1 | Oligomers of chromic acid and dichromic acid | | |
| 2-Ethoxyethyl acetate | 111-15-9 | 203-839-2 | 1-Methyl-2-pyrrolidone | 872-50-4 | 212-828-1 |
| Strontium chromate | 7789-06-2 | 232-142-6 | 1, 2, 3-Trichloropropane | 96-18-4 | 202-486-1 |
| 1, 2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters | 68515-42-4 | 271-084-6 | 1, 2-Benzenedicarboxylic acid, di-C6-8-branched | 71888-89-6 | 276-158-1 |
| Hydrazine | 302-01-2 (7803-57-8) | 206-114-9 | alkyl esters, C7-rich | | |
| Calcium arsenate | 7778-44-1 | 231-904-5 | Pentazinc chromate octahydroxide | 49663-84-5 | 256-418-0 |
| Bis(2-methoxyethyl) ether | 111-96-6 | 203-924-4 | 4-(1,1,3,3-tetramethylbut yl)phenol | 140-66-9 | 205-426-2 |
| Potassium hydroxyoctaoxodizincatedich romate | 11103-86-9 | 234-329-8 | Formaldehyde, oligomeric reaction products with aniline | 25214-70-4 | 500-036-1 |
| Lead dipicrate | 6477-64-1 | 229-335-2 | Bis(2-methoxyethyl) phthalate | 117-82-8 | 204-212-6 |
| N,N-dimethylacetamide | 127-19-5 | 204-826-4 | Lead diazide, Lead azide | 13424-46-9 | 236-542-1 |
| Arsenic acid | 7778-39-4 | 231-901-9 | Lead styphnate | 15245-44-0 | 239-290-0 |
| 2-Methoxyaniline; o-Anisidine | 90-04-0 | 201-963-1 | 2,2'-dichloro-4,4'-methyle nedianiline | 101-14-4 | 202-918-9 |
| Trilead diarsenate | 3687-31-8 | 222-979-5 | Phenolphthalein | 77-09-8 | 201-004-7 |
| 1,2-dichloroethane | 107-06-2 | 203-458-1 | Dichromium tris(chromate) | 24613-89-6 | 246-356-2 |



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) | 548-62-9 | 208-953-6 | Lead(II) bis(methanesulfonate) | 17570-76-2 | 401-750-5 |
|--|------------|-----------|---|------------|-----------|
| a,a-Bis[4-(dimethylamino)ph enyl]-4 (phenylamino)naphthalene-1 -methanol (C.I. Solvent Blue 4) | 6786-83-0 | 229-851-8 | Formamide | 75-12-7 | 200-842-0 |
| N,N,N',N'-tetramethyl-4,4'- methylenedianiline (Michler's base) | 101-61-1 | 202-959-2 | [4-[[4-anilino-1-naphthyl] | 2580-56-5 | 219-943-6 |
| 1,3,5-tris[(2S and 2R)-2,3- epoxypropyl]-1,3,5-triazine- 2,4,6-(1H,3H,5H)-trione (β-TGIC) | 59653-74-6 | 423-400-0 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 203-794-9 |
| Diboron trioxide | 1303-86-2 | 215-125-8 | 1,3,5-Tris(oxiran-2-ylmet hyl)-1,3,5- triazinane-2,4,6-trione (TGIC) | 2451-62-9 | 219-514-3 |
| 1,2-bis(2-methoxyethoxy)et hane (TEGDME; triglyme) 4,4'-bis(dimethylamino)-4''- | 112-49-2 | 203-977-3 | 4,4'-bis(dimethylamino)b enzophenone (Michler's | 90-94-8 | 202-027-5 |
| (methylamino)trityl alcohol | 561-41-1 | 209-218-2 | ketone) | | |
| Pyrochlore, antimony lead yellow | 8012-00-8 | 232-382-1 | 6-methoxy-m-toluidine (p-cresidine) | 120-71-8 | 204-419-1 |
| Henicosafluoroundecanoic acid | 2058-94-8 | 218-165-4 | Hexahydromethylphthalic anhydride | 25550-51-0 | 247-094-1 |
| Cyclohexane-1,2-dicarboxyli c anhydride | 85-42-7 | 201-604-9 | Hexahydro-4-methylphth alic anhydride | 19438-60-9 | 243-072-0 |
| cis-cyclohexane-1,2-dicarbox ylic anhydride | 13149-00-3 | 236-086-3 | Hexahydro-1-methylphth alic anhydride | 48122-14-1 | 256-356-4 |
| trans-cyclohexane-1,2-dicarb oxylic anhydride | 14166-21-3 | 238-009-9 | Hexahydro-3-methylphth alic anhydride | 57110-29-9 | 260-566-1 |
| Dibutyltin dichloride (DBTC) | 683-18-1 | 211-670-0 | Lead bis(tetrafluoroborate) | 13814-96-5 | 237-486-0 |
| Lead dinitrate | 10099-74-8 | 233-245-9 | Silicic acid, lead salt | 11120-22-2 | 234-363-3 |
| 4-Aminoazobenzene | 60-09-3 | 200-453-6 | Lead titanium zirconium oxide | 12626-81-2 | 235-727-4 |
| Lead monoxide (lead oxide) | 1317-36-8 | 215-267-0 | o-Toluidine | 95-53-4 | 202-429-0 |



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| 3-ethyl-2-methyl-2-(3-meth ylbutyl)- 1,3-oxazolidine | 143860-04-2 | 421-150-7 | Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped | 68784-75-8 | 272-271-5 |
|--|-------------|-----------|--|-------------|-----------|
| Trilead bis(carbonate)dihydroxide | 1319-46-6 | 215-290-6 | Furan | 110-00-9 | 203-727-3 |
| N,N-dimethylformamide | 68-12-2 | 200-679-5 | 4-(1,1,3,3-tetramethylbut yl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues] | - | - |
| 4-Nonylphenol, branched and linear | _ | _ | 4,4'-methylenedi-o-toluidi ne | 838-88-0 | 212-658-8 |
| Diethyl sulphate | 64-67-5 | 200-589-6 | Dimethyl sulphate | 77-78-1 | 201-058-1 |
| Lead oxide sulfate | 12036-76-9 | 234-853-7 | Lead titanium trioxide | 12060-00-3 | 235-038-9 |
| Acetic acid, lead salt, basic | 51404-69-4 | 257-175-3 | [Phthalato(2-)]dioxotrilea d | 69011-06-9 | 273-688-5 |
| Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE) | 1163-19-5 | 214-604-9 | N-methylacetamide | 79-16-3 | 201-182-6 |
| Dinoseb (6-sec-butyl-2,4-dinitrophen ol) | 88-85-7 | 201-861-7 | 1,2-Diethoxyethane | 629-14-1 | 211-076-1 |
| Tetralead trioxide sulphate | 12202-17-4 | 235-380-9 | N-pentyl-isopentylphthala te | 776297-69-9 | _ |
| Dioxobis(stearato)trilead | 12578-12-0 | 235-702-8 | Tetraethyllead | 78-00-2 | 201-075-4 |
| Pentalead tetraoxide sulphate | 12065-90-6 | 235-067-7 | Pentacosafluorotridecanoi c acid | 72629-94-8 | 276-745-2 |
| Tricosafluorododecanoic acid | 307-55-1 | 206-203-2 | Heptacosafluorotetradeca noic acid | 376-06-7 | 206-803-4 |
| 1-bromopropane (n-propyl bromide) | 106-94-5 | 203-445-0 | Methoxyacetic acid | 625-45-6 | 210-894-6 |
| 4-methyl-m-phenylenediami ne (toluene-2,4-diamine) | 95-80-7 | 202-453-1 | Methyloxirane (Propylene oxide) | 75-56-9 | 200-879-2 |
| Trilead dioxide phosphonate | 12141-20-7 | 235-252-2 | o-aminoazotoluene | 97-56-3 | 202-591-2 |
| 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 | 284-032-2 | 4,4'-oxydianiline and its salts | 101-80-4 | 202-977-0 |
| Orange lead (lead tetroxide) | 1314-41-6 | 215-235-6 | Biphenyl-4-ylamine | 92-67-1 | 202-177-1 |
| Diisopentylphthalate | 605-50-5 | 210-088-4 | Fatty acids, C16-18, lead salts | 91031-62-8 | 292-966-7 |
| Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) | 123-77-3 | 204-650-8 | Sulfurous acid, lead salt, dibasic | 62229-08-7 | 263-467-1 |
| Lead cyanamidate | 20837-86-9 | 244-073-9 | | | |



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| 573-58-0 | 209-358-4 | Disodium 4-amino-3-[[4'-[(2,4-dia minophenyl)azo][1,1'-bip henyl]-4-yl]azo] -5-hydroxy-6-(phenylazo) naphthalene-2,7-disulpho nate (C.I. Direct Black 38) | 1937-37-7 | 217-710-3 |
|--------------------------|--|---|---|--|
| 1306-23-6 | 215-147-8 | Dihexyl phthalate | 84-75-3 | 201-559-5 |
| 301-04-2 | 206-104-4 | Imidazolidine-2-thione; | 06.45.7 | 202 506 0 |
| 25155-23-1 | 246-677-8 | (2-imidazoline-2-thiol) | 90-45-7 | 202-506-9 |
| 68515-50-4 | 271-093-5 | Sodium perborate; perboric acid, sodium salt | - | 239-172-9; 234-390-0 |
| 10108-64-2 | 233-296-7 | Sodium peroxometaborat | 7632-04-4 | 231-556-4 |
| 7790-79-6 | 232-222-0 | Cadmium sulphate | 10124-36-4; 31119-53-6 | 233-331-6 |
| 3846-71-7 | 223-346-6 | 2-(2H-benzotriazol-2-yl)- 4,6-ditertpentylphenol (UV-328) | 25973-55-1 | 247-384-8 |
| 15571-58-1 | 239-622-4 | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-ox o-8-oxa-3,5-dithia-4-stan natetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylh exyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5 -dithia-4-stannatetradeca noate (reaction mass of DOTE and MOTE) | - | _ |
| 68515-51-5 68648-93-1 | 271-094-0 272-013-1 | hylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimet hylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof] | - | _ |
| 1120-71-4 | 214-317-9 | 2,4-di-tert-butyl-6-(5-chl | | |
| 98-95-3 | 202-716-0 | orobenzotriazol-2-yl)phen ol (UV-327) | 3864-99-1 | 223-383-8 |
| 36437-37-3 50-32-8 | 253-037-1 200-028-5 | Perfluorononan-1-oic-acid and its sodium and ammonium salts | 375-95-1 21049-39-8 4149-60-4 | 206-801-3 |
| | 1306-23-6 301-04-2 25155-23-1 68515-50-4 10108-64-2 7790-79-6 3846-71-7 15571-58-1 68515-51-5 68648-93-1 | 573-58-0 209-358-4 1306-23-6 215-147-8 301-04-2 206-104-4 25155-23-1 246-677-8 68515-50-4 271-093-5 10108-64-2 233-296-7 7790-79-6 232-222-0 3846-71-7 223-346-6 4 239-622-4 68515-51-5 271-094-0 68648-93-1 272-013-1 1120-71-4 214-317-9 98-95-3 202-716-0 36437-37-3 253-037-1 | S73-58-0 209-358-4 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] | 1306-23-6 209-358-4 4-amino-3-[[4'-[(2,4-dia minophenyl)azo][1,1'-bip henyl]-4-yl]azo] 1937-37-7 |



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| 4,4'-isopropylidenediphenol | 80-05-7 | 201-245-8 | 4-Heptylphenol, branched | | |
|---|------------------------------------|--|--|-------------------------|-----------|
| Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts Nonadecafluorodecanoic acid Ammonium nonadecafluorodecanoate Decanoic acid, nonadecafluoro-, sodium salt p-(1,1-dimethylpropyl)pheno | 335-76-2 3108-42-7 3830-45-3 | 206-400-3 221-470-5 — 201-280-9 | and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | _ | - |
| Perfluorohexane-1-sulphonic acid and its salts | _ | _ | Chrysene | 218-01-9 | 205-923-4 |
| Benz[a]anthracene | 56-55-3 | 200-280-6 | Cadmium hydroxide | 21041-95-2 | 244-168-5 |
| Cadmium nitrate | 10325-94-7 | 233-710-6 | Cadmium carbonate | 513-78-0 | 208-168-9 |
| 1,6,7,8,9,14,15,16,17,17,18 ,18- Dodecachloropentacyclo[12. 2.1.1 ^{6,9} .0 ^{2,13} .0 ^{5,10}]octadeca-7 ,15-diene ("Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof] | I | I | Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear | - | - |
| Octamethylcyclotetrasiloxane (D4) | 556-67-2 | 209-136-7 | Decamethylcyclopentasilo xane (D5) | 541-02-6 | 208-764-9 |
| Dodecamethylcyclohexasilox ane (D6) | 540-97-6 | 208-762-8 | Lead | 7439-92-1 | 231-100-4 |
| Disodium octaborate | 12008-41-2 | 234-541-0 | Benzo[ghi]perylene | 191-24-2 | 205-883-8 |
| Terphenyl hydrogenated | 61788-32-7 | 262-967-7 | Ethylenediamine (EDA) | 107-15-3 | 203-468-6 |
| Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA) | | 209-008-0 | Dicyclohexyl phthalate (DCHP) | 84-61-7 | 201-545-9 |
| 1,7,7-trimethyl-3-(phenylme thylene) bicyclo[2.2.1]heptan-2-one 3-benzylidene camphor; 3-BC | 15087-24-8 | 239-139-9 | 2,2-bis(4'-hydroxyphenyl) -4- methylpentane | 6807-17-6 | 401-720-1 |
| Benzo[k]fluoranthene | 207-08-9 | 205-916-6 | Phenanthrene | 85-01-8 | 201-581-5 |
| Pyrene | 129-00-0; 1718-52-1 | 204-927-3 | Fluoranthene | 206-44-0; 93951-69-0 | 205-912-4 |



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| 2,3,3,3-tetrafluoro-2-(heptaf luoropropoxy)propionic acid, its salts and its acyl halides covering any of their individual isomers and combinations thereof | | - | Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) | - | - |
|---|--|---------------------------------------|--|-------------|-----------|
| 2-methoxyethyl acetate | 110-49-6 | 203-772-9 | 4-tert-butylphenol | 98-54-4 | 202-679-0 |
| Perfluorobutane sulfonic acid (PFBS) and its salts | _ | _ | Diisohexyl phthalate | 71850-09-4 | 276-090-2 |
| 2-methyl-1-(4-methylthioph enyl)-2-morpholinopropan-1 -one | 71868-10-5 | 400-600-6 | 2-benzyl-2-dimethylamin o-4'-morpholinobutyroph enone | 119313-12-1 | 404-360-3 |
| Dibutylbis(pentane-2,4-diona to-0,0')tin | 22673-19-4 | 245-152-0 | butyl 4-hydroxybenzoate | 94-26-8 | 202-318-7 |
| 2-methylimidazole | 693-98-1 | 211-765-7 | 1-vinylimidazole | 1072-63-5 | 214-012-0 |
| Bis(2-(2-methoxyethoxy)eth yl)ether | 143-24-8 | 205-594-7 | Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety | | _ |
| Glutaral | 111-30-8 | 203-856-5 | Orthoboric acid, sodium salt | 13840-56-7 | 237-560-2 |
| Medium-chain chlorinated paraffins (MCCP) UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17 | _ | - | Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) | - | - |
| 2,2-bis(bromomethyl)propan e1,3-diol (BMP); | | | 4,4'-(1-methylpropyliden e)bisphenol | 77-40-7 | 201-025-1 |
| 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis (bromomethyl)-1-propanol (TBNPA); | 3296-90-0;3 6483-57-5; 1522-92-5; 96-13-9 | 221-967-7; 253-057-0; 202-480-9 | 2-(4-tert-butylbenzyl)pro pionaldehyde and its individual stereoisomers | - | - |
| 2,3-dibromo-1-propanol (2,3-DBPA) | | | 1,4-dioxane | 123-91-1 | 204-661-8 |



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC) (3E)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1R,3E,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1S,3Z,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one (1R,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1S,3E,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1R,3Z,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one | - 1782069-81- 1 95342-41-9 852541-25-4 36861-47-9 | _ _ _ _ 253-242-6 _ _ | S-(tricyclo(5.2.1.0'2,6)de ca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 255881-94-8 | 401-850- 9 |
|---|--|---|--|-------------|---------------|
| tris(2-methoxyethoxy)vinylsi lane | 1067-53-4 | 213-934-0 | 6,6'-di-tert-butyl-2,2'-me thylenedi-p-cresol | 119-47-1 | 204-327- 1 |
| N-(hydroxymethyl)acrylamid e | 924-42-5 | 213-103-2 | 1,1'-[ethane-1,2-diylbisox y]bis[2,4,6-tribromobenz ene] - BTBPE | 37853-59-1 | 253-692- 3 |
| 2,2',6,6'-tetrabromo-4,4'-iso propylidenediphenol | 79-94-7 | 201-236-9 | 4,4'-sulphonyldiphenol | 80-09-1 | 201-250- 5 |
| Barium diboron tetraoxide | 13701-59-2 | 237-222-4 | Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof | - | _ |
| Isobutyl 4-hydroxybenzoate | 4247-02-3 | 224-208-8 | Melamine | 108-78-1 | 203-615- 4 |



717010 台南市仁德區中正路一段 398 號 +886-6-266-3000 www.chimeicorp.com

CHIMEI CORPORATION

No. 398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan

| Perfluoroheptanoic acid and its salts | - | - | reaction mass of 2,2,3,3,5,5,6,6-octafluoro -4-(1,1,1,2,3,3,3-heptafl uoropropan-2-yl)morpholi ne and 2,2,3,3,5,5,6,6-octafluoro -4-(heptafluoropropyl)mo rpholine | - | 473-390- 7 |
|--|------------|-----------|--|-----------|---------------|
| Diphenyl(2,4,6-trimethylben zoyl)phosphine oxide | 75980-60-8 | 278-355-8 | Bis(4-chlorophenyl) sulphone | 80-07-9 | 201-247 -9 |
| Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol | - | 700-960-7 | Bumetrizole (UV-326) | 3896-11-5 | 223-445 -4 |
| 2-(dimethylamino)-2-[(4-me thylphenyl)methyl]-1-[4-(m orpholin-4-yl)phenyl]butan- 1-one | 119344-86- | 438-340-0 | 2-(2H-benzotriazol-2-yl)- 4-(1,1,3,3-tetramethylbut yl)phenol (UV-329) | 3147-75-9 | 221-573 -5 |
| 2,4,6-tri-tert-butylphenol | 732-26-3 | 211-989-5 | | | |